

ONLINE FASHION STORE MANAGEMENT SYSTEM

-DATABASE MANAGEMENT SYSTEMS PROJECT-

GROUP MEMBERS-

1. AS2022610 - D. C. A. Gamage
2. AS2022482 - D. L. B. Wijesekara
3. AS2022525 - D. L. A. Thathsarani
4. AS2022587 - N. D. K. N. Sooriyasena
5. AS2022383 - H. G. G. De Zoysa
6. AS2022584 - N. A. S. Perera

Contents

ONLINE FASHION STORE MANAGEMENT SYSTEM.....	1
NEED OF A SOLUTION	3
Problems Currently Facing.....	3
How an optimized database helps	4
Functional Requirements	4
System Entities	5
EXPLORING RELATIONSHIPS.....	6
CREATION OF DATABASE.....	9
TESTING PHASE	16
CONTRIBUTIONS	24

NEED OF A SOLUTION

In today's digital world, having an online presence is essential for business growth. While the shop currently relies on physical sales, the lack of an e-commerce platform limits its customer reach and efficiency. The Online Fashion Store Management System aims to bridge this gap by providing a seamless online shopping experience. Customers will be able to browse products, place orders, and make secure payments from anywhere, while the business can streamline inventory management and order processing. By integrating key features such as a shopping cart, wishlist, order tracking, and multiple payment options, this system will enhance convenience for both customers and administrators, ensuring a smooth and efficient shopping experience.

Problems Currently Facing

1. Limited Reach Beyond Physical Sales

The shop currently relies on in-store purchases, limiting its customer base. An online platform will expand its reach, attracting more buyers and increasing sales.

2. Manual Order Management is Inefficient

Tracking sales, inventory, and customer orders manually is time-consuming and prone to errors. A digital system will streamline operations and improve accuracy.

3. Customers Struggle to Find the Right Products

Without an online catalog, customers lack easy access to product details, categories, and filters. A website will enhance the shopping experience with search and filtering options.

4. Lack of Online Payment & Delivery Options

Customers expect multiple payment methods and convenient delivery options. The website will integrate secure payments (credit/debit cards, COD) and real-time order tracking

How an optimized database helps

- To develop a user-friendly and responsive online shopping platform for fashion products, that supports multiple devices.
- To implement secure payment integration for seamless transactions.
- To integrate a smooth shopping cart, checkout, and payment process.
- To help customers find products easily with search and filters, while enabling reviews and ratings to enhance trust and engagement..
- To provide a structured admin dashboard for managing products, orders, and users.

Functional Requirements

1. Product Management:

- Add, edit, and delete fashion products (clothing, accessories, footwear)
- Categorize products based on type, brand, gender, and price range.
- Display product images, descriptions, sizes, and prices.

2. Shopping Cart & Checkout:

- Allow users to add/remove items from the cart.
- Provide a summary of selected items, including quantity and total price.
- Implement a secure checkout process with multiple payment options (credit/debit cards, cash on delivery).

3. User Management:

- Enable user registration, login, and profile management.
- Allow guest checkout for users who don't want to register.
- Provide order history and tracking for registered users.

4. Search & Filtering:

- Implement a search bar to find products by name, category, or brand.
- Provide filters based on size, color, price range, and availability.

5. Order & Inventory Management (Admin Panel):

- Admins should be able to manage product stock and update availability.
- Track and process customer orders, including shipping and returns.

6. Reviews & Ratings:

- Allow customers to leave reviews and ratings for the store.

7. Responsive & Mobile-Friendly Design:


- Ensure the website is fully responsive on mobile, tablet, and desktop devices.
- Optimize images and loading times for a smooth shopping experience.

System Entities

1. **Customer:** Users who browse products, place orders, and make purchases.
2. **Admin:** Users who manages products, orders, and customers with full system access.
3. **Product:** The fashion items available for sale in the online store.
4. **Order:** The purchases made by customers, containing transaction and payment details.
5. **Delivery:** The shipping details associated with customer orders.
6. **Cart:** A temporary collection of items that customers intend to purchase.
7. **Message:** Communication between customers and admins regarding inquiries or support.
8. **Wishlist:** A list where customers save items of interest for future purchases.

EXPLORING RELATIONSHIPS

ER Diagram



Assumptions

- Customer needs to log the system in order to place the order.
- DELIVERY is necessary to place an ORDER and an ORDER can have only one DELIVERY and vice versa.

Relations Explanation

ADMIN - PRODUCT Relation

- One ADMIN can add many PRODUCTS and a PRODUCT can have only one ADMIN.

CUSTOMER-CART Relation

- One CUSTOMER can have many CARTs and a CART can have only one CUSTOMER.

CUSTOMER-WISHLIST Relation

- One CUSTOMER can have one WISHLISTs and a WISHLIST can have only one CUSTOMER.

CUSTOMER-MESSAGE Relation

- One CUSTOMER can send many MESSAGES and a MESSAGE can have only one CUSTOMER.

PRODUCT-CART Relation

- One CART can add many PRODUCTS and a PRODUCT can have many PRODUCTS.

PRODUCT- WISHLIST Relation


- One WISHLIST can add many PRODUCTS and a PRODUCT can have many WISHLISTs.

CART -ORDER Relation

- CART is necessary to add a ORDER and a ORDER can have only one CART and vice versa.

ORDER- DELIVERY Relation

- ORDER is necessary to place a DELIVERY and a DELIVERY can have only one ORDER and vice versa.



Relational Schema of Online Fashion Store Management System

CREATION OF DATABASE

1. Start Apache and MySQL

- Opened **XAMPP** control panel.
- Clicked "Start" for **Apache** and **MySQL**.

2. Open phpMyAdmin

- In our browser, went to: <http://localhost/phpmyadmin>

3. Create Database

- Clicked "New" on the left side.
- Created a database name by SQL language (online_fashion_store_management_system).

```
CREATE DATABASE online_fashion_store_management_system;
```

4. Create Table

- We went Inside our database using SQL language.

```
USE online_fashion_store_management_system;
```

- Added Tables with fields (columns)

❖ CUSTOMER Table

```
CREATE TABLE CUSTOMER(
    Id INT(15) AUTO_INCREMENT,
    Name VARCHAR(100) NOT NULL,
    Email VARCHAR(100) NOT NULL,
    Password VARCHAR(10) NOT NULL,
    PRIMARY KEY (Id),
    UNIQUE (Email)
);
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 Id	int(15)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 Name	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
☐	3 Email	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
☐	4 Password	varchar(10)	utf8mb4_general_ci		No	None			Change Drop More

❖ ADMIN Table

```
CREATE TABLE ADMIN(
```

```

Id INT(15) AUTO_INCREMENT,
Name VARCHAR(100) NOT NULL,
Email VARCHAR(100) NOT NULL,
Password VARCHAR(10) NOT NULL,
PRIMARY KEY (Id),
UNIQUE (Email)
);

```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 Id	int(15)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 Name	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
☐	3 Email	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
☐	4 Password	varchar(10)	utf8mb4_general_ci		No	None			Change Drop More

❖ PRODUCT Table

```

CREATE TABLE PRODUCT(
    Id INT(15) AUTO_INCREMENT,
    Name VARCHAR(100) NOT NULL,
    Price DOUBLE(8,2) NOT NULL,
    Category VARCHAR(50) ,
    Image MEDIUMBLOB ,
    Stock INT(6) DEFAULT 0,
    Product_detail TEXT NOT NULL,
    Status VARCHAR(50) NOT NULL,
    Admin_id INT(15),
    PRIMARY KEY (Id),
    FOREIGN KEY (Admin_id) REFERENCES ADMIN (Id) ON DELETE SET NULL
    ON UPDATE CASCADE
);

```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐ 1	Id	int(15)			No	None		AUTO_INCREMENT	Change Drop More
☐ 2	Name	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
☐ 3	Price	double(8,2)			No	None			Change Drop More
☐ 4	Category	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐ 5	Image	mediumblob			Yes	NULL			Change Drop More
☐ 6	Stock	int(6)			Yes	0			Change Drop More
☐ 7	Product_detail	text	utf8mb4_general_ci		No	None			Change Drop More
☐ 8	Status	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
☐ 9	Admin_id	int(15)			Yes	NULL			Change Drop More

❖ CART Table

```
CREATE TABLE CART(
    Id INT(15) AUTO_INCREMENT,
    Customer_id INT(15),
    PRIMARY KEY (Id),
    FOREIGN KEY (Customer_id) REFERENCES CUSTOMER (Id) ON DELETE
    SET NULL ON UPDATE CASCADE
);
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐ 1	Id	int(15)			No	None		AUTO_INCREMENT	Change Drop More
☐ 2	Customer_id	int(15)			Yes	NULL			Change Drop More

❖ CART_PRODUCT Table

```
CREATE TABLE CART_PRODUCT(
    Cart_id INT(15),
    Product_id INT(15),
    Quantity INT(6) DEFAULT 0,
    PRIMARY KEY (Cart_id, Product_id),
    FOREIGN KEY (Cart_id) REFERENCES CART (Id) ON DELETE CASCADE ON
    UPDATE CASCADE,
    FOREIGN KEY (Product_id) REFERENCES PRODUCT (Id) ON DELETE
    CASCADE ON UPDATE CASCADE
);
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐ 1	Cart_id	int(15)			No	None			Change Drop More
☐ 2	Product_id	int(15)			No	None			Change Drop More
☐ 3	Quantity	int(6)			Yes	0			Change Drop More

❖ WISHLIST Table

```
CREATE TABLE WISHLIST(
    Id INT(15) AUTO_INCREMENT,
    Customer_Id INT(15),
    PRIMARY KEY (Id),
    FOREIGN KEY (Customer_Id) REFERENCES CUSTOMER (Id) ON DELETE
    SET NULL ON UPDATE CASCADE
);
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 Id 	int(15)			No	None		AUTO_INCREMENT	 Change  Drop  More
☐	2 Customer_Id 	int(15)			Yes	NULL			 Change  Drop  More

❖ WISHLIST_PRODUCT Table

```
CREATE TABLE WISHLIST_PRODUCT(
    Wishlist_id INT(15),
    Product_id INT(15),
    PRIMARY KEY (Wishlist_id, Product_id),
    FOREIGN KEY (Wishlist_id ) REFERENCES WISHLIST (Id) ON DELETE
    CASCADE ON UPDATE CASCADE,
    FOREIGN KEY (Product_id) REFERENCES PRODUCT (Id) ON DELETE
    CASCADE ON UPDATE CASCADE
);
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 Wishlist_id 	int(15)			No	None			 Change  Drop  More
☐	2 Product_id  	int(15)			No	None			 Change  Drop  More

❖ MESSAGE Table

```
CREATE TABLE MESSAGE(
    Id INT(15) AUTO_INCREMENT,
    Customer_id INT(15),
```

```

Message_type VARCHAR(9) NOT NULL,
Message TEXT NOT NULL,
PRIMARY KEY (Id),
FOREIGN KEY (Customer_id) REFERENCES CUSTOMER (Id) ON DELETE
SET NULL ON UPDATE CASCADE
);

```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 Id	int(15)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 Customer_id	int(15)			Yes	NULL			Change Drop More
☐	3 Message_type	varchar(9)	utf8mb4_general_ci		No	None			Change Drop More
☐	4 Message	text	utf8mb4_general_ci		No	None			Change Drop More

❖ ORDER_TABLE Table

```

CREATE TABLE ORDER_TABLE(
  Id INT(15) AUTO_INCREMENT,
  Phone_number VARCHAR(15) NOT NULL,
  Address VARCHAR(100) NOT NULL,
  Address_type VARCHAR(7) NOT NULL,
  Payment_method VARCHAR(20) NOT NULL,
  Ordered_date DATE NOT NULL ,
  Ordered_time TIME NOT NULL ,
  Payment_status VARCHAR(50) NOT NULL,
  Status VARCHAR(50) NOT NULL,
  Cart_id INT(15),
  PRIMARY KEY (Id),
  FOREIGN KEY (Cart_id) REFERENCES CART (Id) ON DELETE SET NULL ON
  UPDATE CASCADE
);

```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 Id	int(15)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 Phone_number	varchar(15)	utf8mb4_general_ci		No	None			Change Drop More
☐	3 Address	varchar(100)	utf8mb4_general_ci		No	None			Change Drop More
☐	4 Address_type	varchar(7)	utf8mb4_general_ci		No	None			Change Drop More
☐	5 Payment_method	varchar(20)	utf8mb4_general_ci		No	None			Change Drop More
☐	6 Ordered_date	date			No	None			Change Drop More
☐	7 Ordered_time	time			No	None			Change Drop More
☐	8 Payment_status	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
☐	9 Status	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
☐	10 Cart_id	int(15)			Yes	NULL			Change Drop More

❖ DELIVERY Table

```
CREATE TABLE DELIVERY(
    Id INT(10) AUTO_INCREMENT,
    Order_id INT(15),
    Delivery_status VARCHAR(50) NOT NULL,
    PRIMARY KEY (Id), FOREIGN KEY (Order_id) REFERENCES ORDER_TABLE (Id) ON
    DELETE SET NULL ON UPDATE CASCADE
);
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 Id	int(10)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 Order_id	int(15)			Yes	NULL			Change Drop More
☐	3 Delivery_status	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More


Assumptions

- Address_type of ORDER_TABLE should be only **Home** or **Office**.
- Payment_method of ORDER_TABLE should be only **Cash** or **Card Payment**.
- Message_type of MESSAGE should be only **complaint** or **normal**.

➤ ALL TABLES

Table	Action	Rows	Type	Collation	Size	Overhead
☐ admin	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ cart	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ cart_product	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ customer	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ delivery	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ message	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ order_table	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ product	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ wishlist	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
☐ wishlist_product	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-

➤ TABLE DESIGN AND CONNECTIONS



TESTING PHASE

ADDING DUMMY DATA

- For customer table

```
1 INSERT INTO customer (id,name,email,password) VALUES
2 (1,'Thilini Minthari','thilinininthari@gmail.com','20026677$'),
3 (2,'Kalpani Navodya','kalpaninavodya@gmail.com','2654@566'),
4 (3,'Piyumi Samarasinghe','piyumisamarasinghe@gmail.com','124556$6');
```

				Id	Name	Email	Password
	Edit	Copy	Delete	1	Thilini Minthari	thilinininthari@gmail.com	20026677\$
	Edit	Copy	Delete	2	Kalpani Navodya	kalpaninavodya@gmail.com	2654@566
	Edit	Copy	Delete	3	Piyumi Samarasinghe	piyumisamarasinghe@gmail.com	124556\$6

- For admin table

```
1 INSERT INTO admin (id,name,email,password) VALUES
2 (1,'Denuka Gamage','denukagamage@gmail.com','De6578@4'),
3 (2,'Lahiru Buthsara','lahirubuthsara@gmail.com','245rfgP'),
4 (3,'Menuri Pieris','menuripieris@gmail.com','njU9087');
```

				Id	Name	Email	Password
☐				1	Denuka Gamage	denukagamage@gmail.com	De6578@4
☐				2	Lahiru Buthsara	lahirubuthsara@gmail.com	245rfgP
☐				3	Menuri Pieris	menuripieris@gmail.com	njU9087

- For product table

```

1 INSERT INTO product(id, Name, Price, Category, Stock, Product_detail,Admin_id) VALUES
2 (1, 'checked shirt', 1750, 'Mens', 450, 'white',1),
3 (2, 'Turtle neck', 1670, 'womens', 200, 'grey',2),
4 (3, 'Short', 650, 'kids', 150, 'black pockets',3);
5

```

	Id	Name	Price	Category	Image	Stock	Product_detail	Status	Admin_id
☐ Edit Copy Delete	1	checked shirt	1750.00	Mens	[BLOB - 112.1 KiB]	450	white	Available	1
☐ Edit Copy Delete	2	Turtle neck	1670.00	womens	[BLOB - 194.3 KiB]	200	grey	Available	2
☐ Edit Copy Delete	3	Short	650.00	kids	[BLOB - 248.1 KiB]	150	black pockets	Available	3

- For cart table

```

1 INSERT INTO cart (Id ,Customer_id )VALUES
2 (1,1),
3 (2,2),
4 (3,3);

```

	Id	Customer_id
☐ Edit Copy Delete	1	1
☐ Edit Copy Delete	2	2
☐ Edit Copy Delete	3	3

- For cart_product table

```

1 INSERT INTO cart_product (Cart_id, Product_id, Quantity) VALUES
2 (1, 1, 2),
3 (2, 1, 4);

```

				Cart_id	Product_id	Quantity
☐		Edit	 Copy	 Delete	1	1
☐		Edit	 Copy	 Delete	2	1

- For wishlist table

```

1 INSERT INTO wishlist (id, Customer_Id) VALUES
2 (1, 1),
3 (2, 2),
4 (3, 3),

```

				Id	Customer_Id
☐		Edit	 Copy	 Delete	1
☐		Edit	 Copy	 Delete	2
☐		Edit	 Copy	 Delete	3

- For wishlist_product table

```

1 INSERT INTO wishlist_product(Wishlist_id ,Product_id)VALUES
2 (1, 1),
3 (2, 2),
4 (3, 3);

```

				Wishlist_id	Product_id
☐	 Edit	 Copy	 Delete	1	1
☐	 Edit	 Copy	 Delete	2	2
☐	 Edit	 Copy	 Delete	3	3

- For Message table

```

1 INSERT INTO message (id,customer_id,Message_type,message)VALUES
2 (1, 1, 'Normal', 'Great service, thank you!'),
3 (2, 2, 'Complaint', 'The product arrived damaged.'),
4 (3, 3, 'Normal', 'Do you offer gift wrapping?');

```

				Id	Customer_id	Message_type	Message
☐	 Edit	 Copy	 Delete	1	1	Normal	Great service, thank you!
☐	 Edit	 Copy	 Delete	2	2	Complaint	The product arrived damaged.
☐	 Edit	 Copy	 Delete	3	3	Normal	Do you offer gift wrapping?

- For order_table table

```

1 INSERT INTO order_table (
2     id, Phone_number, Address, Address_type, Payment_method, Ordered_date, Ordered_time,
3     Payment_status, Status, Cart_id
4 ) VALUES
5 (1, '0741965955', '24/12, Ganemulla', 'Home', 'cash', '2025-04-29', '12:30:00', 'pending',
6   'processing', 1),
7 (2, '0712345678', '15/7A, Kandy Road, Gampaha', 'Office', 'card', '2025-04-28', '18:45:00',
8   'paid', 'shipped', 2),
9 (3, '0776543210', '88, Lake View, Nuwara Eliya', 'Home', 'online', '2025-04-27', '09:15:00',
10  'paid', 'delivered', 3),

```

	▼ Id	Phone_number	Address	Address_type	Payment_method	Ordered_date	Ordered_time	Payment_status	Status	Cart_id
 Delete	1	0741965955	24/12, Ganemulla	Home	cash	2025-04-29	12:30:00	pending	processing	1
 Delete	2	0712345678	15/7A, Kandy Road, Gampaha	Office	card	2025-04-28	18:45:00	paid	shipped	2
 Delete	3	0776543210	88, Lake View, Nuwara Eliya	Home	online	2025-04-27	09:15:00	paid	delivered	3

- For delivery table

```

1 INSERT INTO delivery(Id,Order_id ,Delivery_status)VALUES
2 (1, 1, 'pending'),
3 (2, 2, 'delivered'),
4 (3, 3, 'out for delivery'),

```

	← T →	▼	Id	Order_id	Delivery_status
☐	 Edit	 Copy	 Delete	1	1 pending
☐	 Edit	 Copy	 Delete	2	2 delivered
☐	 Edit	 Copy	 Delete	3	3 out for delivery

ALTERING DATA IN THE TABLES USING QUERIES

- Deleting an admin from the Admin table

```
1 DELETE FROM admin WHERE id=2;
```

				Id	Name	Email	Password
☐				1	Denuka Gamage	denukagamage@gmail.com	De6578@4
☐				3	Menuri Pieris	menuripieris@gmail.com	njU9087

A record was deleted from the admin table, potentially affecting related entries in the product table.

Product table

				Id	Name	Price	Category	Image	Stock	Product_detail	Status	Admin_id
☐				1	checked shirt	1750.00	Mens	[BLOB - 112.1 KiB]	450	white	Available	1
☐				2	Turtle neck	1670.00	womens	[BLOB - 194.3 KiB]	200	grey	Available	NULL
☐				3	Short	650.00	kids	[BLOB - 248.1 KiB]	150	black pockets	Available	3

- Deleting a customer from the customer Table.

```
1 DELETE FROM customer
2 WHERE id=2;
```

				Id	Name	Email	Password
☐				1	Thilini Minthari	thilinininthari@gmail.com	20026677\$
☐				3	Piyumi Samarasinghe	piyumisamarasinghe@gmail.com	124556\$6

A record was deleted from the customer table, potentially affecting related entries in the cart, wishlist and message tables.

Cart table

					Id	Customer_id
☐	 Edit	 Copy	 Delete	2	<i>NULL</i>	
☐	 Edit	 Copy	 Delete	1	1	
☐	 Edit	 Copy	 Delete	3	3	

wishlist table

						Id	Customer_Id	
☐		Edit		Copy		Delete	2	NULL
☐		Edit		Copy		Delete	1	1
☐		Edit		Copy		Delete	3	3

message table

					▼	Id	Customer_id	Message_type	Message
	Edit	Copy	Delete	1		1	Normal	Great service, thank you!	
	Edit	Copy	Delete	2		NULL	Complaint	The product arrived damaged.	
	Edit	Copy	Delete	3		3	Normal	Do you offer gift wrapping?	

- Update the email of a customer in the database.

```

1 UPDATE customer
2 SET email='minthariperera@gmail.com'
3 WHERE id=1;

```

				Id	Name	Email	Password
☐		Edit		Copy		Delete	1 Thilini Minthari minthariperera@gmail.com 20026677\$
☐		Edit		Copy		Delete	3 Piyumi Samarasinghe piyumisamarasinghe@gmail.com 124556\$6

- Select Phone_number , Address, Ordered_date, Ordered_time, Delivery_status from the ordered_table and delivery tables.

```

1 SELECT Phone_number,Address,Ordered_date,Ordered_time,Delivery_status
2 FROM order_table t,delivery d
3 WHERE t.id=d.id
4 ORDER BY Ordered_date;

```

Phone_number	Address	Ordered_date ▲ 1	Ordered_time	Delivery_status
0776543210	88, Lake View, Nuwara Eliya	2025-04-27	09:15:00	out for delivery
0712345678	15/7A, Kandy Road, Gampaha	2025-04-28	18:45:00	delivered
0741965955	24/12,Ganemulla	2025-04-29	12:30:00	pending

CONTRIBUTIONS

-What each team member did-

1. D. L. A. Thathsarani

- Contributed in creating the front end and back end of Admin Dashboard.
- Contributed in creating the front end and back end of the User Dashboard.

2. N .D. K. N. Sooriyasena

- Contributed in creating the front end and back end of Products pages(women, men, kids, watch-collection)
- Contributed in creating the front end and back end of order status.
- Assisted in designing the other pages.
- Created the relational schema for the project report.

3. N. A. S. Perera

- Contributed in creating the front end and back end of checkout page.
- Contributed in creating the front end and back end of About us page.
- Contributed in writing queries for the database and created the project report.

4. D. C. A. Gamage

- Designed Front End pages and backend of Home Page, Login, and Register including the Navigation bar, Footer.
- Assigned tasks to team members and managed their pull requests on GitHub.
- Assisted in developing Back End features for Checkout, Shopping Cart, Wishlist, Main Item, and Contact Us.

5. D. L. B. Wijesekara

- Add product details and contact us pages.
- Planning and Designing the ER Diagram and relational schema for Database.
- Planning the database format and designing the database with its tables
- Create Database details & ER Diagram pages for Project report.

6. H. G. G. De Zoysa

- Contributed in creating the front end and back end of Shopping Cart.
- Contributed in creating the front end and back end of Wishlist.

-End of the Report-