1 This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this page.

### BOOK\_SEARCH\_CAPSTONE

Introduction

POST postCollectionByUserId **GET** getAllCollections

**GET** getByUserId **DEL** deleteByUserId

**GET** getByCollectionId **DEL** deleteByCollectionId

ратсн updateByCollectionId

**GET** getAllBooksByCollectionId

**GET** getBookByBookId

**DEL** deleteBookByBookId

**РОST** postBookByCollectionId **GET** getCommentsByBookId

ратсн patchByBookld

**POST** postCommentByBookID **DEL** deleteCommentsByCommentsId

**POST** createNewUser

**GET** getUserByUserID

**DEL** deleteUserByUserID

**GET** get all users

ENVIRONMENT No environment ▼ LAYOUT Single Column ▼ LANGUAGE cURL - cURL

# book\_search\_capstone

## POST postCollectionByUserId

https://book-search-capstone-server.herokuapp.com/api/book\_collections/all

HEADERS

Authorization Bearer invalid-token

BODY raw

"collection\_name": "Finance", "user\_id":5

## Example Request

PARAMS

curl --location --request POST 'https://book-search-capstone-server.herokuapp.com/api/book\_collections/all' \ --header 'Authorization: Bearer invalid-token' \

--data-raw '{ "collection\_name": "Finance",

"user\_id":5

### **GET** getAllCollections

https://book-search-capstone-server.herokuapp.com/api/book\_collections/all

## **Example Request**

curl --location --request GET 'https://book-search-capstone-server.herokuapp.com/api/book\_collections/all'

## **GET** getByUserId

https://book-search-capstone-server.herokuapp.com/api/book\_collections/user/4

**PARAMS** 

Example Request

curl --location --request GET 'https://book-search-capstone-server.herokuapp.com/api/book\_collections/user/4'

## **DEL** deleteByUserId

https://book-search-capstone-server.herokuapp.com/api/book\_collections/user/1

Example Request

curl --location --request DELETE 'https://book-search-capstone-server.herokuapp.com/api/book\_collections/user/1'

# **GET** getByCollectionId

https://book-search-capstone-server.herokuapp.com/api/book\_collections/collection/4

**PARAMS** 

# Example Request

curl --location --request GET 'https://book-search-capstone-server.herokuapp.com/api/book\_collections/collection/4'

# **DEL** deleteByCollectionId

https://book-search-capstone-server.herokuapp.com/api/book\_collections/collection/6

Example Request

curl --location --request DELETE 'https://book-search-capstone-server.herokuapp.com/api/book\_collections/collection/6'

PATCH updateByCollectionId https://book-search-capstone-server.herokuapp.com/api/book\_collections/collection/7

BODY raw

"collection\_name": "Survival", "id":7

Example Request

curl --location --request PATCH 'https://book-search-capstone-server.herokuapp.com/api/book\_collections/collection/7' \ --data-raw '{

"collection\_name": "Survival", "id":7

# **GET** getAllBooksByCollectionId

https://book-search-capstone-server.herokuapp.com/api/books/collection/4

Example Request

curl --location --request GET 'https://book-search-capstone-server.herokuapp.com/api/books/collection/4' \ --data-raw ''

# **GET** getBookByBookId

https://book-search-capstone-server.herokuapp.com/api/books/book/10

Example Request

curl --location --request GET 'https://book-search-capstone-server.herokuapp.com/api/books/book/10'

DEL deleteBookByBookId

https://book-search-capstone-server.herokuapp.com/api/books/book/11

**DEL** deleteCommentsByCommentsId https://book-search-capstone-server.herokuapp.com/api/comments/comment/3

**Example Request** curl --location --request DELETE 'https://book-search-capstone-server.herokuapp.com/api/comments/comment/3'

https://book-search-capstone-server.herokuapp.com/api/users/ BODY raw "user\_name":"shark", "password" :"123465"

**POST** createNewUser

Example Request curl --location --request POST 'https://book-search-capstone-server.herokuapp.com/api/users/' \ "user\_name":"shark", "password" :"123465"

**GET** get all users https://book-search-capstone-server.herokuapp.com/api/users/

Example Request curl --location --request GET 'https://book-search-capstone-server.herokuapp.com/api/users/'

**DEL** deleteUserByUserID https://book-search-capstone-server.herokuapp.com/api/users/9

BODY raw "user\_id":"9"

	Example Request
	<pre>curllocationrequest DELETE 'https://book-search-capstone-server.herokuapp.com/api/users/9' \</pre>
	data-raw '{  "user_id":"9" }'
	GET getUserByUserID
	https://book-search-capstone-server.herokuapp.com/api/users/6
	BODY raw
	<pre>{     "user_id":"6" }</pre>
	Example Request
	getUserByUserID
	<pre>curllocationrequest GET 'https://book-search-capstone-server.herokuapp.com/api/users/6' \    data-raw '{         "user_id":"6" }'</pre>