Notes

Daniil Cherechukin

Abstract. In this project I gonna use some models and tests, so there I will giving a definitions and give some points about all this staff.

Table of contents

| 1 | Realized volatility (RV) | 1 |
|---|--------------------------|---|
|---|--------------------------|---|

2 Heterogeneous autoregressive (HAR) models 1

1 Realized volatility (RV)

Realized volatility -So the basic formula is

$$RV_t = \sum_{i=1}^{M} r_{i,t}^2 \tag{1}$$

where $M=\frac{1}{\Delta}$, 1 represents the trading time of day t, Δ represents the sum number of transaction times of trading frequency, and Δ -period intraday return is defined by

$$r_{i,t} = log(P_{t-1+i\Delta}) - log(P_{t-1+(i-1)\Delta})$$
 (2)

2 Heterogeneous autoregressive (HAR) models

HAR

Basis idea of this model is the different perception of volatility:

- short-term (day)
- medium-term (week)
- long-term (month)

This can be written by the following equation:

$$RV_t = \beta_1 RV_{t-1} + \beta_2 RV_{t-1|t-5} + \beta_3 RV_{t-1|t-22} + u_t \tag{3}$$

where

$$RV_{t-j|t-h} = \frac{1}{h+1j} \sum_{i=j}^{h} RV_{t-i}, j \le h$$
 (4)

■ HAR-j

In this model extend HAR model provides by using bi-power variation (BPV) for dividing the total volatility into continuous and discontinuous volatility. The HAR-J model is famous for the fact that it includes a measure of "jump variation". This can be written by the following equation:

$$RV_t = \beta_0 + \beta_1 RV_{t-1} + \beta_2 RV_{t-1|t-5} + \beta_3 RV_{t-1|t-22} + \beta_J J_{t-1} + u_t$$
, (5)

where

$$J_t = \max[RV_t - BPV_t, 0] \tag{6}$$

and

$$BPV_t = u_1^{-2} \sum_{i=1}^{M-1} |r_t, i| |r_t, i + 1|$$
 (7)

where $u_1=\sqrt{\frac{2}{\pi}}=E(Z)$, where Z - is a standart normal distribution

CHAR

This motivates the alternative CHAR model, which only includes measures of the continuous variation on the right-hand side of Eq. (7):

$$RV_{t} = \beta_{0} + \beta_{1}BRV_{t-1} + \beta_{2}BRV_{t-1|t-5} + \beta_{3}BRV_{t-1|t-22} + u_{t}$$
 (8)

SHAR

Semi-variance HAR model (SHAR), the main idea being to decompose

the total volatility into positive and negative volatility based on the semivariance measures.

$$RV_{t} = \beta_{0} + \beta_{1}^{+}RV_{t-1}^{+} + \beta_{1}^{-}RV_{t-1}^{-} + \beta_{2}BRV_{t-1|t-5} + \beta_{3}BRV_{t-1|t-22} + u_{t}$$
(9)

where

$$\beta_1^+ R V_{t-1}^+ = \sum_{i=1}^M r_{t,i}^2 I(r_{t,i} > 0)$$
 (10)

and $\beta_1^-RV_{t-1}^-$ defined similarly.

HARQ

This suggests that adjusting for measurement errors in the daily lagged realized volatilities is likely to play a more important role than adjusting for the weekly and monthly coefficients. So to have under that were proposed using simple HARQ and more complicated full-HARQ (HARQF)

$$RV_{t} = \beta_{0} + (\beta_{1} + \beta_{1Q}RQ_{t-1}^{1/2})RV_{t-1} + \beta_{2}RV_{t-1|t-5} + \beta_{3}RV_{t-1|t-22} + u_{t}$$
(11)

where

$$RQ_t = \frac{1}{3\Delta} \sum_{i=1}^{1/\Delta} r_{t,i}^4$$
 (12)

HARQF

$$RV_{t} = \beta_{0} + (\beta_{1} + \beta_{1Q}RQ_{t-1}^{1/2})RV_{t-1} + (\beta_{2} + \beta_{2Q}RQ_{t-1|t-5}^{1/2})RV_{t-1|t-5} + (\beta_{3} + \beta_{3Q}RQ_{t-1|t-22}^{1/2})RV_{t-1|t-22} + u_{t}$$
(13)