

⚙ Settings



TestForge MCP

22-dimension analysis — runs entirely on your machine

🔒 Code never leaves your system

Analysis complete!



Analysis Report — dclaw-audit

💾 Saved



Overall Score

7771 files · 1,128,631 lines · 135 endpoints

🔒 Analyzed entirely on your machine

● 317 critical ● 227 high ● 1 medium ● 3 low

0

Security
554 findings

67

Unit Tests
32 test files

61

Accessibility

81

Vision

47

Stack

91

Agentic Scale
100 agents

25

DORA
Capability: Good — CI + automated deploy

100

Supply Chain

100

Chaos

27

Mutation

69

Predictive

98

Contract



Top Security Findings

[HIGH] XSS via `write()` helper

web/node_modules/object-hash/index.js:221

💡 Either sanitize the argument before passing it to `write`, or rewrite `write` to use the safe alternative (parameterized queries, escape, etc.) intern

[HIGH] XSS via `write()` helper

web/node_modules/object-hash/index.js:245

💡 Either sanitize the argument before passing it to `write`, or rewrite `write` to use the safe alternative (parameterized queries, escape, etc.) intern

[HIGH] XSS via `write()` helper

web/node_modules/object-hash/index.js:262

💡 Either sanitize the argument before passing it to `write`, or rewrite `write` to use the safe alternative (parameterized queries, escape, etc.) intern

[HIGH] XSS via `write()` helper

web/node_modules/object-hash/index.js:293

💡 Either sanitize the argument before passing it to `write`, or rewrite `write` to use the safe alternative (parameterized queries, escape, etc.) intern

[HIGH] XSS via `write()` helper

web/node_modules/object-hash/index.js:296

💡 Either sanitize the argument before passing it to `write`, or rewrite `write` to use the safe alternative (parameterized queries, escape, etc.) intern

[HIGH] XSS via `write()` helper

web/node_modules/object-hash/index.js:299

💡 Either sanitize the argument before passing it to `write`, or rewrite `write` to use the safe alternative (parameterized queries, escape, etc.) intern

[HIGH] XSS via `write()` helper

web/node_modules/object-hash/index.js:302

💡 Either sanitize the argument before passing it to `write`, or rewrite `write` to use the safe alternative (parameterized queries, escape, etc.) intern

[HIGH] XSS via `write()` helper

web/node_modules/object-hash/index.js:305

💡 Either sanitize the argument before passing it to `write`, or rewrite `write` to use the safe alternative (parameterized queries, escape, etc.) intern

🤖 **Agentic Scale: 91/100**

Agent-Ready — Your API can handle 2000+ concurrent AI agents

Max agents before failure: 100 | Bottleneck: Database connection pool

🤖 **Generating + running sandbox...**

⬇️ **Download Report (Markdown)**

⬇️ **Download JSON**

🖨️ **Print / Save PDF**

⌚ Sending top findings to the model (Qwen 3.7 Max → DeepSeek V4 Flash fallback) · then executing the generated tests in a sandboxed Docker container...

🔒 Local analysis — data stored in ~/.testforge/history.db
For managed testing with team sharing, visit [testforge.run](#)