Hippocampal subfield

Daniela Cossio

06 September 2024

Contents

Methods **2**

Results **2**

Angular Error 2

Average 2

rad3 6

Methods

Results

Angular Error

Average

CA1



CA2/3


R = 0.11
p = 0.59
Averaged Angular Error (m)
Averaged CA2 Subfield Volume
Female
R = −0.026
p = 0.93
Male
R = 0.39
p = 0.21
Averaged Position Error (m)
Averaged CA1 Subfield Volume

DG


R = 0.069
p = 0.73
Averaged Angular Error (m)
Averaged dg Subfield Volume
Female
R = −0.043
p = 0.88
Male
R = 0.46
p = 0.13
Averaged Position Error (m)
Averaged dg Subfield Volume

PHC


R = −0.29
p = 0.14
Averaged Angular Error (m)
Averaged phc Subfield Volume


Female
R = −0.16
p = 0.57
Male
R = −0.57
p = 0.055
Averaged Position Error (m)
Averaged phc Subfield Volume

PRC


R = −0.14
p = 0.48
Averaged Angular Error (m)
Averaged PRC Subfield Volume


Female
R = −0.35
p = 0.21
Male
R = 0.029
p = 0.93
Averaged Position Error (m)
Averaged PRC Subfield Volume

ERC


R = −0.12
p = 0.55
Averaged Angular Error (m)
Averaged ERC Subfield Volume


Female
R = −0.049
p = 0.86
Male
R = −0.41
p = 0.18
Averaged Position Error (m)
Averaged PRC Subfield Volume

SUB


R = 0.097
p = 0.63
Averaged Angular Error (m)
Averaged sub Subfield Volume


Female
R = 0.15
p = 0.6
Male
R = 0.2
p = 0.52
Averaged Position Error (m)
Averaged sub Subfield Volume

rad3