
Day report · Saturday, October 31

7 strings · KW Precision 7/6.5 PRC G238

Time	Match / detail	yd	Score	Group MOA	Elev vs solution MOA	Wind met mph	Garmin fps	BC G7
11:13	600 yd validation, string 1	601	45.0	0.66	0.04	2.8 R	2894	0.366
11:23	600 yd validation, string 2	601	50.6	0.69	0.05	1.9 R	2894	0.364
11:43	600 yd validation, string 3	601	45.2	0.49	0.21	1.1 R	2865	0.367
11:50	600 yd validation, string 4	601	47.2	0.63	-0.26	1.6 R	2901	0.365
12:04	600 yd validation, string 5	601	50.4	0.72	-0.01	1.9 R	2905	0.367
12:12	600 yd validation, string 6	601	45.3	0.90	0.29	2.4 R	2863	0.369
12:18	600 yd validation, string 7	601	50.9	0.47	-0.16	3.6 R	2902	0.367

600 yd validation, string 1 · 601 yd

Saturday, October 31, 2026 · 11:13 · Practice · Bisley Century, target 49




Shooter	Dehane
Rifle	KW Precision 7/6.5 PRC
Load / batch	KW Precision 7/6.5 PRC G238 · Batch A
Distance	601.2 yd (Rangefinder)
Atmosphere	10.8 °C, 1026.0 hPa, 81% (kestrel)
Wind the shots met	2.8 mph from right (range 2.3–3.3)
Light / mirage	Fog / mist
Solution	11.250 MOA / R 0.750
Elevation needed vs solution	0.04 MOA
Garmin	2894 fps, SD 4.7, ES 13 (10 shots)
BC from velocity	G7 0.366 (G1 0.728), 2894 → 2148 fps
Note	Fouled barrel; misty. App called 0.75 R; Calypso 2.7 mph at 136°

45.0 from 10 shots · group 0.66 MOA extreme spread · centre L 0.406 / +0.044

Shot	Score	App suggests	Wind call	Landed	True	Wind off: call · app	fps
1	5	– / –	11.250 / R 0.750	↑0.28 →0.28	10.972 / R 0.467	+0.283 · –	2902 → 2171
2	5	– / –	11.250 / R 0.750	↑0.02 →0.32	11.229 / R 0.432	+0.318 · –	2889 → 2132
3	4	– / –	11.250 / R 0.750	↓0.04 →0.49	11.285 / R 0.259	+0.491 · –	2890 → 2152
4	5	– / –	11.250 / R 0.750	↓0.09 →0.40	11.340 / R 0.354	+0.396 · –	2889 → 2134
5	4	– / –	11.250 / R 0.750	↑0.07 →0.49	11.180 / R 0.263	+0.487 · –	2894 → 2143
6	4	– / –	11.250 / R 0.750	↑0.21 →0.49	11.037 / R 0.263	+0.487 · –	2900 → 2173
7	5	– / –	11.250 / R 0.750	↓0.17 →0.35	11.423 / R 0.397	+0.353 · –	2896 → 2145
8	4	– / –	11.250 / R 0.750	↓0.33 →0.54	11.581 / R 0.210	+0.540 · –	2895 → 2148
9	4	– / –	11.250 / R 0.750	↓0.16 →0.47	11.405 / R 0.283	+0.467 · –	2889 → 2138
10	5	– / –	11.250 / R 0.750	↓0.24 →0.24	11.490 / R 0.509	+0.241 · –	2894 → 2148

600 yd validation, string 2 · 601 yd

Saturday, October 31, 2026 · 11:23 · Practice · Bisley Century, target 49



grid 1 MOA · 601.2 yd


Shooter	Dehane
Rifle	KW Precision 7/6.5 PRC
Load / batch	KW Precision 7/6.5 PRC G238 · Batch A
Distance	601.2 yd (Rangefinder)
Wind the shots met	1.9 mph from right (range 1.1–2.9)
Light / mirage	Fog / mist
Solution	11.250 MOA / –
Elevation needed vs solution	0.05 MOA
Garmin	2894 fps, SD 5.3, ES 15 (10 shots)
BC from velocity	G7 0.364 (G1 0.725), 2894 → 2146 fps
Note	Centred

50.6 from 10 shots · group 0.69 MOA extreme spread · centre L 0.145 / +0.053

Shot	Score	App suggests	Wind call	Landed	True	Wind off: call · app	fps
1	V	– / –	11.250 / R 0.250	↑0.06 →0.08	11.187 / R 0.171	+0.079 · –	2890 → 2154
2	V	– / –	11.250 / R 0.250	↓0.22 →0.11	11.466 / R 0.141	+0.109 · –	2886 → 2129
3	V	– / –	11.250 / R 0.250	↑0.13 →0.21	11.123 / R 0.044	+0.206 · –	2899 → 2151
4	5	– / –	11.250 / R 0.250	↑0.20 →0.38	11.053 / L 0.128	+0.378 · –	2895 → 2150
5	V	– / –	11.250 / R 0.250	↑0.09 →0.11	11.164 / R 0.136	+0.114 · –	2897 → 2155
6	5	– / –	11.250 / R 0.250	↓0.28 ←0.12	11.534 / R 0.372	−0.122 · –	2899 → 2139
7	V	– / –	11.250 / R 0.250	↓0.21 →0.12	11.460 / R 0.129	+0.121 · –	2895 → 2149
8	5	– / –	11.250 / R 0.250	↓0.26 →0.23	11.514 / R 0.022	+0.228 · –	2886 → 2132
9	V	– / –	11.250 / R 0.250	↓0.17 →0.04	11.416 / R 0.210	+0.040 · –	2892 → 2146
10	5	– / –	11.250 / R 0.250	↑0.14 →0.29	11.113 / L 0.045	+0.295 · –	2902 → 2155

600 yd validation, string 3 · 601 yd

Saturday, October 31, 2026 · 11:43 · Practice · Bisley Century, target 49




Shooter	Dehane
Rifle	KW Precision 7/6.5 PRC
Load / batch	KW Precision 7/6.5 PRC G238 · Batch B (weaker)
Distance	601.2 yd (Rangefinder)
Wind the shots met	1.1 mph from right (range 0.4–2.0)
Solution	11.250 MOA / –
Elevation needed vs solution	0.21 MOA
Garmin	2865 fps, SD 6.3, ES 20 (10 shots)
BC from velocity	G7 0.367 (G1 0.732), 2865 → 2127 fps
Note	Weaker ammunition batch; low 3 clicks

45.2 from 10 shots · group 0.49 MOA extreme spread · centre L 0.371 / +0.210

Shot	Score	App suggests	Wind call	Landed	True	Wind off: call · app	fps
1	4	– / –	11.250 / R 0.250	↓0.30 →0.41	11.546 / L 0.160	+0.410 · –	2862 → 2128
2	V	– / –	11.250 / R 0.250	↑0.06 →0.24	11.192 / R 0.015	+0.235 · –	2870 → 2186
3	4	– / –	11.250 / R 0.250	↓0.37 →0.46	11.620 / L 0.207	+0.457 · –	2858 → 2119
4	5	– / –	11.250 / R 0.250	↓0.29 →0.34	11.544 / L 0.089	+0.339 · –	2865 → 2122
5	5	– / –	11.250 / R 0.250	↓0.28 →0.25	11.530 / L 0.001	+0.251 · –	2857 → 2119
6	V	– / –	11.250 / R 0.250	↓0.21 →0.12	11.461 / R 0.131	+0.119 · –	2871 → 2126
7	4	– / –	11.250 / R 0.250	↓0.26 →0.43	11.511 / L 0.183	+0.433 · –	2866 → 2117
8	5	– / –	11.250 / R 0.250	↓0.18 →0.39	11.433 / L 0.137	+0.387 · –	2864 → 2116
9	4	– / –	11.250 / R 0.250	↑0.02 →0.49	11.231 / L 0.242	+0.492 · –	2877 → 2126
10	4	– / –	11.250 / R 0.250	↓0.28 →0.59	11.534 / L 0.336	+0.586 · –	2859 → 2112

600 yd validation, string 4 · 601 yd

Saturday, October 31, 2026 · 11:50 · Practice · Bisley Century, target 49




Shooter	Dehane
Rifle	KW Precision 7/6.5 PRC
Load / batch	KW Precision 7/6.5 PRC G238 · Batch A
Distance	601.2 yd (Rangefinder)
Wind the shots met	1.6 mph from right (range 0.9–3.1)
Solution	11.250 MOA / –
Elevation needed vs solution	-0.26 MOA
Garmin	2901 fps, SD 4.2, ES 14 (10 shots)
BC from velocity	G7 0.365 (G1 0.726), 2901 → 2153 fps
Note	Better ammo; high 3 clicks

47.2 from 10 shots · group 0.63 MOA extreme spread · centre L 0.246 / −0.262

Shot	Score	App suggests	Wind call	Landed	True	Wind off: call · app	fps
1	5	– / –	11.250 / R 0.250	↑0.33 →0.20	10.917 / R 0.055	+0.195 · –	2903 → 2170
2	V	– / –	11.250 / R 0.250	↑0.15 ←0.20	11.099 / R 0.446	−0.196 · –	2895 → 2156
3	5	– / –	11.250 / R 0.250	↑0.25 →0.27	10.998 / L 0.022	+0.272 · –	2904 → 2152
4	5	– / –	11.250 / R 0.250	↑0.23 →0.38	11.023 / L 0.126	+0.376 · –	2898 → 2157
5	4	– / –	11.250 / R 0.250	↑0.24 →0.43	11.007 / L 0.179	+0.429 · –	2898 → 2135
6	4	– / –	11.250 / R 0.250	↑0.33 →0.35	10.924 / L 0.100	+0.350 · –	2904 → 2150
7	5	– / –	11.250 / R 0.250	↑0.32 →0.30	10.926 / L 0.049	+0.299 · –	2909 → 2166
8	4	– / –	11.250 / R 0.250	↑0.35 →0.34	10.899 / L 0.095	+0.345 · –	2898 → 2144
9	5	– / –	11.250 / R 0.250	↑0.19 →0.32	11.062 / L 0.075	+0.325 · –	2903 → 2158
10	V	– / –	11.250 / R 0.250	↑0.22 →0.07	11.025 / R 0.184	+0.066 · –	2902 → 2142

600 yd validation, string 5 · 601 yd

Saturday, October 31, 2026 · 12:04 · Practice · Bisley Century, target 49




Shooter	Dehane
Rifle	KW Precision 7/6.5 PRC
Load / batch	KW Precision 7/6.5 PRC G238 · Batch A
Distance	601.2 yd (Rangefinder)
Wind the shots met	1.9 mph from right (range 1.1–3.3)
Solution	11.250 MOA / –
Elevation needed vs solution	-0.01 MOA
Garmin	2905 fps, SD 4.6, ES 15 (10 shots)
BC from velocity	G7 0.367 (G1 0.730), 2905 → 2160 fps
Note	Centred; pause before shot 9

50.4 from 10 shots · group 0.72 MOA extreme spread · centre L 0.147 / −0.015

Shot	Score	App suggests	Wind call	Landed	True	Wind off: call · app	fps
1	V	– / –	11.250 / R 0.250	↑0.04 →0.24	11.206 / R 0.006	+0.244 · –	2908 → 2165
2	V	– / –	11.250 / R 0.250	↑0.13 ←0.14	11.120 / R 0.388	−0.138 · –	2902 → 2150
3	V	– / –	11.250 / R 0.250	↓0.01 ←0.08	11.259 / R 0.328	−0.078 · –	2905 → 2152
4	5	– / –	11.250 / R 0.250	↑0.17 ←0.26	11.076 / R 0.508	−0.258 · –	2912 → 2169
5	V	– / –	11.250 / R 0.250	↑0.12 →0.07	11.129 / R 0.177	+0.073 · –	2905 → 2164
6	5	– / –	11.250 / R 0.250	↓0.13 →0.39	11.377 / L 0.144	+0.394 · –	2900 → 2148
7	5	– / –	11.250 / R 0.250	↓0.07 →0.32	11.324 / L 0.070	+0.320 · –	2907 → 2160
8	5	– / –	11.250 / R 0.250	↓0.11 →0.32	11.359 / L 0.072	+0.322 · –	2897 → 2147
9	5	– / –	11.250 / R 0.250	↓0.13 →0.27	11.377 / L 0.022	+0.272 · –	2911 → 2182
10	5	– / –	11.250 / R 0.250	↑0.12 →0.32	11.127 / L 0.070	+0.320 · –	2905 → 2160

600 yd validation, string 6 · 601 yd

Saturday, October 31, 2026 · 12:12 · Practice · Bisley Century, target 49



grid 1 MOA · 601.2 yd


Shooter	Dehane
Rifle	KW Precision 7/6.5 PRC
Load / batch	KW Precision 7/6.5 PRC G238 · Batch B (weaker)
Distance	601.2 yd (Rangefinder)
Wind the shots met	2.4 mph from right (range 0.8–3.9)
Solution	11.250 MOA / –
Elevation needed vs solution	0.29 MOA
Garmin	2863 fps, SD 3.6, ES 11 (10 shots)
BC from velocity	G7 0.369 (G1 0.735), 2863 → 2129 fps
Note	Weaker batch; gun shooting badly, out of node

45.3 from 10 shots · group 0.90 MOA extreme spread · centre R 0.002 / +0.292

Shot	Score	App suggests	Wind call	Landed	True	Wind off: call · app	fps
1	V	– / –	11.250 / R 0.250	↑0.02 →0.02	11.234 / R 0.231	+0.019 · –	2863 → 2121
2	4	– / –	11.250 / R 0.250	↓0.26 ←0.42	11.506 / R 0.670	−0.420 · –	2867 → 2136
3	V	– / –	11.250 / R 0.250	↓0.13 ←0.19	11.377 / R 0.439	−0.189 · –	2868 → 2151
4	5	– / –	11.250 / R 0.250	↓0.26 ←0.22	11.514 / R 0.469	−0.219 · –	2861 → 2140
5	4	– / –	11.250 / R 0.250	↓0.49 ←0.00	11.742 / R 0.252	−0.002 · –	2865 → 2131
6	4	– / –	11.250 / R 0.250	↓0.43 ←0.39	11.676 / R 0.636	−0.386 · –	2863 → 2120
7	V	– / –	11.250 / R 0.250	↓0.21 →0.12	11.460 / R 0.129	+0.121 · –	2858 → 2124
8	5	– / –	11.250 / R 0.250	↓0.34 →0.24	11.592 / R 0.009	+0.241 · –	2859 → 2126
9	4	– / –	11.250 / R 0.250	↓0.44 →0.33	11.689 / L 0.084	+0.334 · –	2867 → 2121
10	4	– / –	11.250 / R 0.250	↓0.38 →0.48	11.634 / L 0.225	+0.475 · –	2863 → 2119

600 yd validation, string 7 · 601 yd

Saturday, October 31, 2026 · 12:18 · Practice · Bisley Century, target 49



Shooter	Dehane
Rifle	KW Precision 7/6.5 PRC
Load / batch	KW Precision 7/6.5 PRC G238 · Batch A
Distance	601.2 yd (Rangefinder)
Wind the shots met	3.6 mph from right (range 2.9–4.5)
Solution	11.250 MOA / –
Elevation needed vs solution	-0.16 MOA
Garmin	2902 fps, SD 4.9, ES 15 (10 shots)
BC from velocity	G7 0.367 (G1 0.732), 2902 → 2159 fps
Note	Centred, 9 V

50.9 from 10 shots · group 0.47 MOA extreme spread · centre R 0.073 / −0.160

Shot	Score	App suggests	Wind call	Landed	True	Wind off: call · app	fps
1	V	– / –	11.250 / R 0.500	↑0.22 ←0.09	11.027 / R 0.594	−0.094 · –	2909 → 2153
2	V	– / –	11.250 / R 0.500	↑0.22 →0.10	11.029 / R 0.402	+0.098 · –	2900 → 2153
3	V	– / –	11.250 / R 0.500	↓0.06 ←0.04	11.315 / R 0.536	−0.036 · –	2905 → 2158
4	V	– / –	11.250 / R 0.500	↑0.17 ←0.04	11.083 / R 0.539	−0.039 · –	2904 → 2161
5	V	– / –	11.250 / R 0.500	↑0.16 ←0.17	11.086 / R 0.666	−0.166 · –	2899 → 2152
6	V	– / –	11.250 / R 0.500	↑0.23 ←0.04	11.018 / R 0.541	−0.041 · –	2897 → 2155
7	V	– / –	11.250 / R 0.500	↑0.14 ←0.13	11.113 / R 0.633	−0.133 · –	2901 → 2157
8	V	– / –	11.250 / R 0.500	↑0.17 ←0.10	11.083 / R 0.596	−0.096 · –	2895 → 2155
9	V	– / –	11.250 / R 0.500	↑0.13 →0.12	11.125 / R 0.383	+0.117 · –	2904 → 2181
10	5	– / –	11.250 / R 0.500	↑0.23 ←0.34	11.018 / R 0.839	−0.339 · –	2909 → 2162