



Tools That Work as Hard as You Do.

Tapco Tool Systems deliver unrivaled efficiency for siding applicators. Set-up is a breeze. Bends are quick and smooth. Measuring is simple. Cutting and slitting are safer and more precise. With easier, faster and better looking jobs, a Tapco Tool System leads to enhanced profitability.

TAPCO WINDY SPECIAL



SIZE	ITEM NUMBER
8′ 6″	TW1408
10′6″	TW1410

Details.

- · Locking system design provides more clamping power with less effort. Locks on a wider variety of material thicknesses with no need for adjustments
- Full 14" throat depth
- Stainless steel bending edge. Accurate builtin depth gauges
- · Capable of 130° overbends
- Accommodates PRO-Coiler to keep your coil off the ground and at your fingertips for speedier bending
- Removable bending handle for easy transport
- · Available in 8'6" and 10'6" lengths

TAPCO PRO-14 PORT-O-BENDER



SIZE	ITEM NUMBER
8′ 6″	TPRO1408
10′6″	TPRO1410
12′6″	TPRO1412

- 14" (35,6 cm) throat depth with patented large inside working pockets and a 23/8" (6 cm) mouth opening
- · Lightweight, high tech anodized alloys and computer designed die castings for strong, durable performance
- · Fast, strong, positive clamping
- Patented "Moving Pivot Hinge", the world's most advanced hinge design, for unparalleled bending performance
- 180° hemming capability for making more rigid panels
- Available in 8'6", 10'6" and 12'6" lengths
- Heavy Duty version available in 10'6" length

<u>TAPCO PRO-19 PORT-O-BENDER</u>



SIZE	ITEM NUMBER
6′	TPRO1906
8′6″	TPRO1908
10′6″	TPRO1910
12′6″	TPRO1912

Details _

- 19" (48,3 cm) throat depth—largest in the industry for more efficient bending
- Stores material inside bender—reduces handling & flipping of material & speeds up bending
- · Lightweight, high-tech anodized alloys and computer designed die castings
- Patented "Moving Pivot Hinge" increases bending power without marring material
- Patented inside working pockets and 23/8" (6,0 cm) mouth opening
- 180° hemming capability for making more rigid panels
- Available in 6', 8'6", 10'6" and 12'6" lengths

TAPCO MAXIMUM BENDER WITH MAX **STAND & CUT OFF**



SIZE	ITEM NUMBER
8′ 6″	TMAX08
10′6″	TMAX10
12′6″	TMAX12
14′6″	TMAX14

- · Bends and forms commercial metals on the job site. Used for commercial, architectural and industrial sheet metal fabrication
- 19" (48,3 cm) throat depth with a 23/8" (6,0 cm) mouth opening.
- · Constructed with lightweight, high-tech, anodized alloys for maximum strength, durability, and portability.
- · Strong, computer designed die castings for the toughest jobs
- Patented "Moving Pivot Hinge" increases bending power without marring materials
- · Quick, strong, and positive clamping
- Unique hemming capability (180° overbends)
- Portable, for use in the shop or on the job site
- Available in 8'6", 10'6", 12'6" and 14'6" lengths
- Adjustable MAX Cut-Off included in purchase

TAPCO MX SERIES BENDER WITH STAND & **MAX CUT OFF**



SIZE	ITEM NUMBER
8′ 6″	T14470
10′6″	T14471
12′6″	T14472

- System includes an MX Series™ Brake, MX Stand[™] and Adjustable MAX Cut-Off[™]
- Superior Bending Capacity
- · Die-castings with reinforcing ribs to reduce deflection and increase bending performance.
- Double-wall pivot arms provide added strength.
- Ergonomic handles provide added leverage
- Revolutionary moving hinge system increases bending power without marring materials. Also slides for easy maintenance
- Total Stability
- MX Stand offers complete stability with its trapezoidal design
- · Wider plank increases stability while bending





PROTRAX MULTI-ANGLE SAW TABLE



ITEM NUMBER **TPT**

Details

Details.

- Fast & Easy Setup.
- Cuts multiple angles from 3/12 to 12/12
- Weight estimated at 80 lbs (deck 60 lbs / boom 20 lbs)
- Sub-structure provides self cleaning surface
- Accommodates almost any 7 1/4" circular saw
- Captured saw track provides secure & safe operation
- Free-floating saw boom for flexibility and time savings at the job-site
- Lightweight and durable tubular frame system.
- Fits on Snap Stand
- Deck Extender Kit expands deck up to 20" in width; converts to universal work station for layout and cutting of materials

FOLDING LEGS FOR WINDY BRAKES

ITEM NUMBER

T10147

ITEM NUMBER

T12250

SNAP STAND FOR PRO SERIES BRAKES



ITEM NUMBER TSNAP

PORT-O-SLITTER STAND 24"



ITEM NUMBER POS24STAND

Details

- Folding Legs Light duty leg set for use with "Windy" SP
- Tubular steel construction
- · 30" high, folds compactly

PRO CUT-OFF GAUGE

Details

- Solid support for your portable brakes and saw tables
- · Legs adjust independently to level on uneven ground
- Brakes and Saw Tables easily snap and lock in place

WHEEL KIT FOR SNAP STAND

- Folds flat for easy storage
- Sets up in seconds

24" SLITTER CUT-OFF

• Use with the Tapco Port-O-Slitter

· Durable adjustable legs are easy to use, transport &





complete

ITEM NUMBER TSC024

Details

- Includes 2 gauges
- · Makes cuts faster without measuring each cut
- Simplifies cutting
- Tapco PRO 14, Tapco PRO 19 & the Tapco MAX-I-MUM XL

STAINLESS EDGE WINDY SPECIAL



• 2 wheel kit

ITEM NUMBER SIZE 10'6" TP10756

STAINLESS EDGE MAX-PRO 14/19

• Attaches to the Tapco Port-O-Slitter 24" System

• Perfect for making your Port-O-Slitter System

• Makes cross sectional cuts easier and fast

No Image **Available**

SIZE	ITEM NUMBER
10′6″	TP10492
12′6″	TP10493





BRAKE BUDDY WITH CASE



ITEM NUMBER

TBB

Details

- Roll forming tool for use with portable brakes
- · Quickly & easily forms brick mold trim and decorative ribs
- Enables you to offer added style & individuality to all your jobs
- Easy adjustment with the flick of your wrist
- Includes molded plastic storage case

PRO CUT-OFF WITH CASE



ITEM NUMBER

TPCO

- · Quickly & safely make factory quality cuts right on your brake
- · Lightweight aluminum construction built to last
- Eliminates use of dangerous utility knives & open blades
- For use with all PRO Series Brakes (1995 and after)
- Includes molded storage case

ADJUSTABLE MAXIMUM CUT-OFF **WITH CASE**

ITEM NUMBER

TMCO



Details

- · Quickly & safely make factory quality cuts right on your brake
- · Lightweight aluminum construction built to last
- Eliminates use of dangerous utility knives & open blades
- · Includes molded storage case
- Works with Pro series brakes
- Recommended for Pro 14 HD

PORT-O-SLITTER 24" WIDE



ITEM NUMBER

TPOS24B

Details

- · Offers precision slitting & rib forming in a portable, efficient package
- Two sets of cutting knives are included to make single or multiple factory-quality cuts
- · Available options let you completely integrate your slitting system for maximum time-savings: 1/2 HP Motor Kit (specify 110v or 220v), Slitter Snap Stand, 24" Slitter Cut-Off, PRO-Coiler
- Shaft Diameter 2"

PRO COILER



ITEM NUMBER

TPC

Details

- Secures coil directly to the Windy SP Port-O-Brake or Port-O-Slitter with Snap Stand
- Great for securing coil right onto your Tapco Tool system
- Capacity: Up to 24" x 100' coil
- · Portable trim coil holder
- Attaches and detaches easily

SIDE WINDER



ITEM NUMBER

TSW

- Keeps the coil at your side where you need it!
- · Allows you to feed coil directly into the jaws of your **PRO Brake**
- Attaches in seconds to PRO 19 or PRO 14 brakes. (excluding 12'6")

ANGLE GAUGE



ITEM NUMBER

TAG

Details

- Take the guess work out of your bends
- Mounts easily on any PRO, MX Series, or MAX-I-MUM II brake built after 1995
- Quickly shows the bending angle



BuyMBS.com for all your Tapco replacement parts. Parts ship directly to the customer.



SCAN or VISIT

buymbs.com/c-699-tapco-replacement-parts.aspx



Van Mark "We Have The Brake That Works Best For You!"

MARK II™ TRIMMASTER CONTRACTOR



SIZE	ITEM NUMBER
8′6″	TM8
10′6″	TM10
12′6″	TM12

Details

- Power Lock[™] bar provides stronger clamping along the entire bending edge for crisp, clean bends without oil canning or warping
- Increased bending radius. Make 180° hem bends easier than ever.
- Make smaller "J" channels

- Make hollow core hinge extrusions for added strength
- Powder-coat finish provides superior protection from the elements, while eliminating UV fading and oxidation

MARK II™ TRIMMASTER COMMERCIAL



SIZE	ITEM NUMBER
8′6″	TM8HD
10′6″	TM10HD
12′6″	TM12HD

Details

- Power Lock[™] bar provides stronger clamping along the entire bending edge for crisp, clean bends without oil canning or warping
- Increased bending radius. Make 180° hem bends easier than ever
- Make smaller "J" channels

- · Make hollow core hinge extrusions for added strength
- · Powder-coat finish provides superior protection from the elements, while eliminating UV fading and oxidation

METAL MASTER® 20 CONTRACTOR



SIZE	ITEM NUMBER
8′6″	MM850
10′6″	MM1050
12′6″	MM1250

Details _

- 20³/₈"Throat Depth
- · Strongest computer engineered castings for unmatched strength
- Deepest throat available for working with wider materials
- Dual hollow-core Power Lock™ bar for better clamping force
- Increased bending radius. Make 180° hem bends easier than ever.
- · Adjustable clamping jaws with the largest opening in its class
- Ergonomic heavy-duty bending handles for improved leverage

METAL MASTER® 20 COMMERCIAL



SIZE	ITEM NUMBER
10′6″	MM1051
12'6"	MM1251

Details _

- 20³/₈"Throat Depth
- · Strongest computer engineered castings for unmatched strength
- · Deepest throat available for working with wider materials
- Dual hollow-core Power Lock™ bar for better clamping force
- Increased bending radius. Make 180° hem bends easier than ever.
- · Adjustable clamping jaws with the largest opening in its class
- Ergonomic heavy-duty bending handles for improved leverage

MARK IV INDUSTRIAL TRIMMASTER WITH STAND



SIZE	ITEM NUMBER
8′ 6″	IT8
10′6″	IT10
12′6″	IT12

Details _

- 14"Throat Depth
- Power Lock™ bar provides stronger clamping pressure along the entire bending edge for crisp, clean bends without oil canning or warping
- Increased bending radius simplifies hemming & over-bending resulting in faster, easier operations.
- Powder-Coat finish provides superior protection from the elements, while eliminating UV fading and oxidation
- Computer designed components, long service-life, & strongest capacities

METAL MASTER 20 EZ INDUSTRIAL WITH STAND



SIZE	ITEM NUMBER
8′6″	IM855
10′6″	IM1055
12′6″	IM1255

Details _

- 203/8"Throat Depth
- Reinforced Lock Master[™] castings are 25% stronger
- Power Lock[™] bar with increased bend radius adds strength and allows easier hemming
- Ergonomic full looping bending handles
- "Drop In" platform is ready to go in just two easy steps
- Low profile extended platform is 9" longer
- · Center-weighted wheels "spin on a dime"
- · Large heavy-duty ball bearing wheels



™Van Mark

TRIM-A-BRAKE II™



SIZE	ITEM NUMBER
8′ 6″	T850
10′6″	T1050

Details

- Light-weight brake loads into the truck quickly for use of multiple crews
- Requires little set-up or maintenance
- · Hinge pocket helps prevent scoring damage to components
- · Ridge "I" beam base rails ensure brake stays in calibration
- Full loop handle provides uniform bending along entire piece
- · Material stops allow repeat bending without re-measurement
- Brake has 3/8" x 13" throat & vinyl strip for protecting material

MARK∣SERIES™



SIZE	ITEM NUMBER
8′ 6″	M8
10′6″	M10
12′6″	M12

Details

- Fewer parts resulting in along trouble-free
- · No need to adjust this brake daily, or even monthly as the unique cam locking feature clamps to the thickness of the material
- Power Lock[™] bar provides stronger clamping along the entire bending edge for crisp, clean bends without oil canning or warping
- Increased bending radius. Make 180° hem bends easier than ever.
- Powder-coat finish provides superior protection from the elements, while eliminating UV fading and oxidation

TRIM-A-TABLE MODEL TAT50



TRIM-A-TABLE MODEL TAT60



TRIM-A-GUTTER



ITEM NUMBER TAG50

UniLeg[™] sold separately

Details

- Recessed blade track prevents saw blade damage to table
- 18 foot extendable deck supports longer panels and planks
- Precise angle gauge accurately shows pitch & degree scale
- · Memory & butt stops helps to automate repeat cutting
- · Positive-Locking boom all-metal design keeps boom locked


- 6 foot Saw Boom: Allows cuts as shallow as 2/12 pitch
- Redesigned saw rails: Stronger rails help prevent sagging during cut
- Fully captured saw rails: Provides complete saw control for precision cuts
- Quick-Adjust saw rails: Get you up & cutting fast & easy
- Dual wing supports: Design for todays wider siding panels
- Extends from 8' to 18': Perfect for cutting fibercement siding

- Custom form profitable gutter hood for virtually any 5" or 6" K Style Gutter
- Forms up to 48" industry standard gutter hood
- The cost per foot of this system is one of the lowest available
- Make any style hood from fascia or roof mount to dome or low profile




BuyMBS.com for all your VanMark replacement parts. Parts ship directly to the customer.

SCAN or VISIT









™Van Mark

UNILEG™ UNL1



ITEM NUMBER UNL₁

Details

· Single-user setup is fast & easy, while providing solid footing and trouble free service

Fits The Following:

• Van Mark brakes with a 14" throat, Trim-A-Brake I & II Trim-A-Gutter™, and Trim-A-Table™

UNILEG™ UNL2



ITEM NUMBER UNL₂

· Single-user setup is fast & easy, while providing solid footing and trouble free service

Fits The Following:

• Van Mark brakes with a 20" throat, Metal Master® 20 Contractor, and Metal Master® 20 Commercial

UNISTAND™ USA1



ITEM NUMBER USA1

Details

Fits The Following

• Van Mark brakes with a 14" throat, TAT50, and TAT60 Saw Tables

UNISTAND™ USA2



ITEM NUMBER USA₂

Details.

Fits The Following

· Van Mark brakes with a 20" throat

UNISTAND™ USA1EZ



ITEM NUMBER USA1EZ

Details.

Fits The Following

Van Mark brakes with a 14" throat and Trim-A-Table™

UNISTAND™ USA2EZ



ITEM NUMBER USA2EZ

Details

Fits The Following

• Metal Master® 20 brakes with a 20" throat

STEEL LEG KITS



DESCRIPTION	ITEM NUMBER
Trim-A-Brake	VM3000
Trim-A-Table	VM3001
Mark I • Mark II	VM3002

- · Steel Legs install quickly and fold out of the way when tool is idle
- · Mounting hardware included

COIL DISPENSER



ITEM NUMBER CD24

TrimCutter™ sold separately

TRIMCUTTER™



ITEM NUMBER 3017

- · No unravelling coils or wind-blown damage
- · Unit saves time and money by allowing material to be fed directly into most brakes/slitters
- Also works with TrimCutter™

- Uses a unique 4 point track bearing system to ensure tool does not ride off the brake during cut
- · Low profile grip area allows you to direct power along the plane of the cut resulting in one smooth motion
- · Cuts aluminum, copper, zinc & stainless steel

5" BRACKET



QUANTITY	ITEM NUMBER
100 Brackets	3026
500 Brackets	3027

BRACKET



QUANTITY	ITEM NUMBER
100 Brackets	3093
500 Brackets	3094

TRIMFORMER™



ITEM NUMBER 3015

· Ability to strengthen & beautify trim work into designs that distinguish you work from others

