

OPERATIONAL MANUAL · FOR EVENT MANAGERS

Televoto — Event Manager Guide

How to manage a single event in `/manager`: candidates, judge codes, starting/closing voting, and the final ranking.

Area: `/manager`

Interface language: Italian

Manual version: 1.1

Access via event code + manager password

Manage a single event at a time

No access to other events

Table of contents

Accessing the manager area	2
Overview and event status	3
Candidate management	4
Judge codes	5
Voting lifecycle	7
Real-time monitoring	8
Final ranking	9
Settings	10
FAQ	11

01. Accessing the manager area

The `/manager` area lets you operationally manage **one event at a time**: it's not possible to see or reach other events from here, by design. To access it you need two separate pieces of information, requested in two separate steps.

1. Open the `/manager` address

If there isn't already an event code in the URL, the screen *"Enter the event code"* appears. Type the event's numeric code (1 to 5 digits, e.g. `00001`) and press **Enter**.

```
/manager?eventCode=00001&adminSection=voting-backstage
```

2. Enter the event's manager password

The screen *"Protected area › Manage event"* appears with the message *"Enter the manager password to manage this event."* Enter the password provided by the root administrator and press **Log in**. If the password is incorrect, the field shows an error message and you can try again.

3. You're in

After a successful login, the event's shell opens, with a side menu (or a pop-up menu on small screens) and the sections **Candidates**, **Voting Codes**, **Voting Backstage**, and **Settings**. The landing section is chosen automatically based on the event's state (no candidates yet → Candidates; candidates present but voting closed → Voting Codes; voting open → Voting Backstage), unless the link already forces a specific section.

Good to know

The event code identifies *which* event you want to manage; the manager password is specific to **that event** (a different password for each event). If you're signed in as a root administrator, access to `/manager` for any event happens automatically, without having to enter the manager password again.

Leaving the area

The **Log out** button is available both in the side menu and in the top bar (logout icon), and takes you back to the public voting page.

02. Overview and event status

There's no separate "Dashboard" tab: the event is managed directly inside its four operational sections, with status always visible in two fixed spots of the interface.

The top bar always shows the current event's code and name and a status label: **Voting open** or **Voting closed**. From here, using the respective icons, you can also open the **public voting page** (urn icon) and the **Final Ranking** (trophy icon) for the current event in a new tab.

Warning

The **Open Final Ranking** icon can only be used once voting is closed: if you try to open it while voting is still open, a warning appears — *"Final Ranking is only accessible once voting is closed. Close the voting to continue."* — and the page will not open.

Below the top bar, every section shows a step indicator — **Candidates** → **Codes** → **Voting** → **Ranking** — giving an at-a-glance read of where the evening stands: completed steps are checked off, the current one is highlighted, and the rest stay pending. Each step is clickable and jumps straight to the matching section (the last one, Ranking, opens the `/score` page with the same "only when voting is closed" warning described above).

No duplicated counters

Numbers that used to live in a separate dashboard (registered candidates, codes issued, votes cast) are now shown only once, right inside the section they belong to: **Candidates** shows the numbered list, **Voting Codes** shows the Active/Used/Revoked counters, and **Voting Backstage** shows the "Judge voting progress" panel covered in Chapter 6.

03. Candidate management

Candidates section in the side menu — manages the list of candidates/performances up for voting during the event.

Adding a candidate

1. **Fill in the “Add new candidate” form.** Enter the *Candidate name* (required, e.g. “Marco Rossi”) and optionally the *Performance title* (optional, e.g. “Song / choreography”).
2. **Choose the color.** A color is assigned automatically (“Color assigned automatically”); you can regenerate it with **Regenerate color**, pick one from the quick palette shown as round buttons, or set a custom one with the color picker (“Custom palette”).
3. **Confirm.** Press **Add candidate**. The candidate immediately appears in the “Current candidates” list, numbered sequentially.

Editing or deleting a candidate

Every candidate in the list has **Edit** and **Delete** buttons. “Edit” opens an inline panel with the Name, Performance, and Color fields, with **Save** and **Cancel** buttons.

Important constraint — edits locked while voting is open

Adding, editing, and deleting candidates is possible **only when voting is closed**. While voting is open all controls are disabled and the message “Changes are locked while voting is open.” appears. To make changes to candidates you must first close voting (see Chapter 5).

Automatic renumbering

Deleting a candidate automatically **renumbers** the remaining candidates, so the numbering always stays sequential and without “gaps” (e.g. if you delete candidate no. 3 out of 5, the old no. 4 becomes the new no. 3, and so on).

Event status visible at the top

At the top of the Candidates section you’ll always find a box with the current **Event status** (voting open/closed) and its explanation, so you immediately know whether you can operate or not.

04. Judge codes

Voting Codes section in the side menu — “opaque code management”: here you generate, distribute, verify, and revoke the codes that let judges and the public vote.

Every code is an **opaque, unpredictable 16-character string**, also shown split into 4 groups of 4 characters to make it easier to read and type (e.g. `ABCD EFGH IJKL MNOP`). The plain-text code is visible **only at the moment it’s generated**: from then on the system keeps only a hash (fingerprint) and a partial preview, never the full value.

The two code types

Type	Label in app	Meaning
QUALIFIED	“Qualified Jury”	A qualified judge’s vote. In the final calculation it counts as a judges’ average, divided by all active qualified codes assigned (not only those actually used) — an abstention lowers the average.
PUBLIC	“Public Jury”	A member of the general public’s vote. Feeds into the event’s public vote average.

Generating codes

1. **Set the generation parameters.** In the “Generate codes” form choose: *Number of codes* to create (1–200), an optional *Prefix* for the label (e.g. “Judge”), the *Judge type* (Qualified Jury / Public Jury), and the *Base URL* used to build the link/QR for each code (e.g. the event’s public address). Code length is fixed at 16 characters.
2. **Press “Generate codes”.** The new codes appear under “Latest generated codes,” each with a QR code, formatted text code, direct link, and status (“Active”).
3. **Distribute the codes.** For each code you can **Copy code** or **Copy QR URL**; or use **Copy all links** for the entire batch, or **Print A4 sheet** to get a ready-to-print, ready-to-cut sheet (useful for physically handing out QR codes to judges in the room).

Validating, revoking, and regenerating

- **Validate a code:** paste a code into the “Validate a code” box and press **Validate code** to quickly check its status (active, used, or revoked), its label, and its creation/usage dates.
- **Active codes:** the list at the bottom right shows all codes not yet exhausted, with label, type, code preview, creation/usage/revocation dates, and colored status (Active, Used or Revoked).
- **Revoke code:** available on every active code, invalidates the code and prevents further use (useful if a code was shared by mistake or compromised).
- **Lost code? Regenerate:** generates a new code to replace a lost one, transferring any votes already cast with the original code onto it — the original code is no longer recoverable once regenerated.
- **Regenerate all codes:** at the top of the “Active codes” list, regenerates every active code at once with a new value (votes already cast are transferred). The previous codes and their links/QRs stop working and must be redistributed; the new codes stay visible in clear text (with QR, copy and A4 print) until you leave the page. Handy after a **Reset ranking** when you want to start over with fresh codes.

Real-time updates

The code list and the Active / Used / Revoked counters at the top of the section update automatically as judges use their codes, with no need to reload the page.

05. Voting lifecycle

Voting Backstage section in the side menu, “Administrative operations” block — this is where you control starting, closing, and resetting the voting.

Action	Button label	Effect
Start the event	Start voting (available only when voting is closed; if it’s open, the button shows “Voting open” and is disabled)	Sequentially renumbers the candidates, clears all votes , resets every non-revoked judge code back to Active (including ones already “Used”), and reopens voting.
Close voting	Close voting (visible only while voting is open)	Votes are no longer accepted; candidate edits become available again.
Reset the ranking	Reset ranking (in the “Danger zone”)	Clears all votes collected so far to start over, without touching candidates. Non-revoked judge codes become “Active” again (the same code stays valid).

Warning — “Start voting” clears all votes

“Start voting” is a destructive operation, not an incremental one. Upon confirming the message *“Do you want to start voting? Previous votes will be cleared and candidates will be renumbered sequentially.”*, all votes already collected for the event are **permanently deleted** and cannot be recovered. Use this function only when you’re certain you want to start fresh (e.g. at the official start of the evening, after finishing technical rehearsals or tests), not to “temporarily reopen” voting. Judge/public codes already handed out remain valid and become reusable again (“Active” status): you don’t need to regenerate them after a start/restart, unless they were revoked.

Every action requires explicit confirmation in a dialog box before it’s carried out:

- **Start voting** → confirm with the **Start** button.
- **Close voting** → confirm with the **Close** button (message: “Do you want to close voting? Votes will no longer be accepted and edits will become available again.”).
- **Reset ranking** → confirm with the **Reset** button (message: “Do you want to clear all votes and start over? Non-revoked judge codes will become active again (the same code stays valid).”).

The box also shows the event code and name and the current **Status** (voting open/closed), and includes a quick-access **Open Final Ranking** button (with the same warning already mentioned: blocked while voting remains open).

06. Real-time monitoring

Voting Backstage section, “Judge voting progress” block — the dashboard that lets you follow how voting is going while it’s in progress.

Four main indicators, updated in real time:

Qualified active

Number of qualified jury codes still active (not revoked) assigned to the event.

Qualified finalized

Number of qualified judges who have completed and permanently locked their vote.

Public QR activated

Number of public codes that have actually been opened/used by the public.

Public votes cast

Total number of public votes already recorded for the event.

Below that you’ll find operational detail useful for closing out the last missing votes:

- **Candidates with incomplete votes:** list of candidates still missing votes from some judges, with a count of how many judges are missing for each.
- **Incomplete active judges:** list of judges (identified by their code preview and, if present, their label) who haven’t yet voted for all candidates, with a count of votes cast/expected and the names of the candidates still missing.

No data yet

If no judge code has been generated for the event, the section simply shows “*No judge code generated for this event.*” You can still force a manual refresh with the **Refresh** button at the top of the dashboard.

Useful during the live event

This dashboard is designed to be kept open “backstage” during the evening, so you can tell at any moment whether it’s time to close voting or whether it’s worth waiting for a few more judges.

07. Final ranking

The **Final Ranking** shows the candidates' final standings. You can reach it from the trophy icon in the event bar (Dashboard) or from the **Open Final Ranking** button in Voting Backstage, and it opens in a new browser tab.

Only accessible when voting is closed

If voting is still open, access to the Final Ranking is blocked: the warning *"Voting still open — Final Ranking is only accessible once voting is closed. Close voting to continue."* appears. You must close voting first (Chapter 5) before you can view the ranking.

How the score is calculated (in brief)

Each candidate's final score combines two components:

Qualified average = sum of qualified judges' scores ÷ number of active QUALIFIED codes (not just those who voted)

Public average (numeric vote) = average of the public votes ACTUALLY cast (optionally a "trimmed mean" to reduce the effect of anomalous votes)

Public average (preference vote) = candidate's share of all preferences cast, rescaled to 0-10

Final score = (Qualified average × Qualified weight) + (Public average × Public weight)

- **Qualified abstentions count:** the qualified judges' average is divided by all valid QUALIFIED codes assigned to the event, not only the ones actually used — so a qualified judge who doesn't vote still lowers the candidate's average.
- **Public abstentions do NOT count:** public turnout can be intermittent during the evening, so the public average is computed only over the votes actually cast — a member of the public who doesn't vote is not counted as a zero. If a candidate receives **no** public vote at all, the public component is dropped from that candidate's score and the qualified weight is renormalised to 100% (final score = qualified average); the rankings show the public average as "n/d (esclusa dal calcolo)".
- **Preference-based public vote:** if the event uses "Preferences" mode (the public picks one or more candidates instead of scoring them), a candidate's public component is its share of all preferences cast, rescaled to 0–10. The trimmed mean is not applied in this mode.
- **Trimmed mean (optional, numeric vote only):** if enabled for the event, the public vote average excludes a percentage of extreme votes (highest/lowest) to reduce the impact of anomalous ratings.
- **Per-event weights:** the two averages are combined according to event-specific weights (typically 70% qualified jury / 30% public, but customizable by the root administrator), which add up to 100%.
- **Ties:** in the event of substantially equal final scores, the higher qualified average wins first, then — if that's also tied — the lower candidate number wins.

Live ranking vs. final ranking

Voting Backstage also offers a **partial ranking** view, useful for following the standings while voting is still open: it's a "live" estimate and may differ slightly from the definitive calculation shown by the Final Ranking once voting is closed.

08. Settings

Settings section in the side menu — manage your event's name and the password you use to access it, without having to involve the root administrator.

Renaming the event

1. In the **Event name** box, edit the text in the field with the current name.
2. Press **Save event name** (enabled only once the text has changed). A **Saved** confirmation appears next to the button.

The new name is visible immediately in the top bar and everywhere else it's shown (voting page, Final Ranking, admin area).

Name only

This section only lets you change the event's **name**. Jury/public weights, trimmed mean, the event code, and the subtitle remain the exclusive responsibility of the root administrator (Admin area, at [/](#)).

Changing the event password

1. In the **Event password** box, enter the **current event password**, the **new password** (minimum 8 characters), and repeat it in the confirmation field.
2. Press **Update event password**. A **Saved** confirmation appears next to the button.

The current password is required

Unlike the rotation done by the root administrator (who can set a new event password without knowing the old one), changing the password from the manager side requires typing the **current password** correctly. If the current password is wrong, or the two new passwords don't match, the operation is rejected with an error message and nothing is changed.

Lost password?

If you've entirely forgotten the event password (and so can't prove it to change it from here), the only way forward is to ask the root administrator to set a new one from the Admin area ([/](#)).

09. FAQ

Can't log in: "Incorrect password"

Check that you typed the manager password for this specific event correctly (each event has its own). If you've lost it, ask the root administrator to give it to you again or to regenerate it.

Can't edit/delete a candidate

The controls are disabled while voting is open. Go to **Voting Backstage** and use **Close voting**, then go back to **Candidates**.

A judge has lost their code

In **Voting Codes**, find the judge's code among the "Active codes" and use **Lost code? Regenerate**: a new code will be created, with any votes already cast transferred onto it; the old code stops working.

Final Ranking won't open

Check the status at the top of the page: if it shows **Voting open**, you must first close it from **Voting Backstage** → **Close voting**.

I pressed "Start voting" by mistake

The vote reset performed by **Start voting** cannot be undone: previous votes are not recoverable. Candidates remain in place (only renumbered); you'll be able to have judges and the public vote again with the codes already issued (if still active) or by generating new ones.

Can I manage multiple events from here?

No: `/manager` is intentionally limited to **one event at a time**, identified by the event code entered at login. To switch to another event you need its code and its manager password (or a root administrator session, which can open any event without an additional password).

Can I change my event's name or password myself?

Yes, from the **Settings** section (Chapter 8): you can rename the event at any time and change the manager password by entering the current one. If you've entirely forgotten the current password, you'll need the root administrator instead.