



OPERATIONAL DOCUMENTATION

TELEVOTO · ADMIN AREA (/)

Root Administrator Manual

Operational guide to cross-event management on the
Televoto platform.

Audience: administrators with access to the global root password.

Scope: the Admin panel, at [/](#) — overview dashboard, creating and editing events, event archiving and cloning, scoring weights, security settings.

Document version: 1.2 · August 2026

Table of contents

Introduction and access model	2
Accessing the Admin area (root login)	3
Dashboard overview	4
Archiving, restoring and cloning an event	5
Creating a new event	7
Editing an existing event and scoring weights	9
Rotating the root password	11
Rotating an event manager's password	12
Reaching a specific event's Manager area	13
Other cross-event operations	14
FAQ and troubleshooting	15

01. Introduction and access model

How root authentication works and what distinguishes the Admin area from the Manager area.

Televoto uses a two-tier authentication model, independent of one another:

Level	Scope	Credential
Root	Global: access to the Admin area (/), management of all events, general security	One shared root password
Event Manager	Single event: access to /manager , candidates, judge codes, starting/closing voting	One dedicated password per event

Good to know

Anyone who logs in with the **root** password can open the /manager area of **any** event without entering that event's manager password: the system automatically recognizes the root role and skips the prompt. This does **NOT** apply to the /score page (Final Ranking), where root still has to enter that specific event's manager password.

The Admin area (/) is designed exclusively for **cross-event** operations: creating and editing the event registry, archiving and cloning events, scoring weights, password security. It does not manage candidates, judge codes, or starting/closing voting for a single event: for those operations you need to reach the dedicated /manager area for that event (see Chapter 9).

Five-section side menu

Since the August 2026 release the Admin area is organised into five sections: **Dashboard**, **Create Events**, **Edit Events**, **Archived** and **Settings** (URL parameter ?adminSection=dashboard|create-events|edit-events|archived|settings). Creating an event and editing an existing one, once bundled in a single "Events" section, are now separate.

02. Accessing the Admin area (root login)

How to authenticate with the root password.

1. Open your browser and navigate to the root of the application's domain (`/`).
2. If there isn't already a valid root session, a protected login screen appears with the message:
"Enter the root password to access this section."
3. Type the **root password** into the dedicated field and submit the form.
4. If the password is incorrect, the form shows an error message and lets you try again.
5. You can cancel the login: you'll be taken back to the public voting page (`/vote`).

Session

Authentication produces a signed token valid for **12 hours**. The token is stored in the browser's `sessionStorage`: it survives a page refresh, but is lost when the tab/browser is closed.

Warning

There is no individual user account system: the root password is single and shared by all administrators. Keep it safe and rotate it periodically (see Chapter 7).

03. Dashboard overview

“Dashboard” section in the side menu — an overview across all events.

After logging in, the Admin area shows the five-entry side menu described above. **Dashboard** is the default section and provides a read-only overview of every event, with quick access to the operational management of each.

Overview summary (number cards)

Indicator	Meaning
Total events	Overall number of events in the system
Active events	Events that aren’t archived (excludes those with the “Active” flag off)
Voting open	Events with voting currently open
Voting closed	Events with voting closed

Full list

Below the number cards, a grid of cards lists every **non-archived** event with its code, name, subtitle (if present), Voting open/closed status, a “**Manage**” button (loads the event’s `/manager` area in the same tab), and an “**Archive event**” icon for each. If any events are archived, a quick link with their count appears above the grid, pointing to the **Archived** section (see Chapter 4).

No event selector in Dashboard

Unlike previous versions, the Dashboard no longer contains a “Selected event” card or the selection dropdown: the Dashboard is purely informational. Choosing the event to operate on now happens in the **Edit Events** section (see Chapter 6), and the event selected there is the one the toolbar shortcuts act on.

Toolbar quick actions

The toolbar at the top always offers: **Refresh events** (reloads the list), **Open public voting page** and **Open Final Ranking** for the event selected in **Edit Events**, plus a **logout** button. The toolbar no longer contains the event dropdown.

04. Archiving, restoring and cloning an event

“Dashboard”/“Edit Events” sections (archiving) and “Archived” section (restoring and cloning).

An archived event is excluded from the “All events” grid in Dashboard, from the event selector in **Edit Events**, and from the “Active events”/“Voting open”/“Voting closed” counters — but it remains fully preserved (with its candidates, credentials, and settings) and reachable from the **Archived** section of the side menu.

4.1 Archiving an event

You can archive an event from two places in the panel:

- in **Dashboard**, from the event’s card in the “All events” grid, via the **“Archive event”** icon (asks for confirmation in a dialog);
- in **Edit Events** → “Current event” box, via the **“Archive event”** button (shows “Archiving...” while in progress).

The archived event disappears from the active lists and becomes visible only in the Archived section.

Reversible, non-destructive operation

Archiving an event does **not** delete candidates, judge codes, votes, or credentials: it’s a visibility flag, always reversible by unarchiving the event.

4.2 Unarchiving an event

1. Go to the **Archived** section in the side menu.
2. Locate the event’s card in the grid.
3. Press **“Unarchive”** (shows “Restoring...” while in progress).
4. The event immediately becomes available again in the **Edit Events** selector and in the Dashboard active lists, with the same voting state it had before being archived.

4.3 Cloning an archived event

From the same **Archived** section, the **“Clone”** button (copy icon) creates a **new event** based on the archived one, useful for reusing an already-configured format (e.g. a previous edition of the same contest) without re-entering candidates and settings from scratch.

Pressing **“Clone”** opens a **modal window** where you enter the new event’s details:

Field	Required	Notes
Event name	Yes	Pre-filled with the original name followed by “ (copy)”; freely editable.
Event code	No	1 to 5 digits. If left blank, a brand-new code is generated automatically (never the source event’s code).
Event manager password	Yes	Minimum 8 characters. Must be typed twice (password + confirmation): if the two fields don’t match, cloning is blocked.

Confirming with **“Clone”** creates the new event and the section automatically switches to **Edit Events** with the clone already selected.

What gets copied	What does NOT get copied
Subtitle, public voting mode (and the maximum number of preferences), scoring weights and trimmed mean settings, the full candidate list (number, name, subtitle, color, template)	Name and code (you choose them in the modal), event manager password (you choose it in the modal), recorded votes, already-generated judge/public codes, progress history

The new event is created **not archived** but with **voting already closed**: before opening it to the public you need to generate new judge/public codes from the new event's `/manager` area.

Why cloning is only available from archived events

The "Clone" action is only available in the Archived section: to duplicate a still active event, archive it first (Section 4.1), then clone it and, if needed, unarchive the original.

The manager password is always new

Unlike previous versions, the cloned event does **not** inherit the original's manager password: you are required to choose a new one in the clone modal. Original and clone therefore always have distinct credentials.

05. Creating a new event

"Create Events" section in the side menu.

1. In the side menu select **Create Events**.
2. Fill in the "Create new event" form fields (see the table below).
3. Press the **"Create event"** button (fixed size; shows "Creating..." while in progress).
4. The new event is added at the top of the list and automatically selected as the current event in **Edit Events**.

Field	Required	Notes
Event name	Yes	Free text. The <code>//</code> separator visually highlights part of the title (e.g. <code>Regional final // GRAND FINALE</code>).
Subtitle	No	Optional free text, e.g. "2026 edition".
Event code	No	1 to 5 digits. If left blank, it's generated automatically by the system. It's the code used in the public URL (<code>?eventCode=...</code>) and to access <code>/manager</code> .
Public voting mode	Yes (default: Numeric)	Numeric (1–10) : the public assigns a score to each candidate. Preferences (election) : the public assigns no scores but picks up to <i>N</i> favourite candidates. Not editable once the event is created.
Max preferences per judge	Only in Preferences mode	Maximum number of candidates each public voter may select (1 to 100). With a value of 1 the ballot becomes a single, election-style vote.
Event manager password	Yes	Minimum 8 characters. This is the password the event manager will use to access <code>/manager</code> for this event.

Qualified judges always vote by score

The public voting mode affects **only** POPOLARE (public) codes. QUALIFICATA judges always assign a score from 1 to 10 to every candidate, regardless of this setting.

Validations and errors as notifications

The form rejects creation if: the name is empty, the event code doesn't match the 1–5 digit format, or the manager password is shorter than 8 characters. The error message appears as a **transient notification (toast)** at the bottom center of the page, no longer as a banner at the top of the panel.

Irreversible after creation

The public voting mode (Numeric / Preferences) and the maximum number of preferences can no longer be changed once the event is created: choose carefully before confirming.

06. Editing an existing event and scoring weights

“Edit Events” section in the side menu.

The **Edit Events** section gathers everything to do with a single existing event. At the top is the **“Selected event” dropdown** (code + name, non-archived events only): the choice made here determines the event the modules in this section act on, as well as the toolbar’s **“Open public voting page”** and **“Open Final Ranking”** shortcuts. Next to the selector, two labels show the event’s current state (**Voting open/closed** and **Public vote: Numeric/Preferences**).

Below the selector, the **“Current event”** box shows the operational modules for the chosen event.

5.1 Renaming the event

1. In the **“New event name”** field, type the updated name.
2. Press **“Rename”**. The button shows “Saving...” while the operation is in progress.

If the typed name matches the one already saved, no request is sent.

5.2 Archiving the event and rotating the manager password

The same box also holds the **“Archive event”** button (see Section 4.1) and the **“New event manager password”** field with the **“Update event password”** button (see Chapter 8).

5.3 Judge weighting (scoring weights)

In the **“Judge weighting”** box you set the balance between the **Qualified** judges’ average and the **Public** vote average in the final score calculation.

Field	Description
Qualified weight (%)	Integer value 0–100, directly editable.
Public weight (%)	Disabled field, automatically calculated as $100 - \text{Qualified weight}$. The two weights always add up to 100.
Enable trimmed mean on public votes	Checkbox visible only for events with Numeric voting mode (not for “Preferences”). Reduces the impact of anomalous/outlier votes on the public average.
Trimmed mean percentage (%)	Value 0–49.99, active only if trimmed mean is enabled.

Press **“Save voting settings”** to confirm. The factory default is 70% Qualified / 30% Public.

How the weights are used

The Qualified judges’ average is divided by the number of eligible, non-revoked qualified judges assigned to the event (not just those who actually voted): abstentions therefore lower the candidate’s average. The Public average, by contrast, is computed only over the public votes actually cast — public turnout can be intermittent and a non-voter must not count as a zero. The final score combines the two averages according to the weights set here; if a candidate receives **no** public vote, the public component is dropped and the Qualified weight is renormalised to 100% for that candidate.

Preference voting and trimmed mean

For events in **Preferences** mode a candidate's public average is its **share of preferences** out of all preferences cast, rescaled to 0–10: the trimmed mean has no effect and is therefore hidden from the interface.

Validations

The Qualified weight must be an integer between 0 and 100; the trimmed mean percentage must be between 0 and 49.99. Out-of-range values are rejected with an error notification.

07. Rotating the root password

“Settings” section in the side menu.

This operation updates the global root password, used to access all protected administrative areas. The form lives in the **Settings** section (previously it was at the bottom of the “Events” section).

1. In the side menu select **Settings**.
2. Fill in the three fields: **Current root password**, **New root password**, **Confirm new root password**.
3. Press **“Update root password”**.

Requirements and checks

- Both the current and the new password must be at least **8 characters** long.
- The new password and its confirmation must match exactly, otherwise the operation is rejected.
- After a successful update, the form fields are cleared automatically.

Impact

Changing the root password doesn’t automatically invalidate sessions already open on other browsers/devices (tokens remain valid until their 12-hour expiry), but any new login to the Admin area (/) will require the new password. Communicate the change to all root administrators before performing it.

08. Rotating an event manager's password

"Edit Events" section → "Current event" box → "New event manager password" field.

Each event has its own manager password, independent of the root password, used to access `/manager` for that specific event (typically by whoever runs the event on-site, without root credentials).

1. In the side menu select **Edit Events**.
2. Choose the event in question from the **"Selected event"** dropdown.
3. In the **"Current event"** box, **"New event manager password"** field, type the new password (minimum 8 characters).
4. Press **"Update event password"**.

Typical use cases

Useful when an event manager's password has been lost, shared improperly, or needs to be rotated at the end of an event for security reasons. Unlike the manager, who must know the current password to change it themselves (see the Event Manager Guide, "Settings" chapter), from here you can set a new one without knowing the old one — handy precisely when the manager has lost it. Remember to communicate the new password to the event's manager through a secure channel.

Note

This operation applies exclusively to the selected event: there is no bulk operation to rotate the manager passwords of multiple events at once.

09. Reaching a specific event's Manager area

How to access the day-to-day operations of an event (candidates, judge codes, starting/closing voting).

The `/manager` area handles the operations specific to a single event: candidates, judge codes, starting/closing voting, and real-time monitoring. It cannot be reached from the Admin area to edit registry data or weights (those remain here, in the Admin area at `/`), but it's the entry point for the day-to-day operational management of the event.

1. Locate the event in the Dashboard's "All events" grid (or select it in **Edit Events**).
2. Press the **"Manage" / "Manage event"** button.
3. The same browser tab loads `/manager?eventCode=<code>`, replacing the Admin area.

No additional password required

Being authenticated as root, access to `/manager` for any event happens **without** having to enter that event's manager password: the root session is automatically recognized and has equivalent (or superior) rights to those of the event's manager.

Exception: Final Ranking

This automatic bypass does **not** apply to the `/score` page (Final Ranking): there, even with an active root session, that event's specific manager password is still required. Use the **"Open Final Ranking"** button in the toolbar to reach it quickly (it acts on the event selected in **Edit Events**), and keep the event's manager password on hand.

Returning to the Admin area

Being authenticated as root, a **"← Admin area"** link appears at the top of `/manager`, taking you back to the Dashboard in the same tab (alternatively, use the browser's back button).

10. Other cross-event operations

Shortcuts available in the Admin area toolbar.

Button	Action
Refresh events	Reloads the event list from the server.
Open public voting page	Opens the public voting page (<code>/vote?eventCode=...</code>) for the event selected in Edit Events in a new tab.
Open Final Ranking	Opens <code>/score?eventCode=...</code> for the event selected in Edit Events . If the event's voting is still open, the system shows a warning ("Final Ranking is only accessible once voting is closed") and blocks the opening.
Log out	Ends both the root session and any active manager session in the same browser, returning to the login screen.

Compact view on mobile

On narrow viewports (smartphone/tablet in portrait) the side menu opens via the hamburger icon and closes automatically after a section is selected. The toolbar shortcuts remain available.

11. FAQ and troubleshooting

Common situations and how to handle them.

“Root session not available” while loading events

The root token is missing or has expired (12-hour duration). Log in again from the Admin area ([/](#)).

Can’t create the event: “Event code must contain 1 to 5 digits”

The “Event code” field only accepts numeric digits, 1 to 5 characters. Leave it blank to have it generated automatically. The error appears as a transient notification at the bottom.

The “Public weight” field appears locked/disabled

This is expected behavior: the Public weight is never edited directly, it’s always the complement to 100 of the Qualified weight.

I can’t find the “trimmed mean” checkbox for an event

It is hidden on purpose for events in **Preferences** voting mode: in that mode the public average is a share of preferences and the trimmed mean does not apply. The checkbox only appears for **Numeric** events.

I can’t find where to manage candidates or judge codes from the Admin area

That’s expected: those operations belong exclusively to the `/manager` area of the individual event (see Chapter 9). The Admin area is intentionally limited to cross-event management.

An event disappeared from the Dashboard and the “Edit Events” selector

It has probably been archived: archived events are excluded from the active lists. You’ll find it in the **Archived** section of the side menu, where you can unarchive or clone it (see Chapter 4).

I changed an event manager’s password but the manager can’t log in

Check that you communicated the new password correctly (minimum 8 characters) and that the manager is using the correct event code in the URL `/manager?eventCode=...`.