

OPERATIONAL DOCUMENTATION



TELEVOTO · /ADMIN AREA

Root Administrator Manual

Operational guide to cross-event management on the
Televoto platform.

Audience: administrators with access to the global root password.

Scope: the `/admin` panel — overview dashboard, event registry, event archiving and cloning, scoring weights, credential security.

Document version 1.1 · August 2026

Table of contents

Introduction and access model
Accessing the Admin area (root login)
Dashboard overview
Archiving, restoring and cloning an event
Creating a new event
Editing an existing event and scoring weights
Rotating the root password
Rotating an event manager's password
Reaching a specific event's Manager area
Other cross-event operations (public voting, Final Ranking, logout)
FAQ and troubleshooting

01. Introduction and access model

How root authentication works and what distinguishes the Admin area from the Manager area.

Televoto uses a two-tier authentication model, independent of one another:

Level	Scope	Credential
Root	Global: access to <code>/admin</code> , management of all events, general security	One shared root password
Event Manager	Single event: access to <code>/manager</code> , candidates, judge codes, starting/closing voting	One dedicated password per event

Good to know

Anyone who logs in with the **root** password can open the `/manager` area of **any** event without entering that event's manager password: the system automatically recognizes the root role and skips the prompt. This does **NOT** apply to the `/score` page (Final Ranking), where root still has to enter that specific event's manager password.

The `/admin` area is designed exclusively for **cross-event** operations: creating and maintaining the event registry, archiving and cloning events, scoring weights, password security. It does not manage candidates, judge codes, or starting/closing voting for a single event: for those operations you need to reach the dedicated `/manager` area for that event (see Chapter 9).

02. Accessing the Admin area (root login)

How to authenticate with the root password.

1. Open your browser and navigate to `/admin` on the application's domain.
2. If there isn't already a valid root session, a protected login screen appears with the message: *"Enter the root password to access this section."*
3. Type the **root password** into the dedicated field and submit the form.
4. If the password is incorrect, the form shows an error message and lets you try again.
5. You can cancel the login: you'll be taken back to the public voting page (`/`).

Session

Authentication produces a signed token valid for **12 hours**. The token is stored in the browser's `sessionStorage`: it survives a page refresh, but is lost when the tab/browser is closed.

Warning

There is no individual user account system: the root password is single and shared by all administrators. Keep it safe and rotate it periodically (see Chapter 7).

03. Dashboard overview

"Dashboard" section in the side menu — an overview across all events.

After logging in, the Admin area shows a side menu with three entries: **Dashboard**, **Events** and **Archived** (URL parameter `?adminSection=dashboard|events|archived`), the last one dedicated to managing archived events (see Chapter 4). Dashboard is the default section and shows:

Overview summary (number cards)

Indicator	Meaning
Total events	Overall number of events in the system
Active events	Events that aren't archived (excludes those with the "Active" flag off)
Voting open	Events with voting currently open
Voting closed	Events with voting closed

Selected event

At the top of the toolbar there's a dropdown selector **"Selected event"** listing all events (code + name). The chosen event stays selected even when moving between sections, and it determines the detail card shown in Dashboard, with:

- Status: **Active** / Not active, **Voting open** / closed;
- A **"Manage event"** button, which opens the event's `/manager` area in a new tab.

Full list

Below the detail card, a grid of cards lists every **non-archived** event with its code, name, subtitle (if present), Voting open/closed status, a **"Manage"** button, and an **"Archive event"** icon for each. If any events are archived, a quick link with their count appears above the grid, pointing to the **Archived** section (see Chapter 4).

Toolbar quick actions

The toolbar at the top always offers: **Refresh events** (reloads the list), **Open public voting page** and **Open Final Ranking** for the selected event, plus a **logout** button.

04. Archiving, restoring and cloning an event

"Events" section (archiving) and "Archived" section (restoring and cloning).

An archived event is excluded from the **"Selected event"** dropdown in the toolbar, the "All events" grid in Dashboard, and the "Active events"/"Voting open"/"Voting closed" counters — but it remains fully preserved (with its candidates, credentials, and settings) and reachable from the **Archived** section of the side menu.

4.1 Archiving an event

You can archive an event from two places in the panel:

- in **Dashboard**, from the event's card in the "All events" grid, via the **"Archive event"** icon;
- in **Events** → "Current event" box, via the **"Archive event"** button (shows "Archiving..." while in progress).

No additional confirmation is required: the archived event immediately disappears from the active lists and becomes visible only in the Archived section.

Reversible, non-destructive operation
Archiving an event does **not** delete candidates, judge codes, votes, or credentials: it's a visibility flag, always reversible by unarchiving the event.

4.2 Unarchiving an event

1. Go to the **Archived** section in the side menu.
2. Locate the event's card in the grid.
3. Press **"Unarchive"** (shows "Restoring..." while in progress).
4. The event immediately becomes available again in the toolbar selector and in Dashboard/Events' active lists, with the same voting state it had before being archived.

4.3 Cloning an archived event

From the same **Archived** section, the **"Clone"** button (copy icon) creates a **new event** based on the archived one, useful for reusing an already-configured format (e.g. a previous edition of the same contest) without re-entering candidates and settings from scratch.

What gets copied	What does NOT get copied
Event name (with a " (copy)" suffix), subtitle, public voting mode, scoring weights and trimmed mean settings, the full candidate list (number, name, subtitle, color, template), the event manager password	Recorded votes, already-generated judge/public codes, progress history

The new event gets an **automatically generated event code** (never the source event's code) and is created **not archived** but with **voting already closed**: before opening it to the public you need to generate new judge/public codes from the new event's `/manager` area.

Why cloning is only available from archived events

The "Clone" action is only available in the Archived section: to duplicate a still active event, archive it first (Section 4.1), then clone it and, if needed, unarchive the original.

Duplicated manager password

The cloned event inherits the **same** manager password as the source event. If both the original and the clone remain active, consider rotating one of their passwords (Chapter 8) to avoid them sharing the same credential.

05. Creating a new event

"Events" section → "Create new event" box.

1. In the side menu select **Events**.
2. Locate the "**Create new event**" box on the right side of the panel.
3. Fill in the form fields (see the table below).
4. Press the "**Create event**" button.
5. The new event is added at the top of the list and automatically selected as the current event.

Field	Required	Notes
Event name	Yes	Free text. The <code>//</code> separator visually highlights part of the title (e.g. <code>Regional final // GRAND FINALE</code>).
Subtitle	No	Optional free text, e.g. "2026 edition".
Event code	No	1 to 5 digits. If left blank, it's generated automatically by the system. It's the code used in the public URL (<code>?eventCode=...</code>) and to access <code>/manager</code> .
Public voting mode	Yes (default: Numeric)	Numeric (1–10) : the public assigns a score. Single (election) : the public votes for one candidate only. Not editable once the event is created.
Event manager password	Yes	Minimum 8 characters. This is the password the event manager will use to access <code>/manager</code> for this event.

Blocking validations

The form rejects creation if: the name is empty, the event code doesn't match the 1–5 digit format, or the manager password is shorter than 8 characters. The error message appears at the top of the panel.

Irreversible after creation

The public voting mode (Numeric / Single) can no longer be changed once the event is created: choose carefully before confirming.

06. Editing an existing event and scoring weights

"Events" section → "Current event" box.

Select the event to edit via the toolbar selector, then go to the **Events** section: the **"Current event"** box shows three distinct modules for the selected event.

5.1 Renaming the event

1. In the **"New event name"** field, type the updated name.
2. Press **"Rename"**. The button shows "Saving..." while the operation is in progress.

If the typed name matches the one already saved, no request is sent.

5.2 Judge weighting (scoring weights)

In the **"Judge weighting"** box you set the balance between the **Qualified** judges' average and the **Public** vote average in the final score calculation.

Field	Description
Qualified weight (%)	Integer value 0–100, directly editable.
Public weight (%)	Disabled field, automatically calculated as <code>100 - Qualified weight</code> . The two weights always add up to 100.
Enable trimmed mean on public votes	Checkbox visible only for events with Numeric voting mode (not for "Single"). Reduces the impact of anomalous/outlier votes on the public average.
Trimmed mean percentage (%)	Value 0–49.99, active only if trimmed mean is enabled.

Press **"Save voting settings"** to confirm. The factory default is 70% Qualified / 30% Public.

How the Qualified weight is used

The Qualified judges' average is divided by the number of eligible, non-revoked qualified judges assigned to the event (not just those who actually voted): abstentions therefore lower the candidate's average. The final score combines the two averages according to the weights set here.

Validations

The Qualified weight must be an integer between 0 and 100; the trimmed mean percentage must be between 0 and 49.99. Out-of-range values are rejected with an error message.

07. Rotating the root password

"Events" section → "Root security" box (at the bottom of the page).

This operation updates the global root password, used to access all protected administrative areas.

1. Go to the **Events** section and scroll down to the **"Root security"** box.
2. Fill in the three fields: **Current root password**, **New root password**, **Confirm new root password**.
3. Press **"Update root password"**.

Requirements and checks

- Both the current and the new password must be at least **8 characters** long.
- The new password and its confirmation must match exactly, otherwise the operation is rejected.
- After a successful update, the form fields are cleared automatically.

Impact

Changing the root password doesn't automatically invalidate sessions already open on other browsers/devices (tokens remain valid until their 12-hour expiry), but any new login to `/admin` will require the new password. Communicate the change to all root administrators before performing it.

08. Rotating an event manager's password

"Events" section → "Current event" box → "New event manager password" field.

Each event has its own manager password, independent of the root password, used to access `/manager` for that specific event (typically by whoever runs the event on-site, without root credentials).

1. Select the event in question via the toolbar selector.
2. Go to the **Events** section, "**Current event**" box.
3. In the "**New event manager password**" field, type the new password (minimum 8 characters).
4. Press "**Update event password**".

Typical use cases

Useful when an event manager's password has been lost, shared improperly, or needs to be rotated at the end of an event for security reasons. Remember to communicate the new password to the event's manager through a secure channel.

Note

This operation applies exclusively to the selected event: there is no bulk operation to rotate the manager passwords of multiple events at once.

09. Reaching a specific event's Manager area

How to access the day-to-day operations of an event (candidates, judge codes, starting/closing voting).

The `/manager` area handles the operations specific to a single event: candidates, judge codes, starting/closing voting, and real-time monitoring. It cannot be reached from the Admin area to edit registry data or weights (those remain here in `/admin`), but it's the entry point for the day-to-day operational management of the event.

1. Select the desired event (via the toolbar selector, or from the event card in Dashboard/Events).
2. Press the **"Manage"** / **"Manage event"** button.
3. A new browser tab opens at `/manager?eventCode=<code>`.

No additional password required

Being authenticated as root, access to `/manager` for any event happens **without** having to enter that event's manager password: the root session is automatically recognized and has equivalent (or superior) rights to those of the event's manager.

Exception: Final Ranking

This automatic bypass does **not** apply to the `/score` page (Final Ranking): there, even with an active root session, that event's specific manager password is still required. Use the **"Open Final Ranking"** button in the toolbar to reach it quickly, and keep the event's manager password on hand.

10. Other cross-event operations

Shortcuts available in the Admin area toolbar.

Button	Action
Refresh events	Reloads the event list from the server.
Open public voting page	Opens the public voting page (<code>/?eventCode=...</code>) for the selected event in a new tab.
Open Final Ranking	Opens <code>/score?eventCode=...</code> for the selected event. If the event's voting is still open, the system shows a warning ("Final Ranking is only accessible once voting is closed") and blocks the opening.
Log out	Ends both the root session and any active manager session in the same browser, returning to the login screen.

Compact view on mobile

On narrow viewports (smartphone/tablet in portrait), the toolbar shows a compact badge with just the event code instead of the full selector; the side menu opens via the hamburger icon and closes automatically after a section is selected.

11. FAQ and troubleshooting

Common situations and how to handle them.

"Root session not available" while loading events

The root token is missing or has expired (12-hour duration). Log in again from `/admin`.

Can't create the event: "Event code must contain 1 to 5 digits"

The "Event code" field only accepts numeric digits, 1 to 5 characters. Leave it blank to have it generated automatically.

The "Public weight" field appears locked/disabled

This is expected behavior: the Public weight is never edited directly, it's always the complement to 100 of the Qualified weight.

I can't find where to manage candidates or judge codes from `/admin`

That's expected: those operations belong exclusively to the `/manager` area of the individual event (see Chapter 9). The Admin area is intentionally limited to cross-event management.

An event disappeared from the "Selected event" dropdown and Dashboard

It has probably been archived: archived events are excluded from the toolbar selector and the active lists. You'll find it in the **Archived** section of the side menu, where you can unarchive or clone it (see Chapter 4).

I changed an event manager's password but the manager can't log in

Check that you communicated the new password correctly (minimum 8 characters) and that the manager is using the correct event code in the URL `/manager?eventCode=...`.