

Jupyter Lab: Config

ServerApp

```
| allow
| | credentials = False
| | external_kernels = False
| | origin
| | | pat
| | password_change = True
| | remote_access = False
| | root = False
| | | unauthenticated_access = True
| answer_yes
| authenticate_prometheus = True
| authorizer_class
| autoreload = True
| base_url
| browser
| certfile
| client_ca
| config_file
| | name
| config_manager_class
| contents_manager_class
| cookie
| | options = {}
| | | secret
| | | | file
| custom_display_url
| default_url
| disable_check_xsrf
| external_connection_dir = None
| extra
| | log_scrub_param_keys = []
| | services = []
| | static_paths = []
| | template_paths = []
| file
| | to_run
| | | url_prefix = 'notebooks'
| generate_config
| get_secure_cookie_kwargs = {}
| identity_provider_class
| iopub
| | data_rate_limit = 0.0
| | msg_rate_limit = 0.0
| ip = 'localhost'
| jinja
| | environment_options = {}
| | template_vars = {}
| jpserver_extensions = {}
| kernel
| | manager_class
| | spec_manager_class
| | websocket_connection_class
| | ws_protocol
| keyfile
| limit_rate = False
| local_hostnames = ['localhost']
| log
| | datefmt
| | format
| | level
| logging_config = {}
| login_handler_class
| logout_handler_class
| max
| | body_size = 536870912
| | buffer_size = 536870912
| min_open_files_limit = 0
| notebook_dir
| open_browser
| password_required = False
| port = 0
| | retries = 50
```

ServerApp

```
| preferred_dir
| pylab = 'disabled'
| quit_button
| rate_limit_window = 0.0
| reraise_server_extension_failures
| root_dir
| session_manager_class
| show_config
| | json
| shutdown_no_activity_timeout = 0
| sock
| | mode = '0600'
| ssl_options = {}
| static_immutable_cache = []
| terminado_settings = {}
| terminals_enabled = False
| token
| tornado_settings = {}
| trust_xheaders = False
| use_redirect_file = True
| webbrowser_open_new = 2
| websocket
| | compression_options = None
| | ping
| | | interval = 0
| | | timeout = 0
| | url
```

Application

```
| log
| | datefmt
| | format
| | level
| logging_config = {}
| show_config
| | json
```

JupyterApp

```
| answer_yes
| config_file
| | name
| generate_config
| log
| | datefmt
| | format
| | level
| logging_config = {}
| show_config
| | json
```

ExtensionApp

```
| answer_yes
| config_file
| | name
| default_url
| generate_config
| handlers
| log
| | datefmt
| | format
| | level
| logging_config = {}
| open_browser
| settings = {}
| show_config
| | json
| static_paths = []
| static_url_prefix
| template_paths = []
```

LabServerApp

```
| allowed_extensions_uris
| answer_yes
| app
| | settings_dir
| | | url = '/lab'
| blacklist_uris
| blocked_extensions_uris
| cache_files = True
| config_file
| | name
| copy_absolute_path
| extra_labextensions_path
| generate_config
| handlers = []
| jinja2_options = {}
| labextensions
| | path = []
| | url
| listings
| | refresh_seconds = 3600
| | request_options = {}
| | url
| log
| | datefmt
| | format
| | level
| logging_config
| notebook_starts_kernel = True
| open_browser
| schemas_dir
| settings = {}
| | url
| show_config
| | json
| static
| | dir
| | paths = []
| | url_prefix
| template_paths = []
| templates_dir
| themes
| | dir
| | url
| translations_api_url
| tree_url
| user_settings_dir
| whitelist_uris
| workspaces
| | api_url
| | dir
```

LabApp

```
| allowed_extensions_uris
| answer_yes
| app
| | dir = None
| | settings_dir
| | | url = '/lab'
| blacklist_uris
| blocked_extensions_uris
| cache_files = True
| check_for_updates_class
| collaborative = False
| config_file
| | name
| copy_absolute_path
| core_mode
| custom_css
| default_url = '/lab'
| dev_mode = False
| expose_app_in_browser = False
| extension_manager = 'pypi'
| extensions_in_dev_mode = False
| extra_labextensions_path = []
| generate_config
| handlers = []
| jinja2_options = {}
| labextensions
| | path = []
| | url
| listings
| | refresh_seconds = 3600
| | request_options = {}
| | url
| lock_all_plugins
| log
| | datefmt
| | format
| | level
| logging_config = {}
| news_url
| notebook_starts_kernel
| open_browser
| override
| | static_url
| | | theme_url
| schemas_dir
| settings = {}
| | url
| show_config
| | json
| skip_dev_build
| splice_source
| static
| | dir
| | paths = []
| | url_prefix
| template_paths = []
| templates_dir
| themes
| | dir
| | url
| translations_api_url
| tree_url
| user_settings_dir
| watch = False
| whitelist_uris
| workspaces
| | api_url
| | dir
```

LabApp	
news_url	https://jupyterlab.github.io/assets/feed.xml
check_for_updates_class	jupyterlab.handlers.announcements.CheckForUpdate
user_settings_dir	\$HOME/.jupyter/lab/user-settings
workspaces_dir	'home/dc.jupyter/lab/workspaces'

@jupyterlab schemas

<ul style="list-style-type: none"> application-extension <ul style="list-style-type: none"> commands.json context-menu.json property-inspector.json shell.json top-bar.json apputils-extension <ul style="list-style-type: none"> kernels-settings.json notification.json palette.json print.json sanitizer.json sessionDialogs.json themes.json utilityCommands.json celltags-extension <ul style="list-style-type: none"> plugin.json cell-toolbar-extension <ul style="list-style-type: none"> plugin.json codemirror-extension <ul style="list-style-type: none"> plugin.json completer-extension <ul style="list-style-type: none"> inline-completer.json manager.json console-extension <ul style="list-style-type: none"> completer.json foreign.json tracker.json csvviewer-extension <ul style="list-style-type: none"> csv.json tsv.json debugger-extension <ul style="list-style-type: none"> main.json docmanager-extension <ul style="list-style-type: none"> download.json plugin.json documentsearch-extension <ul style="list-style-type: none"> plugin.json 	<ul style="list-style-type: none"> extensionmanager-extension <ul style="list-style-type: none"> plugin.json filebrowser-extension <ul style="list-style-type: none"> browser.json download.json open-browser-tab.json open-with.json widget.json fileeditor-extension <ul style="list-style-type: none"> completer.json plugin.json help-extension <ul style="list-style-type: none"> about.json jupyter-forum.json launch-classic.json htmlviewer-extension <ul style="list-style-type: none"> plugin.json hub-extension <ul style="list-style-type: none"> menu.json imageviewer-extension <ul style="list-style-type: none"> plugin.json inspector-extension <ul style="list-style-type: none"> consoles.json inspector.json notebooks.json launcher-extension <ul style="list-style-type: none"> plugin.json logconsole-extension <ul style="list-style-type: none"> plugin.json lsp-extension <ul style="list-style-type: none"> plugin.json mainmenu-extension <ul style="list-style-type: none"> plugin.json markdownviewer-extension <ul style="list-style-type: none"> plugin.json mathjax-extension <ul style="list-style-type: none"> plugin.json metadataform-extension <ul style="list-style-type: none"> metadataforms.json 	<ul style="list-style-type: none"> notebook-extension <ul style="list-style-type: none"> completer.json export.json panel.json tools.json tracker.json running-extension <ul style="list-style-type: none"> plugin.json settingeditor-extension <ul style="list-style-type: none"> form-ui.json plugin.json shortcuts-extension <ul style="list-style-type: none"> shortcuts.json statusbar-extension <ul style="list-style-type: none"> plugin.json terminal-extension <ul style="list-style-type: none"> plugin.json toc-extension <ul style="list-style-type: none"> registry.json tooltip-extension <ul style="list-style-type: none"> consoles.json files.json notebooks.json translation-extension <ul style="list-style-type: none"> plugin.json workspaces-extension <ul style="list-style-type: none"> indicator.json menu.json sidebar.json
---	--	--

ServerApp	
authorizer_class	jupyter_server.auth.authorizer.AllowAllAuthorizer
config_manager_class	jupyter_server.services.config.manager.ConfigManager
contents_manager_class	jupyter_server.services.contents.largefilemanager.AsyncLargeFileManager
identity_provider_class	jupyter_server.auth.identity.PasswordIdentityProvider
kernel_manager_class	jupyter_server.services.kernels.kernelmanager.MappingKernelManager
kernel_spec_manager_class	builtins.object
kernel_websocket_connection_class	jupyter_server.services.kernels.connection.base.BaseKernelWebsocketConnection
login_handler_class	jupyter_server.auth.login.LegacyLoginHandler
logout_handler_class	jupyter_server.auth.logout.LogoutHandler
session_manager_class	builtins.object