

URecruitment — Product Requirements Document

2026-09-17 · @Someone

URecruitment is an AI-assisted recruitment portal. Five capabilities are confirmed so far: CV processing, job matching, search across the internal database and approved external talent sources, detection of missing or uncertain requirements, and tracking every candidate through recruitment stages to flag delays.

Decisions come from Q&A with the product owner on 17 Sep 2026. Items marked proposed are drafts awaiting review, and anything undecided is listed under Open questions.

Overview

URecruitment is a web portal for a Singapore recruitment agency's recruiters. It replaces Manatal and uses AI to screen CVs, match them to client jobs and keep every candidate moving.

Item	Decision
Business model	Recruitment agency filling jobs for client companies
Users	Recruiters only, 6–20 people. No sign-in in the MVP
Market	Singapore (PDPA applies)
Replaces	Manatal. No Manatal data is migrated
MVP	A working prototype on fictional data: 200 sample CVs (about 20 in Simplified Chinese) and 20 sample jobs
MVP target	Live within 3 months, by mid-December 2026
Real-data release	Real CVs from uploads, email and a one-time OneDrive / SharePoint import. Not yet scheduled
Volume after real data	Under 1,000 CVs per month
External talent sources	None at launch
AI role	Suggests only. Recruiters make every candidate decision

Item	Decision
Hosting and AI provider	Vercel and Supabase in Singapore, on free tiers for the MVP. The dev team picks the AI provider

The agency is leaving Manatal to own its data and workflows, and to build features Manatal lacks.

Goals, non-goals & success metrics

The MVP is judged by recruiter feedback and ends with a go/no-go decision on moving to real data. Once real data is live, success means faster shortlists, less screening time, fewer overdue candidates and more placements.

Metric	How it is measured
Time to shortlist	Days from job request created to first candidate shortlisted, per job
Recruiter time saved	Hours per recruiter per week spent screening and searching, before vs after
Overdue candidates	Share of active candidates past their stage's time limit
Placements	Placements per recruiter per month

These metrics apply from the real-data release. Agency ops/admin export baselines from Manatal before it is switched off, and targets are set once the baselines are known.

MVP quality bar (decided): at least 90% of parsed CV fields are correct, and recruiters agree with at least 80% of top-5 match rankings. The same bar applies to English and Chinese CVs.

Non-goals for the MVP

- Real candidate data, including CV upload, email intake and the OneDrive import (these come in the real-data release)
- Sending email of any kind, including alerts and consent requests
- Backups (the MVP holds only fictional data)
- Duplicate candidate detection
- Sharing shortlists with clients through the portal
- Logins or self-service for candidates, hiring managers or client companies
- External talent sources, including LinkedIn, job boards and partner agencies

- Migrating any Manatal data
- AI that rejects, advances or contacts candidates on its own
- Scanned or photographed CVs (no text recognition)
- Alerts through Microsoft Teams or WhatsApp

Users, roles & permissions

Recruiters are the only users, 6–20 people at the agency. Hiring managers, client companies and candidates do not use the portal.

The MVP has no sign-in, confirmed on 17 Sep 2026. It holds only fictional data, which keeps the risk low. The gaps this creates are handled as follows:

1. **Job owner (decided).** Each job has an owner name, which the dashboard can filter by. The portal sends no email.
2. **Settings (decided).** Any recruiter can change stages, time limits and retention. Each change is logged with the name the recruiter types.
3. **Audit trail.** Actions are tied to a typed name, not a verified person.

Whether sign-in is required before real CVs are loaded is an open question. The privacy risk is covered under Data, privacy & compliance.

CV processing

URecruitment turns PDF and Word CVs in English or Simplified Chinese into structured profiles that recruiters can check and correct. In the MVP, the parser runs on 200 fictional sample CVs.

Intake (decided)

Channel	Behaviour	Release
Preloaded sample CVs	Developers load 200 fictional CVs, about 20 of them in Simplified Chinese, and run them through the real parser	MVP
Recruiter upload	Drag and drop, one file or many at once	Real-data release
Email inbox	CVs sent to a set mailbox are processed automatically. The mailbox is chosen later	Real-data release
OneDrive / SharePoint	One-time import of CV files changed in the last 12 months	Real-data release

Formats (decided): text-based PDF, .doc and .docx, in English or Simplified Chinese. Scanned or image-only files are rejected with a clear message.

Parsed profile (approved)

- Name, email, phone, location
- Work history: employer, job title, start and end dates
- Education and certifications
- Skills, with the CV text each skill came from
- Languages spoken
- Total years of experience, calculated from work history
- Link to the original file, which is always kept

Requirements (proposed)

1. Recruiters can edit any parsed field. Their edits are kept if the CV is processed again.
2. A file that fails to parse goes to a review queue with the reason.
3. From the real-data release, each profile stores consent status and the date of the candidate's last activity, for PDPA.
4. Duplicate detection is left out of the MVP. Its rule must be decided before real data.

Job matching

Each candidate gets a 0–100 score for a job, with reasons quoted from the CV. The recruiter decides who is shortlisted.

Job input (decided): recruiters create a job with a form, or upload the client's job description (PDF or Word). An uploaded description is read into the same form for the recruiter to confirm. The MVP uses 20 sample jobs.

Match output (decided)

- A score from 0 to 100 for each candidate against the job
- Skills matched, missing and uncertain, each backed by the CV text it came from
- A ranked list the recruiter can sort and filter. The AI never shortlists, rejects or advances anyone

Requirements

1. **Nationality and language (decided).** They count only when the recruiter marks them as a real job requirement and writes why. Otherwise scoring ignores them.
2. **Other protected attributes (decided).** Scoring ignores name, photo, age, gender, race, religion and marital status.
3. **Must-haves (proposed).** The job form marks each requirement as must-have or nice-to-have. A missing must-have caps the score, for example at 50.
4. **Traceability (proposed).** The score shows the model version and date. Changing the job recalculates all scores.
5. **When scoring runs (proposed).** In the MVP, all sample CVs are scored against every sample job. From the real-data release, new CVs are scored as they arrive.

Talent search

Search covers only the agency's own database. In the MVP that means the 200 sample CVs. From the real-data release, it covers imported, uploaded and emailed CVs. There are no external sources at launch.

Requirements (proposed, for your review)

1. Plain-language search, for example "accountant with SAP experience and 5+ years in Singapore".
2. Filters for skills, years of experience, location, language and CV date.
3. Searching from a job ranks results by that job's match score, with the same reasons as Job matching.
4. Results show when each CV was last updated, so recruiters can spot old profiles.
5. From the real-data release, candidates without consent or past the 12-month retention limit are hidden.

External sources later. The design should let approved sources be added later, each with an on/off switch. The agency director approves each source and its terms of use (decided).

Job request gap check

When a recruiter saves a client job request, URecruitment lists what is missing or unclear, plus a question to ask the client for each.

Scope (decided): client job requests only, whether entered in the form or uploaded as a job description. CVs are not checked for gaps.

What it flags (Missing fields approved; other types proposed)

Flag type	Examples
Missing	No salary range, location or work arrangement, employment type, headcount, start date, must-have skills, or interview steps
Uncertain	"Competitive salary", "some experience", a junior title needing 10 years' experience, or no split between must-have and nice-to-have
Conflicting	The uploaded job description disagrees with the form, for example on salary or location
Fair employment	Preferences on age, gender, race or religion, which Singapore's fair employment guidelines disallow

Requirements

1. Each flag shows why it matters and a suggested question for the client (proposed).
2. The recruiter marks each flag as resolved or dismissed, with a short note (proposed).
3. Open flags don't block matching. The job shows a banner with the number still open (decided).

Pipeline tracking & delays

Every candidate on a job sits in one stage. Each stage has a time limit, and anyone past it shows as overdue on the dashboard.

Pipeline (approved)

Sourced → Screening → Shortlisted → Submitted to client → Client interview → Offer → Placed

A candidate can leave from any stage as Rejected by agency, Rejected by client, or Withdrawn. Those end states have no time limit.

Stage	Starts when	Waiting on	Default limit (working days)
Sourced	Candidate is added to the job	Recruiter	2
Screening	Recruiter starts review or calls the candidate	Recruiter	3
Shortlisted	Recruiter picks the candidate for the client	Recruiter	2
Submitted to client	Profile is sent to the client	Client	5
Client interview	Client asks for an interview (any round)	Client / candidate	7
Offer	Client makes an offer	Candidate	5
Placed	Candidate accepts	—	—

Time limits (decided): the defaults above apply unless changed for a client or a job. A job's limit overrides the client's, and the client's overrides the default. Limits count working days, Monday to Friday, skipping Singapore public holidays.

Delay detection (proposed unless marked decided)

1. The clock starts when a candidate enters a stage and resets on the next stage.
2. Status is On track, Due soon (80% of the limit used) or Overdue.
3. The "Waiting on" column shows who the delay is with, so client-side delays stand apart.
4. The dashboard lists overdue candidates by days over, filterable by client, job and stage.
5. Delays appear only on the dashboard, filterable by job owner. The portal sends no email (decided).
6. Sample candidates are loaded with back-dated stage dates, so the MVP shows delays from day one.

After Placed (decided, in the MVP). The portal confirms the candidate's start date and tracks a 30-day replacement guarantee. The dashboard flags it 5 working days before the guarantee ends (timing proposed).

AI governance

The AI only suggests. It never rejects, advances or contacts a candidate, and never sends anything to a client.

Requirements (proposed unless marked decided)

1. Every score, flag and parsed field shows the CV or job text it was based on.
2. Each AI output is stored with its input, model version and date, so results can be checked later.
3. Protected attributes are handled as listed under Job matching.
4. Recruiters grade the AI on the sample set against the quality bar under Goals, with English and Chinese CVs graded separately (decided).
5. The approach follows Singapore's voluntary Model AI Governance Framework.

The dev team picks the AI provider (decided), weighing Simplified Chinese quality, cost and where data is processed. If real CVs are processed outside Singapore, PDPA's overseas-transfer rules apply.

Data, privacy & compliance

The MVP holds only fictional candidates, so PDPA risk is low until real CVs are loaded. The rules below apply from the real-data release.

PDPA area	What URecruitment must do	Status
Protection	Keep CVs from being seen by anyone outside the agency. No sign-in is accepted for the MVP; whether it is needed before real data is open	At risk
Consent	Recruiters get consent by phone or their own email and record the date and method. The dashboard reminds the recruiter after 7 days, and the CV is deleted after 14 days without consent (reminder timing carried over from the email plan). Candidates without consent are hidden from search and matching	Decided
Retention	Delete or anonymise a candidate 12 months after their last activity, with a warning 30 days before (warning proposed)	Decided
Overseas transfer	Hosting stays in Singapore. If the AI provider processes data abroad, it must protect it to a comparable standard	Decided

PDPA area	What URecruitment must do	Status
Access & correction	Let recruiters export or correct a candidate's data on request	Proposed
Breach notification	Log access and changes so a breach's scope can be assessed quickly	Proposed

Risk 1: no sign-in (accepted for the MVP). Anyone who finds the portal's address could see every CV. The MVP holds only fictional data, so nothing real is exposed yet. Loading real CVs without sign-in would break PDPA's Protection Obligation. PDPC can fine up to S\$1 million or 10% of Singapore turnover (for firms above S\$10 million), whichever is higher ([PDPC](#)). The cheapest fixes are Microsoft 365 sign-in, since the agency already uses OneDrive, or office-network-only access.

Risk 2: importing old CVs (resolved). Only files changed in the last 12 months are imported, and a recruiter must record consent for each imported candidate.

Breach reporting. A breach affecting 500 or more people must be reported to PDPC within 3 calendar days of confirming it is notifiable ([PDPC guide](#)). At up to 1,000 CVs a month, the database passes 500 people quickly.

Fair employment. The Workplace Fairness Act is due to take effect at end-2027. It bars hiring decisions based on age, nationality, sex, marital status, pregnancy, caregiving, race, religion, language ability, disability or mental health ([TAFEP](#)). URecruitment counts nationality and language only when the recruiter marks them as a real job requirement and writes why.

Scoring does not explicitly ignore pregnancy, caregiving duties, disability or mental health, which the Act also protects. Revisit this before the Act takes effect.

Integrations & non-functional requirements

Apart from Vercel and Supabase, the MVP needs one outside service: an AI model provider. OneDrive / SharePoint and the intake mailbox come with the real-data release. The portal will receive CVs by email, but it never sends email.

System	Used for	Release	Still to decide
AI model provider	Parsing, matching, gap check, search	MVP	Provider, chosen by the dev team
OneDrive / SharePoint	One-time import of CVs changed in the last 12 months	Real-data release	Which folders

System	Used for	Release	Still to decide
Intake mailbox	Receiving emailed CVs	Real-data release	Address, set up later by the dev team
Manatal	Nothing is migrated. Agency ops/admin export baseline metrics before shutdown	—	—
LinkedIn, job boards, Teams, WhatsApp	—	Later	—

Non-functional requirements

Area	Requirement	Status
MVP data	200 fictional CVs (about 20 in Simplified Chinese) and 20 sample jobs, preloaded by developers	Decided
Scale after real data	Under 1,000 CVs per month; 6–20 recruiters	Decided
Languages	English and Simplified Chinese CVs and job descriptions	Decided
Devices	Desktop and mobile browsers	Decided
Speed	A CV parsed in under 30 seconds; search results in under 3 seconds	Decided
Uptime	99.5% on working days. Best effort only on free tiers	At risk
Backups	None in the MVP; fictional data is re-seeded from the repo. Needed before real data	Decided
Hosting	Vercel (functions in sin1) and Supabase (ap-southeast-1), both in Singapore, on free tiers for the MVP	Decided

Technical architecture

URecruitment is a Next.js app on Vercel with Supabase as its backend. Both run in Singapore, and the MVP uses their free tiers. Screens are designed in pen.dev, and the portal sends no email.

Layer	Choice	Status
Design	pen.dev, with .pen files kept in the code repository	Decided
Frontend	Next.js (App Router) in TypeScript	Decided
UI components	Tailwind CSS and shadcn/ui, themed from the pen.dev design tokens	Proposed
Backend	Supabase: Postgres database, file Storage, Edge Functions if needed	Decided
Hosting	Vercel, with functions pinned to Singapore (sin1)	Decided
Database region	Supabase Singapore (ap-southeast-1)	Decided
Plans for the MVP	Vercel Hobby and Supabase Free	Decided
Backups in the MVP	None. Fictional data is rebuilt from seed files in the repo	Decided
Email	None. All alerts and reminders appear on the dashboard	Decided
Search	pgvector for meaning-based search; PGroonga for English and Chinese keyword search	Proposed
AI access	Vercel AI SDK, so the dev team can pick or switch providers without a rewrite	Proposed
Monitoring	Vercel runtime logs plus Sentry for errors	Proposed
Testing	Vitest for logic, Playwright for key screens, and an AI quality script run against the sample answer key	Proposed

How it fits together (suggested)

The browser only talks to the Next.js app. All database, file and AI calls happen on the server in Singapore.

Component	Runs on	Does
Web app	Vercel, sin1	All screens. Server Components and Server Actions read and write data
API routes	Vercel, sin1	CV parsing, matching, gap check and search

Component	Runs on	Does
Database	Supabase Postgres, Singapore	Candidates, jobs, pipeline, AI results, change logs
File storage	Supabase Storage (private bucket), Singapore	Original CV and job description files
AI provider	Outside service, picked by the dev team	Reads CVs and jobs and returns structured JSON
Seed script	Developer machine or CI	Loads the 200 fictional CVs and 20 jobs through the real parser

Main flows

1. **Seeding (MVP).** The script uploads sample CVs to Storage, parses them and creates embeddings. It then scores them against every job and back-dates stage entries so delays show from day one.
2. **Opening a job.** The page reads stored scores and flags. No AI call happens on page load, which keeps pages fast and costs predictable.
3. **Saving a job.** A new job version is stored, the gap check runs, and candidates are re-scored after the response is sent, using Next.js `after()`. Progress is saved in a runs table so failed runs can be retried.
4. **Searching.** The AI turns the query into filters plus search text. Postgres combines keyword, vector and filter results in one query.
5. **Delay status.** A database view works it out from the stage entry time, the limit rules and a Singapore public-holiday table. No scheduled job is needed, which suits Vercel Hobby's once-a-day cron limit.

Data model (suggested)

Seventeen core tables cover the MVP and the real-data release. Times are stored in UTC and shown in Singapore time.

Table	Holds
clients	Client companies, with their own stage limits and guarantee period
jobs	Job requests: owner name, status, current version
job_versions	Each saved version of a job's fields, must-haves and nice-to-haves, and reasons for nationality or language requirements

Table	Holds
gap_flags	Missing, uncertain, conflicting and fair-employment flags, with resolution notes
candidates	One row per person: contact details, consent status and date, last activity
cv_files	Files in Storage, with parse status and errors
candidate_profiles	Parsed fields, with recruiter edits stored separately so re-parsing never overwrites them
candidate_skills	Each skill with the CV text it came from
embeddings	pgvector vectors for CVs and job versions
match_scores	Score, reasons and evidence per candidate, job version and model version
pipeline_entries	A candidate on a job: current stage, when it was entered, owner
stage_events	Every stage change with the name the recruiter typed. This is the audit trail
stage_limits	Working-day limits at default, client and job level
sg_public_holidays	Singapore public holidays, used for working-day counts
placements	Start date check and 30-day guarantee end date
ai_runs	Each AI call: what it read, model and version, output, cost and duration
settings_log	Every settings change with the name the recruiter typed

Match scores are keyed to the job version and model version, so an old score is never shown against a changed job.

AI pipeline (suggested)

Every AI step returns JSON checked against a fixed schema, and every result is saved with the text it relied on.

Step	Approach
Text extraction	PDF and .docx text is extracted on the server. Legacy .doc files need a converter, which serverless functions can't run easily. For the MVP, the seed script converts them first
Chinese PDFs	Some Chinese PDFs extract poorly. When that happens, the PDF itself is sent to a model that can read PDFs directly
Parsing	One model call per CV fills the approved profile fields, each with its source text
Embeddings	A multilingual embedding model covering English and Simplified Chinese, stored with pgvector
Matching	Filters first, then the top 50 candidates by vector similarity per job, then a model call scores each one with reasons
Gap check	Code checks for missing fields. One model call finds uncertain, conflicting and fair-employment issues
Search	A model turns plain language into filters plus search text. Postgres then runs keyword, vector and filter search together
Quality	A script scores the parser and matcher against the sample answer key before each release. It must reach at least 90% of fields correct and 80% top-5 agreement

MVP volume: seeding takes about 200 parsing calls and 1,000 scoring calls (20 jobs × 50 candidates), once. Each job save re-scores up to 50 candidates.

Provider notes: if the dev team picks Claude, `claude-opus-5` reads PDFs directly and returns schema-checked JSON. Anthropic offers no embedding model, so embeddings would need a second provider. Where each provider processes data matters once real CVs are loaded (see Data, privacy & compliance).

Security (suggested)

With no sign-in, the server is the only gate, so the database must be unreachable from the browser.

1. The Supabase secret key lives only in Vercel environment variables. It bypasses Row Level Security, so it never reaches the browser or the repo.
2. Row Level Security is on for every table, with no public policies. The publishable key can read nothing.
3. CV files sit in a private bucket and open through short-lived signed links.
4. Stage and settings changes record the name the recruiter types. The name is remembered on the device.
5. A Vercel firewall rule rate-limits the AI routes, and the AI provider has a monthly spend cap. Without sign-in, anyone with the link could otherwise run up AI costs.
6. When sign-in is added, Supabase Auth with Microsoft sign-in fits the agency's Microsoft 365 setup. On Vercel Pro, password protection costs \$20 a month per project and needs no code.

Environments & delivery (suggested)

- One GitHub repository holds the Next.js app, Supabase migrations, seed data and .pen design files.
- Every pull request gets a Vercel preview deployment. The main branch deploys to production.
- Supabase Free allows 2 active projects: one for development and previews, one for production.
- CI applies database migrations with the Supabase CLI and runs the tests and AI quality script.
- With no backups, the migrations and seed files are the recovery plan: rebuild the database and re-seed.

Free-tier limits and risks

Limit	Effect on URecruitment	Suggested response
Vercel Hobby is for non-commercial, personal use only	Using it for agency work breaks Vercel's terms	Move to Vercel Pro before recruiters use the portal for real work
Supabase Free pauses a project after 1 week of inactivity	The MVP can go offline between review sessions	Use it at least weekly, or restore it from the dashboard
Supabase Free has no backups	Data loss is possible. Acceptable only for fictional data	Re-seed from the repo. Add backups before real data

Limit	Effect on URecruitment	Suggested response
Supabase Free: 500 MB database, 1 GB storage, 50 MB per file	Enough for 200 sample CVs, not for real volume	Upgrade before real data
Vercel Hobby: functions in one region, cron once a day	Fine for one Singapore region. No frequent background jobs	Keep delay status in a database view
Free tiers carry no uptime guarantee	The 99.5% uptime target can't be assured	Treat it as best effort for the MVP
Some managed job services store run data in the US by default	CV text could leave Singapore	Keep job state and queues in Supabase

Sources: [Vercel regions](#), [Vercel function regions](#), [Vercel Hobby plan](#), [Vercel cron limits](#), [Vercel Workflows](#), [Supabase regions](#), [Supabase pricing](#), [Supabase backups](#), [Supabase API keys](#), [Supabase PGroonga](#).

UI design

The MVP screens are designed in [pen.dev](#) (decided). This PRD records the workflow and the screen list; the designs themselves come later. The portal must work in desktop and mobile browsers.

Workflow (suggested)

- The .pen design files live in the code repository, in a `design/` folder, so designs and code are reviewed together.
- Designers work on the pen.dev canvas. Coding agents can read and update the same files through pen.dev's MCP connection.
- Colours, type and spacing are defined once as design tokens and mapped to the Tailwind theme.
- pen.dev's HTML and Tailwind export is a starting point. Screens are then built from shared shadcn/ui components.

MVP screens

Screen	Purpose	Key elements
Dashboard	See what needs attention today	Overdue and due-soon candidates, guarantee end dates; filters for client, job, stage and owner

Screen	Purpose	Key elements
Jobs	Browse all jobs	Status, owner, open gap flags, candidates per stage
Job detail	Work one job	Requirements, gap flag checklist with questions for the client, ranked matches with scores and reasons, pipeline board
Job form	Create or edit a job	Must-have and nice-to-have requirements, job description upload, reason field for nationality or language
Candidate search	Find people	Plain-language search box, filters, results with CV date
Candidate profile	Check one person	Parsed fields with source text, edit mode, original file, stage history
Pipeline board	Move candidates through stages	One column per stage, On track / Due soon / Overdue status, typed-name prompt on each move
Placements	Follow up after Placed	Start date check, 30-day guarantee countdown
Settings	Adjust rules	Stage limits by default, client and job; public holidays; change log

Design rules (suggested)

1. Every AI result is labelled as a suggestion and shows the text it came from.
2. Delay status uses a word or icon as well as colour, so it doesn't rely on colour alone.
3. The type stack includes a font with Simplified Chinese characters, such as Noto Sans SC.
4. The dashboard and pipeline board are fully usable at phone width.
5. Before a recruiter's first change on a device, the portal asks for their name.

Release plan

The MVP is a working prototype of all four capabilities on fictional data, live by mid-December 2026. Real candidate data follows in a separate release once the go/no-go decision is made.

Release	Scope	Timing
MVP	CV parsing and job matching on 200 fictional CVs and 20 sample jobs; internal search; job request gap check; pipeline tracking with a delay dashboard; start-date and 30-day guarantee tracking. Runs on Vercel Hobby and Supabase Free. Ends with recruiter feedback sessions and a go/no-go decision	By mid-Dec 2026
Real-data release	Recruiter upload; email intake; one-time OneDrive / SharePoint import of CVs from the last 12 months; recruiter-recorded consent with dashboard reminders and deletion; 12-month retention; duplicate detection; paid plans and backups	No date; depends on the MVP outcome
Later	Approved external sources; shortlist sharing and client access; candidate access; Teams or WhatsApp alerts; scanned CVs; more languages	Not scheduled

What must be in place before real CVs are loaded, such as sign-in or a legal review, is still open.

Open questions

Nothing blocks the MVP build. Six items remain for the real-data release, and three of them have a set point when they get decided.

Before real data

- ☐ What must be in place before real CVs are loaded: sign-in, consent recording, the retention job, a legal review? No preference given yet, and no owner named
- ☐ Which paid plans to move to, since Vercel Hobby doesn't allow commercial use and Supabase Free has no backups
- ☐ How backups will work, and how long they are kept
- ☐ Rule for spotting duplicate candidates, decided after the MVP go/no-go
- ☐ Real-data release date, set after the MVP go/no-go
- ☐ Targets for the four success metrics, set once Manatal baselines are exported

Remaining setup details are for the dev team: the AI provider, the intake mailbox, the OneDrive folders and converting legacy .doc files.

Resolved on 17 Sep 2026: CV fields, ignored attributes, guarantee period, devices, performance targets, baseline owner and external source approver.

Sources

- [PDPC: Guide on Active Enforcement \(Oct 2022\)](#)
- [PDPC: Guide on Managing and Notifying Data Breaches under the PDPA](#)
- [TAFEP: Workplace Fairness](#)