UML diagram


PersistantGameResources
Attributes
+ numberOfScanners: int
AppPersistence
Attributes
+ inProgressDig: DigSiteGrid
+ fossilCollection: Set<CollectedFossil>
+ fossilPreload: Set<Fossil>
+ persistantTools: PersistantGameResources
App keeps currently in-progress game
App keeps a list of Fossils ready to collect
DigSiteCoord
Attributes
+ x: int {Read Only}
+ y: int {Read Only}
Operations
+ DigSiteCoord(x: int, y: int)
+ onDigSiteGrid(grid: DigSiteGrid)
~ getMooreNeighbors(location: DigSiteCoord): Set<DigSiteCoord>
DigSiteGrid
Attributes
+ height: int {Read Only}
+ width: int {Read Only}
+ gridSquares: Map<CellCoord, DigSiteSquare> {Read Only}
+ remainingFossils: int {Read Only}
Operations
+ DigSiteGrid(height: int, width: int, fossilLocations: Set<CellCoords>)
+ getMooreNeighbors(location: DigSiteCoord): Set<DigSiteCoord>
App keeps a list of CollectedFossils as a “hall of fame” or high score.
CollectedFossil
Attributes
+ fossil: Fossil {Read Only}
+ isFavorite: boolean
+ dateAwarded: Instant {Read Only}
Each collected fossil references a unique Fossil with image and stat block.
«Enumeration»
DigSiteSquareState
• UNTOUCHED
• FENCED
• DUG
• EXTRACTED
DigSiteSquare
Attributes
+ hasFossil: boolean {Read Only}
+ mooreNeighborFossils: int {Read Only}
+ state: DigSiteSquareState
Operations
+ DigSiteSquare(hasFossil: boolean, mooreNeighborFossils: int)
Fossil
Attributes
+ localImage: URI {Read Only}
+ binomialName: String {Read Only}
+ geologicEra: String {Read Only}
+ dateExtracted: Date {Read Only}
+ collectionLocated: String {Read Only}
+ parentDatabaseID: int {Read Only}
Fields are an interesting subset of fields from a GBIF or IDigBio database entry, except the image is downloaded and referenced locally. the interesting subset is TBD.
Sky