

Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	1 / 29
Document No.		Revision	1.0

To : SEBON

Date: June.,02, 2008

Hannstar Product Information

Model: HSD190MEN3

- A01

Note: 1. The information contained herein is preliminary and may be changed without prior noticed.

- 2. Please contact HannStar Display Corp. before designing your product based on this module specification.
- 3. The information contained herein is presented merely to indicate the characteristics and performance of our products. No responsibility is assumed by HannStar for any intellectual property claims or other problems that may result from application based on the module described herein.

Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	2 / 29
Document No.		Revision	1.0

Rev. 1.0	Date June.02,2008	Sub-Model	Record of Revisions						
		Rev. Date Sub-Model Description of change							
			Description of change HSD190MEN3-A Product Information was 1 st issued.						



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	3 / 29
Document No.		Revision	1.0

Contents

1.0	General Descriptions	p.4
2.0	Absolute Maximum Ratings	p.6
3.0	Optical Characteristics	p.8
4.0	Block Diagram	p.12
5.0	I/O Connection Pin Assignment	p.15
6.0	Electrical Characteristics	p.16
7.0	Outline Dimension	p.24
8.0	Lot Mark	p.26
9.0	Package Specification	p.27
10.0	General Precaution	p.28

Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	4 / 29
Document No.		Revision	1.0

1.0 GENERAL DESCRIPTIONS

1.1 Introduction

HannStar Display model **HSD190MEN3-A** is a color active matrix thin film transistor (TFT) liquid crystal display (LCD) that uses amorphous silicon TFT as a switching device. This model is composed of a TFT LCD panel, the voltage reference, common voltage, DC-DC converter, column, and row driver circuit. This TFT LCD has a 19-inch diagonally measured active display area with SXGA resolution (1024 vertical by 1280 horizontal pixel array).

1.2 Features

- 19"SXGA TFT LCD Panel
- 4 CCFLs Backlight System
- Supported SXGA (V:1024 lines, H:1280 pixels) Resolution
- Supported to 75Hz Refresh Rate
- LCD Timing Controller
- RoHS Compliance
- VESA Compatible
- TCO'03 Compliance [Remark(1)]

1.3 Applications

- Desktop Monitors
- Display terminals for AV applications
- Monitors for industrial applications

1.4 General information

Item		Unit		
Outline dimension	396 * 324 * 16.5(396 * 324 * 16.5(Typ)		
Display area	376.32 (H) x301.	056 (V) (19.0" diagonal)	mm	
Number of Pixel	1280(H) x 1024(\	/)	Pixels	
Pixel pitch	0.294(H) x 0.294	(V)	mm	
Pixel arrangement	RGB Vertical Stri	ре		
Display color	16.7M (6-bits+Hi			
Color temperature	6500K			
Display mode	Normally white			
Surface treatment	Antiglare, Hard-Coating (3H)			
Weight	2250		g	
Back-light	4-CCFLs, Top & bottom edge side			
Input signal	2-ch LVDS			
Dower consumption	System	3.5(Typ.)	10/	
Power consumption	B/L	19.8(Typ.)	W	



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	5 / 29
Document No.		Revision	1.0

1.5 Mechanical Information

Item		Min.	Тур.	Max.	Unit
	Horizontal(H)	395.5	396.0	396.5	mm
Module Size	Vertical(V)	323.5	324.0	324.5	mm
	Depth(D)		16.5		mm
Weight (without inverter)			2250		g
Torque of customer screw hole				3.0	Kgf*Cm


Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	6 / 29
Document No.		Revision	1.0

2.0 ABSOLUTE MAXIMUM RATINGS

2.1 Absolute Rating of Environment

Item	Symbol	Min.	Max.	Unit	Note
Storage temperature	T _{STG}	-20	60	°C	
Operating temperature	T _{OPR}	0	50	°C	(1)
Vibration (non-operating)	V_{NOP}		1.5	G	(2)
Shock (non-operating)	S _{NOP}		70	G	(3)
Storage humidity	H _{STG}	10	90	%RH	(3)
Operating humidity	H _{OP}	10	80	%RH	(4)
Low pressure (operating)	P _{LOP}	697		HPa	(5)
Low pressure (non-operating)	P _{LNOP}	116		HPa	(6)

Note (1)Storage /Operating temperature



- (2) 5-500-5Hz sine wave, X, Y, Z each directions, 30 min/cycle.
- (3) 11ms, ±X, ±Y, ±Z direction, one time each. For this shock test, It is necessary to fill the silicon rubber between the shock jig as buffer.
- (4) Max wet bulb temp. =39°C
- (5) 2 hrs. (10000 feet)
- (6) 24hrs. (50000 feet)

2.2 Electrical Absolute Rating:

2.2.1 TFT LCD Module:

Item	Symbol	Min.	Max.	Unit.	Note
Power supply Voltage	VDD	-0.3	5.5	V(DC)	(1)(2)



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	7 / 29
Document No.		Revision	1.0

2.2.2 Back Light Unit:

Item	Symbol	Min.	Max.	Unit	Note
Lamp current	IL	3.0	8.0	mA	(1)(2)(3)
Lamp frequency	f_L	40	80	KHz	(1)(2)(3)

Note: (1) Permanent damage may occur to the LCD module if beyond this specification.

Functional operation should be restricted to the conditions described under Normal Operating Conditions.

- (2) To exceed 7.5mA, life time accelerate drop down and if to exceed 8.0 mA has safety problem. If current lower than 3.0 mA, CCFL would be unstable or damaged.
- (3) Within Ta=25±2℃



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	8 / 29
Document No.		Revision	1.0

3.0 OPTICAL CHARACTERISTICS

3.1 Optical specification

Item	Item		Condition	Min.	Тур.	Max.	Unit	Note
Contrast		CR		700	1000			(1)(2)
Response time	Rising	TR +TF			1.2	2.4	mana (1)(2)	(1)(2)
Response time	Falling	IK +IF			3.8	7.6	msec	(1)(3)
White luminance (center of screen		Y _L	⊖=0°	250	300		cd/m ²	(1)(4) (IL=7.5mA)
		Rx	φ=0°		0.641			
	Red	Ry	Normal		0.337			
	Gree	Gx viewing angle		0.304				
Color chromaticity	n	Gy	angle	-0.03	0.620	+0.03		(1)(4)
(CIE1931)	Blue	Bx		0.00	0.141			(')(')
	Dide	Ву			0.073			
	White	Wx			0.313			
	vviiite				0.329			
	Hor.	θL		75	85			
Viewing angle	1101.	Θ_{R}	CR>10	75	85			
Viewing angle	Ver.	Өн	01/210	70	80			
	VCI.	Θ_{L}		70	80			
	Hor.	θL		75	85			
Viewing angle	1101.	Θ_{R}	CR>5	75	85			
vicwing angle	Ver.	Өн	UN20	75	85			
Ve		θL		75	85			
Brightness uniformity		B _{UNI}	⊖=0° φ=0°	75			%	(6)

3.2 Measuring Condition

■ Measuring surrounding: dark room

■ Lamp current I_{BL}: (7.5) mA, Inverter: TBD332NR

V_{DD1}=5.0V, f_V=60Hz, f_{DCLK}=54MHz
 Surrounding temperature: 25±2°C

■ 30min. Warm-up time.




Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	9 / 29
Document No.		Revision	1.0

3.3 Measuring Equipment

- FPM520 of Westar Display technologies, INC., which utilized SR-3 for Chromaticity and BM-5A for other optical characteristics.
- Measuring spot size: 20~21mm

Note (1) Definition of Viewing Angle:




Note (2) Definition of Contrast Ratio(CR) : measured at the center point of panel

CR = Luminance with all pixels white (L255)

Luminance with all pixels black (L0)


Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	10 / 29
Document No.		Revision	1.0





Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	11 / 29
Document No.		Revision	1.0

Note (5) Definition of Center Luminance of White (center) Center Luminance= Y1




Note (6) Definition of brightness uniformity


(Min Luminance of 9 points)

Luminance uniformity = (Max Luminance of 9 points) x 100%

Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	12 / 29
Document No.		Revision	1.0



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	13 / 29
Document No.		Revision	1.0



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	14 / 29
Document No.		Revision	1.0

4.4 Relationship Between Displayed Color and Input MSB LSB MSB LSB MSB LSB Gray scale R7 R6 R5 R4 R3 R2 R1 R0 G7 G6 G5 G4 G3 G2 G1 G0 B7 B6 B5 B4 B3 B2 B1 B0 Display Level Black LLLLLLL L L L LL L Blue L L L L L L L нннннннн L L Green L|H H H H H H H H | L L L L _ Light Blue нннннннннн н н Basic color H H H H H H H H | L L L L L L L L LLLLLL Red Purple Yellow H H H H H H H H H H H H H H | L L L L White Black LO L1 Dark $\mathsf{L}\;\mathsf{L}\;\mathsf{H}\;\mathsf{L}$ LL L L L L L L L2 L3...L251 Gray scale 1 of Red HHHHHLL L252 1 LLLLL HHHHHL HL L L L L253 Light L L254 Red L L L L L L L L L Red L255 Black LLLLL LLLLLL L LL L L0 L1 Dark L2 L3...L251 Gray scale of Green 1 L252 L253 Light L L ннннннь L254 L Green LHHHHHHHHH L L Green L255 L L L L L L0 Black L L L L L L L LL LLLL L L LL1 LLLLLLHL L2 Dark L3...L251 Grav scale of Blue 1 L252 LLLLL L ННННННЬ L L L L L L L L L L HHHHHHLL253 Light L L L L L L L L L L HHHHHHL L254 ннннннн Blue L255 Blue L L LL L L L L LL0 Black L LL LL LL LL LHLLLL LL LHLL LL L1 Dark L2 Gray scale L3...L251 1 of White & L252 Black L253 Light L254

The information contained in this document is the exclusive property of HannStar Display Corporation. It shall not be disclosed, distributed or reproduced in whole or in part without written permission of HannStar Display Corporation.

White

Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	15 / 29
Document No.		Revision	1.0

5.0 I/O CONNECTION PIN ASSIGNMENT

5.1 Interface Connector (30-pins, HRS MDF76URW-30S-1H or equivalent)

Pin No. Signal Description 1 RinO0- Receiver Signal (-) 2 RinO0+ Receiver Signal (-) 3 RinO1- Receiver Signal (-) 4 RinO1+ Receiver Signal (-) 5 RinO2- Receiver Signal (-) 6 RinO2+ Receiver Signal (-) 7 VSS Ground 8 RinOC- Clock Signal (-) 9 RinOC+ Clock Signal (-) 10 RinO3- Receiver Signal (-) 11 RinO3+ Receiver Signal (-) 12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (-) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (-) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (-) 20 RinEC- Clock Signal (-) 21 RinEC- Clock Signal (-) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (-) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical) 29 VDD+5V Power Supply, 5V (Typical)			
2 RinO0+ Receiver Signal (+) 3 RinO1- Receiver Signal (-) 4 RinO1+ Receiver Signal (+) 5 RinO2- Receiver Signal (-) 6 RinO2+ Receiver Signal (-) 7 VSS Ground 8 RinOC- Clock Signal (-) 9 RinOC+ Clock Signal (-) 10 RinO3- Receiver Signal (-) 11 RinO3+ Receiver Signal (-) 12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (-) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (-) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (-) 21 RinE0- Clock Signal (-) 21 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (-)	Pin No.		Description
3 RinO1- Receiver Signal (-) 4 RinO1+ Receiver Signal (+) 5 RinO2- Receiver Signal (-) 6 RinO2+ Receiver Signal (+) 7 VSS Ground 8 RinOC- Clock Signal (-) 9 RinOC+ Clock Signal (-) 10 RinO3- Receiver Signal (-) 11 RinO3- Receiver Signal (-) 12 RinE0- Receiver Signal (-) 13 RinE0- Receiver Signal (-) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (-) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (-) 21 RinEC- Clock Signal (-) 21 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (-) 24 VSS Ground 25<			
4 RinO1+ Receiver Signal (+) 5 RinO2- Receiver Signal (-) 6 RinO2+ Receiver Signal (+) 7 VSS Ground 8 RinOC- Clock Signal (-) 9 RinOC+ Clock Signal (+) 10 RinO3- Receiver Signal (-) 11 RinO3+ Receiver Signal (-) 12 RinE0- Receiver Signal (-) 13 RinE0- Receiver Signal (-) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (-) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (-) 21 RinEC- Clock Signal (-) 21 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (-) 24 VSS Ground 25 VSS Ground 26 <t< td=""><td></td><td>RinO0+</td><td></td></t<>		RinO0+	
5 RinO2- Receiver Signal (-) 6 RinO2+ Receiver Signal (+) 7 VSS Ground 8 RinOC- Clock Signal (-) 9 RinOC+ Clock Signal (+) 10 RinO3- Receiver Signal (-) 11 RinO3+ Receiver Signal (-) 12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (-) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (-) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (-) 20 RinEC- Clock Signal (-) 21 RinEC- Clock Signal (-) 23 RinE3- Receiver Signal (-) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS		RinO1-	Receiver Signal (-)
6 RinO2+ Receiver Signal (+) 7 VSS Ground 8 RinOC- Clock Signal (-) 9 RinOC+ Clock Signal (+) 10 RinO3- Receiver Signal (-) 11 RinO3+ Receiver Signal (-) 12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (-) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (-) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (-) 20 RinEC- Clock Signal (-) 21 RinEC- Clock Signal (-) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (-) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS <td< td=""><td>4</td><td>RinO1+</td><td>Receiver Signal (+)</td></td<>	4	RinO1+	Receiver Signal (+)
7 VSS Ground 8 RinOC- Clock Signal (-) 9 RinOC+ Clock Signal (+) 10 RinO3- Receiver Signal (-) 11 RinO3+ Receiver Signal (-) 12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (+) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (-) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (-) 20 RinEC- Clock Signal (-) 21 RinEC- Clock Signal (-) 21 RinE3- Receiver Signal (-) 23 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (-) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS <t< td=""><td>5</td><td>RinO2-</td><td>Receiver Signal (-)</td></t<>	5	RinO2-	Receiver Signal (-)
8 RinOC- Clock Signal (-) 9 RinOC+ Clock Signal (+) 10 RinO3- Receiver Signal (-) 11 RinO3+ Receiver Signal (+) 12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (+) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (-) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (-) 20 RinEC- Clock Signal (-) 21 RinEC- Clock Signal (-) 21 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (-) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	6	RinO2+	Receiver Signal (+)
9 RinOC+ Clock Signal (+) 10 RinO3- Receiver Signal (-) 11 RinO3+ Receiver Signal (+) 12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (+) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (+) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC- Clock Signal (-) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	7	VSS	
10 RinO3- Receiver Signal (-) 11 RinO3+ Receiver Signal (+) 12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (+) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (+) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (-) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (-) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (-) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	8	RinOC-	Clock Signal (-)
11 RinO3+ Receiver Signal (+) 12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (+) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (+) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (+) 22 RinE3- Receiver Signal (-) 23 RinE3- Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	9	RinOC+	
12 RinE0- Receiver Signal (-) 13 RinE0+ Receiver Signal (+) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (+) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (-) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	10	RinO3-	Receiver Signal (-)
13 RinE0+ Receiver Signal (+) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (+) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (-) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	11	RinO3+	Receiver Signal (+)
13 RinE0+ Receiver Signal (+) 14 VSS Ground 15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (+) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (-) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	12	RinE0-	Receiver Signal (-)
15 RinE1- Receiver Signal (-) 16 RinE1+ Receiver Signal (+) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (+) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	13	RinE0+	
16 RinE1+ Receiver Signal (+) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (+) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	14	VSS	Ground
16 RinE1+ Receiver Signal (+) 17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (+) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	15	RinE1-	Receiver Signal (-)
17 VSS Ground 18 RinE2- Receiver Signal (-) 19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (+) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	16	RinE1+	
19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (+) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	17	VSS	
19 RinE2+ Receiver Signal (+) 20 RinEC- Clock Signal (-) 21 RinEC+ Clock Signal (+) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	18	RinE2-	Receiver Signal (-)
21 RinEC+ Clock Signal (+) 22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	19	RinE2+	
22 RinE3- Receiver Signal (-) 23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	20	RinEC-	Clock Signal (-)
23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	21	RinEC+	Clock Signal (+)
23 RinE3+ Receiver Signal (+) 24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	22	RinE3-	Receiver Signal (-)
24 VSS Ground 25 VSS Ground 26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	23	RinE3+	
26 NC NC 27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	24	VSS	
27 VSS Ground 28 VDD+5V Power Supply, 5V (Typical)	25	VSS	Ground
28 VDD+5V Power Supply, 5V (Typical)	26	NC	NC
	27	VSS	Ground
	28	VDD+5V	Power Supply, 5V (Typical)
	29	VDD+5V	Power Supply, 5V (Typical)
30 VDD+5V Power Supply, 5V (Typical)	30	VDD+5V	

5.2 Back Light Unit (CCFL) Connectors:

CN2, 3, 4, 5: CCFL Power Source (Yeonho 35001HS-02 or equivalent)

Pin No.	Symbol	Color	Function
1	Hot1	Pink	CCFL power supply (High voltage)
2	Cold1	White	Ground

Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	16 / 29
Document No.		Revision	1.0

6.0 ELECTRICAL CHARACTERISTICS


6.1 TFT LCD Module:

Item		Symbol	Min.	Тур.	Max.	Unit	Note
Voltage of power s	Voltage of power supply		4.5	5.0	5.5	V	
White		I_{DD0}	380	480	580	mA	(1)
Current of power supply	V-Color	I_{DD1}	500	600	700	mA	(1)
очьь.	Mosaic	I_{DD2}	810	1010	1210	mA	(1)
Vsync frequency		f_{V}	56	60	76	Hz	(2)
Hsync frequency		f _H	64	64	80	KHz	
Frequency		f _{DCLK}	50	54	67.5	MHz	
Input rush current		I _{RUSH}			3.0	Α	(3)


Note (1)

(a)White:

(b).V-Color:



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	17 / 29
Document No.		Revision	1.0




Grey scale:L0~L255

L0: Luminance with all pixels black.

L255: Luminance with all pixels white.


Note (2) When fv is too low, a flicker may be occurred on the display.

Note (3) Input Rush Current measurement condition





Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	18 / 29
Document No.		Revision	1.0




Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	19 / 29
Document No.		Revision	1.0

6.2 Back-Light Unit

The back-light system is an edge-lighting type with 4 CCFL (Cold Cathode Fluorescent Lamp). The characteristics of the lamp are shown in the following tables.

Item	Symbol	Min.	Тур.	Max.	Unit	Note
Lamp current	IL	3.0	7.5	8.0	mA(rms)	(1)
Lamp voltage	VL	594	660	726	V(rms)	I _L =7.5mA
Frequency	fL	40	50	80	KHz	(2)
Operating Lifetime	Hr	40,000			Hour	7.5mA(3)
Startup voltago	Vs	1400			V(rms)	at 25°C
Startup voltage	V S	1650			V (11115)	at 0°C



Note (1)

Lamp current is measured with current meter for high frequency as shown below. Specified values are for a single lamp. To exceed 7.5 mA, life time accelerate drop down and if to exceed 9.0 mA has safety problem. If current lower than 3.5 mA, CCFL would be unstable or damaged.

Note (2)

Lamp frequency may produce interference with horizontal synchronous frequency and this may cause ripple noise on the display. Therefore lamp frequency shall be kept away from the horizontal synchronous frequency and its harmonics as far as possible in order to avoid interference.

Note (3)

Lamp life time (Hr) can be defined as the time in which it continues to operate under the condition : $Ta=25\pm3^{\circ}C$, Typical IL value indicated in the above table and fL=48 kHz until the brightness becomes less than 50%

Note (4)

CCFL inverter should be able to provide a voltage over specified value (Vs) in the above table. Lamp units need at least Vs value shown above to ignition.



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	20 / 29
Document No.		Revision	1.0


Note (5)

The voltage over specified value (Vs) should be applied to the lamp more than 1 second after startup. Otherwise, the lamp may not be turned on. The used lamp current is the lamp typical current.

Note (6)

The output voltage waveform and current waveform of the inverter must be symmetrical (Unsymmetrical ratio is less than 10%). Please do not use the inverter which has unsymmetrical voltage and current waveform, and spike waveform. The inverter design which can provide the best optical performance, power efficiency, and lamp life should under the following conditions.

- a. The asymmetry rate of the inverter waveform should be less than 10%.
- b. The distortion tae of the waveform should be within $\sqrt{2\pm10\%}$.
- c. The inverter output waveform should be better similar to the ideal sine wave.




Asymmetry rate = $|I_p-I_{-p}| / I_{rms} \times 100\%$ Distortion rate = I_p (or I_{-p}) / I_{rms}



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	21 / 29
Document No.		Revision	1.0

6.3 Switching Characteristics for LVDS Receiver

Item	Symbol	Min.	Тур.	Max.	Unit	Conditions
Differential Input High Threshold	Vth	_		+100	mV	V _1.25V
Differential Input Low Threshold	Vtl	-100		I	mV	V _{CMLVDS} =1.25V
Input Current	I _{IN}	-10	1	+10	uA	V _{IN} =2.4V/0V, V _{DD} =3.6V
Differential input Voltage	$ V_{ID} $	0.1		0.6	٧	
Common Mode Voltage Offset	V _{CM}	1.15		1.35	V	
Clock Frequency	fc	50	54	67.5	MHz	




DC Timing Diagram 1: LVDS single end waveform

6.4 Interface Timing (DE mode)


Item	Symbol	Min.	Тур.	Max.	Unit
Frame Rate		50	60	76	Hz
Frame Period	t1	1029	1066	1150	line
Vertical Display Time	t2	1024	1024	1024	line
Vertical Blanking Time	t3	5	42	126	line
1 Line Scanning Time	t4	720	844	875	clock
Horizontal Display Time	t5	640	640	640	clock
Horizontal Blanking Time	t6	80	204	235	clock
Clock Rate	t7	50	54	67.5	MHz


Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	22 / 29
Document No.		Revision	1.0





Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	23 / 29
Document No.		Revision	1.0






Item	Min.	Тур.	Max.	Unit	Remark
TP1	0.5		10	msec	
TP2	0		50	msec	
TP3	0		50	msec	
TP4	500			msec	
TP5	200			msec	
TP6	200			msec	


Note : (1) The supply voltage of the external system for the module input should be the same as the definition of V_{DD} .

- (2) Apply the lamp volatge within the LCD operation range. When the back-light turns on before the LCD operation or the LCD truns off before the back-light turns off, the display may momentarily become white.
- (3) In case of VDD = off level, please keep the level of input signal on the low or keep a high impedance.
- (4) TP4 should be measured after the module has been fully discharged between power off and on period.
- (5) Interface signal shall not be kept at high impedance when the power is on.

Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	24 / 29
Document No.		Revision	1.0



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	25 / 29
Document No.		Revision	1.0



HannStar Hanns

H<u>ann</u>Star Display Corp.

Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	26 / 29
Document No.		Revision	1.0

8.0 LOT MARK

8.1 Lot Mark

 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15

code 1,2,3,4,5,6: HannStar internal flow control code.

code 7: production location.

code 8: production year.

code 9: production month.

code 10,11,12,13,14,15: serial number.

Note (1) Production Year


Year	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Mark	9	0	1	2	3	4	5	6	7	8

Note (2) Production Month

Month	Jan.	Feb.	Mar.	Apr.	May.	Jun.	Jul.	Aug.	Sep.	Oct	Nov.	Dec.
Mark	1	2	3	4	5	6	7	8	9	Α	В	С

8.2 Location of Lot Mark

- (1) The label is attached to the backside of the LCD module.
- (2) This is subject to change without prior notice.






Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	27 / 29
Document No.		Revision	1.0

9.0 PACKAGE SPECIFICATION

9.1 Packing form

- (1) package quantity in one carton: 8 pieces.
- (2) carton size: 544±3 mm×302±3 mm×446^H±3 mm.
- (3) for domestic transportation only.

9.2 Packing assembly drawings



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	28 / 29
Document No.		Revision	1.0

10.0 GENERAL PRECAUTION

10.1 Use Restriction

This product is not authorized for use in life supporting systems, aircraft navigation control systems, military systems and any other application where performance failure could be life-threatening or otherwise catastrophic.

10.2 Disassembling or Modification

Do not disassemble or modify the module. It may damage sensitive parts inside LCD module, and may cause scratches or dust on the display. HannStar does not warrant the module, if customers disassemble or modify the module.

10.3 Breakage of LCD Panel

- 10.3.1 If LCD panel is broken and liquid crystal spills out, do not ingest or inhale liquid crystal, and do not contact liquid crystal with skin.
- 10.3.2 If liquid crystal contacts mouth or eyes, rinse out with water immediately.
- 10.3.3 If liquid crystal contacts skin or cloths, wash it off immediately with alcohol and rinse thoroughly with water.
- 10.3.4 Handle carefully with chips of glass that may cause injury, when the glass is broken.

10.4 Electric Shock

- 10.4.1 Disconnect power supply before handling LCD module.
- 10.4.2 Do not pull or fold the CCFL cable.
- 10.4.3 Do not touch the parts inside LCD modules and the fluorescent lamp's connector or cables in order to prevent electric shock.

10.5 Absolute Maximum Ratings and Power Protection Circuit

- 10.5.1 Do not exceed the absolute maximum rating values, such as the supply voltage variation, input voltage variation, variation in parts' parameters, environmental temperature, etc., otherwise LCD module may be damaged.
- 10.5.2 Please do not leave LCD module in the environment of high humidity and high temperature for a long time.
- 10.5.3 It's recommended employing protection circuit for power supply.

10.6 Operation

- 10.6.1 Do not touch, push or rub the polarizer with anything harder than HB pencil lead. Use fingerstalls of soft gloves in order to keep clean display quality, when persons handle the LCD module for incoming inspection or assembly.
- 10.6.2 When the surface is dusty, please wipe gently with absorbent cotton or other soft material.
- 10.6.3 Wipe off saliva or water drops as soon as possible. If saliva or water drops contact with polarizer for a long time, they may causes deformation or color fading.
- 11.6.4 When cleaning the adhesives, please use absorbent cotton wetted with a little petroleum benzene or other adequate solvent.



Document Title	HSD190MEN3-A Product Specification for SEBON	Page No.	29 / 29
Document No.		Revision	1.0

10.7 Mechanism

Please mount LCD module by using mounting holes arranged in four corners tightly.

10.8 Static Electricity

- 10.8.1 Protection film must remove very slowly from the surface of LCD module to prevent
 - from electrostatic occurrence.
- 10.8.2 Because LCD module uses CMOS-IC on circuit board and TFT-LCD panel, it is very weak to electrostatic discharge. Please be careful with electrostatic discharge.
- 10.8.3 Persons who handle the module should be grounded through adequate methods.

10.9 Strong Light Exposure

The module shall not be exposed under strong light such as direct sunlight. Otherwise, display characteristics may be changed.

10.10 Disposal

When disposing LCD module, obey the local environmental regulations.