httml

2020-05-09 20:17:53.823 sip_endpoint.c thr0x825b597 Module "mod-pjsip-log" registered 2020-05-09 20:17:53.826 sip_endpoint.c thr0x825b597 Module "mod-tsx-layer" registered

```
2020-05-09 20:17:53.826 sip endpoint.c thr0x825b597 Module "mod-stateful-util" registered
2020-05-09 20:17:53.827 sip_endpoint.c thr0x825b597 Module "mod-ua" registered
2020-05-09 20:17:53.827 sip endpoint.c thr0x825b597 Module "mod-100rel" registered
2020-05-09 20:17:53.828 sip endpoint.c thr0x825b597 Module "mod-pisua" registered
2020-05-09 20:17:53.830 sip endpoint.c thr0x825b597 Module "mod-invite" registered
2020-05-09 20:17:53.831 android jni de thr0x825b597 Android JNI sound library initialized
                             pjlib thr0x825b597 select() I/O Queue created (0x8ac34214)
2020-05-09 20:17:53.832
2020-05-09 20:17:53.888 sip endpoint.c thr0x825b597 Module "mod-evsub" registered
2020-05-09 20:17:53.888 sip_endpoint.c thr0x825b597 Module "mod-presence" registered
2020-05-09 20:17:53.889 sip endpoint.c thr0x825b597 Module "mod-mwi" registered
2020-05-09 20:17:53.890 sip_endpoint.c thr0x825b597 Module "mod-refer" registered
2020-05-09 20:17:53.890 sip_endpoint.c thr0x825b597 Module "mod-pisua-pres" registered
2020-05-09 20:17:53.891 sip_endpoint.c thr0x825b597 Module "mod-pjsua-im" registered
2020-05-09 20:17:53.891 sip_endpoint.c thr0x825b597 Module "mod-pisua-options" registered
2020-05-09 20:17:53.892 pjsua core.c thr0x825b597 1 SIP worker threads created
2020-05-09 20:17:53.892 pjsua_core.c thr0x825b597 pjsua version 2.6 for Linux-
4.4.95/armv7l initialized
2020-05-09 20:17:53.893 pjsua core.c thr0x825b597 PJSUA state changed: CREATED -->
INIT
2020-05-09 20:17:53.913 pjsua core.c thr0x825b597 SIP UDP socket reachable at
192.168.171.194:35814
2020-05-09 20:17:53.914 udp0x7f393800 thr0x825b597 SIP UDP transport started, published
address is 192.168.171.194:35814
2020-05-09 20:17:53.915 pjsua_core.c thr0x825b597 PJSUA state changed: INIT -->
STARTING
2020-05-09 20:17:53.916 sip_endpoint.c thr0x825b597 Module "mod-unsolicited-mwi"
registered
2020-05-09 20:17:53.916 pjsua_core.c thr0x825b597 PJSUA state changed: STARTING -->
RUNNING
2020-05-09 20:17:53.927 endpoint.cpp thr0x825b597 codecGetParam() codec_id =
'opus/48000/2'
2020-05-09 20:17:53.927
                            opus.c thr0x825b597 factory_default_attr:460: - TRACE
                         pjsua_acc.c thr0x825b597 Adding account:
2020-05-09 20:17:54.015
id=sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.text
now.com
2020-05-09 20:17:54.015
                         pjsua acc.c thr0x825b597 Account
sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textno
w.com added with id 0
2020-05-09 20:17:54.018
                         pjsua acc.c thr0x825b597 Acc 0: setting registration...
                          sip_reg.c thr0x825b597 Sending register request with timeout
2020-05-09 20:17:54.027
```

33000

2020-05-09 20:17:54.081 pjsua_core.c thr0x825b597 TX 735 bytes Request msg

REGISTER/cseq=26937 (tdta0x7f2f8064) to UDP 3.92.155.218:5090:

REGISTER sip:prod.tncp.textnow.com SIP/2.0

v: SIP/2.0/UDP 192.168.171.194:35814;rport;branch=z9hG4bKPje5185ea6-249b-46ae-a155-8560612c07d5

Route: <sip:prod.tncp.textnow.com:5090;lr>

Max-Forwards: 70

f:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=7804d501-20cc-4e10-a0b4-76bdfc8204a7

t:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>

i: ea173d08-7ade-4503-b92f-8e84e1091baf

CSeq: 26937 REGISTER

User-Agent: TextNow PjSip 2.6/20.16.0.3

m:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@192.168.171.1</p>

94:35814> Expires: 60

Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER,

MESSAGE, OPTIONS

l: 0

--end msg--

2020-05-09 20:17:54.085 sip util state thr0x825b597 Setting request timeout of 33000

2020-05-09 20:17:54.089 pjsua acc.c thr0x825b597 Acc 0: Registration sent

2020-05-09 20:17:54.172 pjsua_core.c pjsua_0 RX 635 bytes Response msg

401/REGISTER/cseq=26937 (rdata 0x7b 256014) from UDP 3.92.155.218:5090:

SIP/2.0 401 Unauthorized

v: SIP/2.0/UDP

192.168.171.194:35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPje5185ea6-249b-46ae-a155-8560612c07d5

f:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=7804d501-20cc-4e10-a0b4-76bdfc8204a7

t:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=33cc.2bf8e0f802a23119435a50fa2f8be87d

i: ea173d08-7ade-4503-b92f-8e84e1091baf

CSeq: 26937 REGISTER

WWW-Authenticate: Digest realm="prod.tncp.textnow.com",

nonce="5eb748500000eb82cb3a53975cc3cb94c916bb53855716b6"

Server: cops-reg-grn04 Content-Length: 0

--end msg--

2020-05-09 20:17:54.174 pjsua_acc.c pjsua_0 IP address change detected for account 0 (192.168.171.194:35814 --> 24.173.248.54:35814). Updating registration (using method 4) 2020-05-09 20:17:54.175 sip_reg.c pjsua_0 Sending register request with timeout 33000

2020-05-09 20:17:54.181 pjsua_core.c pjsua_0 TX 989 bytes Request msg

REGISTER/cseq=26938 (tdta0x7f2f8064) to UDP 3.92.155.218:5090:

REGISTER sip:prod.tncp.textnow.com SIP/2.0

v: SIP/2.0/UDP 24.173.248.54:35814;rport;branch=z9hG4bKPj82c3f87b-835a-4046-9816-6b13e54e04c7

Route: <sip:prod.tncp.textnow.com:5090;lr>

Max-Forwards: 70

f·

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=7804d501-20cc-4e10-a0b4-76bdfc8204a7

t:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>

i: ea173d08-7ade-4503-b92f-8e84e1091baf

CSeq: 26938 REGISTER

User-Agent: TextNow PjSip 2.6/20.16.0.3

m:

35814> Expires: 60

Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER,

MESSAGE, OPTIONS Authorization: Digest

username="19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY",

realm="prod.tncp.textnow.com",

nonce="5eb748500000eb82cb3a53975cc3cb94c916bb53855716b6",

uri="sip:prod.tncp.textnow.com", response="5abe07917bd237b35665be1baeecafbe"

I: 0

--end msg--

2020-05-09 20:17:54.182 sip_util_state pjsua_0 Setting request timeout of 33000 2020-05-09 20:17:54.256 pjsua_core.c pjsua_0 RX 646 bytes Response msg 200/REGISTER/cseq=26938 (rdata0x7b256014) from UDP 3.92.155.218:5090: SIP/2.0 200 OK

```
v: SIP/2.0/UDP
24.173.248.54:35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPj82c3f87b-835a-
4046-9816-6b13e54e04c7
<sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=7804d501-20cc-4e10-a0b4-76bdfc8204a7
<sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=33cc.2e431d41e879185d381bcee9aab3f3e4
i: ea173d08-7ade-4503-b92f-8e84e1091baf
CSeq: 26938 REGISTER
Contact:
<sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@24.173.248.54:</p>
35814>;expires=60;received="sip:3.92.155.218:5090"
Server: cops-reg-grn04
Content-Length: 0
--end msg--
2020-05-09 20:17:54.257
                                       pisua 0 SIP outbound status for acc 0 is not active
                         pjsua acc.c
2020-05-09 20:17:54.258
                         pjsua acc.c
                                        pjsua 0
sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textno
w.com: registration success, status=200 (OK), will re-register in 60 seconds
2020-05-09 20:17:54.341 pjsua call.c
                                       pisua 0 Making call with acc #0 to
sip:+19152297660@prod.tncp.textnow.com
2020-05-09 20:17:54.342
                         pjsua aud.c
                                        pjsua 0 Set sound device: capture=-1, playback=-2
2020-05-09 20:17:54.342
                         pjsua_aud.c
                                        pisua 0 Opening sound device (speaker + mic)
PCM@16000/1/20ms
2020-05-09 20:17:54.343 android ini de
                                        pisua 0 Creating Android JNI stream
2020-05-09 20:17:54.361 android_jni_de
                                        pjsua_0 Using audio input source: 7
2020-05-09 20:17:54.412 android ini de
                                        pjsua 0 Audio record initialized successfully.
2020-05-09 20:17:54.417 android ini de android reco Setting thread priority successful
2020-05-09 20:17:54.424 android jni de
                                         pjsua 0 !Audio track initialized successfully.
2020-05-09 20:17:54.427 ec0x7b93bb00
                                          pisua 0 AEC created, clock rate=16000,
channel=1, samples per frame=320, tail length=200 ms, latency=0 ms
2020-05-09 20:17:54.427 android ini de
                                         pjsua 0 Android JNI stream started
2020-05-09 20:17:54.429 android_ini_de android_trac Setting thread priority successful
2020-05-09 20:17:54.429 pjsua_media.c
                                         pisua 0 Call 0: initializing media...
2020-05-09 20:17:54.438 pjsua_media.c
                                         pjsua_0 RTP socket reachable at
192.168.171.194:46234
2020-05-09 20:17:54.438 pjsua media.c
                                         pisua 0 RTCP socket reachable at
192.168.171.194:46235
2020-05-09 20:17:54.439 pjsua media.c
                                         pjsua 0 Media index 0 selected for audio call 0
2020-05-09 20:17:54.445 pjsua core.c
                                        pjsua_0 TX 1029 bytes Request msg
```

```
INVITE/cseg=4969 (tdta0x7bae3064) to UDP 3.92.155.218:5090:
INVITE sip:+19152297660@prod.tncp.textnow.com SIP/2.0
v: SIP/2.0/UDP 24.173.248.54:35814;rport;branch=z9hG4bKPjfd13f9e9-9589-41af-b8ee-
9fdda5912fe0
Max-Forwards: 70
sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textno
w.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f
t: sip:+19152297660@prod.tncp.textnow.com
<sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@24.173.248.54:</p>
35814>
i: 94e01a7c-09a9-4959-b1cc-67f5c600e1c3
CSeq: 4969 INVITE
Route: <sip:prod.tncp.textnow.com:5090;lr>
k: replaces, 100rel, timer, norefersub
x: 1800
Min-SE: 90
User-Agent: TextNow PjSip 2.6/20.16.0.3
c: application/sdp
I: 365
v=0
o=- 3798058674 3798058674 IN IP4 192.168.171.194
s=pimedia
b=AS:117
t=0 0
a=X-nat:0
m=audio 46234 RTP/AVP 120 0 8 96
c=IN IP4 192.168.171.194
b=TIAS:96000
a=rtcp:46235 IN IP4 192.168.171.194
a=sendrecv
a=rtpmap:120 opus/48000/2
a=fmtp:120 useinbandfec=1
a=rtpmap:0 PCMU/8000
a=rtpmap:8 PCMA/8000
a=rtpmap:96 telephone-event/8000
a=fmtp:96 0-16
--end msg--
2020-05-09 20:17:54.530 pjsua_core.c
                                       pjsua_0 RX 601 bytes Response msg
407/INVITE/cseq=4969 (rdata0x7b256014) from UDP 3.92.155.218:5090:
SIP/2.0 407 Proxy Authentication Required
```

v: SIP/2.0/UDP

24.173.248.54:35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPjfd13f9e9-9589-41af-b8ee-9fdda5912fe0

f:

sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textnow.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f

t: sip:+19152297660@prod.tncp.textnow.com;tag=33cc.eab77fe3fa6113674ad3ed95fef8d04a

i: 94e01a7c-09a9-4959-b1cc-67f5c600e1c3

CSeq: 4969 INVITE

Proxy-Authenticate: Digest realm="prod.tncp.textnow.com",

nonce="5eb748500000ebdad2c652189365ab82b255998508914948"

Server: cops-reg-grn04 Content-Length: 0

--end msg--

2020-05-09 20:17:54.532 pjsua_core.c pjsua_0 TX 488 bytes Request msg

ACK/cseq=4969 (tdta0x7b2f5064) to UDP 3.92.155.218:5090:

ACK sip:+19152297660@prod.tncp.textnow.com SIP/2.0

v: SIP/2.0/UDP 24.173.248.54:35814;rport;branch=z9hG4bKPjfd13f9e9-9589-41af-b8ee-

9fdda5912fe0 Max-Forwards: 70

f:

sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textno w.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f

t: sip:+19152297660@prod.tncp.textnow.com;tag=33cc.eab77fe3fa6113674ad3ed95fef8d04a

i: 94e01a7c-09a9-4959-b1cc-67f5c600e1c3

CSeq: 4969 ACK

Route: <sip:prod.tncp.textnow.com:5090;lr>

I: 0

--end msg--

2020-05-09 20:17:54.534 tsx0x8ac9f864 pjsua_0 Temporary failure in sending Request msg INVITE/cseq=4970 (tdta0x7bae3064), will try next server: Unsuitable transport selected (PJSIP ETPNOTSUITABLE)

2020-05-09 20:17:54.536 pjsua_core.c pjsua_0 TX 1306 bytes Request msg INVITE/cseq=4970 (tdta0x7bae3064) to UDP 3.92.155.218:5090:

INVITE sip:+19152297660@prod.tncp.textnow.com SIP/2.0

v: SIP/2.0/UDP 24.173.248.54:35814;rport;branch=z9hG4bKPjb0d46338-b022-47f2-928c-970a83fda9fa

Max-Forwards: 70

f٠

sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textno

```
w.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f
t: sip:+19152297660@prod.tncp.textnow.com
<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@24.173.248.54:</p>
35814>
i: 94e01a7c-09a9-4959-b1cc-67f5c600e1c3
CSeq: 4970 INVITE
Route: <sip:prod.tncp.textnow.com:5090;lr>
k: replaces, 100rel, timer, norefersub
x: 1800
Min-SE: 90
User-Agent: TextNow PjSip 2.6/20.16.0.3
Proxy-Authorization: Digest
username="19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY",
realm="prod.tncp.textnow.com",
nonce="5eb748500000ebdad2c652189365ab82b255998508914948",
uri="sip:+19152297660@prod.tncp.textnow.com",
response="6862a8feb7bfaa35dd8232ad756f0ed3"
c: application/sdp
l: 365
V=0
o=- 3798058674 3798058674 IN IP4 192.168.171.194
s=pimedia
b=AS:117
t=0.0
a=X-nat:0
m=audio 46234 RTP/AVP 120 0 8 96
c=IN IP4 192.168.171.194
b=TIAS:96000
a=rtcp:46235 IN IP4 192.168.171.194
a=sendrecv
a=rtpmap:120 opus/48000/2
a=fmtp:120 useinbandfec=1
a=rtpmap:0 PCMU/8000
a=rtpmap:8 PCMA/8000
a=rtpmap:96 telephone-event/8000
a=fmtp:96 0-16
--end msg--
2020-05-09 20:17:54.538 pjsua core.c
                                       pjsua 0 RX 423 bytes Response msg
100/INVITE/cseq=4969 (rdata0x7b256014) from UDP 3.92.155.218:5090:
SIP/2.0 100 Giving a try
v: SIP/2.0/UDP
```

24.173.248.54:35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPjfd13f9e9-9589-41af-b8ee-9fdda5912fe0

f·

sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textnow.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f

t: sip:+19152297660@prod.tncp.textnow.com i: 94e01a7c-09a9-4959-b1cc-67f5c600e1c3

CSeq: 4969 INVITE Server: TextNow SBC Content-Length: 0

--end msg--

2020-05-09 20:17:54.616 pjsua_core.c pjsua_0 RX 423 bytes Response msg 100/INVITE/cseq=4970 (rdata0x7b256014) from UDP 3.92.155.218:5090:

SIP/2.0 100 Giving a try

v: SIP/2.0/UDP

24.173.248.54;35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPjb0d46338-b022-47f2-928c-970a83fda9fa

f:

sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textnow.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f

t: sip:+19152297660@prod.tncp.textnow.com i: 94e01a7c-09a9-4959-b1cc-67f5c600e1c3

CSeq: 4970 INVITE Server: TextNow SBC Content-Length: 0

--end msg--

2020-05-09 20:17:54.619 pjsua_core.c pjsua_0 RX 732 bytes Response msg 180/INVITE/cseq=4970 (rdata0x7b256014) from UDP 3.92.155.218:5090:

SIP/2.0 180 Ringing

v: SIP/2.0/UDP

24.173.248.54;35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPjb0d46338-b022-47f2-928c-970a83fda9fa

f:sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textnow.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f

t:sip:+19152297660@prod.tncp.textnow.com;tag=UaFZDaXNUj8He

i:94e01a7c-09a9-4959-b1cc-67f5c600e1c3

CSeq:4970 INVITE

m:<sip:3.92.155.218:5090;txn=844.6a7d46b7>

User-Agent:softphone 6060

Accept:application/sdp

Allow:INVITE,ACK,BYE,CANCEL,OPTIONS,MESSAGE,INFO,UPDATE,REGISTER,REFER,NOTIFY

k:timer,path,replaces

u:talk,hold,conference,refer

1:0

Remote-Party-

ID:"+19152297660"<sip:+19152297660@prod.tncp.textnow.com>;party=calling;privacy=off;scre en=no

--end msg--

2020-05-09 20:17:54.633 pjsua aud.c pjsua 0 Conf connect: 1 --> 0

2020-05-09 20:17:54.633 conference.c pjsua 0 Port 1 (tonegen) transmitting to port 0

(Android JNI)

2020-05-09 20:18:14.776 pjsua core.c pjsua 0 RX 1202 bytes Response msg

200/INVITE/cseq=4970 (rdata0x7b256014) from UDP 3.92.155.218:5090:

SIP/2.0 200 OK

v: SIP/2.0/UDP

24.173.248.54;35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPjb0d46338-b022-

47f2-928c-970a83fda9fa

f:sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn

ow.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f

t:sip:+19152297660@prod.tncp.textnow.com;tag=UaFZDaXNUj8He

i:94e01a7c-09a9-4959-b1cc-67f5c600e1c3

CSeq:4970 INVITE

m:<sip:3.92.155.218:5090;txn=844.6a7d46b7>

User-Agent:softphone_6060

Allow:INVITE,ACK,BYE,CANCEL,OPTIONS,MESSAGE,INFO,UPDATE,REGISTER,REFER,N

OTIFY

Require:timer

k:timer,path,replaces

x:1800:refresher=uac

c:application/sdp

1:329

X-UUID:1bf8dd6c-384f-488b-87ca-4babe9ec7ac0

X-GWs:TT PHLAPAFGTXN 1081

X-Partner:TT_INTELIQUENT

Remote-Party-ID:"Outbound

Call"<sip:9999519152297660@prod.tncp.textnow.com>;party=calling;privacy=off;screen=no

X-Registrar: cops-reg-grn04.prod.tncp

v=0

o=FreeSWITCH 1589041577 1589041578 IN IP4 3.220.65.37

s=FreeSWITCH

```
c=IN IP4 3.220.65.37
t = 0.0
m=audio 28318 RTP/AVP 120 96
a=rtpmap:120 opus/48000/2
a=fmtp:120 useinbandfec=1; maxaveragebitrate=14400; maxplaybackrate=8000
a=rtpmap:96 telephone-event/8000
a=fmtp:96 0-16
a=ptime:20
a=rtcp:28319 IN IP4 3.220.65.37
--end msg--
                                        pisua 0 Conf disconnect: 1 -x-0
2020-05-09 20:18:14.785
                         pisua aud.c
                                        pisua 0 Port 1 (tonegen) stop transmitting to port 0
2020-05-09 20:18:14.785 conference.c
(Android JNI)
2020-05-09 20:18:14.787 pjsua_media.c
                                         pjsua 0 Call 0: updating media..
2020-05-09 20:18:14.790
                         pjsua_aud.c
                                        pjsua_0 Audio channel update..
2020-05-09 20:18:14.792
                            opus.c
                                      pisua 0 factory alloc codec:523: - TRACE
                                      pjsua_0 codec_open:596: - TRACE
2020-05-09 20:18:14.793
                            opus.c
2020-05-09 20:18:14.796
                                      pjsua 0 codec open:673: sample rate: 8000
                            opus.c
                                      pjsua 0 codec modify:771: - TRACE
2020-05-09 20:18:14.801
                            opus.c
2020-05-09 20:18:14.802 strm0x7b315014
                                          pisua 0 VAD temporarily disabled
                                          pjsua_0 Encoder stream started
2020-05-09 20:18:14.804 strm0x7b315014
2020-05-09 20:18:14.806 strm0x7b315014
                                          pjsua 0 Decoder stream started
2020-05-09 20:18:14.815 pjsua media.c
                                         pisua 0 Audio updated, stream #0: opus
(sendrecv)
2020-05-09 20:18:14.830
                         pjsua aud.c
                                        pjsua 0 !Conf connect: 0 --> 2
                                        pjsua_0 Port 0 (Android JNI) transmitting to port 2
2020-05-09 20:18:14.831 conference.c
(sip:+19152297660@prod.tncp.textnow.com)
2020-05-09 20:18:14.831
                                        pisua 0 Conf connect: 2 --> 0
                         pisua aud.c
2020-05-09 20:18:14.832 conference.c
                                        pjsua_0 Port 2
(sip:+19152297660@prod.tncp.textnow.com) transmitting to port 0 (Android JNI)
2020-05-09 20:18:14.836 pjsua core.c
                                        pisua 0 TX 420 bytes Request msg
ACK/cseq=4970 (tdta0x7f3ed064) to UDP 3.92.155.218:5090:
ACK sip:3.92.155.218:5090;txn=844.6a7d46b7 SIP/2.0
v: SIP/2.0/UDP 24.173.248.54:35814;rport;branch=z9hG4bKPjfcbe591f-d4fc-422e-96b7-
1d3b72610aa8
Max-Forwards: 70
f:
sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textno
w.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f
t: sip:+19152297660@prod.tncp.textnow.com;tag=UaFZDaXNUi8He
i: 94e01a7c-09a9-4959-b1cc-67f5c600e1c3
CSeq: 4970 ACK
l: 0
```

```
--end msg--
2020-05-09 20:18:14.927 Master/sound android trac Underflow, buf cnt=0, will generate 1
2020-05-09 20:18:14.949 Master/sound android trac Underflow, buf cnt=0, will generate 1
frame
2020-05-09 20:18:14.970 Master/sound android trac Underflow, buf cnt=0, will generate 1
frame
2020-05-09 20:18:14.991 Master/sound android trac Underflow, buf cnt=0, will generate 1
frame
2020-05-09 20:18:15.013 Master/sound android trac Underflow, buf cnt=0, will generate 1
frame
2020-05-09 20:18:15.441
                            opus.c android_trac codec_modify:771: - TRACE
2020-05-09 20:18:15.441 strm0x7b315014 android trac VAD re-enabled
2020-05-09 20:18:16.101 Master/sound android_trac Underflow, buf_cnt=0, will generate 1
frame
2020-05-09 20:18:49.259
                          sip reg.c
                                     pjsua 0 Sending register request with timeout 33000
2020-05-09 20:18:49.265 pjsua_core.c
                                       pjsua_0 TX 731 bytes Request msg
REGISTER/cseq=26939 (tdta0x79af7064) to UDP 3.92.155.218:5090:
REGISTER sip:prod.tncp.textnow.com SIP/2.0
v: SIP/2.0/UDP 24.173.248.54:35814;rport;branch=z9hG4bKPje0469334-239e-40f3-8d9e-
d1897c5c827f
Route: <sip:prod.tncp.textnow.com:5090;lr>
Max-Forwards: 70
<sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6qY@prod.tncp.textn</p>
ow.com>;tag=48235fec-acf0-4759-919f-fdf7d85bdc66
t:
<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>
i: ea173d08-7ade-4503-b92f-8e84e1091baf
CSeq: 26939 REGISTER
User-Agent: TextNow PjSip 2.6/20.16.0.3
m:
<sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@24.173.248.54:</p>
35814>
Expires: 60
Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER,
MESSAGE, OPTIONS
I: 0
```

--end msg--

2020-05-09 20:18:49.267 sip_util_state pjsua_0 Setting request timeout of 33000 2020-05-09 20:18:49.348 pjsua_core.c pjsua_0 RX 633 bytes Response msg 401/REGISTER/cseq=26939 (rdata0x7b256014) from UDP 3.92.155.218:5090:

SIP/2.0 401 Unauthorized

v: SIP/2.0/UDP

24.173.248.54;35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPje0469334-239e-40f3-8d9e-d1897c5c827f

f:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=48235fec-acf0-4759-919f-fdf7d85bdc66

t:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=33cc.55a2848b9fcb683fd489c32bcedfccfb

i: ea173d08-7ade-4503-b92f-8e84e1091baf

CSeq: 26939 REGISTER

WWW-Authenticate: Digest realm="prod.tncp.textnow.com",

nonce="5eb748870001196a35e37f5b0f119308ba039568579436cf"

Server: cops-reg-grn04 Content-Length: 0

--end msg--

2020-05-09 20:18:49.350 sip_reg.c pjsua_0 Sending register request with timeout 33000 2020-05-09 20:18:49.353 pjsua_core.c pjsua_0 TX 989 bytes Request msg REGISTER/cseq=26940 (tdta0x79af7064) to UDP 3.92.155.218:5090:

REGISTER sip:prod.tncp.textnow.com SIP/2.0

v: SIP/2.0/UDP 24.173.248.54:35814;rport;branch=z9hG4bKPj6bae5e0f-3e35-4a28-9d4c-c7b8b29c96b6

Route: <sip:prod.tncp.textnow.com:5090;lr>

Max-Forwards: 70

f:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn ow.com>;tag=48235fec-acf0-4759-919f-fdf7d85bdc66

t·

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>

i: ea173d08-7ade-4503-b92f-8e84e1091baf

CSeq: 26940 REGISTER

User-Agent: TextNow PjSip 2.6/20.16.0.3

m:

35814> Expires: 60

Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER,

MESSAGE, OPTIONS

Authorization: Digest

username="19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY",

realm="prod.tncp.textnow.com",

nonce="5eb748870001196a35e37f5b0f119308ba039568579436cf",

uri="sip:prod.tncp.textnow.com", response="7c9ea27aef0d442ca4ca3403565bc59a"

I: 0

--end msg--

2020-05-09 20:18:49.355 sip_util_state pjsua_0 Setting request timeout of 33000

2020-05-09 20:18:49.427 pjsua_core.c pjsua_0 RX 646 bytes Response msg

200/REGISTER/cseg=26940 (rdata0x7b256014) from UDP 3.92.155.218:5090:

SIP/2.0 200 OK

v: SIP/2.0/UDP

24.173.248.54:35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPj6bae5e0f-3e35-4a28-9d4c-c7b8b29c96b6

f:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn ow.com>;tag=48235fec-acf0-4759-919f-fdf7d85bdc66

t:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=33cc.bb19a09161b86fbf2afcbfdf14bd352c

i: ea173d08-7ade-4503-b92f-8e84e1091baf

CSeq: 26940 REGISTER

Contact:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@24.173.248.54:</p>

35814>;expires=60;received="sip:3.92.155.218:5090"

Server: cops-reg-grn04 Content-Length: 0

--end msg--

2020-05-09 20:18:49.429 pjsua_acc.c pjsua_0 SIP outbound status for acc 0 is not active 2020-05-09 20:18:49.431 pjsua_acc.c pjsua_0

sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textno w.com: registration success, status=200 (OK), will re-register in 60 seconds

2020-05-09 20:18:53.197 Master/sound android_trac Underflow, buf_cnt=0, will generate 1 frame

2020-05-09 20:18:54.438 pjsua_core.c pjsua_0 RX 350 bytes Request msg

OPTIONS/cseq=1 (rdata0x7b256014) from UDP 3.92.155.218:5090:

OPTIONS

sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@24.173.248.54:3 5814 SIP/2.0

Via: SIP/2.0/UDP 10.241.32.93:5090;branch=0 From: sip:vnt-10@textnow.com;tag=ee01a818

To: sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@textnow.com

Call-ID: 9fc3fc16-3b2b4713-0fe9a3@10.241.32.93

CSeq: 1 OPTIONS Content-Length: 0

--end msg--

2020-05-09 20:18:54.439 pjsua_core.c pjsua_0 TX 671 bytes Response msg

200/OPTIONS/cseq=1 (tdta0x79af7064) to UDP 3.92.155.218:5090:

SIP/2.0 200 OK

v: SIP/2.0/UDP 10.241.32.93:5090;received=3.92.155.218;branch=0

i: 9fc3fc16-3b2b4713-0fe9a3@10.241.32.93

f: <sip:vnt-10@textnow.com>;tag=ee01a818

t:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@textnow.com>;t
aq=0

CSeq: 1 OPTIONS

Allow: PRACK, INVITE, ACK, BYE, CANCEL, UPDATE, INFO, SUBSCRIBE, NOTIFY, REFER, MESSAGE, OPTIONS

Accept: application/sdp, application/pidf+xml, application/xpidf+xml, application/simple-message-summary, message/sipfrag;version=2.0, application/im-iscomposing+xml, text/plain k: replaces, 100rel, timer, norefersub

u: presence, message-summary, refer User-Agent: TextNow PjSip 2.6/20.16.0.3

I: 0

--end msg--

2020-05-09 20:18:55.001 Master/sound android_reco Buffer size adjusted from 1600 to 1359 (eff_cnt=767)

2020-05-09 20:18:55.012 Master/sound android_reco Buffer size adjusted from 1679 to 1220 (eff cnt=767)

2020-05-09 20:18:55.037 Master/sound android_reco Buffer size adjusted from 2180 to 1982 (eff_cnt=1151)

2020-05-09 20:18:55.058 Master/sound android_reco Buffer size adjusted from 2226 to 1936 (eff_cnt=1151)

2020-05-09 20:18:55.076 Master/sound android_reco Buffer size adjusted from 1936 to 1730 (eff_cnt=1151)

2020-05-09 20:18:55.075 pjsua_core.c pjsua_0 RX 629 bytes Request msg

BYE/cseg=19981175 (rdata0x7b256014) from UDP 3.92.155.218:5090:

BYE

sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@24.173.248.54:3

```
5814 SIP/2.0
```

Via: SIP/2.0/UDP

3.92.155.218:5090;branch=z9hG4bK66db.12d0663ff420ae4dc62d9faf1c1ecc9e.0

Max-Forwards:68

f:sip:+19152297660@prod.tncp.textnow.com;tag=UaFZDaXNUj8He

t:sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn ow.com;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f

i:94e01a7c-09a9-4959-b1cc-67f5c600e1c3

CSeq:19981175 BYE

User-Agent:softphone 6060

Allow:INVITE,ACK,BYE,CANCEL,OPTIONS,MESSAGE,INFO,UPDATE,REGISTER,REFER,N

OTIFY

k:timer,path,replaces

Reason:Q.850;cause=16;text="NORMAL CLEARING"

1:0

--end msg--

2020-05-09 20:18:55.079 pjsua core.c pjsua_0 TX 389 bytes Response msg 200/BYE/cseq=19981175 (tdta0x79ad0064) to UDP 3.92.155.218:5090:

SIP/2.0 200 OK

v: SIP/2.0/UDP

3.92.155.218:5090;received=3.92.155.218;branch=z9hG4bK66db.12d0663ff420ae4dc62d9faf1 c1ecc9e.0

i: 94e01a7c-09a9-4959-b1cc-67f5c600e1c3

f: <sip:+19152297660@prod.tncp.textnow.com>;tag=UaFZDaXNUj8He

<sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn ow.com>;tag=93b4b8c4-9e81-4466-82b7-9742c1b0cc2f

CSeq: 19981175 BYE

I: 0

--end msg--

2020-05-09 20:18:55.094 pjsua media.c pisua 0 Call 0: deinitializing media...

2020-05-09 20:18:55.157 pjsua media.c pjsua 0 Media stream call00:0 is destroyed

2020-05-09 20:18:55.848 pjsua acc.c thr0x825b597 !Deleting account 0

2020-05-09 20:18:55.849 pisua acc.c thr0x825b597 Acc 0: setting unregistration...

2020-05-09 20:18:55.850 sip_reg.c thr0x825b597 Sending register request with timeout 33000

2020-05-09 20:18:55.857 pjsua core.c thr0x825b597 TX 632 bytes Request msg

REGISTER/cseq=26941 (tdta0x79b61064) to UDP 3.92.155.218:5090:

REGISTER sip:prod.tncp.textnow.com SIP/2.0

v: SIP/2.0/UDP 24.173.248.54:35814;rport;branch=z9hG4bKPj8ba388fa-8be1-452e-a371-

846d3e991d44

Route: <sip:prod.tncp.textnow.com:5090;lr>

Max-Forwards: 70

f:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn</pre>

ow.com>;tag=529e2aed-6676-4d27-b053-4d58cc12734f

t:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>

i: ea173d08-7ade-4503-b92f-8e84e1091baf

CSeq: 26941 REGISTER

User-Agent: TextNow PjSip 2.6/20.16.0.3

m:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@24.173.248.54:</p>

35814> Expires: 0 I: 0

--end msg--

2020-05-09 20:18:55.859 sip_util_state thr0x825b597 Setting request timeout of 33000

2020-05-09 20:18:55.860 pjsua_acc.c thr0x825b597 Acc 0: Unregistration sent

2020-05-09 20:18:55.864 pjsua acc.c thr0x825b597 Account id 0 deleted

2020-05-09 20:18:55.931 pjsua_core.c pjsua_0 RX 633 bytes Response msg

401/REGISTER/cseq=26941 (rdata0x7b108014) from UDP 3.92.155.218:5090:

SIP/2.0 401 Unauthorized

v: SIP/2.0/UDP

24.173.248.54:35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPj8ba388fa-8be1-452e-a371-846d3e991d44

f٠

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=529e2aed-6676-4d27-b053-4d58cc12734f

t:

<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=33cc.96d80d133ed12637a6a125f97de8d2b5

i: ea173d08-7ade-4503-b92f-8e84e1091baf

CSeq: 26941 REGISTER

WWW-Authenticate: Digest realm="prod.tncp.textnow.com",

nonce="5eb7488e00011ee29a4f121fa2a9a064231b5ad4501f78ed"

Server: cops-reg-grn04 Content-Length: 0

```
2020-05-09 20:18:55.941
                          sip reg.c
                                     pisua 0 Sending register request with timeout 33000
2020-05-09 20:18:55.943 pjsua_core.c
                                      pjsua_0 TX 890 bytes Request msg
REGISTER/cseq=26942 (tdta0x79b61064) to UDP 3.92.155.218:5090:
REGISTER sip:prod.tncp.textnow.com SIP/2.0
v: SIP/2.0/UDP 24.173.248.54:35814;rport;branch=z9hG4bKPjf19b03ed-bae8-4d0f-a7d7-
a1a4412cd1af
Route: <sip:prod.tncp.textnow.com:5090;lr>
Max-Forwards: 70
f:
<sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn</p>
ow.com>;tag=529e2aed-6676-4d27-b053-4d58cc12734f
t:
<sip:19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn</p>
ow.com>
i: ea173d08-7ade-4503-b92f-8e84e1091baf
CSeq: 26942 REGISTER
User-Agent: TextNow PjSip 2.6/20.16.0.3
m:
<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@24.173.248.54:</p>
35814>
Expires: 0
Authorization: Digest
username="19152672408 nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY",
realm="prod.tncp.textnow.com",
nonce="5eb7488e00011ee29a4f121fa2a9a064231b5ad4501f78ed",
uri="sip:prod.tncp.textnow.com", response="bdf0850dcc4ab5924f97e74bb38af3e8"
I: 0
--end msg--
2020-05-09 20:18:55.944 sip util state
                                     pisua 0 Setting request timeout of 33000
2020-05-09 20:18:56.044 pjsua core.c
                                      pisua 0 RX 509 bytes Response msg
200/REGISTER/cseg=26942 (rdata0x7b108014) from UDP 3.92.155.218:5090:
SIP/2.0 200 OK
v: SIP/2.0/UDP
24.173.248.54;35814;received=24.173.248.54;rport=35814;branch=z9hG4bKPjf19b03ed-bae8-
4d0f-a7d7-a1a4412cd1af
f:
<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn</p>
ow.com>;tag=529e2aed-6676-4d27-b053-4d58cc12734f
t:
<sip:19152672408_nhOBl2h5QZS16sT68r2WYuiG2u3FubcXX4O6FaqyO6gY@prod.tncp.textn
ow.com>;tag=33cc.4d7d870833e043527fafbb0b4765067e
i: ea173d08-7ade-4503-b92f-8e84e1091baf
```

CSeq: 26942 REGISTER Server: cops-reg-grn04 Content-Length: 0

```
--end msg--
2020-05-09 20:18:56.089 pjsua_aud.c
                                         pisua 0 !Closing sound device after idle for 1
second(s)
2020-05-09 20:18:56.106 pjsua aud.c
                                         pjsua 0 Closing Android JNI sound playback
device and Android JNI sound capture device
2020-05-09 20:18:56.120 android ini de
                                         pjsua 0 Android JNI stream stopped
                                         pisua 0 Destroying Android JNI stream...
2020-05-09 20:18:56.153 android ini de
2020-05-09 20:18:56.223 android jni de
                                         pjsua 0 !Audio record released
2020-05-09 20:18:56.249 android ini de
                                         pisua 0 !Audio track released
2020-05-09 20:18:56.250 android ini de
                                         pisua 0 Android JNI stream destroyed
2020-05-09 20:19:11.529 endpoint.cpp thr0x825b597 !pjsua transport set enable(id,
enabled) error: Invalid operation (PJ_EINVALIDOP) (status=70013)
[../src/pjsua2/endpoint.cpp:1777]
2020-05-09 20:19:12.505 pjsua_core.c thr0x825b597 Shutting down, flags=0...
2020-05-09 20:19:12.506 pjsua core.c thr0x825b597 PJSUA state changed: RUNNING -->
CLOSING
2020-05-09 20:19:12.514 pjsua_call.c thr0x825b597 Hangup all calls...
2020-05-09 20:19:12.515 pjsua media.c thr0x825b597 Call 0: deinitializing media..
2020-05-09 20:19:12.515 pjsua media.c thr0x825b597 Call 1: deinitializing media..
2020-05-09 20:19:12.516 pjsua_media.c thr0x825b597 Call 2: deinitializing media..
2020-05-09 20:19:12.516 pjsua media.c thr0x825b597 Call 3: deinitializing media..
2020-05-09 20:19:12.517 pjsua pres.c thr0x825b597 Shutting down presence..
2020-05-09 20:19:13.517 pjsua core.c thr0x825b597 Destroying...
2020-05-09 20:19:13.518 pjsua media.c thr0x825b597 Shutting down media..
2020-05-09 20:19:13.557 android_jni_de thr0x825b597 Android JNI sound library shutting
down..
2020-05-09 20:19:13.558 sip transactio thr0x825b597 Stopping transaction layer module
2020-05-09 20:19:13.558 sip transactio thr0x825b597 Stopped transaction layer module
2020-05-09 20:19:13.559 sip endpoint.c thr0x825b597 Module "mod-unsolicited-mwi"
unregistered
2020-05-09 20:19:13.559 sip endpoint.c thr0x825b597 Module "mod-pjsua-options"
unregistered
2020-05-09 20:19:13.559 sip_endpoint.c thr0x825b597 Module "mod-pisua-im" unregistered
2020-05-09 20:19:13.559 sip_endpoint.c thr0x825b597 Module "mod-pjsua-pres" unregistered
2020-05-09 20:19:13.560 sip endpoint.c thr0x825b597 Module "mod-pisua" unregistered
2020-05-09 20:19:13.560 sip endpoint.c thr0x825b597 Module "mod-stateful-util" unregistered
2020-05-09 20:19:13.560 sip_endpoint.c thr0x825b597 Module "mod-refer" unregistered
2020-05-09 20:19:13.561 sip endpoint.c thr0x825b597 Module "mod-mwi" unregistered
2020-05-09 20:19:13.561 sip endpoint.c thr0x825b597 Module "mod-presence" unregistered
```

2020-05-09 20:19:13.561 sip_endpoint.c thr0x825b597 Module "mod-evsub" unregistered 2020-05-09 20:19:13.562 sip_endpoint.c thr0x825b597 Module "mod-invite" unregistered 2020-05-09 20:19:13.562 sip_endpoint.c thr0x825b597 Module "mod-100rel" unregistered 2020-05-09 20:19:13.562 sip_endpoint.c thr0x825b597 Module "mod-ua" unregistered 2020-05-09 20:19:13.563 sip_endpoint.c thr0x825b597 Transaction layer module destroyed 2020-05-09 20:19:13.563 sip_endpoint.c thr0x825b597 Module "mod-tsx-layer" unregistered 2020-05-09 20:19:13.563 sip_endpoint.c thr0x825b597 Module "mod-msg-print" unregistered 2020-05-09 20:19:13.563 sip_endpoint.c thr0x825b597 Module "mod-pjsua-log" unregistered 2020-05-09 20:19:13.565 udp0x7f393800 thr0x825b597 SIP UDP transport destroyed 2020-05-09 20:19:13.565 sip_endpoint.c thr0x825b597 Endpoint 0x8db29064 destroyed 2020-05-09 20:19:13.566 pjsua_core.c thr0x825b597 PJSUA state changed: CLOSING --> NULL

2020-05-09 20:19:13.566 pjsua_core.c thr0x825b597 PJSUA destroyed...