

Shopee Programming Contest #1

LIVE INVITE ONLY ACCESS

Jun 27, 2020, 02:00 PM MYT - Jun 27, 2020, 03:00 PM MYT

INSTRUCTIONS PROBLEMS SUBMISSIONS LEADERBOARD ANALYTICS JUDGE

← Problems / Judging Servers

Judging Servers

Max. score: 20

As we all know, you are the chief judge for the upcoming Shopee Code League hosted by our favorite E-Commerce platform Shopee. You have already selected **N** problems from hundreds of thousand of problems from your quality Problem Bank. Since you want to make every contestant happy even if he/she got Wrong Answers on every problem during the contest, you have decided to judge each problem on a different server.

Now you have to buy N judging servers from SEA Server Limited which is a reputed company. SEA Server Limited has total S servers in a row numbered from S and you have to choose S servers from these S servers. The S server has a price tag of S where S server then you get one of the adjacent servers for free if you wish. If you choose to buy the S server then you can get the S server for free if you want to take it for free. The contest date has a tag of coming soon and the contest organizers want to know the total cost for the problem set and judging servers from you. Since you are the ultimate chief judge who wants to maximize your profit and as well as make every contestant happy. You have to choose S servers with lowest cost possible to maximize your profit.


Input

Input starts with an integer T (1 \leq T \leq 50), denoting the number of test cases.

Each case starts with two integers S (1 \leq S \leq 1000) and N (1 \leq N \leq S). Next line contains S integers separated by space and the i'th integer of this line represents the price tag P_i of the i'th server (0 \leq $P_i \leq$ 10 9).

Output

For each case, print the case number and the minimum cost to buy the N servers.




Explanation

In the second case, you can pay for the 3rd and the 4th servers with a cost of 115 and take the 2nd or 5th server for free.

Time Limit:	2.0 sec(s) for each input file.	
Memory Limit:	256 MB	
Source Limit:	1024 KB	
Marking Scheme:	Score is assigned when all the testcases pass.	5 5
Allowed Languages:	Bash, C, C++, C++14, C++17, Clojure, C#, D, Erlang, F#, Go, Groovy, Haskell, Java, Java 8, Java 14, JavaScript(Rhino), JavaScript(Node.js), Julia, Kotli	inä
	Lisp, Lisp (SBCL), Lua, Objective-C, OCaml, Octave, Pascal, Perl, PHP, Python, Python 3, Python 3.8, R(RScript), Racket, Ruby, Rust, Scala, Swift-4.	1, ≧
	Swift, TypeScript, Visual Basic	Σ

CODE EDITOR



■ View all comments

Resources Solutions Company Service & Support

Tech Recruitment Blog Assess Developers About Us Technical Support

Product Guides Conduct Remote Interviews Press Contact Us

?

Judging Servers - Shopee Programming Contest #1 | HackerEarth

+1-650-461-4192

Developer hiring guide

Assess University Talent

Careers

contact@hackerearth.com

Engineering Blog Developers Blog

Organize Hackathons







Developers Wiki

Competitive Programming

Start a Programming Club

Practice Machine Learning

Site Language: English 🔻 I © 2020 HackerEarth All rights reserved I Terms of Service I Privacy Policy