

Shopee Programming Contest #1

LIVE INVITE ONLY ACCESS

Jun 27, 2020, 02:00 PM MYT - Jun 27, 2020, 03:00 PM MYT

INSTRUCTIONS PROBLEMS SUBMISSIONS LEADERBOARD ANALYTICS JUDGE

← Problems / Search Engine

Search Engine

Max. score: 20

Who doesn't like to search and see these unexpected search suggestions floating just below the search bar. Everyone likes it!!! As we all know Shopee, one of the largest E-commerce platforms, also has a search bar where users can search for all kinds of items. Shopee wants to build a new search engine. And you are to help Shopee to implement this new engine.

You are given a data set that contains all the item's names, and an item's name is represented as an ordered sequence of strings separated by a single space and the strings contain only lowercase English alphabets(a-z) and digits(0-9). for example, a valid name could be, "apple iphone se 2". Queries for the new search engine will be a sequence of alphanumeric strings separated by space. For example, "se 2" or "11 pro max" and the search engine has to answer how many different items are there in the data set containing the query sequence in their name in exact order. For example, "se 2" matches the item "apple iphone se 2", however "app" doesn't match this item.

Input

Input starts with an integer T ($1 \le T \le 15$), denoting the number of test cases. The first line of each test case will contain two integers N ($1 \le N \le 10^4$) and Q ($1 \le Q \le 10^4$). Here, N is the number of items in the database and Q is the total number of queries. Each of the next N lines will contain an item's name as described. Each of the next Q lines will contain a search query as described. You can safely assume that each item's name will contain at most 10 spaces and the total length will be between 1 to 50.

Output

For each case, print the case number in a single line. Then for each query \mathbf{Q} print the number of different names in the database who contains the query sequence in their name in exact order.

Constraints

Total number of characters in the dataset will be not more than 7×10^5

```
% 🖆
SAMPLE INPUT
2
3 6
apple lettuce limes avocado
onion cranberries apple limes
escarole corn28corn apple lettuce limes avocado
limes avocado
apple lettuce
limes
apple
арр
apple limes
3 3
                                                                                                                        ?
apple iphone se 2
```


```
iphone 11 max pro
iphone 11 pro max
apple iphone
max pro
iphone
SAMPLE OUTPUT
Case 1:
2
2
3
3
0
1
Case 2:
1
1
3
```

Explanation

For the first test case, both "limes avocado" and "apple lettuce" match both 1st and 3rd items, "limes" and "apple" match in all three items, "app" doesn't match any item and "apple limes" matches the second item.

Time Limit:	1.0 sec(s) for each input file.
Memory Limit:	256 MB
Source Limit:	1024 KB
Marking Scheme:	Score is assigned when all the testcases pass.
Allowed Languages:	Bash, C, C++, C++14, C++17, Clojure, C#, D, Erlang, F#, Go, Groovy, Haskell, Java, Java 8, JavaScript(Rhino), JavaScript(Node.js), Julia, Kotlin, Lisp,
	Lisp (SBCL), Lua, Objective-C, OCaml, Octave, Pascal, Perl, PHP, Python, Python 3, R(RScript), Racket, Ruby, Rust, Scala, Swift-4.1, Swift, TypeScript,
	Visual Basic

CODE EDITOR





☑ Provide custom input

COMPILE & TEST

SUBMIT

Tip: You can submit any number of times you want. Your best submission is considered for computing total score.

Your Rating:

View all comments

	Resources	Solutions	Company	Service & Support
+1-650-461-4192	Tech Recruitment Blog Product Guides Developer hiring guide	Assess Developers Conduct Remote Interviews Assess University Talent	About Us Press Careers	Technical Support Contact Us
contact@hackerearth.com	Engineering Blog Developers Blog	Organize Hackathons		
f y in D	Developers Blog Developers Wiki Competitive Programming Start a Programming Club Practice Machine Learning			