03 : 12 : 33　　Finish Test
HRS　MIN　SEC

Shopee Programming Contest #1

LIVE　　INVITE ONLY ACCESS

Jun 27, 2020, 02:00 PM MYT - Jun 27, 2020, 03:00 PM MYT

INSTRUCTIONS　　**PROBLEMS**　　**SUBMISSIONS**　　**LEADERBOARD**　　**ANALYTICS**　　**JUDGE**

← Problems / Sequences

Sequences

Max. score: 30

You are on a company visit to Shopee. During the office tour, you noticed that there seems to be a random scribbling on one of the walls. After looking at it closely, you noticed it is actually an algorithm question! Below is the question:

You are given N functions f(i, j) with parameters A_i, B_i, C_i, where the value of f(i, j) is equal to $A_i \times j^2 + B_i$ for each $1 \le j \le C_i$. Find how many sequences $(i_1, j_1), (i_2, j_2), ... , (i_M, j_M)$ of length M are there in which the following holds:

- f(i_1, j_1) + f(i_2, j_2) + ... + f(i_M, j_M) is divisible by K

Two sequences are different if there is at least one index k, such that $i_k \ne i_{k'}$ or $j_k \ne j_{k'}$

You quickly take note of the question, as maybe it is a draft for an interview question. Solve the question to increase your chance of acing the future interview at Shopee!

Input

The first line contains 3 integers N ($1 \le N \le 5,000$), M ($1 \le M \le 1,000,000,000$), and K ($1 \le K \le 2,000$).

The next N lines each contains 3 integers A_i, B_i, ($0 \le A_i$, $B_i < K$) and C_i ($1 \le C_i \le 1,000,000,000$), denoting the parameters for the i-th function.

Output

One line containing a single integer, the number of the sequence. Since this number can be very large, output its value modulo 10^9+7.

SAMPLE INPUT	
| ```
3 2 6
0 3 2
1 2 3
2 5 1
``` | |

SAMPLE OUTPUT	
| ```
12
``` | |

Explanation

Below are all the possible sequences:

1. (1, 1), (1, 1)
2. (1, 1), (1, 2)

3. (1, 1), (2, 1)
4. (1, 2), (1, 1)
5. (1, 2), (1, 2)
6. (1, 2), (2, 1)
7. (2, 1), (1, 1)
8. (2, 1), (1, 2)
9. (2, 1), (2, 1)
10. (2, 2), (2, 2)
11. (2, 3), (3, 1)
12. (3, 1), (2, 3)

|	
Time Limit:	5.0 sec(s) for each input file.
Memory Limit:	256 MB
Source Limit:	1024 KB
Marking Scheme:	Score is assigned if any testcase passes.
Allowed Languages:	Bash, C, C++, C++14, C++17, Clojure, C#, D, Erlang, F#, Groovy, Haskell, Java, Java 8, Java 14, JavaScript(Rhino), JavaScript(Node.js), Julia, Kotlin, Lisp, Lisp (SBCL), Lua, Objective-C, OCaml, Octave, Pascal, Perl, PHP, Python, Python 3, Python 3.8, R(RScript), Racket, Ruby, Rust, Scala, Swift-4.1, Swift, TypeScript, Visual Basic

CODE EDITOR

Save   C (gcc 5.4.0)

```
1    /*
2    // Sample code to perform I/O:
3    #include <stdio.h>
4
5    int main(){
6        int num;
7        scanf("%d", &num);                       // Reading input from STDIN
8        printf("Input number is %d.\n", num);    // Writing output to STDOUT
9    }
10
11   // Warning: Printing unwanted or ill-formatted data to output will cause the test cases to fail
12   */
13
14   // Write your code here
15
```

1:1 vscode

▼ Provide custom input

COMPILE & TEST   SUBMIT

🖋 **Tip:** You can submit any number of times you want. Your best submission is considered for computing total score.

Your Rating:

View all comments

Resources

Tech Recruitment Blog

Product Guides

Developer hiring guide

Engineering Blog

Developers Blog

Developers Wiki

Competitive Programming

Start a Programming Club

Practice Machine Learning

Solutions

Assess Developers

Conduct Remote Interviews

Assess University Talent

Organize Hackathons

Company

About Us

Press

Careers

Service & Support

Technical Support

Contact Us

LIVE EVENTS

+1-650-461-4192

contact@hackerearth.com

Site Language:　English　∨　| © 2020 HackerEarth All rights reserved | Terms of Service | Privacy Policy