## 1 URLs in package hyperref

## **URLs**

- https://example.com/wordword;
- https://example.com/~User;
- https://example.com/someplace#id;
- https://example.com/withslash#id;
- https://example.com/user@password;
- https://example.com/user&param;
- https://example.com/withslash&param;
- https://example.com/with\_underscore;
- https://example.com/withslash\_underscore;
- https://example.com/with^caret;
- https://example.com/with\$dollar;
- https://example.com/expandedmacro.with\_underscore;
- https://example.com/encoded%code;
- https://example.com/withslashpercent%code.

## Probably unexpected URLs

- https://example.com/~{}User;
- https://example.com/with.{}braces;
- https://example.com/withslash\unhbox\voidb@x\bgroup\let\unhbox\voidb@x\setbox\@tempboxa\hbox{c\global\mathchardef\accent@spacefactor\spacefactor}\accent94c\egroup\spacefactor\accent@spacefactoraret;

## URLs in footnotes 1 2 3 4 5 6 7 8 9 10 11 12

<sup>1</sup>https://example.com/~User

 $<sup>^2</sup>$ too late to fix #, but can use backslash

 $<sup>^3 \</sup>verb|https://example.com/withslash#id|$ 

<sup>4</sup>https://example.com/user@password

<sup>5</sup>https://example.com/user&param

<sup>6</sup>https://example.com/withslash&param

https://example.com/with\_underscore

<sup>&</sup>lt;sup>8</sup>https://example.com/withslash\_underscore

<sup>9</sup>https://example.com/with^caret

 $<sup>^{10} \</sup>mathtt{https://example.com/with\$dollar}$ 

<sup>11</sup> https://example.com/expandedmacro.with\_underscore

<sup>12</sup>https://example.com/percent%code

 $<sup>^{13} {\</sup>tt https://example.com/with.\{\}} braces \\ ^{14} {\tt https://example.com/lostpercent}$