Chapter 17 End-of-Chapter Problems

Halliday & Resnick, 10th Edition

Donald Aingworth IV

Hit me where it Matters

Where needed in the problems, use
speed of sound in air = 343 m/s
and
density of air = 1.21 kg/m^3
unless otherwise specified.

1 Problem 1

Two spectators at a soccer game see, and a moment later hear, the ball being kicked on the playing field. The time delay for spectator A is 0.23 s, and for spectator B it is 0.12 s. Sight lines from the two spectators to the player kicking the ball meet at an angle of 90°. How far are (a) spectator A and (b) spectator B from the player? (c) How far are the spectators from each other?

1.1 Solution (a)

This is a simple question to answer. The distance traveled to A would be equal to the speed of sound times the time taken to travel the distance.

$$x = vt = (343\,\mathrm{m/s})(0.23\,\mathrm{s}) = \boxed{78.89\,\mathrm{m}} \tag{1}$$

1.2 Solution (b)

The is calculatable the same way.

$$y = vt = (343\,\mathrm{m/s})(0.12\,\mathrm{s}) = \boxed{41.16\,\mathrm{m}} \tag{2}$$

1.3 Solution (c)

The 90 degree angle of their sight lines makes the triange of the two spectators and the ball a right triangle, so we can use the Pythagorean theorem to find the distance between the spectators.

$$h = \sqrt{x^2 + y^2} = \sqrt{(78.89\,\mathrm{m})^2 + (41.16\,\mathrm{m})^2} = \boxed{88.98\,\mathrm{m}} \tag{3}$$

2 Problem 3

When the door of the Chapel of the Mausoleum in Hamilton, Scotland, is slammed shut, the last echo heard by someone standing just inside the door reportedly comes 15 s later. (a) If that echo were due to a single reflection off a wall opposite the door, how far from the door is the wall? (b) If, instead, the wall is 25.7 m away, how many reflections (back and forth) occur?

2.1 Solution

3 Problem 5

Earthquakes generate sound waves inside Earth. Unlike a gas, Earth can experience both transverse (S) and longitudinal (P) sound waves. Typically, the speed of S waves is about 4.5 km/s, and that of P waves 8.0 km/s. A seismograph records P and S waves from an earthquake. The first P waves arrive 3.0 min before the first S waves. If the waves travel in a straight line, how far away did the earthquake occur?

3.1 Solution

4 Problem 7

A stone is dropped into a well. The splash is heard 3.00 s later. What is the depth of the well?

4.1 Solution

5 Problem 11

Diagnostic ultrasound of frequency 4.50 MHz is used to examine tumors in soft tissue. (a) What is the wavelength in air of such a sound wave? (b) If the speed of sound in tissue is 1500 m/s, what is the wavelength of this wave in tissue?

5.1 Solution

6 Problem 15

6.1 Solution

7 Problem 17

7.1 Solution

8 Problem 19

8.1 Solution

9 Problem 20

9.1 Solution

10 Problem 25

10.1 Solution

11 Problem 27

11.1 Solution

12 Problem 29

12.1 Solution

13 Problem 35

13.1 Solution

14 Problem 39

14.1 Solution

15 Problem 41

15.1 Solution

16 Problem 47

16.1 Solution

17 Problem 49

17.1 Solution

18 Problem 51

18.1 Solution

19 Problem 53

19.1 Solution

20 Problem 55

20.1 Solution

21 Problem 57

21.1 Solution

22 Problem 61

22.1 Solution

23 Problem 63

23.1 Solution

24 Problem 71

24.1 Solution

25 Problem 81

25.1 Solution

26 Problem 87

26.1 Solution

27 Problem 99

27.1 Solution

28 Problem 107

28.1 Solution

Contents