VMPrint God Fixture

Single fixture snapshot that exercises pagination, inline styling, multilingual content, inline objects, tables, images, and advanced text layout behavior.

Inline Styling + Font Mixing

Inline styles: **bold**, *italic*, spaced, `inline code`, and colored text.

One-off element override using properties.style.fontFamily = Courier Prime.

> const total = subtotal + tax - discount; // style-level mono family

日本語サンプル: フォントファミリーを要素単位で切り替えても、改行と計測が安定することを確認します。

مثال عربي: هذا السطر يختبر استخدام عائلة خط مختلفة مع حجم مختلف داخل نفس المستند.

Single-Line Script Switching

English -> 中文 -> 日本語 -> 한국어 -> ภาษาไทย -> العربية -> English in one sentence: Start 你好 世界 こんにちは 世界 안녕하세요 세계 สวัสดี โลก مرحبا بالعالم end.

Rapid alternation test: A你B好CこDんEにFちGはH안I녕J하K세L요MสNวOดPสQดRSมTรUحVبWIX.

Inline Rich Text + Script Mixing

Normal Latin, then **bold 中文 日本語 한국어 ภาษาไทย العربيه**, then *italic multilingual run*, then colored 你好 こんにちは 안녕하세요 สวัสดี مرحبا بالعالم, and back to default.

Long Paragraph Wrapping (Chinese + English)

这是用于换行稳定性测试的中文与英文混排文本。When multilingual content is densely packed, VMPrint should maintain deterministic line breaks and consistent vertical rhythm. 我们需要确认中英文切换时不会出现基线跳动、字形重叠或间距突然变化。The renderer should continue to produce clean wrapping boundaries even when punctuation and script transitions occur frequently: 你好，world；测试，layout；稳定，输出。

Long Paragraph Wrapping (Japanese + English)

日本語とEnglishを同じ段落で継続的に混在させるケースです。line breaking behavior should remain predictable while script metrics differ across runs. ひらがな、カタカナ、漢字、ASCII punctuation, and numeric tokens 12345 should all coexist without clipping. この文章は、複数行にまたがるときでも視覚的なリズムが乱れないことを確認するためのものです。

Long Paragraph Wrapping (Korean + English)

한국어와 English를 섞은 긴 문단 테스트입니다. VMPrint should preserve box order and baseline consistency while wrapping through mixed Hangul and Latin runs. 이 문장은 줄바꿈이 여러 번 발생하도록 충분히 길게 작성되었습니다. We also include punctuation, parentheses (테스트), and numbers 2026 to verify width calculations remain stable.

Long Paragraph Wrapping (Thai + English)

ย่อหน้านี้ใช้ทดสอบการจัดวางข้อความภาษาไทยร่วมกับ English โดยเน้นการตัดบรรทัดและตำแหน่งแนวฐานของตัวอักษรที่มีสระและวรรณยุกต์หลายแบบ ระบบควรรักษาระยะห่างให้สม่ำเสมอและไม่เกิดการชนกันของ glyph เมื่อข้อความยาวต่อเนื่อง across multiple lines in the same paragraph.

Bidi + Justification Stress

Mixed bidi paragraph with Arabic shaping and numbers in one run: English baseline 2026 then مرحبا بالعالم العربية 12345 داخل paragraph, then back to Latin tokens and punctuation to verify stable shaping and placement in the same line flow.

BidiOracle: EN-LEFT | مرحبا | 12345 | EN-RIGHT

This justified paragraph intentionally mixes English words, 中文片段、日本語、한국어, العربية, and punctuation — commas, semicolons; full-width marks，。 and symbols — to confirm spacing expansion remains stable under mixed scripts and punctuation boundaries across wrapped lines.

ภาษาไทยทดสอบการตัดบรรทัดโดย
ไม่มีช่องว่างและมีความกว้างคอลัมน์
แคบมากเพื่อบังคับให้เกิดการแตก
บรรทัดหลายครั้งอย่างต่อเนื่องรวมกับ
Englishและ12345เพื่อยืนยันว่าไม่
เกิดการแตกกราฟีมผิดตำแหน่ง

Additional narrow forced case:

ไทยไม่มีเว้นวรรคทดสอบต่อเนื่อง
พร้อม สัญลักษณ์ฯ และ เครื่องหมาย
วรรคตอน, แล้วต่อด้วย العربية
2026 سلوك لقياسการวางบรรทัด.

Alignment Checks Across Scripts

Left aligned: English 中文 日本語 한국어 ภาษาไทย العربية.

Center aligned: English 中文 日本語 한국어 ภาษาไทย العربية.

Right aligned: English 中文 日本語 한국어 ภาษาไทย العربية.

Decorations + Insets With Multilingual Content

> Quoted multilingual content for border/padding verification: 你好、こんにちは、안녕하세요、สวัสดี، مرحبا. The left border should remain visually continuous for every wrapped line fragment.

Symbol + Math Fallback Coverage

Symbols: ✓ ✕ ★ ☆ → ← ↑ ↓ ∑ ∏ ∫ ≈ ≤ ≥ ∞ © ® ™. Mixed with text: 公式 test 1 + 1 = 2, 集合 A ∩ B, and ratio 3:2.

Inline Objects + Baseline Alignment

Variant 1 (baseline): Begin 🪧 status marker TAG should align with text rhythm.

Variant 2 (middle): Begin 🪧 status marker TAG should align with text rhythm.

Variant 3 (text-top): Begin 🪧 status marker TAG should align with text rhythm.

Variant 4 (text-bottom): Begin 🪧 status marker TAG should align with text rhythm.

Variant 5 (bottom): Begin 🪧 status marker TAG should align with text rhythm.

Advanced Hyphenation + Justification

LEGACY: This paragraph uses the legacy justification engine with the same width and content so you can compare spacing behavior line by line in a narrow column layout.

ADVANCED: This paragraph uses the advanced justification engine with the same width and content so you can compare spacing behavior line by line in a narrow column layout.

OFF:
extraordinaryarchitectur
es
extraordinaryarchitectur
es
extraordinaryarchitectur
es

AUTO: extraordinarya-
rchitectures extraordina-
ryarchitectures extrao-
rdinaryarchitectures

aeiouae
iou
aeiouae
iou

Soft hyphen priority:
extraÃƒâ€šÃ‚
Â-ordinaryarchitecture
s extraÃƒâ€šÃ‚
Â-ordinaryarchitecture
s

Table With Mixed Spans

Regression fixture: mixed colSpan + rowSpan table with repeated headers and forced pagination to validate deterministic table splitting behavior.

ID	Task	State	Note
SEQ-001	Intake + triage.		Owner synced.
	Phase B checks.	In Progress	Await signoff.
SEQ-002	Risk + fallback		Escalation lane.
SEQ-003			Pulse continues.
SEQ-004	Task 4 validation.	In Progress	Ops 4.
SEQ-005	Task 5 validation.	Done	Ops 5.
SEQ-006	Milestone 6 sync.		Track 6.
	Follow-up 6.	In Review	Batch 6.
SEQ-008	Task 8 validation.	In Progress	Ops 8.
SEQ-009	Task 9 validation.	Blocked	Ops 9.
SEQ-010	Task 10 validation.	In Progress	Ops 10.
SEQ-011	Task 11 validation.	Done	Ops 11.

Flow Images + Captions

The following images are flow boxes (non-inline) using the sample_image.jpg asset.



Caption: Sample image scaled to a wide box.



Caption: Sample image scaled to a smaller box.

Pagination Boundary

The next paragraph should start on a new page to verify that multilingual text remains stable after page origin reset.

Page 2 anchor paragraph with mixed scripts: Here we continue with 你好 こんにちは

안녕하세요 สวัสดี مرحبا and confirm consistent rendering post-break.

Long paragraph sample: The quick brown fox jumps over the lazy dog. This sentence repeats to push line breaks and ensure layout determinism across multiple pages. The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog.

Long paragraph sample: The quick brown fox jumps over the lazy dog. This sentence repeats to push line breaks and ensure layout determinism across multiple pages. The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog.

Long paragraph sample: The quick brown fox jumps over the lazy dog. This sentence repeats to push line breaks and ensure layout determinism across multiple pages. The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog.

Long paragraph sample: The quick brown fox jumps over the lazy dog. This sentence repeats to push line breaks and ensure layout determinism across multiple pages. The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog.

Final sanity line: multilingual rendering should be deterministic and visually balanced.