

Reinforcement Learning in Healthcare: A Comprehensive Review of Applications, Challenges, and Future Directions

Djelloul Daouadji Fadela and Bachir Boudjra Rochdi

Department of Computer Science, University Mascara, Mascara, Algeria
djellouldaouadji.f@univ-mascara.dz

Abstract. Reinforcement Learning (RL) is a powerful, adaptive tool for personalized healthcare decisions, as revealed by a systematic review of many studies from 2019–2025. The review categorized applications across intensive care, chronic disease, diagnostics, and personalized interventions, identifying key algorithms like DQN, PPO, and Actor-Critic methods, alongside promising hybrid models that merge clinical knowledge with RL. While specific methods achieved high success (e.g., Supervised-Actor-Critic for sepsis with 99 accuracy), deployment faces critical challenges: data quality/scarcity, limited generalizability, complex reward design, interpretability, safety/ethics, and computational constraints.

Keywords: Artificial Intelligence, Personalized Healthcare, Deep Learning, Reinforcement Learning, Predictive Analytics, Precision Medicine

1 Introduction

Reinforcement learning (RL), a branch of artificial intelligence, is increasingly important in medicine due to its ability to model dynamic, sequential decision-making. Unlike traditional machine learning, RL algorithms interact with environments, adaptively learning optimal strategies through feedback. This makes RL well-suited for healthcare, where patient conditions and treatments evolve over time. RL enables personalized care by tailoring interventions to individual patient characteristics and preferences. This review provides a comprehensive overview of RL in healthcare, covering its principles, key applications, challenges, and future opportunities. We also discuss ethical and practical considerations, including data privacy, interpretability, and the need for clinical validation, aiming to highlight RL's potential to transform patient care and outcomes [6, 11].

2 Related Work and Background

Reinforcement Learning (RL) has emerged as a transformative approach in healthcare, enabling adaptive, sequential decision-making that aligns with the




Fig. 1. Reinforcement Learning Workflow in Healthcare

dynamic nature of patient care. Early RL applications focused on critical care, such as optimizing sepsis management and mechanical ventilation settings using large-scale datasets like MIMIC-III [31,34]. These studies demonstrated that RL algorithms, including Q-learning, Deep Q-Networks (DQN), and Actor-Critic methods, can outperform traditional protocols by personalizing treatment strategies and improving patient outcomes.

Beyond critical care, RL has been applied to chronic disease management, notably in diabetes and cardiovascular diseases. For example, Q-learning and PPO have been used to personalize insulin dosing for Type 1 Diabetes [18,37], while Deep Q-learning has optimized warfarin dosing in cardiovascular patients [35]. These approaches leverage patient-specific data to tailor interventions, demonstrating improved accuracy and clinical concordance.

In medical diagnostics, RL has shown promise in enhancing image-based disease detection and localization. Studies using DQN and CNNs have improved skin cancer classification on the HAM10000 dataset [7], and enabled accurate brain tumor localization in MRI scans with minimal training data [28]. RL-based models have also been developed for disease prediction using electronic health records (EHRs), achieving higher accuracy than conventional machine learning methods [2].

Recent work has expanded RL's scope to personalized interventions, such as medication adherence and digital health recommendations. Contextual bandit RL and wearable-based adaptive interventions have been used to deliver real-time, patient-specific guidance, improving engagement and outcomes [17,30].

Despite these advances, several challenges persist. RL models often require large, high-quality datasets, yet many healthcare studies rely on limited or simulated data, which can affect generalizability. Interpretability remains a concern, as complex RL models may act as “black boxes,” hindering clinical trust and adoption. Designing clinically meaningful reward functions, ensuring patient safety during exploration, and integrating RL systems into real-world clinical workflows are ongoing areas of research.

Overall, the literature highlights RL’s potential to revolutionize healthcare by enabling personalized, data-driven decision-making. However, further work is needed to address data limitations, improve model transparency, and validate RL approaches in prospective clinical trials.

Summary and Gaps: While RL has demonstrated promising results across diverse healthcare domains, persistent gaps remain in interpretability, clinical validation, and integration with real-world workflows. This review addresses these gaps by systematically categorizing RL applications, identifying key challenges, and proposing future research directions to advance safe and effective RL deployment in healthcare.

3 RL Applications in Healthcare: A Taxonomy




Fig. 2. Timeline of RL Applications in Healthcare (2019-2025)

3.1 Intensive Care and Critical Care

Sepsis Treatment Multiple studies address sepsis management through optimal dosing of IV fluids and vasopressors. Notable approaches include:

- **WD3QNE:** Weighted Dueling Double DQN with embedded human expertise using conditional policies based on SOFA scores [31]

- **DDPG-based approaches:** Continuous action spaces for fine-grained dosing control [20]
- **Representation learning:** Neural CDEs for encoding sequential observations [19]
- **Policy evaluation and reward design:** Challenges and best practices discussed in [23, 36]

Mechanical Ventilation and Sedation Supervised-Actor-Critic (SAC) combines long-term RL objectives with short-term supervised learning to align with clinical practices, achieving 99% accuracy and faster convergence than traditional Actor-Critic methods on MIMIC-III data (8,860 patients) [34]. RL has also been used for ventilator setting optimization [22].

3.2 Chronic Disease Management

Diabetes Management

- **Type 1 Diabetes:** Q-learning for insulin dosing [18], PPO for artificial pancreas achieving 87% time-in-range [37]
- **Type 2 Diabetes:** Clustered DQN for precision medicine with 81-85% clinician concordance [26]

Cardiovascular Diseases Warfarin dosing optimization using Deep Q-learning on PK/PD simulations, outperforming clinical protocols in maintaining therapeutic INR ranges [35].

3.3 Diagnostic and Prediction Systems

Medical Imaging

- **Skin Cancer:** CNN+DQN achieving 80% accuracy on HAM10000 dataset [7, 8]
- **Brain Tumors:** DQN for tumor localization achieving 70% accuracy vs. 11% supervised baseline [28]

Disease Prediction Deep Attention Q-Networks with Transformers for critical care recommendations, outperforming LSTM and traditional RL baselines [24]. DQN models have also been used for disease prediction from EHRs [2].

3.4 Personalized Interventions

Medication Adherence Contextual Bandit RL combined with CNN verification for personalized engagement and error minimization in medication taking [17].




Fig. 3. Taxonomy of RL Applications in Healthcare

Digital Health Interventions Wearable-based adaptive interventions using Deep Q-Learning for real-time, context-aware recommendations [12, 15, 30].

3.5 Datasets Used in RL Healthcare Studies

4 Challenges in Reinforcement Learning for Personalized Medicine

Despite the promise of reinforcement learning (RL) in healthcare and personalized medicine, several key challenges persist across the literature:

- **Data Quality and Availability:** Clinical datasets are often limited, noisy, incomplete, or imbalanced, which hinders robust RL model training and generalization [7, 11, 12, 19, 23, 25, 32].
- **Generalizability and Bias:** Models trained on single-center or homogeneous datasets may not generalize to diverse populations, raising concerns about fairness and bias [5, 6, 26, 35, 38].
- **Interpretability and Transparency:** Deep RL models are often “black boxes,” making it difficult for clinicians to understand, trust, and validate recommendations [6, 7, 11, 13, 24, 31].
- **Reward Function Design:** Defining clinically meaningful, multi-objective reward functions that align with patient outcomes, safety, and quality of life is complex [13, 23, 27, 33, 35].
- **Safety and Ethics:** RL exploration can pose risks to patient safety; ethical constraints and regulatory requirements limit the scope of experimentation [11, 16, 25, 34, 37].
- **Computational Complexity and Scalability:** Training RL models on high-dimensional, multimodal clinical data requires significant computational resources and expertise [1, 12, 16, 32].

Table 1. RL Healthcare Articles Grouped by Dataset Type

Dataset	Clinical Domain / Application	References
MIMIC-III	Sepsis, mechanical ventilation, critical care, representation learning	[19, 20, 22–24, 31, 34]
HAM10000	Dermatology, skin cancer classification	[7, 8]
UCI Heart Disease	Heart disease prediction, EHR-based disease prediction	[2, 14]
HeartSteps	Physical activity e-Health interventions	[12]
MGH T1DM Patient Records	Insulin dosing for T1DM	[18]
Custom/Simulated Data	Sepsis simulation, digital interventions, closed-loop healthcare, e-Health	[9, 12, 15, 27]
WEA App (Asthma)	Asthma exacerbation prediction	[4]
BraTS MRI	Brain tumor localization	[28]
NYU Langone EHR	T2DM multimorbidity management	[38]
NHIS EHR (Korea)	T2DM precision medicine	[26]
MD Anderson Cancer Center	Oropharyngeal cancer treatment	[29]
TCGA, GDSC, Immunohistochemistry	Cancer drug ranking	[21]
Samsung Smartwatch / Wearables	Wearable-based interventions	[30]
Simglucose Simulator (FDA UVa/Padova)	Artificial pancreas (T1D)	[37]
PK/PD Simulation	Warfarin dosing, Erdafitinib dosing	[10, 35]

- **Offline Policy Evaluation and Validation:** Reliable evaluation of RL policies using retrospective data is challenging due to confounding, delayed effects, and lack of ground truth [19, 23, 35, 38].
- **Integration with Clinical Workflows:** Embedding RL systems into real-world clinical practice requires overcoming technical, regulatory, and workflow barriers [6, 7, 16, 26].

5 Future Works and Directions

To address these challenges, future research should focus on:

- **Model Interpretability and Explainability:** Develop explainable RL models using XAI techniques (e.g., SHAP, LIME, attention mechanisms) to build clinician trust and facilitate adoption [6, 13, 16, 24].




Fig. 4. Key Challenges in Reinforcement Learning for Personalized Medicine

- **Federated and Privacy-Preserving Learning:** Employ federated RL and privacy-preserving data sharing to enable multi-center collaboration while protecting patient privacy [3, 5, 6].
- **Hybrid and Safe RL Algorithms:** Integrate supervised learning, expert knowledge, and safety constraints into RL frameworks to ensure reliable and clinically aligned decision-making [16, 31, 34, 37].
- **Advanced RL Methods:** Explore meta-RL, hierarchical RL, multi-agent RL, and digital twin simulations for more robust, adaptive, and personalized treatment strategies [6, 10, 16, 27].
- **Clinical Validation and Real-World Trials:** Move beyond retrospective studies to prospective, real-time clinical trials and integration with electronic medical record (EMR) systems [7, 16, 26, 38].
- **Reward Function Refinement:** Design multi-objective, patient-centered reward functions that balance efficacy, safety, cost, and quality of life [23, 27, 33, 35].
- **Interdisciplinary Collaboration:** Foster collaboration among AI researchers, clinicians, ethicists, and policymakers to ensure responsible, effective, and ethical RL system design [5, 6, 13].
- **Standardized Benchmarks and Taxonomies:** Develop standardized datasets, benchmarks, and taxonomies to improve reproducibility, comparability, and clinical relevance of RL research in healthcare [3, 13].

6 Conclusion

Reinforcement learning has shown significant promise in healthcare, enabling adaptive, personalized interventions across critical care, chronic disease management, diagnostics, and digital health. Key RL algorithms, such as DQN, PPO, and Actor-Critic, have achieved high accuracy and clinical concordance in

various applications. However, challenges persist in data quality, generalizability, interpretability, reward design, safety, and integration with clinical practice. Addressing these issues through explainable models, federated learning, hybrid approaches, and rigorous clinical validation will be essential for RL's successful adoption in medicine. Continued interdisciplinary collaboration and standardized benchmarks will further support the development of robust, ethical, and impactful RL systems, ultimately improving patient outcomes and advancing precision medicine.

References

1. DOI: 10.54254/2755-2721/87/20241527 - Recherche Google, [https://www.google.com/search?q=DOI%3A+10.54254/2755-2721/87/20241527](https://www.google.com/search?q=DOI%3A+10.54254%2F2755-2721%2F87%2F20241527&sca_esv=a5e89f5d8e234019&source=hp&ei=_yPYaKy8IK2DhbIPrvj2yAI&iflsig=A0w8s4IAAAAAaNgYD3gsQGWCVKsLs8iCQiVrD_AU8_LM)
2. AbdelAziz, N.M., Fouad, G.A., Al-Saeed, S., Fawzy, A.M.: Deep Q-Network (DQN) Model for Disease Prediction Using Electronic Health Records (EHRs). *Scripta classica Israelica: yearbook of the Israel Soc. for the promotion of classical Studies* **7**(1), 14 (2025)
3. Abdellatif, A.A., Mhaisen, N., Chkirbene, Z., Mohamed, A., Erbad, A., Guizani, M.: Reinforcement Learning for Intelligent Healthcare Systems: A Comprehensive Survey (Aug 2021). <https://doi.org/10.48550/arXiv.2108.04087>
4. Aliyu, D.A., Akhir, E.A.P., Sawad, M.O.A., Yalli, J.S., Saidu, Y.: A Reinforcement Learning Approach to Personalized Asthma Exacerbation Prediction Using Proximal Policy Optimization. *IEEE Access* (2025)
5. Banumathi, K., Latha, V., Sonia, B.L., Vijayalakshmi, K., Sathya, S.N.: Reinforcement Learning in Personalized Medicine: A Comprehensive Review of Treatment Optimization Strategies. *Cureus* **17**(4) (2025)
6. Banumathi, K., Venkatesan, L., Benjamin, L.S., Vijayalakshmi, K., Satchi, N.S., Satchi IV, N.S.: Reinforcement learning in personalized medicine: A comprehensive review of treatment optimization strategies. *Cureus* **17**(4) (2025)
7. Barata, C., Rotemberg, V., Codella, N.C., Tschandl, P., Rinner, C., Akay, B.N., Apalla, Z., Argenziano, G., Halpern, A., Lallas, A.: A reinforcement learning model for AI-based decision support in skin cancer. *Nature Medicine* **29**(8), 1941–1946 (2023)
8. Dahdouh, Y., Anouar Boudhir, A., Ben Ahmed, M.: A new approach using deep learning and reinforcement learning in healthcare: Skin cancer classification. *International journal of electrical and computer engineering systems* **14**(5), 557–564 (2023)
9. Dai, Y., Wang, G., Muhammad, K., Liu, S.: A closed-loop healthcare processing approach based on deep reinforcement learning. *Multimedia Tools and Applications* **81**(3), 3107–3129 (Jan 2022). <https://doi.org/10.1007/s11042-020-08896-5>
10. De Carlo, A., Tosca, E.M., Fantozzi, M., Magni, P.: Reinforcement Learning and PK-PD Models Integration to Personalize the Adaptive Dosing Protocol of Erdafitinib in Patients with Metastatic Urothelial Carcinoma. *Clinical Pharmacology & Therapeutics* **115**(4), 825–838 (Apr 2024). <https://doi.org/10.1002/cpt.3176>
11. Deshmukh, R.: Reinforcement learning in healthcare: Applications for personalized treatment planning and clinical decision support. *Shodh Sagar Journal of Artificial Intelligence and Machine Learning* **1**(2), 19–24 (2024)

12. el Hassouni, A., Hoogendoorn, M., van Otterlo, M., Eiben, A.E., Muhonen, V., Barbaro, E.: A clustering-based reinforcement learning approach for tailored personalization of e-Health interventions (May 2020). <https://doi.org/10.48550/arXiv.1804.03592>
13. Frommeyer, T.C., Gilbert, M.M., Fursmidt, R.M., Park, Y., Khouzam, J.P., Brittain, G.V., Frommeyer, D.P., Bett, E.S., Bihl, T.J.: Reinforcement learning and its clinical applications within healthcare: A systematic review of precision medicine and dynamic treatment regimes. In: Healthcare. vol. 13, p. 1752. MDPI (2025)
14. Gayathri, R., Sangeetha, S.K.B., Benjula Anbu Malar, M.B.: Enhancing heart disease prediction with reinforcement learning and data augmentation. Systems and Soft Computing **6**, 200129 (2024)
15. Gönül, S., Namlı, T., Coşar, A., Toroslu, İ.H.: A reinforcement learning based algorithm for personalization of digital, just-in-time, adaptive interventions. Artificial Intelligence in Medicine **115**, 102062 (2021)
16. Gorrepati, L.P., Potla, R.T.: A Reinforcement Learning Framework for Real-Time Personalized Treatment Planning in Clinical Environments. Engineering, Technology & Applied Science Research **15**(4), 24698–24704 (2025)
17. Ismail, A., Naeem, M., Syed, M.H., Abbas, M., Coronato, A.: Advancing Patient Care with an Intelligent and Personalized Medication Engagement System. Information **15**(10), 609 (2024)
18. Javad, M.O.M., Agboola, S.O., Jethwani, K., Zeid, A., Kamarthi, S.: A reinforcement learning-based method for management of type 1 diabetes: Exploratory study. JMIR diabetes **4**(3), e12905 (2019)
19. Killian, T.W., Zhang, H., Subramanian, J., Fatemi, M., Ghassemi, M.: An Empirical Study of Representation Learning for Reinforcement Learning in Healthcare (Nov 2020). <https://doi.org/10.48550/arXiv.2011.11235>
20. Lin, T., Zhang, X., Gong, J., Tan, R., Xu, X., Wang, L., Pan, Y.: A dosing strategy model of deep deterministic policy gradient algorithm for sepsis <https://assets-eu.researchsquare.com/files/rs-1391838/v1/d1d53d39-f9cd-4607-8fea-25b53c1436dc.pdf>
21. Liu, M., Shen, X., Pan, W.: Deep reinforcement learning for personalized treatment recommendation. Statistics in Medicine **41**(20), 4034–4056 (Sep 2022). <https://doi.org/10.1002/sim.9491>
22. Liu, S., Xu, Q., Xu, Z., Liu, Z., Sun, X., Xie, G., Feng, M., See, K.C.: Reinforcement learning to optimize ventilator settings for patients on invasive mechanical ventilation: Retrospective study. Journal of Medical Internet Research **26**, e44494 (2024)
23. Luo, Z., Pan, Y., Watkinson, P., Zhu, T.: Reinforcement Learning in Dynamic Treatment Regimes Needs Critical Reexamination (Jun 2024). <https://doi.org/10.48550/arXiv.2405.18556>
24. Ma, S., Lee, J., Serban, N., Yang, S.: Deep attention Q-network for personalized treatment recommendation. In: 2023 IEEE International Conference on Data Mining Workshops (ICDMW). pp. 329–337. IEEE (2023)
25. Mulani, J., Heda, S., Tumdi, K., Patel, J., Chhinkaniwala, H., Patel, J.: Deep Reinforcement Learning Based Personalized Health Recommendations. In: Dash, S., Acharya, B.R., Mittal, M., Abraham, A., Kelemen, A. (eds.) Deep Learning Techniques for Biomedical and Health Informatics, vol. 68, pp. 231–255. Springer International Publishing, Cham (2020). https://doi.org/10.1007/978-3-030-33966-1_12
26. Oh, S.H., Lee, S.J., Park, J.: Effective data-driven precision medicine by cluster-applied deep reinforcement learning. Knowledge-Based Systems **256**, 109877 (2022)

27. Petersen, B.K., Yang, J., Grathwohl, W.S., Cockrell, C., Santiago, C., An, G., Faissol, D.M.: Deep Reinforcement Learning and Simulation as a Path Toward Precision Medicine. *Journal of Computational Biology* **26**(6), 597–604 (Jun 2019). <https://doi.org/10.1089/cmb.2018.0168>
28. Stember, J.N., Shalu, H.: Reinforcement learning using Deep QNN networks and QNN learning accurately localizes brain tumors on MRI with very small training sets. *BMC Medical Imaging* **22**(1), 224 (Dec 2022). <https://doi.org/10.1186/s12880-022-00919-x>
29. Tardini, E., Zhang, X., Canahuate, G., Wentzel, A., Mohamed, A.S., Van Dijk, L., Fuller, C.D., Marai, G.E.: Optimal treatment selection in sequential systemic and locoregional therapy of oropharyngeal squamous carcinomas: Deep Q-learning with a patient-physician digital twin dyad. *Journal of medical Internet research* **24**(4), e29455 (2022)
30. Tripathy, J., Balasubramani, M., Rajan, V.A., Aeron, A., Arora, M.: Reinforcement learning for optimizing real-time interventions and personalized feedback using wearable sensors. *Measurement: Sensors* **33**, 101151 (2024)
31. Wu, X., Li, R., He, Z., Yu, T., Cheng, C.: A value-based deep reinforcement learning model with human expertise in optimal treatment of sepsis. *NPJ Digital Medicine* **6**(1), 15 (2023)
32. Yang, J., El-Bouri, R., O'Donoghue, O., Lachapelle, A.S., Soltan, A.A.S., Eyre, D.W., Lu, L., Clifton, D.A.: Deep reinforcement learning for multi-class imbalanced training: Applications in healthcare. *Machine Learning* **113**(5), 2655–2674 (May 2024). <https://doi.org/10.1007/s10994-023-06481-z>
33. Yang, K., Yu, Z., Su, X., Zhang, F., He, X., Wang, N., Zheng, Q., Yu, F., Wen, T., Zhou, X.: PrescDRL: Deep reinforcement learning for herbal prescription planning in treatment of chronic diseases. *Chinese Medicine* **19**(1), 144 (Oct 2024). <https://doi.org/10.1186/s13020-024-01005-w>
34. Yu, C., Ren, G., Dong, Y.: Supervised-actor-critic reinforcement learning for intelligent mechanical ventilation and sedative dosing in intensive care units. *BMC Medical Informatics and Decision Making* **20**(S3), 124 (Jul 2020). <https://doi.org/10.1186/s12911-020-1120-5>
35. Zadeh, S.A., Street, W.N., Thomas, B.W.: Optimizing warfarin dosing using deep reinforcement learning. *Journal of biomedical informatics* **137**, 104267 (2023)
36. Zhang, Z.: Reinforcement learning in clinical medicine: A method to optimize dynamic treatment regime over time. *Annals of translational medicine* **7**(14), 345 (2019)
37. Zhao, Y.F., Chaw, J.K., Ang, M.C., Tew, Y., Shi, X.Y., Liu, L., Cheng, X.: A safe-enhanced fully closed-loop artificial pancreas controller based on deep reinforcement learning. *Plos One* **20**(1), e0317662 (2025)
38. Zheng, H., Ryzhov, I.O., Xie, W., Zhong, J.: Personalized Multimorbidity Management for Patients with Type 2 Diabetes Using Reinforcement Learning of Electronic Health Records. *Drugs* **81**(4), 471–482 (Mar 2021). <https://doi.org/10.1007/s40265-020-01435-4>