



DDI Alliance Controlled Vocabulary for TypeOfFrequency

CV definition

Nurodo duomenų rinkimo vyki dažnum.

Details

CV short name:	TypeOfFrequency
CV name:	Dažnumo tipas
CV notes:	
Language:	Lithuanian (lt)
Version:	1.0.2-PUBLISHED
Version changes:	CV name changed: TypeOfFrequency
Canonical URI:	TypeOfFrequency:1.0.2">urn:ddi:int.ddi.cv>TypeOfFrequency:1.0.2
Agency:	DDI Alliance

Code list

Code value	Code descriptive term	Code definition
Continuous	Tolydus	Duomenys renkami tolydžiai. Nra atitinkanio SDMX kodo.
EveryMinute	Kas minut	Duomenys renkami kas minut. Gali bti naudojamas, net jei tarp duomenų rinkimo vyki kartais bna didesni tarpai. Atitinka SDMX kod „N“.
EveryHour	Kas valand	Duomenys renkami kas valand. Atitinka SDMX kod „H“.
EveryTwoHours	Kas dvi valandas	Duomenys renkami kas dvi valandas. Atitinka SDMX kod „H2“.
EveryThreeHours	Kas tris valandas	Duomenys renkami kas tris valandas. Atitinka SDMX kod „H3“.
TwiceADay	Du kartus per dien	Duomenys renkami du kartus per dien. Atitinka SDMX kod „D_2“.
EveryDay	Kasdien	Duomenys renkami kiekvien kalendorins savaitis dien. Atitinka SDMX kod „D“.
EveryBusinessDay	Kiekvien darbo dien	Duomenys renkami kiekvien darbo arba prekybos dien (pvz., nuo pirmadienio iki penktadienio). Atitinka SDMX kod „B“.
OccasionalDaily	Tam tikrais laikotarpiais kasdien	Duomenys renkami kasdien, taiau tarp duomenų rinkimo laikotarpių yra planuotas arba neplanuotas tarpas. Pvz., oro slyg statistiniai duomenys apie sniego dangos storis renkami kasdien, bet tik žiemos mnesiais. Nra atitinkanio SDMX kodo.
ThreeTimesAWeek	Tris kartus per savait	Duomenys renkami tris kartus per savait. Atitinka SDMX kod „W_3“.
TwiceAWeek	Du kartus per savait	Duomenys renkami du kartus per savait. Atitinka SDMX kod „W_2“.

EveryWeek	Kiekvien savait	Duomenys renkami kiekvien savait. Atitinka SDMX kod „W“.
OccasionalWeekly	Tam tikrais laikotarpiais kas savait	Duomenys renkami kas savait, taiau tarp duomen rinkimo laikotarpi yra planuotas arba neplanuotas tarpas. Pvz., laiko biudžeto duomenys, kurie renkami kas savait, bet tik tam tikrais laikotarpiais. Nra atitinkanio SDMX kodo.
EveryTenDays	Kas dešimt dien	Duomenys renkami kas dešimt dien. Nra atitinkanio SDMX kodo.
ThreeTimesAMonth	Tris kartus per mnes	Duomenys renkami tris kartus per mnes. Atitinka SDMX kod „M_3“.
EveryTwoWeeks	Kas dvi savaites	Duomenys renkami kas dvi savaites. Atitinka SDMX kod „W2“.
TwiceAMonth	Du kartus per mnes	Duomenys renkami du kartus per mnes. Atitinka SDMX kod „M_2“.
EveryThreeWeeks	Kas tris savaites	Duomenys renkami kas tris savaites. Atitinka SDMX kod „W3“.
EveryFourWeeks	Kas keturias savaites	Duomenys renkami kas keturias savaites. Atitinka SDMX kod „W4“.
EveryMonth	Kas mnes	Duomenys renkami kas mnes. Atitinka SDMX kod „M“.
OccasionalMonthly	Tam tikrais laikotarpiais kas mnes	Duomenys renkami kas mnes, taiau tarp duomen rinkimo laikotarpi yra planuotas arba neplanuotas tarpas. Pertraukos gali bti nuo vieno iki keli mnesi. Pvz., duomenys renkami kas mnes, bet tik pavasar, vasar ir ruden (ne žiem). Atitinka SDMX kod „OM“.
EveryTwoMonths	Kas du mnesius	Duomenys renkami kas du mnesius. Atitinka SDMX kod „M2“.
EveryThreeMonths	Kas tris mnesius	Duomenys renkami kas tris mnesius arba kas ketvirt. Atitinka SDMX kod „Q“.
ThreeTimesAYear	Tris kartus per metus	Duomenys renkami tris kartus per metus. Atitinka SDMX kod „A_3“.
TwiceAYear	Du kartus per metus	Duomenys renkami du kartus per metus. Nra atitinkanio SDMX kodo.
EveryYear	Kasmet	Duomenys renkami kasmet. Atitinka SDMX kod „A“.
OccasionalAnnual	Tam tikrais laikotarpiais kasmet	Duomenys renkami kasmet, taiau tarp duomen rinkimo laikotarpi yra tarpas. Pvz., kasmetins apklausos duomen rinkimui nepavyksta kasmet gauti finansavim. Atitinka SDMX kod „OA“.
EveryTwoYears	Kas dvejus metus	Duomenys renkami kas dvejus metus. Atitinka SDMX kod „A2“.
EveryThreeYears	Kas trejus metus	Duomenys renkami kas trejus metus. Atitinka SDMX kod „A3“.
EveryFourYears	Kas ketverius metus	Duomenys renkami kas ketverius metus. Atitinka SDMX kod „A4“.
EveryFiveYears	Kas penkerius metus	Duomenys renkami kas penkerius metus. Atitinka SDMX kod „A5“.
EveryTenYears	Kas dešimt met	Duomenys renkami kas dešimt met. Atitinka SDMX kod „A10“.
EveryTwentyYears	Kas dvidešimt met	Duomenys renkami kas dvidešimt met. Atitinka SDMX kod „A20“.
EveryThirtyYears	Kas trisdešimt met	Duomenys renkami kas trisdešimt met. Atitinka SDMX kod „A30“.
Irregular	Nereguliarai	Duomenys renkami nereguliarai. Pvz., laiko eilui duomenys, kuriuose fiksuojama kiekviena akcij prekyba arba atsitiktiniai vykiai. Intervalas tarp kiekvieno duomen rinkimo vykio nenuspjamas ir gali bti skirtingo ilgio. Atitinka SDMX kod „I“.

Other	Kita	Duomenys renkami kelis kartus žinomu, taiau sraš netrauktu dažnumu. Pvz., duomenys renkami kas 5 valandas ir 32 minutes. Atitinka SDMX kod „_O“. DDI-Lifecycle elementai, kurie palaiko kontroliuojamus žodynus (KŽ), yra CodeValueType tipo. Jei elemente rašoma reikšm „Kita“, konkretesn reikšm, kurios nra KŽ, gali bti rašoma atribut @otherValue.
Unspecified	Nepatikslinta	Duomenys renkami kelis kartus, taiau dažnumas nenurodytas arba nežinomas. Atitinka SDMX kod „_U“.
NotApplicable	Netaikoma	Yra tik vienas duomen rinkimo vykis, kuris nra kartojamas. Tokais atvejais š termin galima naudoti, jei metaduomen modelyje privalomas dažnumo elementas. Atitinka SDMX kod „_Z“.

Usage

DDI-L 3.3

Module name: datacollection

Element name: [IntendedFrequency](#)

Element XPath: DataCollection/CollectionEvent/DataCollectionFrequency/IntendedFrequency

DDI-L 3.2

Module name: datacollection

Element name: [IntendedFrequency](#)

Element XPath: DataCollection/CollectionEvent/DataCollectionFrequency/IntendedFrequency

DDI-C 2.5

Element/Attribute name: [frequenc](#)

Element XPath: /codeBook/stdyDscr/method/dataColl/frequenc

License and citation

Copyright © [DDI Alliance](#) 2025.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2025). TypeOfFrequency [Dažnumo tipas] (Version 1.0.2) [Controlled vocabulary]. CESSDA. urn:ddi:int.ddi.cv:TypeOfFrequency:1.0.2. Available from: <http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:TypeOfFrequency:1.0.2>



DDI Alliance Controlled Vocabulary for TypeOfFrequency

CV definition

Se nanaša na pogostost zbiranja podatkov.

Details

CV short name:	TypeOfFrequency
CV name:	Pogostost zbiranja
CV notes:	
Language:	Slovenian (sl)
Version:	1.0.2-PUBLISHED
Canonical URI:	TypeOfFrequency:1.0.2">urn:ddi:int.ddi.cv>TypeOfFrequency:1.0.2
Agency:	DDI Alliance

Code list

Code value	Code descriptive term	Code definition
Continuous	Neprekinjeno	Podatki se zbirajo neprekinjeno. Ni ustrezne kode SDMX.
EveryMinute	Vsako minuto	Podatki se zbirajo vsako minuto. Uporablja se lahko, tudi e so med zbiranjem obasne vrzeli. Oznauje se s kodo SDMX "N".
EveryHour	Vsako uro	Podatki se zbirajo vsako uro. Oznauje se s kodo SDMX "H".
EveryTwoHours	Vsako uro	Podatki se zbirajo vsaki dve uri. Oznauje se s kodo SDMX "H2".
EveryThreeHours	Vsake tri ure	Podatki se zbirajo vsake tri ure. Oznauje se s kodo SDMX "H3".
TwiceADay	Dvakrat dnevno	Podatki se zbirajo dvakrat na dan. Oznauje se s kodo SDMX "D_2".
EveryDay	Dnevno	Podatki se zbirajo dnevno. Oznauje se s kodo SDMX "D".
EveryBusinessDay	Vsak delovni dan	Podatki se zbirajo vsak delovni ali trgovalni dan (npr. od ponedeljka do petka). Oznauje se s kodo SDMX "B".
OccasionalDaily	Dnevno - obasno	Podatki se zbirajo vsak dan, vendar je med obdobji zbiranja podatkov nartovana ali nenartovana vrzel. Na primer vremenski statistini podatki o globini snega se zbirajo dnevno, vendar le v zimskih mesecih. Ni ustrezne kode SDMX.
ThreeTimesAWeek	Trikrat tedensko	Podatki se zbirajo trikrat na teden. Oznauje se s kodo SDMX "W_3".
TwiceAWeek	Dvakrat tedensko	Podatki se zbirajo dvakrat tedensko. Oznauje se s kodo SDMX "W_2".
EveryWeek	Tedensko	Podatki se zbirajo tedensko. Oznauje se s kodo SDMX "W".

OccasionalWeekly	Tedensko - obasno	Podatki se zbirajo tedensko, vendar je med obdobji zbiranja podatkov nartovana ali nenartovana vrzel. Na primer podatki o asovni uporabi, ki se zbirajo tedensko, vendar le v doloenih asovnih obdobjih. Ni ustrezne kode SDMX.
EveryTenDays	Vsakih deset dni	Podatki se zbirajo vsakih deset dni. Ni ustrezne kode SDMX.
ThreeTimesAMonth	Trikrat na mesec	Podatki se zbirajo trikrat na mesec. Oznauje se s kodo SDMX "M_3".
EveryTwoWeeks	Vsaka dva tedna	Podatki se zbirajo vsakih širinajst dni. Oznauje se s kodo SDMX "W2".
TwiceAMonth	Dvakrat meseno	Podatki se zbirajo dvakrat na mesec. Oznauje se s kodo SDMX "M_2".
EveryThreeWeeks	Vsake tri tedne	Podatki se zbirajo vsake tri tedne. Oznauje se s kodo SDMX "W3".
EveryFourWeeks	Vsake štiri tedne	Podatki se zbirajo vsake štiri tedne. Oznauje se s kodo SDMX "W4".
EveryMonth	Meseno	Podatki se zbirajo vsak mesec. Oznauje se s kodo SDMX "M".
OccasionalMonthly	Meseno - obasno	Podatki se zbirajo meseno, vendar je med obdobji zbiranja podatkov nartovana ali nenartovana vrzel. Intervali lahko trajajo od enega do ve mesecev. Na primer, podatki se zbirajo meseno, vendar le spomladji, poleti in jeseni (ne pozimi). Oznauje se s kodo SDMX "OM".
EveryTwoMonths	Vsaka dva meseca	Podatki se zbirajo vsaka dva meseca. Oznaimo s kodo SDMX "M2".
EveryThreeMonths	Vsake tri mesece	Podatki se zbirajo vsake tri mesece ali etrtletno. Oznauje se s kodo SDMX "Q".
ThreeTimesAYear	Trikrat letno	Podatki se zbirajo trikrat letno. Oznauje se s kodo SDMX "A_3".
TwiceAYear	Dvakrat letno	Podatki se zbirajo dvakrat letno. Ni ustrezne kode SDMX.
EveryYear	Letno	Podatki se zbirajo letno. Oznauje se s kodo SDMX "A".
OccasionalAnnual	Letno - obasno	Podatki se zbirajo vsako leto, vendar je med obdobji zbiranja podatkov vrzel. Na primer, letni raziskavi ne uspe vsako leto pridobiti sredstev za zbiranje podatkov. Oznauje se s kodo SDMX "OA".
EveryTwoYears	Vsaki dve leti	Podatki se zbirajo vsaki dve leti. Oznauje se s kodo SDMX "A2".
EveryThreeYears	Vsaka tri leta	Podatki se zbirajo vsaka tri leta. Oznauje se s kodo SDMX "A3".
EveryFourYears	Vsaka štiri leta	Podatki se zbirajo vsaka štiri leta. Oznauje se s kodo SDMX "A4".
EveryFiveYears	Vsakih pet let	Podatki se zbirajo vsakih pet let. Oznauje se s kodo SDMX "A5".
EveryTenYears	Vsakih deset let	Podatki se zbirajo vsakih deset let. Oznauje se s kodo SDMX "A10".
EveryTwentyYears	Vsakih dvajset let	Podatki se zbirajo vsakih dvajset let. Oznauje se s kodo SDMX "A20".
EveryThirtyYears	Vsakih trideset let	Podatki se zbirajo vsakih trideset let. Oznauje se s kodo SDMX "A30".
Irregular	Neenakomerno	Podatki se zbirajo v neenakomernih asovnih obdobjih. Na primer, podatki asovnih vrst, ki beležijo vsako trgovanje z delnicami ali nakljune dogodke. Interval med posameznimi dogodki zbiranja je nepredvidljiv in je lahko razlino dolg. Oznauje se s kodo SDMX "I".
Other	Drugo	Podatki se zbirajo vekrat, vendar pogostost ni doloena ali znana. Oznauje se s kodo SDMX "_U".

Unspecified	Nedoloeno	Podatki se zbirajo vekrat, vendar pogostost ni doloena ali znana. Oznauje se s kodo SDMX "_U".
NotApplicable	Se ne nanaša	Obstaja samo en dogodek zbiranja podatkov, ni vekratnega pojavljanja. V teh primerih se ta izraz lahko uporabi, e je element pogostost v metapodatkovnem modelu obvezen. Oznauje se s kodo SDMX "_Z".

Usage

DDI-L 3.3

Module name: datacollection

Element name: [IntendedFrequency](#)

Element XPath: DataCollection/CollectionEvent/DataCollectionFrequency/IntendedFrequency

DDI-L 3.2

Module name: datacollection

Element name: [IntendedFrequency](#)

Element XPath: DataCollection/CollectionEvent/DataCollectionFrequency/IntendedFrequency

DDI-C 2.5

Element/Attribute name: [frequenc](#)

Element XPath: /codeBook/stdyDscr/method/dataColl/frequenc

License and citation

Copyright © [DDI Alliance](#) 2025.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2025). TypeOfFrequency [Pogostost zbiranja] (Version 1.0.1) [Controlled vocabulary]. CESSDA. urn:ddi:int.ddi.cv:TypeOfFrequency:1.0.1. Available from: <http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:TypeOfFrequency:1.0.2>



DDI Alliance Controlled Vocabulary for TypeOfFrequency

CV definition

Indicates the frequency of data collection events.

Details

CV short name:	TypeOfFrequency
CV name:	Type of Frequency
CV notes:	
Language:	English (en)
Version:	1.0.2-PUBLISHED
Canonical URI:	TypeOfFrequency:1.0.2">urn:ddi:int.ddi.cv>TypeOfFrequency:1.0.2
Agency:	DDI Alliance

Code list

Code value	Code descriptive term	Code definition
Continuous	Continuous	Data are collected continuously. No matching SDMX code.
EveryMinute	Every minute	Data are collected every minute. May be used even if there are occasional gaps between collection events. Maps to SDMX code "N".
EveryHour	Every hour	Data are collected every hour. Maps to SDMX code "H".
EveryTwoHours	Every two hours	Data are collected every two hours. Maps to SDMX code "H2".
EveryThreeHours	Every three hours	Data are collected every three hours. Maps to SDMX code "H3".
TwiceADay	Twice a day	Data are collected twice a day. Maps to SDMX code "D_2".
EveryDay	Every day	Data are collected every day of the calendar week. Maps to SDMX code "D".
EveryBusinessDay	Every business day	Data are collected every business or trading day (e.g. from Monday to Friday). Maps to SDMX code "B".
OccasionalDaily	Occasional daily	Data are collected daily but there is a planned, or unplanned gap between data collection periods. For instance, weather statistics on the depth of snow collected daily but only during winter months. No matching SDMX code.
ThreeTimesAWeek	Three times a week	Data are collected three times a week. Maps to SDMX code "W_3".
TwiceAWeek	Twice a week	Data are collected twice a week. Maps to SDMX code "W_2".
EveryWeek	Every week	Data are collected every week. Maps to SDMX code "W".

OccasionalWeekly	Occasional weekly	Data are collected weekly but there is a planned, or unplanned gap between data collection periods. For instance, time-use data that are collected weekly but only during certain periods of time. No matching SDMX code.
EveryTenDays	Every ten days	Data are collected every ten days. No matching SDMX code.
ThreeTimesAMonth	Three times a month	Data are collected three times a month. Maps to SDMX code "M_3".
EveryTwoWeeks	Every two weeks	Data are collected every two weeks. Maps to SDMX code "W2".
TwiceAMonth	Twice a month	Data are collected twice a month. Maps to SDMX code "M_2".
EveryThreeWeeks	Every three weeks	Data are collected every three weeks. Maps to SDMX code "W3".
EveryFourWeeks	Every four weeks	Data are collected every four weeks. Maps to SDMX code "W4".
EveryMonth	Every month	Data are collected every month. Maps to SDMX code "M".
OccasionalMonthly	Occasional monthly	Data are collected monthly but there is a planned, or unplanned gap between data collection periods. Intervals may span from one to several months. For example, data are collected monthly but only in spring, summer and fall (not in winter). Maps to SDMX code "OM".
EveryTwoMonths	Every two months	Data are collected every two months. Maps to SDMX code "M2".
EveryThreeMonths	Every three months	Data are collected every three months, or quarterly. Maps to SDMX code "Q".
ThreeTimesAYear	Three times a year	Data are collected three times a year. Maps to SDMX code "A_3".
TwiceAYear	Twice a year	Data are collected twice a year. No matching SDMX code.
EveryYear	Every year	Data are collected every year. Maps to SDMX code "A".
OccasionalAnnual	Occasional annual	Data are collected annually but there is a gap between data collection periods. For instance, an annual survey does not succeed in getting funding every year for data collection. Maps to SDMX code "OA".
EveryTwoYears	Every two years	Data are collected every two years. Maps to SDMX code "A2".
EveryThreeYears	Every three years	Data are collected every three years. Maps to SDMX code "A3".
EveryFourYears	Every four years	Data are collected every four years. Maps to SDMX code "A4".
EveryFiveYears	Every five years	Data are collected every five years. Maps to SDMX code "A5".
EveryTenYears	Every ten years	Data are collected every ten years. Maps to SDMX code "A10".
EveryTwentyYears	Every twenty years	Data are collected every twenty years. Maps to SDMX code "A20".
EveryThirtyYears	Every thirty years	Data are collected every thirty years. Maps to SDMX code "A30".
Irregular	Irregular	Data are collected at irregular points in time. For example, time series data that record every stock trade or random events. The interval between each collection event is unpredictable and can vary in length. Maps to SDMX code "I".

Other	Other	Data are collected multiple times with a frequency that is known but not included in the list. For instance, data collection takes place every 5 hours and 32 minutes. Maps to SDMX code "_O". In DDI-Lifecycle elements that support CVs are of CodeValueType. If the "Other" value is entered in the element, the more specific value not found in the CV may be entered in the @otherValue attribute.
Unspecified	Unspecified	Data are collected multiple times but the frequency is not specified or known. Maps to SDMX code "_U".
NotApplicable	Not applicable	There is only one data collection event, no multiple occurrences. In those cases, this term can be used if the frequency element is mandatory in the metadata model. Maps to SDMX code "_Z".

Usage

DDI-L 3.3

Module name: datacollection

Element name: [IntendedFrequency](#)

Element XPath: DataCollection/CollectionEvent/DataCollectionFrequency/IntendedFrequency

DDI-L 3.2

Module name: datacollection

Element name: [IntendedFrequency](#)

Element XPath: DataCollection/CollectionEvent/DataCollectionFrequency/IntendedFrequency

DDI-C 2.5

Element/Attribute name: [frequenc](#)

Element XPath: /codeBook/stdyDscr/method/dataColl/frequenc

License and citation

Copyright © [DDI Alliance](#) 2025.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2025). Type of Frequency (Version 1.0.1) [Controlled vocabulary]. CESSDA. urn:ddi:int.ddi.cv:TypeOfFrequency:1.0.1. Available from: <http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:TypeOfFrequency:1.0.2>