



DDI Alliance Controlled Vocabulary for AggregationMethod

CV definition

Identifies the type of aggregation used to combine related categories, usually within a common branch of a hierarchy, to provide information at a broader level than the level at which detailed observations are taken. (From: The OECD Glossary of Statistical Terms)

Details

CV short name: AggregationMethod

CV name: Aggregation Method

CV notes:

This vocabulary was first published by the DDI Alliance. Please see: <https://ddialliance.org/controlled-vocabularies/all>.

Language: English (en)

Version: 1.1

Version notes:

1. ArithmeticMean, CumulativePercent, PercentileRank: Descriptive term capitalization changed to make them conform to the other vocabularies. 2. Count, Mode: Period added at the end of the code definitions to make them conform to the other vocabularies.

Version changes:

Code descriptive term rephrased: Arithmetic Mean rephrased into Arithmetic mean Code descriptive term rephrased: Cumulative Percent rephrased into Cumulative percent Code descriptive term rephrased: Percentile Rank rephrased into Percentile rank Code definition rephrased: Count Code definition rephrased: Mode

Canonical URI: <urn:ddi:int.ddi.cv:AggregationMethod:1.1>

Agency: [DDI Alliance](#)

Code List

| Code value | Code descriptive term | Code definition |
|----------------|-----------------------|---|
| Sum | Sum | A value obtained as a result of adding two or more numbers (items/amounts). |
| ArithmeticMean | Arithmetic mean | Mathematical average of a set of values. The mean is calculated by adding up two or more values and dividing the total by their number. In social/political science, it is usually the sum of the measurements divided by the number of subjects, or cases. |
| Count | Count | Total number of units in a group of items. |

| | | |
|-------------------|--------------------|---|
| Mode | Mode | The value that appears most often in a set of values. |
| Median | Median | The middle value in a series of values arranged sequentially from smallest to largest. |
| Maximum | Maximum | The highest value attained or recorded. |
| Minimum | Minimum | The lowest value attained or recorded. |
| Percent | Percent | The number of parts out of 100. In mathematics, a percentage is a number of ratio expressed as a fraction of 100. Percentages are used to express how large one quantity is relative to another quantity. |
| CumulativePercent | Cumulative percent | The total of a frequency and all frequencies below it in a frequency distribution; the "running total" of frequencies [the maximum value is 100%]. |
| PercentileRank | Percentile rank | The percentile rank of a item is the percentage of items in its frequency distribution which are lower [cannot reach 100%]. |
| Other | Other | Use when the aggregation method is known, but not found in the list. |

Usage

[DDI-L 3.3](#)

Module name: reusable

Element name: [AggregationMethod](#)

[DDI-L 3.2](#)

Module name: reusable

Element name: [AggregationMethod](#)

[DDI-C 2.5](#)

Element/Attribute name: [var@otherAggrMeth](#)

Element/Attribute name: [measure@otherAggrMeth](#)

Copyright and License

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2019). Aggregation Method (Version 1.1) [Controlled vocabulary]. CESSDA. urn:ddi:int.ddi.cv:AggregationMethod:1.1. Available from: <http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:AggregationMethod:1.1>

DDI Alliance Controlled Vocabulary for AggregationMethod

CV definition

Identificerer den type aggregering, der anvendes til at kombinere relaterede kategorier, normalt inden for en fælles gren af et hierarki, til at tilvejebringe information på et bredere niveau end det, på hvilket detaljerede observationer er foretaget. (Fra: OECD-ordlisten med statistiske begreber)

Details

| | |
|--------------------|---|
| CV short name: | AggregationMethod |
| CV name: | Aggregeringsmetode |
| CV notes: | |
| Language: | Danish (da) |
| Version: | 1.1.1 |
| Version notes: | |
| Version changes: | |
| Canonical URI: | urn:ddi:int.ddi.cv:AggregationMethod:1.1 |
| Agency: | DDI Alliance |
| Translator Agency: | The Danish National Archives |

Code List

| Code value | Code descriptive term | Code definition |
|----------------|-----------------------|---|
| Sum | Sum | En værdi opnået som et resultat af tilføjelse af to eller flere tal (elementer/mængder). |
| ArithmeticMean | Aritmetisk gennemsnit | Matematisk gennemsnit af et sæt af værdier. Gennemsnittet beregnes ved at tilføje to eller flere værdier og dividere totalen med deres antal. I social /politisk videnskab er det som regel summen af målingerne divideret med antallet af subjekter eller cases. |
| Count | Antal | Samlet antal af enheder i en gruppe af elementer. |
| Mode | Modus | Den værdi, der oftest forekommer i et sæt af værdier. |
| Median | Median | Den midterste værdi i en serie af værdier arrangeret i rækkefølge fra mindst til størst. |
| Maximum | Maksimum | Den højest opnåede eller registrerede værdi. |
| Minimum | Minimum | Den lavest opnåede eller registrerede værdi. |
| Percent | Procent | Antallet af dele ud af 100. I matematik er en procentdel |

| | | |
|-------------------|-------------------|---|
| | | et forholdstal udtrykt som en brøkdel af 100. Procentdele anvendes til at udtrykke, hvor stor en mængde er i forhold til en anden. |
| CumulativePercent | Kumulativ procent | Summen af en frekvens og alle frekvenser under den i en frekvensfordeling; den "løbende sum" af frekvenser [den maksimale værdi er 100%]. |
| PercentileRank | Procentdel rang | Den procentdele rang af et element er procentdelen af elementer i dens frekvensfordeling, der er lavere [kan ikke nå 100%]. |
| Other | Andet | Anvend, når aggregeringsmetoden er kendt, men ikke findes i listen. |

Usage

[DDI 3.3](#)

Module name: reusable

Element name: [AggregationMethod](#)

[DDI 3.2](#)

Module name: reusable

Element name: [AggregationMethod](#)


[DDI 2.5](#)

Element/Attribute name: [var@otherAggrMeth](#)

Element/Attribute name: [measure@otherAggrMeth](#)

Copyright and License

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). Aggregeringsmetode [Aggregation Method] (Version 1.1.1; The Danish National Archives, Transl.) [Controlled vocabulary]. CESSDA. urn:ddi:int.ddi.cv:AggregationMethod:1.1. Available from: <http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:AggregationMethod:1.1>

DDI Alliance Controlled Vocabulary for AggregationMethod

CV definition

Identifiserer den type aggregering som brukes for å kombinere relaterte kategorier, vanligvis innenfor en felles gren av et hierarki, for å gi informasjon på et bredere nivå enn det detaljerte nivået hvor observasjonene er tatt fra. (Fra: OECD-ordlisten med statistiske begreper)

Details

| | |
|--------------------|---|
| CV short name: | AggregationMethod |
| CV name: | Aggregeringsmetode |
| CV notes: | |
| Language: | Norwegian (no) |
| Version: | 1.1.1 |
| Canonical URI: | urn:ddi:int.ddi.cv:AggregationMethod:1.1 |
| Agency: | DDI Alliance |
| Translator Agency: | NSD |

Code List

| Code value | Code descriptive term | Code definition |
|----------------|-------------------------|---|
| Sum | Sum | En verdi som er resultatet av å legge til to eller flere tall (elementer/mengder). |
| ArithmeticMean | Aritmetisk gjennomsnitt | Det matematiske gjennomsnittet til et sett av verdier. Gjennomsnittet beregnes ved å addere to eller flere verdier og dele summen på antallet verdier. I samfunnsvitenskapen er det som regel summen av målingene delt på antall subjekter eller tilfeller. |
| Count | Antall | Samlet antall enheter i en gruppe av elementer |
| Mode | Modus | Den verdien som forekommer mest i et sett av verdier. |
| Median | Median | Midtverdien i en serie av verdier som er arrangert i rekkefølge fra minst til størst. |
| Maximum | Maksimum | Den høyeste oppnådde eller registrerte verdi. |
| Minimum | Minimum | Den laveste oppnådde eller registrerte verdi. |
| Percent | Prosent | Antall deler av 100. I matematikk er en prosentdel et forholdstall som er uttrykket som en andel av 100. Prosentdel er brukt for å uttrykke hvor stor en mengde er i forhold til en annen mengde. |

| | | |
|-------------------|-------------------|---|
| CumulativePercent | Kumulativ prosent | Summen av en frekvens og alle frekvenser under den i en frekvensfordeling; den "løpende sum" av frekvenser [den maksimale verdien er 100%]. |
| PercentileRank | Persentil | Persentil til en enhet er den prosentdelen av enheter i frekvensfordelingen som er lavere [kan ikke nå 100%]. |
| Other | Annet | Bruk når aggregeringsmetoden er kjent, men ikke er på denne listen. |

Usage

[DDI 3.3](#)

Module name: reusable

Element name: [AggregationMethod](#)

[DDI 3.2](#)

Module name: reusable

Element name: [AggregationMethod](#)


[DDI 2.5](#)

Element/Attribute name: [var@otherAggrMeth](#)

Element/Attribute name: [measure@otherAggrMeth](#)

Copyright and License

Copyright © [DDI Alliance](#) 2019.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). AggregationMethod[Aggregeringsmetode] (Version 1.1.1) [Controlled vocabulary].

CESSDA. urn:ddi:int.ddi.cv:AggregationMethod:1.1.1. Available from: <http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:AggregationMethod:1.1>