



# DDI Alliance Controlled Vocabulary for ResponseUnit

## CV definition

Indicates the entity that provided the information carried by the variable.

## Details

CV short name: ResponseUnit

CV name: Response Unit

CV notes:

This controlled vocabulary is applicable only to survey-type data. This vocabulary was first published by the DDI Alliance. Please see: <https://ddialliance.org/controlled-vocabularies/all>.

Language: English (en)

Version: 1.0.2

Version notes:

To align with a new versioning system, this version has been automatically created by copying the previous version PUBLISHED-1.0.0.

Canonical URI: <urn:ddi:int.ddi.cv:ResponseUnit:1.0.2>

Agency: [DDI Alliance](#)

## Code list

Code value	Code descriptive term	Code definition
Self	Self	Unit of response is same as unit of observation/analysis.
Informant	Informant	Unit of response is different than the unit of observation as part of the study design, and the identity of the response unit is also pre-determined by the study design. Such studies are actually called "informant surveys" and they involve, for instance, obtaining information about a community from certain select members who hold specific information, like church leaders, business owners or leaders, physicians, school teachers, civic leaders, etc. Or, if a business or organization is the unit of observation, information may be sought at different administrative/professional levels, etc.
Proxy	Proxy	Unit of response is different than the unit of analysis because the sampled unit is unavailable/unable to participate. Proxies may be allowed by the study design, but their identity is not specifically designated (for example, anyone in the household can provide

Code value	Code descriptive term	Code definition
		information about another household member, or any available student can provide information about another student, etc.).
Interviewer	Interviewer	Data are entered directly by the interviewer, as a result of his/her own observations, and not by eliciting answers to a question.
Other	Other	Use if the response unit is known, but not found in the list.

---

## Deprecated codes list

--

## Usage

### [DDI-L 3.3](#)

Module name: datacollection

Element name: [ResponseUnit](#)

### [DDI-L 3.2](#)

Module name: datacollection

Element name: [ResponseUnit](#)

### [DDI-C 2.5](#)

Element/Attribute name: [respUnit](#)

Element XPath: /codeBook/dataDscr/nCube/respUnit

Element XPath: /codeBook/dataDscr/var/respUnit

---

## Copyright and license

Copyright © [DDI Alliance](#) 2020.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). Response Unit (Version 1.0) [Controlled vocabulary]. CESSDA.

urn:ddi:int.ddi.cv:ResponseUnit:1.0. Available from:

<http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:ResponseUnit:1.0.2>



# DDI Alliance Controlled Vocabulary for ResponseUnit

## CV definition

Indicates the entity that provided the information carried by the variable.

## Details

CV short name: ResponseUnit

CV name: Response Unit

CV notes:

This controlled vocabulary is applicable only to survey-type data. This vocabulary was first published by the DDI Alliance. Please see: <https://ddialliance.org/controlled-vocabularies/all>.

Language: English (en)

Version: 1.0.0

Version notes:

Version changes:

Canonical URI: <urn:ddi:int.ddi.cv:ResponseUnit:1.0>

Agency: [DDI Alliance](#)

## Code list

Code value	Code descriptive term	Code definition
Self	Self	Unit of response is same as unit of observation/analysis.
Informant	Informant	Unit of response is different than the unit of observation as part of the study design, and the identity of the response unit is also pre-determined by the study design. Such studies are actually called "informant surveys" and they involve, for instance, obtaining information about a community from certain select members who hold specific information, like church leaders, business owners or leaders, physicians, school teachers, civic leaders, etc. Or, if a business or organization is the unit of observation, information may be sought at different administrative/professional levels, etc.
Proxy	Proxy	Unit of response is different than the unit of analysis because the sampled unit is unavailable/unable to participate. Proxies may be allowed by the study design, but their identity is not specifically designated (for example, anyone in the household can provide information about another household member, or any

Code value	Code descriptive term	Code definition
		available student can provide information about another student, etc.).
Interviewer	Interviewer	Data are entered directly by the interviewer, as a result of his/her own observations, and not by eliciting answers to a question.
Other	Other	Use if the response unit is known, but not found in the list.

---

## Deprecated codes list

--

## Usage

### [DDI-L 3.3](#)

Module name: datacollection

Element name: [ResponseUnit](#)

### [DDI-L 3.2](#)

Module name: datacollection

Element name: [ResponseUnit](#)

### [DDI-C 2.5](#)

Element/Attribute name: [respUnit](#)

Element XPath: /codeBook/dataDscr/nCube/respUnit

Element XPath: /codeBook/dataDscr/var/respUnit

---

## Copyright and license

Copyright © [DDI Alliance](#) 2020.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). Response Unit (Version 1.0) [Controlled vocabulary]. CESSDA.

urn:ddi:int.ddi.cv:ResponseUnit:1.0. Available from:

<http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:ResponseUnit:1.0>



# DDI Alliance Controlled Vocabulary for ResponseUnit

## CV definition

Indikerer enheten som har gitt informasjonen som er i variabelen.

## Details

CV short name: ResponseUnit

CV name: Svarenhet

CV notes:

Language: Norwegian (no)

Version: 1.0.2

Version notes:

To align with a new versioning system, this version has been automatically created by copying the previous version PUBLISHED-1.0.1.

Canonical URI: <urn:ddi:int.ddi.cv:ResponseUnit:1.0.2>

Agency: [DDI Alliance](#)

Translator Agency: [NSD - Norwegian Centre for Research Data](#)

## Code list

Code value	Code descriptive term	Code definition
Self	Selv	Svarenheten er den samme som observasjons-/analyseenheten.
Informant	Informant	Svarenheten er forskjellig fra observasjonsenheten i studiedesignet, og identiteten til svarenheten er også forhåndsbestemt av studiedesignet. Slike studer blir faktisk kalt "informantundersøkelser" og de involverer, for eksempel, innhenting av informasjon om et fellesskap fra visse utvalgte medlemmer som har spesifikk informasjon, som kirkeledere, bedriftseiere eller ledere, leger, lærere, samfunnsledere, etc. Eller, hvis en bedrift eller organisasjon er observasjonsenheten, kan informasjonen være ettertraktet på forskjellige administrative/faglige nivåer, etc.
Proxy	Fullmektig	Svarenheten er forskjellig fra analyseenheten fordi utvalgsenheten er utilgjengelig/ikke har mulighet til å delta. Fullmektige kan være tillatt av studiedesignet, men deres identitet er ikke spesifikt utpekt (for eksempel, hvem som helst i husstanden kan gi informasjon om en annen husstandsmedlem, eller

Code value	Code descriptive term	Code definition
		hvilken som helst tilgjengelig student kan gi informasjon om en annen student, etc.).
Interviewer	Intervjuer	Data er direkte registrert av intervjueren som et resultat av hans eller hennes egne observasjoner, og ikke ved å fremkalle svar til et spørsmål.
Other		

---

## Deprecated codes list

--

---

## Usage

### [DDI3.3](#)

Module name: datacollection

Element name: [ResponseUnit](#)

### [DDI 3.2](#)

Module name: datacollection

Element name: [ResponseUnit](#)

### [DDI 2.5](#)

Element/Attribute name: [respUnit](#)

---

## Copyright and license

Copyright © [DDI Alliance](#) 2020.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). ResponseUnit [Svarenhet] (Version 1.0.1) [Controlled vocabulary]. CESSDA.

urn:ddi:int.ddi.cv:ResponseUnit:1.0.1. Available from:

<http://vocabularies.CESSDA.eu:80/urn/urn:ddi:int.ddi.cv:ResponseUnit:1.0.2>



# DDI Alliance Controlled Vocabulary for ResponseUnit

## CV definition

Indikerer enheten som har gitt informasjonen som er i variabelen.

## Details

CV short name:	ResponseUnit
CV name:	Svarenhet
CV notes:	
Language:	Norwegian (no)
Version:	1.0.1
Canonical URI:	<a href="urn:ddi:int.ddi.cv:ResponseUnit:1.0">urn:ddi:int.ddi.cv:ResponseUnit:1.0</a>
Agency:	<a href="#">DDI Alliance</a>
Translator Agency:	<a href="#">NSD - Norwegian Centre for Research Data</a>

## Code list

Code value	Code descriptive term	Code definition
Self	Selv	Svarenheten er den samme som observasjons-/analyseenheten.
Informant	Informant	Svarenheten er forskjellig fra observasjonsenheten i studiedesignet, og identiteten til svarenheten er også forhåndsbestemt av studiedesignet. Slike studier blir faktisk kalt "informantundersøkelser" og de involverer, for eksempel, innhenting av informasjon om et fellesskap fra visse utvalgte medlemmer som har spesifikk informasjon, som kirkeledere, bedriftseiere eller ledere, leger, lærere, samfunnsledere, etc. Eller, hvis en bedrift eller organisasjon er observasjonsenheten, kan informasjonen være ettertraktet på forskjellige administrative/faglige nivåer, etc.
Proxy	Fullmektig	Svarenheten er forskjellig fra analyseenheten fordi utvalgsenheten er utilgjengelig/ikke har mulighet til å delta. Fullmektige kan være tillatt av studiedesignet, men deres identitet er ikke spesifikt utpekt (for eksempel, hvem som helst i husstanden kan gi informasjon om en annen husstandsmedlem, eller hvilken som helst tilgjengelig student kan gi informasjon om en annen student, etc.).
Interviewer	Intervjuer	Data er direkte registrert av intervjueren som et

Code value	Code descriptive term	Code definition
		resultat av hans eller hennes egne observasjoner, og ikke ved å fremkalle svar til et spørsmål.
Other		

---

## Deprecated codes list

--

## Usage

### [DDI3.3](#)

Module name: datacollection

Element name: [ResponseUnit](#)

### [DDI 3.2](#)

Module name: datacollection

Element name: [ResponseUnit](#)

### [DDI 2.5](#)

Element/Attribute name: [respUnit](#)

---

## Copyright and license

Copyright © [DDI Alliance](#) 2020.



This work is licensed under a [Creative Commons Attribution 4.0 International](#).

Citation: DDI Alliance. (2020). ResponseUnit [Svarenhet] (Version 1.0.1) [Controlled vocabulary]. CESSDA.

urn:ddi:int.ddi.cv:ResponseUnit:1.0.1. Available from:

<http://vocabularies.cessda.eu:80/urn/urn:ddi:int.ddi.cv:ResponseUnit:1.0>