

MINGW32:/c/Git/test-1

```
User@DESKTOP-97TJ6UT MINGW32 /c/Git
$ cd c:/Git/test-1

User@DESKTOP-97TJ6UT MINGW32 /c/Git/test-1
$ git init
Initialized empty Git repository in C:/Git/test-1/.git/

User@DESKTOP-97TJ6UT MINGW32 /c/Git/test-1 (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    1txt.txt

nothing added to commit but untracked files present (use "git add" to track)

User@DESKTOP-97TJ6UT MINGW32 /c/Git/test-1 (master)
$ git add .

User@DESKTOP-97TJ6UT MINGW32 /c/Git/test-1 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   1txt.txt

User@DESKTOP-97TJ6UT MINGW32 /c/Git/test-1 (master)
$ git commit -m "Added file 1txt.txt"
[master (root-commit) bde59c7] Added file 1txt.txt
1 file changed, 1 insertion(+)
create mode 100644 1txt.txt

User@DESKTOP-97TJ6UT MINGW32 /c/Git/test-1 (master)
$ git remote add origin https://github.com/ddianka1/test-1.git

User@DESKTOP-97TJ6UT MINGW32 /c/Git/test-1 (master)
$ git push https://ghp_rkB8gbo7nEOa1ZTwtyhFbQEGPZpgH83kZVZ2@github.com/ddianka1/test-1.git
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 233 bytes | 29.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/ddianka1/test-1.git
 * [new branch]      master -> master

User@DESKTOP-97TJ6UT MINGW32 /c/Git/test-1 (master)
$ git pull origin master
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 649 bytes | 27.00 KiB/s, done.
From https://github.com/ddianka1/test-1
 * branch      master    -> FETCH_HEAD
 * [new branch] master    -> origin/master
Updating bde59c7..f0664c7
Fast-forward
 Testing | 1 +
1 file changed, 1 insertion(+)
create mode 100644 Testing

User@DESKTOP-97TJ6UT MINGW32 /c/Git/test-1 (master)
$ |
```

Активация Windows
Перейдите до розділу "Настройки", щоб активувати Windows.

Активация Windows
Перейдите до розділу "Настройки", щоб активувати Windows.

Активация Windows