

Bynet Protocol

Whitepaper

2023

Abstract

Bynet Protocol is a set of DApps and tools designed to minimize entry barriers for all DeFi participants. It includes tools like Prime Liquidity and Matching Engine, as well as the BynetDEX and Bynet Wallet infrastructure.

Disclaimer

The information included in this Whitepaper is subject to change or update and should not be interpreted as a commitment. Byron Network OU (entity behind Bynet Protocol) is entitled to adjust the development process if the reasons to do so appear.

Abstract	2
Disclaimer	2
1. Introduction	4
2. EUTXO model on Cardano	5
3. Hydra, Basho era, and scalability	6
4. Bynet Protocol	7
4.1. Prime Liquidity (Layer 1)	7
Liquidity providers	8
Liquidity Pool	10
Partial Order	12
4.2. Matching Engine (Layer 2)	14
Matchmaker	15
Matching process	16
API - Prime Liquidity access	17
Matching process - use case	17
4.3. BynetDEX - utilizing order book design	18
DEX participants	18
Advanced calls	19
Order Book Pattern	20
Liquidity Order use case	21
4.4. The Bynet Wallet - mobile and non-custodial	22
Wallet functionality	22
4.5. Cardanomarket.io - Cardano DeFi hub	23
5. BYNET token and its utility	25
6. References	26

1. Introduction

Due to its infancy, Decentralized Finance (DeFi) struggles with fundamental issues. As a result, problems with liquidity, complex infrastructure, constantly changing market conditions, and more product-oriented challenges occur. To face them, we introduce the Bynet Protocol, which aims to minimize entry barriers for all market participants, whether traders or DApp builders. Providing builders and entrepreneurs with the elements they need enables them to efficiently utilize our products to create innovative DApps. Delivering to a community of traders a set of DApps that are intuitive and functionality-packed creates a robust ecosystem of related products.

The Bynet Protocol development is divided into three phases. The first one is DApps-oriented and aims to provide the community with products that can help effortlessly navigate through DeFi. The main objective is to create Bynet Wallet and BynetDEX so people can hassle-free engage with the Cardano blockchain. The second stage is tools-oriented, and its goal is to empower DeFi projects on Cardano that have innovative ideas and want to utilize ready-to-use solutions. Depending on their needs, we could offer special tooling that lifts a specific implementation burden from their shoulders. The third phase is adoption-oriented, and while topics of DeFi and possible gains have high coverage in the crypto space, we want to help the traders' community grow and understand the underlying value of DeFi on Cardano.

2. EUTXO model on Cardano

To understand the uniqueness behind Cardano and the reason why it is essential to contribute to such a thought-through project, this section will go over the most critical features of that blockchain.

Known blockchains use either an account-based model, such as Ethereum, or an UTXO model, such as Bitcoin. However, the team behind Cardano blockchain noticed the potential of UTxO while also implementing specific improvements. Double spending is just one example of an issue that is not a concern for Cardano participants.

One of the changes applied by the Cardano team to the already existing UTxO was adding “datum” to transaction outputs. It is an extra argument passed in the validation process and is used to bear the state of the machines. The second modification is “context”. Its data allows the validator to carry out more complex conditions. Cardano’s last significant change includes the validity interval to transactions, between which a given transaction will be processed.

The expertise behind Cardano mirrors the values of Byron Network and Bynet Protocol. We want to build something useful for the Community. That is why the scalability, cheap fees, or an achievable number of transactions per second play a significant role in creating a trustworthy and widely used ecosystem.

Even though our products will be fully functional on Layer 1, we work with Layer 2 solutions on Cardano, which will revolutionize the scalability that is so important in DeFi products.

3. Hydra, Basho era, and scalability

The development of Cardano blockchain technology is divided into eras. We can now benefit from the advantages of smart contracts on mainnet, while scalability, and interoperability is in the next phase called the Basho era. This part of development is crucial for the Bynet Protocol, and we aim to take part in the development of the core of the Basho era.

Whereas previous development eras focused on decentralization and new functionality such as smart contracts, Basho is about improving the network's performance with high transaction volume. This part of the development phase introduces sidechains: interoperable with the main Cardano chains. Sidechains are designed to off-load work from the main chain and increase the network's capacity. Overall, the goal is to make Cardano one of the most high-performance, resilient, and flexible blockchains.

Another project developed by the Cardano team is Hydra – a set of protocols designed to address network security and scalability capabilities. It offers increased throughput, minimized latency, and cost-efficient solutions without substantial storage requirements. Having this part of the evolution of Cardano, our team approaches a rethought way of running an on-chain order book execution (matching and transacting) on Layer 2. [\[2\]](#)

4. Bynet Protocol

Bynet Protocol is a set of DApps and tools designed to minimize entry barriers for all DeFi participants. It includes tools like Prime Liquidity and Matching Engine, as well as the BynetDEX and Bynet Wallet infrastructure. .

4.1. Prime Liquidity (Layer 1)

Bynet Protocol offers a foundation to build trading products, utilizing an infrastructure layer that enables development on top of it. Shared liquidity among DApps that is initiated by BynetDEX's Liquidity Providers aims to solve the problem of lack of initial liquidity that many new projects face. Having mass adoption in mind, Bynet Protocol's goal is to provide a development layer that is ready to implement and combine with projects like BynetDEX. Therefore, we enable builders to shift their focus to innovation. Considering the constant-changing blockchain ecosystem's pace, projects need a foundation not to burn resources on providing initial liquidity or market-making.

Creating an ecosystem of DApps that are intertwined with each other leads to more significant opportunities for match-making. The infrastructure that Bynet Protocol gives access to consists of initial liquidity, swapping Cardano native tokens, an off-chain Matching Engine, and mobile wallet integration. Thanks to the On-chain Order Book pattern used in the protocol, trading applications can use CEX-known trading options like limit or stop-loss orders.

That way, Bynet Protocol can contribute to the ever-growing Cardano Community and provide developers with tools that help with expanding the Cardano ecosystem.

Liquidity providers

Liquidity Pools are sets of discrete Liquidity Orders, where each order has a slightly different rate. Every Liquidity Order is an independent exchange offer, but all of them together simulate the operation of the classic Liquidity Pool. The Liquidity Provider can add their funds in particular sets of liquidity instead of through one or more Liquidity Orders with identical rates. Thus, Liquidity Pool's funds earn better in an environment of ever-changing cryptocurrency prices. Similar to AMM's concentrated liquidity pool, the Liquidity Provider chooses the price range he wants to provide tokens in. They can select the range depending on the dynamics of the price of a given token. In addition, they choose how their UTXO distribution is going to form based on the formula with an adjustable function:

$$f(x) = \frac{n}{\left(\left|\frac{x}{m}\right|\right)^3 + 1}$$

Where

n indicates the number of tokens in the UTxO closest to the market price (the biggest UTxO),

m influences the concentration of tokens around the market price, changing the number of tokens across exchange rate values.

Liquidity Provider decides, based on the trade history, the dynamic of the price, and selects the appropriate function.

- Increasing the value of m will create less concentrated liquidity.
- Decreasing the value of m will create more concentrated liquidity.

Then, they decide on the number of UTxO they want to create and the range of exchange rates. The more UTxOs, the easier it will be for Matchmakers to execute orders. Therefore, more swaps equal more fees on the orders. Supposing a Liquidity Provider chooses to create 5 UTxOs, that would be created, have the following prices:

$$P_m, P_m - i, \dots, P_m - 4i,$$

Where

i is a change between each consecutive exchange rate,

P_m is the market price, or the price Liquidity Provider chooses according to their initial investment.

The UTxOs created can be visualized by Figure 1, showing exemplary $f(x)$ and five separate UTxOs, each with a different exchange rate, as depicted above. Creating separate UTxOs with varying exchange rates protects liquidity providers from an inadequate exchange rate to the current demand for a specific token.




Figure 1. UTxO distribution across exchange rates

Imagine a traditional Liquidity Pool. It is a system containing large numbers of two different tokens, A and B, that allows pulling them out as long as specific rules are

adhered to. For example, we can make it so each swap must additionally draw 0.3% less than it would like (a commission). If we analyze such a pool, it turns out that each consecutive swap of coin A for coin B is less and less profitable. If we were to establish that each swap could move only 100 coins A (and as much B as the algorithm of this pool requires), we could divide the entire pool into a set of independent exchange offers.

Not every offer is equally profitable – similarly to Order Book CEX, only some orders will be close to the market rate. However, when the global market price of coins fluctuates, the A to B swap offers will disappear faster than B to A (or vice versa). The situation will stabilize when the most profitable offer remains. As seen in Graph 1, with the demand for tokens that have been provided, the exchange rate is getting more competitive, matching the fluctuation in market price.

Liquidity Pool

The liquidity pool with both tokens is depicted in Figure 2. In this case, we look at a pair of tokens A and B as an example, where different functions have been applied. The spot price for A tokens would be P3 in the initial liquidity pool of UTXOs. It portrays a typical situation in centralized order book exchanges in terms of price discovery. Because the Liquidity Provider imposes a fee, the actual exchange rate will be slightly affected, creating a small spread. Its size would depend primarily on Liquidity Provider's fee. The DEX will provide historical data to help adjust trading strategy to match trends, typical spread size in a given token pair, or the transaction sizes.




Figure 2. The initial state of a liquidity pool

Let's now suppose that several UTxOs have been swapped, a fee has been added, and now the UTxO is selling the opposite token with the same exchange rate as previously, as seen in Figure 3 below.




Figure 3. Liquidity Pool state after some swaps

Since, for example, UTxO, which was previously selling A tokens, is now selling B tokens with the exact exchange rate, a new spot price occurs at P1 for A tokens. The Liquidity Provider still imposes the fee on B tokens. Depending on the demand for a given token, spot price will change, as in traditional trading. When the Liquidity Orders grow to a certain level, the Liquidity Provider can cancel them and get a number of tokens greater than the value of the initial Liquidity Order.

Partial Order

With a market that is considered illiquid, order book needs to consider various order sizes. Partial Orders allow matchmakers to divide UTxOs into specified sizes, supposing requirements are met.

We define Liquidity Order as

$$Order = (A, B, Fee, R, M)$$

where:

A – the current amount of A tokens

B – the current amount of B tokens

Fee - the value expressed as a percentage by which each swap must be increased (e.g., 0.3% is 0.003 in this case, 50% is 0.5, etc.)

R – exchange rate, understood as (value of one A token) / (value of one B token)

M – a minimum swap size. The Liquidity Provider may not allow too small swaps if it deems that they will not bring them enough profit and will block UTXO for larger swaps simultaneously. M is expressed as a fraction of the range (0.1] (0.0 means that there is no lower limit for the swap size; 0.1 means that a minimum of 10% of funds must be swapped; 1.0 means that all funds must be swapped, which gives us the classic non-partially-fulfillable Liquidity Order).

Swap $A \rightarrow B$

On a given $Order = (A, B, Fee, R, M)$, you can swap $Ax \rightarrow Bx$ (we deposit Ax coins A and receive Bx coins B) when the following statements are true:

- $Bx \leq B$ (you cannot draw more coins than are currently available in the order)
- $Bx / R \geq (A + B / R) * M$ (the value of B coins withdrawn cannot be less than the set percentage of the total value of A and B coins available)
- $Ax \geq (Bx / R) * (1 + Fee)$ (the value of the deposited A coins must be at least as much as the B + Fee coins are worth)

After such a swap, the person who created the transaction receives Bx coins B and creates a new $Order' = (A + Ax, B - Bx, Fee, R, M)$, thus losing Ax coins A.

Swap $B \rightarrow A$

On a given $Order = (A, B, Fee, R, M)$ you can swap $Bx \rightarrow Ax$ (we deposit Bx coins B and receive Ax coins A) when the following statements are true:

- $Ax \leq A$ (you cannot draw more coins than are currently available in the order)

- $Ax \geq (A + B / R) * M$ (the value of A withdrawn coins may not be less than the agreed percentage of the total value of A and B coins available)
- $Bx / R \geq Ax * (1 + Fee)$ (the value of B coins deposited must be at least as much as the A + Fee coins are worth)

After such a swap, the person who created the transaction receives Ax coins A and creates a new **Order** $' = (A - Ax, B + Bx, Fee, R, M)$, thus losing Bx coins B.

The case where $M = 1$

If the Liquidity Provider sets $M = 1$, it creates a regular, not partially fulfillable liquidity order. Let's see on the example of $A \rightarrow B$ what the formulas will look like:

$$Bx / R \geq (A + B / R) * M \Rightarrow Bx / R \geq (A + B / R) \Rightarrow (Bx - B) \geq A * R$$

We know from this equation that $Bx \leq B$, so $(Bx - B) \leq 0$. A determines the number of available A tokens in the Liquidity Order, i.e., it is a natural number - it cannot be less than zero. R as the ratio of prices A to B must be greater than 0. In this case, the inequality $(Bx - B) \geq A * R$ is satisfied only when both sides of it are 0. A must necessarily be 0, and Bx is equal to B. In this case, we can describe the initial order as **Order** $= (0, B, Fee, R, M)$, and after replacing Ax with Bx, a new order is created **Order** $' = (Ax, 0, Fee, R, M)$.

As we can see, only one type of coin can be kept in such an order at a time, and with each swap, the entire reserve of the coin held there is converted into a new reserve of the second coin.

4.2. Matching Engine (Layer 2)

Cardano, at its base, has three rules. Those are scalability, interoperability, and sustainability. Along with the Basho era and works around these three rules, Bynet

Protocol aims to deliver Layer 2 for scalable and secure matching orders and executing transactions.

Bynet Layer 2 aims to bring scalability into transactions between orders from On-chain Order Book. We especially look at Hydra development, which can influence the speed and efficiency of transactions. Our goal is to introduce the concept of decentralized matchmaking machines that take part in the whole Bynet Protocol as providers of effectiveness and efficiency.




Figure 4. Matching - layer interaction

Matchmaker

Matchmaker is an algorithm that matches and executes trades against each other. With long-term plans in mind we look at SPOs (Stake Pool Operators) that could run Hydra nodes along with Bynet Layer 2 software services.

Stake Pool Operator is a node of the Cardano P2P network that takes part in creating blocks. The more ADA is delegated to SPO, the higher the chance SPO will

become a slot leader, which means he creates a block shared in the network. There can be an incentivization involved in being a block creator. These rewards are divided between SPOs and could be shared with wallets that delegate ADA with them.

In Bynet Protocol, SPOs have a crucial role. The first is making Cardano decentralized, and the second is caring about the Community. We want them to be incentivized additionally for being Bynet Protocol's Layer 2. They have the opportunity to become Matchmakers. Their role in Cardano is to give computing power to the network. This computing power may be used to keep Bynet Protocol working well.

Matching process

Matching is a service that executes transactions on Layer 2 chain. Moreover, Matchmaker decides how much it earns. There are two sources of transaction parameters: described by the order owner (how much they want for the tokens) and described by Bynet On-chain Order Book (mostly incentives parameters). The role of Matchmaker is to create transactions between orders and meet expectations defined in orders' parameters. It's up to the Matchmakers what reward they take. Their compensation is based on the spread between the bid and ask. Matchmaker plays on its own in a game of incentives by playing the same rules for everybody. If they want to earn more, they will focus on searching for orders that bring them many rewards. But at the same time, they understand that those types of matches occur less frequently than the smaller fees ones. Matchmakers can also execute partially fulfilled swaps when the exchange rate is matched. However, there is a difference in the expected number of tokens.

It's a **self-balancing open market**—a minimum of algorithmics. Initially, there will be one Matchmaker machine, a BynetDEX one. Once this model is confirmed, the Community will get access to the code (software) to create their algorithms and participate in the “matching game”. We will support SPOs

Community to join the protocol as Matchmakers on specified markets. SPOs as separate instances of the DEX working on the On-chain Order Book from Bynet [\[3\]](#).

API - Prime Liquidity access

In our protocol, we introduce API endpoints to be accessible by Matchmakers. Thanks to this layer, Matchmakers can easily ask for data from On-chain Order Book. Data response (JSON) consists of a list of orders and order details. Requests are parametrized, meaning Matchmaker can decide what type of orders they want to get, how many of them, sorted and ordered, etc. It is similar to database queries.

```
[
  {
    "lockedCoin": {
      "amount": 1000,
      "coin": {
        "currencySymbol": "25ae866bd6b617664c054dc97f4d5b3a8cff3fb6ab0354622ada4a11",
        "tokenName": "A"
      }
    },
    "orderType": "Liquidity",
    "orderHash": {
      "txOutRefIdx": 1,
      "txOutRefId": {
        "getTxId": "9dec4e3d5cd0b7c1265bdd4e8642d95ec3465e309427cb7288c946d25d09fc7d"
      }
    },
    "expectedCoin": {
      "amount": 100,
      "coin": {
        "currencySymbol": "25ae866bd6b617664c054dc97f4d5b3a8cff3fb6ab0354622ada4a11",
        "tokenName": "B"
      }
    }
  },
]
```

Figure 5. Example of JSON response

Matching process - use case

Matchmaker focuses on one pair of tokens: A and B. They see that the current exchange rate between them is 1A:2B. Its goal is to find the best orders to bring them to at least, e.g., 0,3 ADA. They have to look into the On-Chain Order Book, limit orders to those in this pair, find the opposite ones and then try to match them with the

minimum of 0,3 ADA worth of tokens as a reward left for themselves. This takes some time, and there might not be any order meeting those expectations at all. It's also a risk for them because while searching is more prolonged, another Matchmaker can already use UTxOs that meet his expectations. The Matchmaker then reconsiders its plan. It's worth finding those who are leaving 0,05 ADA because based on the analysis of OOB, there will be more earnings in total, as those are faster to find at the current price.

4.3. BynetDEX - utilizing order book design

Decentralized apps, in particular decentralized exchanges, have been getting more and more attention with the possibilities they offer. Without the need for a third party, DEXes offer their participants a wide range of incentives. BynetDEX allows the exchange of native Cardano crypto assets between the users. The development and introduction of multi-chain will welcome swaps with any crypto assets, regardless of their blockchain.

Apart from being traders, participants of the DEX will be given a choice to become a Liquidity Provider or a Matchmaker. Having various economic incentives, one can decide which role fits their strategy best. In addition, BynetDEX users are going to be able to use the wallet of their choice, whether that would be Bynet Wallet prepared specifically for BynetDEX or any other integrated Cardano wallet.

DEX participants

We have 3 types of actors:

Traders - those are the traders interested in exchanging their crypto assets without the intervention of any third parties. Traders' objective is to swap the funds with the most optimal price possible. They will be able to use trading options such as limit order or stop-loss order. The trading experience will be close to what traders find familiar with

CEX. In addition, these types of orders are thought to be a fundamental part when discussing risk management.

Traders have to have in mind that orders that are supposed to be swapped as soon as possible need to have an exchange rate that is a little less attractive to them, or they should create an order with additional ADA as an incentive for Matchmakers. The swap order that the trader creates is more attractive for a Matchmaker as it covers the cost of making a swap.

Liquidity Providers - people with funds willing to provide liquidity. Liquidity providers earn from fees that are given upon their liquidity orders. The liquidity providers choose fees. They are given freedom regarding the amount of fee they decide to put on a particular liquidity order. That way, they are incentivized to manage their risk strategy. In addition, they can preview their rewards and withdraw them while contributing to the DEX by sharing a percentage of their profit.

Matchmakers - people (or bots) executing orders. They look for orders that match and choose the ones from which they can earn. For example, Alice wants to trade 10A for 9B, and Bob wants to trade 10B for 9A. Both of them want their orders to be executed as fast as possible. Therefore, they choose a less attractive exchange rate. If we take these two orders and execute them in one transaction, Alice gets 9B, Bob gets 9A, and the Matchmaker gets 1A and 1B. Matchmakers want to be able to easily analyze existing DEX orders and combine as many orders as possible into one transaction. Matchmaker has to stake a required amount of BYNET tokens to execute matches. In the initial stage of BynetDEX development, the role of Matchmakers will be given to SPOs.

Advanced calls

BynetDEX distinguishes two modes in which a user can trade. The first one is a simple swap-mode, similar to Uniswap style, so called a market order. The second one is more complex as it combines several types of orders. We call the second type an

orderbook-mode. It comprises orders such as market limit order, stop-limit order, stop-loss order, stop market order, trailing stop order.

Order Book Pattern

The BynetDEX model is based on Order Book Pattern (OBP) combined with a 2-phase commit pattern. The model distinguishes the commit and execution phases. In the committing phase, “swappers” submit crypto asset orders to expect a particular amount of an opposite coin. The execution phase matches orders and performs them accordingly. Successful execution locks money in the script for the beneficiary. Like CEX, the UI will include a list of buy and sell orders, and with progress, the charts with market depth will visualize the current market situation.

Orders are the core of OBP. Order is represented as EUTxO, which contains all information needed to perform a swap. Different types of orders make up the model.

CEX-similar orders – a type of order that applies given conditions for an order to be executed. It contains the tokens that the trader wants to replace, they can be used only when an appropriate payout is created for the owner of the order (UTxO, which that person can only use). Looking at a swap-mode order, it is simply UTxO pushed into On-chain Order Book and expected to be executed as fast as possible by Matchmaker with the opposite swap order. After the swap is done, new UTxOs are created and assigned to the owners with a number of expected tokens. Traders can use advanced trading options with order types like limit order or stop-loss order. That way, they are given more control over their long-term investment, allowing them to wait for a specific exchange rate.

LP-similar orders – a type of order prepared with liquidity providers in mind. It contains information about which two tokens (in specific quantities) will be exchanged and the fee amount. The fee that the liquidity provider imposes is not specified.

Instead, we want traders to apply a particular fee considering their risk strategy. The formula that explains the behavior of a liquidity order after being swapped in terms of one specific token can be described as follows:

$$T_n = T_0(1 + f)^n$$

where

$n = 0, 2, 4, \dots$,

f is a fee imposed on the order by the Liquidity Provider,

T is the number of tokens in a liquidity order.

Liquidity Order use case

A trader manually creates a liquidity order between 100A and 50B, with a commission of 1%. Initially, we create it as UTxO and add 50B to it. If someone wants to receive 50B, they will have to create a new liquidity order with at least 101A (101% of 100). Now the liquidity order has 101A and awaits at least 51.005B (101% of 50.5, which is a calculated amount for a given exchange rate), meaning that if someone wants to get 101A, they will have to put at least 51.005B in it. This works until the original owner cancels the order - then they receive all the funds stored in this UTxO. The more swaps are made on this liquidity order, the more profit the person submitting it will receive.




Figure 6. Liquidity Order use case

4.4. The Bynet Wallet - mobile and non-custodial

Bynet Wallet is an HD Native Wallet for Cardano, part of the Bynet Protocol ecosystem. As the first of its kind on the Cardano blockchain, we plan to deliver the best quality wallet and contribute to the Community by developing mobile tools useful for mobile DApps on this particular blockchain.

Wallet functionality

Apart from the fundamental functionality of Bynet Wallet that includes sending and receiving crypto assets on the given wallet address with mobile security. Due to the traders-for-traders approach, the Wallet will be equipped with crypto portfolio management. Integration with BynetDEX will guarantee trading opportunities directly from the Wallet, taking another step toward better usability. A clear and intuitive design based on traders' experience makes the DApp user-friendly.

We understand that security plays a significant role when the topic of storing cryptocurrency arises. Specific solutions require different approaches to ciphering data, so our team considered both the market expectations and technical possibilities. Bynet Wallet guarantees multi-level security and features such as biometrics and PIN. To ensure a high-security level, we use cutting-edge versions of core and encrypting libraries to provide bugless software..

Process of wallet creation concerning security:

1. Entropy is generated. Public and private keys, as well as wallet addresses, are generated from entropy.
2. Entropy is encrypted using asymmetric cryptography.
3. Using react-native-keychain, the entropy that was asymmetrically encrypted is secured using biometrics on hardware, on the operating system level.
4. As the crucial element of the wallet, entropy can be used only when the user is signing a transaction. However, we send a request to the service layer to have the transaction signed to avoid unnecessary access to entropy (decrypting it).

4.5. Cardanomarket.io - Cardano DeFi hub

Cardano ecosystem has grown to one of the biggest in terms of Community, Total Value Locked (TVL), smart contracts, and DApps number. With the number of projects, which is still growing, the number of new tokens on the market is constantly increasing.

Cardano Market is a DeFi hub that facilitates easy entrance into the world of decentralized finance that is being created on Cardano. Its initial version focuses on token prices indicated on the Cardano Market as an average from data extracted from SundaeSwap, MuesliSwap, and MinSwap and is updated every few minutes. The goal

of our platform is to create a place ideal for both newbies in DeFi on Cardano, but also provide interesting insights from the DeFi space. Cardano Market's token pricing is available for the Community both on Bynet Wallet and on cardanomarket.io

5. BYNET token and its utility

BYNET token will provide incentivization on the Bynet Protocol, with 60% of the tokens being distributed to the Community that actively uses the platform, adds liquidity, or stakes BYNET tokens. In addition, BYNET tokens will grant voting power to holders regarding changing protocol parameters. The token is a gateway for advanced trading options, e.g., limit orders and stop-loss orders.

Liquidity Provider (market)

- Liquidity Provider earns BYNETs from Liquidity Mining Program as rewards for providing liquidity on various rules.

Matchmaker (computing power)

- SPO has to have a specified amount of BYNETs staked to be a Matchmaker.
- Matchmakers may share earnings with their delegators - they decide what percentage of earnings from matching go to delegators (only to those delegators who stake BYNETs and reward only in BYNETs).

Trader (market)

- Advanced trading options, once introduced, will engage BYNET tokens.

Staker (BYNET power)

- Earns BYNETs per epoch when keeping tokens during full epoch from “Staking” rewards treasury.

DAO (Utility)

- Each owner of BYNETs has its vote power during parameters changes voting.

6. References

- [1] Ladopoulos, Dmitris. “Goguen - Cardano Roadmap.” *Cardano Roadmap*,
<https://roadmap.cardano.org/en/goguen/>. Accessed 6 March 2022.
- [2] Ladopoulos, Dmitris. “Basho - Cardano Roadmap.” *Cardano Roadmap*,
<https://roadmap.cardano.org/en/basho/>. Accessed 6 March 2022.
- [3] Niamh Ahern “Implementing Hydra Heads: the first step towards the full Hydra vision.”
IOHK, 2 February 2022,
<https://iohk.io/en/blog/posts/2022/02/03/implementing-hydra-heads-the-first-step-towards-the-full-hydra-vision/>. Accessed 7 March 2022.