MATH 1271 **Name:** _____
Fall 2026
Exam 1
10/06/2026
Time Limit: 50 minutes **Student ID:** _____

This exam consists of 5 questions across 9 pages worth 100 points.
Rules:

- You have the indicated amount of time above to complete the exam and you must not begin working on the exam until instructed to do so.
- You must show all of your work to receive full credit, unless stated otherwise. **On problems that require work to be shown, answers that are mysterious or unsupported will not receive full credit.**
- You may not use a calculator, textbook, notes or any other external resources.
- Please write your initials at the top of every page in the event the pages become separated.
- If you run out of space on a page, feel free to use the back of the page to continue your work.
- You understand that if you violate any of these or the University's rules, you will receive a score of zero on this exam and you may be subject to further disciplinary action.

Following the University of Minnesota's policy on academic honesty, I pledge that the work shown on this exam is entirely my own and that I have followed the rules stated above.

Signature: _____

Question	Points
1	10
2	25
3	18
4	20
5	27
Total:	100

1. **Multiple Choice.** Clearly fill in *all* correct options for the following questions. No work needs to be shown, no partial credit will be given. Every correct choice chosen will add one point, every incorrect choice chosen will subtract one point. Your score cannot go below zero for a given part.

   (a) (4 pts) Suppose that you have attached some mass to a spring, so that the distance from the mass to the base of the spring in centimeters after t seconds have elapsed is given by the function $s(t)$. Furthermore, suppose that you know:

   $$s(0) = 2, \quad s(2) = 10, \quad s'(2) = -13, \quad s''(2) = 2.5$$

   Which of the following statements are correct interpretations of those measurements?

   ◯ Over the first two seconds, the mass moved at an average velocity of 10 cm/sec
   ◯ Over the first two seconds, the mass moved at an average velocity of -13 cm/sec
   ◯ At $t = 2$ seconds, the mass is moving with an instantaneous velocity of 2.5 cm/sec
   ◯ At $t = 2$ seconds, the mass is moving with an instantaneous velocity of -13 cm/sec
   ◯ At $t = 2$ seconds, the distance is *decreasing*.
   ◯ At $t = 2$ seconds, the distance is *increasing*.
   ◯ At $t = 2$ seconds, the velocity of the mass is *decreasing*.
   ◯ At $t = 2$ seconds, the velocity of the mass is *increasing*.
   ◯ At $t = 2$ seconds, the mass is accelerating at a rate of 2 cm/sec^2.
   ◯ At $t = 2$ seconds, the mass is accelerating at a rate of 10 cm/sec^2.
   ◯ At $t = 2$ seconds, the mass is accelerating at a rate of -13 cm/sec^2.
   ◯ At $t = 2$ seconds, the mass is accelerating at a rate of 2.5 cm/sec^2.

   (b) (3 pts) Let $f(x) = \sqrt[3]{x}$. Which of the following statements are true?

   ◯ $f(x)$ is defined at $x = 0$.
   ◯ $f(x)$ is not defined at $x = 0$.
   ◯ $f(x)$ is continuous at $x = 0$.
   ◯ $f(x)$ is not continuous at $x = 0$.
   ◯ $f(x)$ is differentiable at $x = 0$.
   ◯ $f(x)$ is not differentiable at $x = 0$.

(c) (3 pts) Suppose we have continuous functions $f(x), g(x)$, and $h(x)$ and we know that:

$$\begin{array}{lll} \lim_{x\to 0} f(x) = 3, & \lim_{x\to 0} g(x) = 2, & \lim_{x\to 0} h(x) = 0, \\ \lim_{x\to 2} f(x) = 0, & \lim_{x\to 2} g(x) = 0, & \lim_{x\to 2} h(x) = 3, \\ \lim_{x\to 3} f(x) = 0, & \lim_{x\to 3} g(x) = 3, & \lim_{x\to 3} h(x) = 2. \end{array}$$

Which of the following must also be true?

- ◯ $\lim_{x\to 0}(f(x)\cdot g(x)) = 3$
- ◯ $\lim_{x\to 0}(f(x)\cdot h(x)) = 3$
- ◯ $\lim_{x\to 0}(g(x)\cdot h(x)) = 3$
- ◯ $\lim_{x\to 0}(f(x)+g(x)) = 3$
- ◯ $\lim_{x\to 0}(f(x)+h(x)) = 3$
- ◯ $\lim_{x\to 0}(g(x)+h(x)) = 3$
- ◯ $\lim_{x\to 2} \frac{g(x)}{f(x)}$ DNE
- ◯ $\lim_{x\to 0} \frac{g(x)}{f(x)}$ DNE
- ◯ $\lim_{x\to 3} \frac{g(x)}{f(x)}$ DNE
- ◯ $\lim_{x\to 3} h(g(f(x))) = 2$
- ◯ $\lim_{x\to 2} h(g(f(x))) = 2$
- ◯ $\lim_{x\to 0} h(g(f(x))) = 2$

2. **Short Answer.** For the following parts, provide the requested quantity with a short explanation of how you arrived at that answer.

(a) Using the given table of values, evaluate or estimate the following quantities.

i. (1 pt) $f(5) =$ _____


ii. (2 pts) $\lim_{x\to 5^-} f(x) =$ _____

iii. (2 pts) $\lim_{x\to 5^+} f(x) =$ _____

iv. (2 pts) $\lim_{x\to 5} f(x) =$ _____

x	$f(x)$
4	11
4.9	11.5
4.99	11.75
4.999	11.875
4.9999	11.9375
5	13
5.0001	9.999
5.001	9.8
5.01	9.6
5.1	9.2
5.2	9.3

The graph of a function $f(x)$ is pictured below:



(b) Use the above graph to evaluate each of the following:

i. (1 pt) $\lim_{x\to 0^-} f(x) =$ _____

ii. (1 pt) $\lim_{x\to 0^+} f(x) =$ _____

iii. (1 pt) $\lim_{x\to 0} f(x) =$ _____

iv. (1 pt) $\lim_{x\to 2^-} f(x) =$ _____

v. (1 pt) $\lim_{x\to 2^+} f(x) =$ _____


vi. (1 pt) $\lim_{x\to 2} f(x) =$ _____

vii. (1 pt) $\lim_{x\to 3^-} f(x) =$ _____

viii. (1 pt) $\lim_{x\to 3^+} f(x) =$ _____

ix. (1 pt) $\lim_{x\to 3} f(x) =$ _____

As on the previous page, the graph of $f(x)$ is pictured below:



(c) (3 pts) Use the above graph to determine *all* the points at which $f(x)$ is discontinuous or explain why there are none.

(d) (3 pts) Use the above graph to determine *all* the points at which $f(x)$ is continuous *but not* differentiable or explain why there are none.

(e) (3 pts) Use the above graph to determine *all* the points at which $f(x)$ is differentiable *but not* continuous or explain why there are none.

3. Suppose that C and D are some constants, and that

$$f(x) = \begin{cases} x^2 - Cx + 4, & x \leq -2 \\ x^3 + Cx^2 - D, & -2 < x \leq 1 \\ Dx + C + 3, & x > 1 \end{cases}$$

(a) Compute the following limits, using the space below to show your work:

i. (2 pts) $\lim_{x \to -2^-} f(x) =$ _____

ii. (2 pts) $\lim_{x \to -2^+} f(x) =$ _____

iii. (2 pts) $\lim_{x \to 1^-} f(x) =$ _____

iv. (2 pts) $\lim_{x \to 1^+} f(x) =$ _____

(b) (10 pts) Are there values of C, D that would make $f(x)$ a continuous function? If so, determine which values of C, D make $f(x)$ continuous, and explain why those values work. Otherwise, explain why no such values can exist.

4. Let

$$f(x) = \frac{5x^2 - 10x + 5}{x^2 - 3x + 2}.$$

(a) (10 pts) Determine, with work shown, the equations of *all* vertical asymptotes of $f(x)$ or explain why there are none.

(b) (10 pts) Determine, with work shown, the equations of *all* horizontal asymptotes of $f(x)$ or explain why there are none.

5. Let $g(x) = x^3 - 3x^2 + x + 1$. Suppose you are also given the expression of the derivative: $g'(x) = 3x^2 - 6x + 1$.

   (a) (10 pts) Use the definition of the derivative to compute the second derivative function $g''(x)$. Any methods other than applying the definition of the derivative will receive *no* points, even if they are correct.

   (b) (6 pts) Determine whether $g(x)$ is increasing or decreasing at $x = 1$ and explain your answer.

As on the previous page,

$$g(x) = x^3 - 3x^2 + x + 1, \quad g'(x) = 3x^2 - 6x + 1.$$

(c) (5 pts) Determine, with work shown, the equation of the tangent line to $g(x)$ at $x = 2$. Your answer must be in either slope-intercept, point-slope, or standard form.

(d) (6 pts) Determine whether $g(x)$ is concave up or concave down at $x = 3$ and explain your answer.