


1. alfalfa root




2. arabidopsis leaf




4. arabidopsis root




3. arabidopsis ovule




5. arabidopsis shoot




6. arabidopsis shoot apex





8. barley root



7. banana root









L: ligand; R: receptor; L/R: both roles. †: organ-confounded cell type.
Exploratory panels show candidate-gene expression; expression alone does not establish significant communication.


9. broccoli whole seedling




10. cabbage leaf




12. cassava root




11. cabbage shoot




13. cotton embryo seed




15. cotton ovule fibre





14. cotton leaf



16. grape leaf









L: ligand; R: receptor; L/R: both roles. †: organ-confounded cell type.
Exploratory panels show candidate-gene expression; expression alone does not establish significant communication.

17. kiwifruit leaf

Exploratory: supported candidates; single library




18. maize root




19. peanut leaf


Exploratory: detected candidates; no statistical support




20. potato leaf




22. potato tuber stolon




21. potato shoot





24. rice leaf



23. rape leaf









L: ligand; R: receptor; L/R: both roles. †: organ-confounded cell type.

Exploratory panels show candidate-gene expression; expression alone does not establish significant communication.


25. rice root




26. rice stem




27. sorghum root




28. soybean nodule




29. tea leaf




30. tobacco root





31. tomato shoot apex



32. wheat root







L: ligand; R: receptor; L/R: both roles. †: organ-confounded cell type.
Exploratory panels show candidate-gene expression; expression alone does not establish significant communication.