(a) phloem → procambium

(b) meristematic → phloem

(c) phloem → meristematic

(d) phloem → phloem

(e) cortex → cortex

(f) meristematic → meristematic

Jaccard

Grey: NA (not estimable) White: self comparison

* P < 0.05 ** P < 0.01 (unadjusted permutation P)

† Existing exploratory sensitivity branch

(a) vascular → vascular

(b) phloem → vascular

(c) vascular → phloem

(d) phloem → cortex

(e) epidermis → epidermis

(f) vascular → cortex

Alfalfa
Arabidopsis
Banana
Barley
Broccoli
Cabbage
Cassava
Cotton
Grape
Kiwifruit†
Maize
Peanut†
Potato
Rapeseed
Rice
Sorghum
Soybean
Tea
Tobacco
Tomato
Wheat

0.0 0.1 0.2 0.3 0.4 0.5
Jaccard

Grey: NA (not estimable) White: self comparison

* P < 0.05 ** P < 0.01 (unadjusted permutation P)

† Existing exploratory sensitivity branch

(a) cortex → phloem

(b) cortex → vascular

(c) root cap → root cap

(d) procambium → procambium

(e) phloem → companion cell

(f) companion cell → phloem

Jaccard 0.0 0.1 0.2 0.3 0.4 0.5

Grey: NA (not estimable) White: self comparison

* P < 0.05 ** P < 0.01 (unadjusted permutation P)

† Existing exploratory sensitivity branch

(a) companion cell → companion cell

(b) meristematic → mesophyll

(c) meristematic → guard cell

(d) meristematic → epidermis

(e) guard cell → meristematic

(f) guard cell → epidermis

Alfalfa
Arabidopsis
Banana
Barley
Broccoli
Cabbage
Cassava
Cotton
Grape
Kiwifruit†
Maize
Peanut†
Potato
Rapeseed
Rice
Sorghum
Soybean
Tea
Tobacco
Tomato
Wheat

0.0 0.1 0.2 0.3 0.4 0.5
Jaccard

Grey: NA (not estimable) White: self comparison

* P < 0.05 ** P < 0.01 (unadjusted permutation P)

† Existing exploratory sensitivity branch

(a) guard cell → guard cell

(b) epidermis → phloem

(c) epidermis → meristematic

(d) endodermis → procambium

(e) epidermis → guard cell

(f) cortex → root cap

Jaccard

Grey: NA (not estimable) White: self comparison

* P < 0.05 ** P < 0.01 (unadjusted permutation P)

† Existing exploratory sensitivity branch

(a) pericycle → pericycle

(b) phloem → epidermis

(c) pericycle → vascular

(d) mesophyll → meristematic

(e) meristematic → vascular

(f) procambium → phloem

Alfalfa
Arabidopsis
Banana
Barley
Broccoli
Cabbage
Cassava
Cotton
Grape
Kiwifruit†
Maize
Peanut†
Potato
Rapeseed
Rice
Sorghum
Soybean
Tea
Tobacco
Tomato
Wheat

0.0 0.1 0.2 0.3 0.4 0.5
Jaccard

Grey: NA (not estimable) White: self comparison

* P < 0.05 ** P < 0.01 (unadjusted permutation P)

† Existing exploratory sensitivity branch

(a) procambium → endodermis

(b) phloem → root cap

(c) root cap → phloem

(d) root epidermis → phloem

(e) root cap → cortex

(f) procambium → vascular

Alfalfa
Arabidopsis
Banana
Barley
Broccoli
Cabbage
Cassava
Cotton
Grape
Kiwifruit†
Maize
Peanut†
Potato
Rapeseed
Rice
Sorghum
Soybean
Tea
Tobacco
Tomato
Wheat

0.0 0.1 0.2 0.3 0.4 0.5
Jaccard

Grey: NA (not estimable) White: self comparison

* P < 0.05 ** P < 0.01 (unadjusted permutation P)

† Existing exploratory sensitivity branch

(a) root hair → cortex

(b) root epidermis → vascular

(c) vascular → pericycle

(d) vascular → meristematic

(e) vascular → procambium

(f) vascular → root epidermis

Alfalfa
Arabidopsis
Banana
Barley
Broccoli
Cabbage
Cassava
Cotton
Grape
Kiwifruit†
Maize
Peanut†
Potato
Rapeseed
Rice
Sorghum
Soybean
Tea
Tobacco
Tomato
Wheat


0.0 0.1 0.2 0.3 0.4 0.5
Jaccard

Grey: NA (not estimable) White: self comparison


* P < 0.05 ** P < 0.01 (unadjusted permutation P)


† Existing exploratory sensitivity branch

(a) xylem → phloem



(b) xylem → vascular





Grey: NA (not estimable) White: self comparison

* P < 0.05 ** P < 0.01 (unadjusted permutation P)

† Existing exploratory sensitivity branch