

## Visual Studio Tips & Tricks

Double Your Coding Speed



# Text Navigation - Part I

### Text Navigation 25



- Ctrl to move the cursor one word at a time
- End to move the cursor to the end of the line
- Home to move the cursor to the beginning of the line

# 

- **% +** ^ to move the cursor one word at a time
- fn + → to move the cursor to the end of the line
- fn + ← to move the cursor to the beginning of the line



# Text Navigation - Part II

### Text Navigation 25

- Page Down to scroll down
- Page Up to scroll up
- Ctrl + Home to jump to the beginning of the file
- Ctrl + End to jump to the end of the file

## Text Navigation



- fn + 1 to scroll down
- fn + ↓ to scroll up
- fn + ^ + ← to jump to the beginning of the file
- fn + ^ + → to jump to the end of the file



### Text Selection

#### Text Selection



- Shift to activate selection
- Shift + Ctrl + Right/Left to select one word at a time
- Shift + End to select from where the cursor is to the end of the line
- Shift + Home to select from the beginning of the line to where the cursor is

#### Text Selection



- $\Delta$  to activate selection
- 4 + + 1 → to select one word at a time
- • ↑ + fn + ← to select from the beginning of the line to where the cursor is



# Deleting Text

### Deleting Text



- Backspace to delete one character to the left of the cursor
- Ctrl + Backspace to delete one word to the left of the cursor
- Del to delete one character to the right of the cursor
- Ctrl + Del to delete one word to the right of the cursor
- Ctrl + L to delete the current line

### Deleting Text



- Delete to delete one character to the left of the cursor
- **% + ^ + Delete** to delete one word to the left of the cursor
- fn + Delete to delete one character to the right of the cursor
- **ૠ + ^ + fn + Delete** to delete one word to the right of the cursor
- Ctrl + L to delete the current line



# Commenting Code

### Commenting Code

- Ctrl + K, Ctrl + C to mark the selection as a comment
- Ctrl + K, Ctrl + U to remove the comment



### Bookmarks

#### Bookmarks

- Ctrl + K, Ctrl + K to toggle a bookmark
- Ctrl + W, B to view the Bookmarks window



# Expanding / Collapsing

## Expanding / Collapsing

• Ctrl + M, Ctrl + M to expand / collapse a code block



#### Tabs & Windows

### Tabs & Windows

- Ctrl + Tab to cycle through the open tabs
- Ctrl + Shift + Tab to reverse cycle

- Ctrl + F6 to go to the next tab
- Ctrl + Shift + F6 to go to the previous tab

### Tabs & Windows

- Ctrl + F4 to close the current tab
- Alt + W + L to close all the open tabs
- Ctrl +, to open the navigate dialog
- Shift + Alt + Enter to toggle the full screen mode

#### 

- Ctrl + Tab to cycle through the open tabs
- Ctrl + Shift + Tab to reverse cycle

- Ctrl + fn + F6 to go to the next tab
- Ctrl + Shift + fn + F6 to go to the previous tab

#### 

- Ctrl + fn + F4 to close the current tab
- Alt + W + L to close all the open tabs
- Ctrl +, to open the navigate dialog
- Shift + Alt + Enter to toggle the full screen mode



## Find & Replace

### Find & Replace



- Ctrl + F to display the Find dialog
- Ctrl + Shift + F to display the Find in Files dialog
- **F3** to find the next occurrence of the search text
- Shift + F3 to find the previous occurrence
- Ctrl + H to display the Replace dialog
- Alt + R to replace the currently selected occurrence
- Alt + A to replace all occurrences of the search text

## Find & Replace

- Ctrl + F to display the Find dialog
- Ctrl + Shift + F to display the Find in Files dialog
- fn + F3 to find the next occurrence of the search text
- Shift + fn + F3 to find the previous occurrence
- Ctrl + H to display the Replace dialog
- Alt + R to replace the currently selected occurrence
- Alt + A to replace all occurrences of the search text



# Running & Debugging

## Running & Debugging 25

- Ctrl + F5 to run the application
- **F5** to run the application in the *debug* mode
- Shift + F5 to stop the debugging session
- F9 to insert or remove a breakpoint
- **F10** to step over a method
- **F11** to step into a method
- Shift + F11 to step out of a method

## Running & Debugging

- Ctrl + fn + F5 to run the application
- fn + F5 to run the application in the debug mode
- Shift + fn + F5 to stop the debugging session
- fn + F9 to insert or remove a breakpoint
- fn + F10 to step over a method
- fn + # + F11 to step into a method
- Shift + fn + 36 + F11 to step out of a method



## Code Snippets

### Code Snippets

- class to create a class
- ctor to create a constructor
- prop to create an auto-implemented property
- propfull to create a property with a private field
- equals to override the Equals method of the base Object class
- for to create a for loop
- forr to create a for loop that decrements the loop variable

### Code Snippets

- foreach to create a foreach loop
- while to create a while loop
- do to create a do loop
- try to create a try/catch block
- tryf to create a try/finally block
- interface to create an interface



# Formatting Code

### Formatting Code

- Tab to move the selection one tab stop to the right
- Shift + Tab to move the selection one tab stop to the left
- Ctrl + K, Ctrl + F to format the code



# Compiling the Application

## Compiling the Application 29

- Ctrl + Shift + B to build the application without running it
- **F8** to cycle through the errors
- Alt + Tab to switch between the open applications
- Ctrl + R to refresh the current page in the browser

## Compiling the Application

- Ctrl + Shift + B to build the application without running it
- fn + F8 to cycle through the errors
- **# Tab** to switch between the open applications
- Ctrl + R to refresh the current page in the browser



### VisualSVN

#### VisualSVN

- Alt + U, C to view the Commit dialog
- Alt + U, U to view the Update dialog
- Alt + U, L to view the Log



TFS

#### TFS

- Ctrl + 0, H to view Team Explorer Home
- Ctrl + 0, P to view Pending Changes
- Ctrl + 0, M to view My Work
- Ctrl + 0, W to view Work Items
- Ctrl + 0, B to view Build
- **F5** to refresh