




Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



METRICS

Expand view

First Contentful Paint

0.7 s

Largest Contentful Paint

1.8 s

▲ Total Blocking Time


790 ms

Cumulative Layout Shift

0

Speed Index

1.9 s



Later this year, insights will replace performance audits. [Learn more and provide feedback](#)

[here.](#)

[Go back to audits](#)

Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Use efficient cache lifetimes — Est savings of 1,999 KiB



A long cache lifetime can speed up repeat visits to your page. [Learn more.](#) [FCP](#) [LCP](#)

☒ Show 3rd-party resources (9)

Request	Cache TTL	Transfer Size
okko.tv 1st Party		2,555 KiB
...js/477e61de.js (okko.tv)	1h	1,150 KiB
...175.../175..._1694x650.png?width=200&scale=1&quality=80 (static.okko.tv)	1d	732 KiB
...css/8f7a41fe.css (okko.tv)	1h	129 KiB
/assets/c354fbd....woff2 (okko.tv)	1h	68 KiB
/assets/b63301f....woff2 (okko.tv)	1h	68 KiB
/assets/64d7bd5....woff2 (okko.tv)	1h	67 KiB
/assets/4977bd0....woff2 (okko.tv)	1h	67 KiB
...js/dfb890f8.js (okko.tv)	1h	65 KiB
...js/09b386cc.js (okko.tv)	1h	55 KiB
...js/eda88e57.js (okko.tv)	1h	47 KiB

Request	Cache TTL	Transfer Size
/assets/6473dc6....png (okko.tv)	1h	31 KiB
...css/0b503d1d.css (okko.tv)	1h	17 KiB
...js/eff1784e.js (okko.tv)	1h	17 KiB
...js/f71b4532.js (okko.tv)	1h	10 KiB
/assets/74fc802....png (okko.tv)	1h	10 KiB
/assets/ee3aa46....png (okko.tv)	1h	6 KiB
...js/a2eb038c.js (okko.tv)	1h	6 KiB
...js/dbf85e34.js (okko.tv)	1h	4 KiB
...sherlock-crm/chatBot.css (okko.tv)	1h	2 KiB
/assets/8387a56....png (okko.tv)	1h	2 KiB
selcdn.net		196 KiB
/webchat/chatBot.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	1d	183 KiB
/webchat/channelsComponent~widgetComponent.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	1d	10 KiB
/webchat/widgetComponent.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	1d	3 KiB
datago.ru		91 KiB
/tracker/sp.js (stream.datago.ru)	None	73 KiB
/js/container_gnlpiU1a.js (matomo.datago.ru)	None	18 KiB
Yandex Metrica Analytics		85 KiB
/metrika/tag.js (mc.yandex.ru)	1h	85 KiB
weborama-tech.ru		7 KiB
...advertiserv2/adperf_conversion.js (cstatic-ru-cv.weborama-tech.ru)	None	7 KiB
VK Social		18 KiB
...api/openapi.6ed04a4....js?169 (vk.com)	4d	18 KiB
telegram.org		1 KiB
/js/pixel.js (telegram.org)	4d	1 KiB

 Font display — Est savings of 260 ms

^

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). FCP

URL	Est Savings
okko.tv 1st Party	260 ms
/assets/b63301f....woff2 (okko.tv)	260 ms

▲

Render blocking requests — Est savings of 80 ms

^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP

URL	Transfer Size	Duration
okko.tv 1st Party	146.5 KiB	120 ms
...css/0b503d1d.css (okko.tv)	17.2 KiB	
...css/8f7a41fe.css (okko.tv)	129.4 KiB	120 ms

▲

Forced reflow

^

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations.

Top function call	Total reflow time
477e61de.js:2	10 ms

Source	Total reflow time
[unattributed]	90 ms
09b386cc.js:1	18 ms
477e61de.js:1	10 ms
tag.js:16	15 ms
stream.datago.ru/tracker/sp.js:7	24 ms

▲

LCP request discovery

^

Optimize LCP by making the LCP image [discoverable](#) from the HTML immediately, and [avoiding lazy-loading](#) LCP

fetchpriority=high should be applied

Request is discoverable in initial document

lazy load not applied



▲ Network dependency tree ^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP

Maximum critical path latency: **1,263 ms**

Initial Navigation

- ...season/1 (okko.tv) - **605 ms**, 162.37 KiB
- ...css/8f7a41fe.css (okko.tv) - **542 ms**, 129.36 KiB
- /assets/b63301f....woff2 (okko.tv) - **1,263 ms**, 67.97 KiB
- ...css/0b503d1d.css (okko.tv) - **544 ms**, 17.18 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://ctx.playfamily.ru/screenapi	link
Unused preconnect. Only use `preconnect` for origins that the page is likely to request.	
https://static.okko.tv/	link

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Improve image delivery — Est savings of 99 KiB ^

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP

URL	Resource Size	Est Savings
okko.tv 1st Party	269.0 KiB	99.0 KiB
...v4/cd476d17-...?width=750&scale=2&quality=80&mediaType=webp (static.okko.tv)	54.7 KiB	34.8 KiB
This image file is larger than it needs to be (760x428) for its displayed dimensions (465x262). Use responsive images to reduce the image download size.		34.2 KiB
...v4/ae9a3c5a-...?width=... (static.okko.tv)	42.9 KiB	32.6 KiB
Increasing the image compression factor could improve this image's download size.		27.5 KiB
This image file is larger than it needs to be (480x196) for its displayed dimensions (392x160). Use responsive images to reduce the image download size.		14.3 KiB
...v1/aHR0cHM6L...?scale=2&quality= (static.okko.tv)	95.3 KiB	25.3 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		25.3 KiB
...v1/aHR0cHM6L...?scale=2&quality= (static.okko.tv)	76.2 KiB	6.2 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		6.2 KiB

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS

Element	Layout shift score
Total	0.000
<div><div></div><div>span.qa9lcXf2.__2LiBcWjZ.__2Ytrj84K</div></div>	0.000
/assets/64d7bd5....woff2 (okko.tv)	Web font
/assets/4977bd0....woff2 (okko.tv)	Web font
/assets/c354fbd....woff2 (okko.tv)	Web font
/assets/b63301f....woff2 (okko.tv)	Web font

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#).



Consider using a "windowing" library like react-window to minimize the number of DOM nodes created if you are rendering many repeated elements on the page. [Learn more](#). Also, minimize unnecessary re-renders using [shouldComponentUpdate](#), [PureComponent](#), or [React.memo](#) and [skip effects](#) only until certain dependencies have changed if you are using the Effect hook to improve runtime performance.

Statistic	Element	Value
Total elements		1,938
Most children	<div><div>div.KkHKsVT</div></div>	66
DOM depth	source	18

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP

Subpart	Duration
Time to first byte	430 ms
Resource load delay	140 ms
Resource load duration	270 ms
Element render delay	430 ms

img.UU6mICoo

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content.


3rd party	Transfer size	Main thread time
datago.ru	226 KiB	384 ms
/server-side/gtm.js?id=GTM-MRRZLRW (stream.datago.ru)	134 KiB	299 ms
/tracker/sp.js (stream.datago.ru)	73 KiB	60 ms

3rd party	Transfer size	Main thread time
/js/container_gnlpiU1a.js (matomo.datago.ru)	18 KiB	25 ms
...com.snowplowanalytics.snowplow/tp2 (stream.datago.ru)	0 KiB	0 ms
Yandex Metrica Analytics	88 KiB	100 ms
/metrika/tag.js (mc.yandex.ru)	85 KiB	100 ms
/watch/88649920?wmode=... (mc.yandex.ru)	1 KiB	0 ms
/watch/44916361?wmode=... (mc.yandex.ru)	1 KiB	0 ms
...44916361/1?page-url=... (mc.yandex.ru)	0 KiB	0 ms
selcdn.net	196 KiB	99 ms
/webchat/chatBot.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	183 KiB	97 ms
/webchat/channelsComponent~widgetComponent.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	10 KiB	1 ms
/webchat/widgetComponent.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	3 KiB	1 ms
Google Tag Manager Tag-Manager	130 KiB	72 ms
/gtag/js?id=AW-168... (www.googletagmanager.com)	130 KiB	72 ms
igpdmclhhlcpoindmhkhillbfhdgoegm	0 KiB	57 ms
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/webpage_content_reporter.js	0 KiB	39 ms
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/writing_mode_assistant.js	0 KiB	18 ms
bgpmiljelfnilfcfmoppijdkmccbccel	0 KiB	26 ms
chrome-extension://bgpmiljelfnilfcfmoppijdkmccbccel/filter_content.js	0 KiB	20 ms
chrome-extension://bgpmiljelfnilfcfmoppijdkmccbccel/snippets.js	0 KiB	6 ms
hhckidpbkbmoeejbddojbdgidalionif	0 KiB	24 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/video_toolbar.js	0 KiB	8 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/skip_button.js	0 KiB	4 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/third_party/davidshimjs-qrcodejs/qrcode.min.js	0 KiB	3 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/video_handler.js	0 KiB	3 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/lucid_mode_button.js	0 KiB	2 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/button.js	0 KiB	2 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/default_video_handler.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/send_by_qr_code_button.js	0 KiB	1 ms


3rd party	Transfer size	Main thread time
chrome-extension://hhckidpbkbmoeeljbdjbdgidalionif/components/hint.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeeljbdjbdgidalionif/components/bragi.js	0 KiB	0 ms
chrome-extension://hhckidpbkbmoeeljbdjbdgidalionif/components/skip_button_popup.js	0 KiB	0 ms
chrome-extension://hhckidpbkbmoeeljbdjbdgidalionif/components/video_detach_button.js	0 KiB	0 ms
bglibfjmlfdbdeofhmgmhblgpjldlikf	0 KiB	5 ms
chrome-extension://bglibfjmlfdbdeofhmgmhblgpjldlikf/content.js	0 KiB	5 ms
VK Social	18 KiB	5 ms
...api/openapi.js?169 (vk.com)	0 KiB	5 ms
/rtrg?p=VK-RTRG-1...&e=1&c=view_content&v=0 (vk.com)	0 KiB	0 ms
...api/openapi.6ed04a4...js?169 (vk.com)	18 KiB	0 ms
telegram.org	1 KiB	3 ms
/js/pixel.js (telegram.org)	1 KiB	3 ms
/pxl (telegram.org)	0 KiB	0 ms
cbnpimmlikdmfccbjhbjlmonkehnlofh	0 KiB	2 ms
chrome-extension://cbnpimmlikdmfccbjhbjlmonkehnlofh/user_style.js	0 KiB	2 ms
weborama-tech.ru	8 KiB	1 ms
...advertiserv2/adperf_conversion.js (cstatic-ru-cv.weborama-tech.ru)	7 KiB	1 ms
/fcgi-bin/dispatch.fcgi?a.A=... (wcm.weborama-tech.ru)	0 KiB	0 ms
Other Google APIs/SDKs Utility	0 KiB	0 ms
/ccm/collect?frm=... (www.google.com)	0 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS




Reduce JavaScript execution time — 2.1 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

☒ Show 3rd-party resources (4)

URL	Total CPU Time	Script Evaluation	Script Parse
okko.tv 1st Party	2,182 ms	1,163 ms	222 ms
...season/1 (okko.tv)	860 ms	93 ms	58 ms
...js/477e61de.js (okko.tv)	802 ms	584 ms	153 ms
...js/f71b4532.js (okko.tv)	434 ms	410 ms	1 ms
...js/dfb890f8.js (okko.tv)	86 ms	76 ms	10 ms
Unattributable	703 ms	65 ms	0 ms
Unattributable	703 ms	65 ms	0 ms
datago.ru	458 ms	380 ms	39 ms
/server-side/gtm.js?id=GTM-MRRZLRW (stream.datago.ru)	370 ms	331 ms	28 ms
/tracker/sp.js (stream.datago.ru)	89 ms	49 ms	11 ms
Yandex Metrica Analytics	178 ms	149 ms	8 ms
/metrika/tag.js (mc.yandex.ru)	178 ms	149 ms	8 ms
selcdn.net	99 ms	78 ms	19 ms
/webchat/chatBot.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	99 ms	78 ms	19 ms

 Minimize main-thread work — 3.9 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	2,015 ms
Other	849 ms
Style & Layout	469 ms

Category	Time Spent
Script Parsing & Compilation	358 ms
Parse HTML & CSS	109 ms
Rendering	62 ms
Garbage Collection	42 ms

▲ Defer offscreen images — Est savings of 1,770 KiB

^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#) FCP LCP

	URL	Resource Size	Est Savings
okko.tv 1st Party		1,770.5 KiB	1,770.5 KiB
img.JENZpVbz	...175.../175..._1694x650.png? width=200&scale=1&quality=80 (static.okko.tv)	730.7 KiB	730.7 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	95.3 KiB	95.3 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	89.1 KiB	89.1 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	76.2 KiB	76.2 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	73.3 KiB	73.3 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	69.4 KiB	69.4 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	66.7 KiB	66.7 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	59.9 KiB	59.9 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	54.6 KiB	54.6 KiB

	URL	Resource Size	Est Savings
img.gi8dEl9y.KyTqadoF	...v4/57ef0d8b-...? width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	52.2 KiB	52.2 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	48.6 KiB	48.6 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	45.0 KiB	45.0 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	44.8 KiB	44.8 KiB
Инспектор Гаврилов 	...v4/f863a2ea-...? width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	39.2 KiB	39.2 KiB
Министерство Всего Хорошего 	...v4/cee1579b-...? width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	39.0 KiB	39.0 KiB
img.gi8dEl9y.KyTqadoF	...v4/7d174b10-...? width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	38.2 KiB	38.2 KiB
img.gi8dEl9y.KyTqadoF	...v4/63e9a68c-...? width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	31.4 KiB	31.4 KiB
img._2BuCRQq4	...v1/aHR0cHM6L...? scale=2&quality= (static.okko.tv)	29.9 KiB	29.9 KiB
img.gi8dEl9y.KyTqadoF	...v4/0e4f96d6-...? width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	21.3 KiB	21.3 KiB
img.gi8dEl9y.KyTqadoF	...v4/32a05399-...? width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	19.1 KiB	19.1 KiB

	URL	Resource Size	Est Savings
Волшебный участок. Сезон 1. Серия 5 	...v4/17cc37fb-...?width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	14.8 KiB	14.8 KiB
img.gi8dEl9y.KyTqadoF	...v4/315000a5-...?width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	13.7 KiB	13.7 KiB
img.gi8dEl9y.KyTqadoF	...v4/fdfdbdf4-...?width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	9.5 KiB	9.5 KiB
Волшебный участок. Сезон 1. Серия 6 	...v4/71cbf528-...?width=641&scale=2&quality=80&mediaType=webp (static.okko.tv)	8.6 KiB	8.6 KiB

▲ Avoid serving legacy JavaScript to modern browsers — Est savings of 55 KiB

^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

☐ Show 3rd-party resources (3)

URL	Est Savings
okko.tv 1st Party	36.7 KiB
...js/dfb890f8.js (okko.tv)	35.9 KiB
<div><div>dfb890f8.js:1</div><div>dfb890f8.js:1</div><div>dfb890f8.js:1</div><div>dfb890f8.js:1</div><div>dfb890f8.js:1</div><div>dfb890f8.js:1</div></div>	<div>Array.from</div> <div>Array.isArray</div> <div>Array.prototype.at</div> <div>Array.prototype.concat</div> <div>Array.prototype.copyWithin</div> <div>Array.prototype.every</div>

URL

Est
Savings

dfb890f8.js:1	Array.prototype.fill
dfb890f8.js:1	Array.prototype.filter
dfb890f8.js:1	Array.prototype.find
dfb890f8.js:1	Array.prototype.findIndex
dfb890f8.js:1	Array.prototype.findLast
dfb890f8.js:1	Array.prototype.findLastIndex
dfb890f8.js:1	Array.prototype.flat
dfb890f8.js:1	Array.prototype.flatMap
dfb890f8.js:1	Array.prototype.forEach
dfb890f8.js:1	Array.prototype.includes
dfb890f8.js:1	Array.prototype.indexOf
dfb890f8.js:1	Array.prototype.join
dfb890f8.js:1	Array.prototype.map
dfb890f8.js:1	Array.prototype.slice
dfb890f8.js:1	Array.prototype.some
dfb890f8.js:1	Array.prototype.sort
dfb890f8.js:1	Array.prototype.unshift
dfb890f8.js:1	Math.acosh
dfb890f8.js:1	Math.asinh
dfb890f8.js:1	Math.atanh
dfb890f8.js:1	Math.cbrt
dfb890f8.js:1	Math.clz32
dfb890f8.js:1	Math.cosh
dfb890f8.js:1	Math.expm1
dfb890f8.js:1	Math.fround
dfb890f8.js:1	Math.hypot
dfb890f8.js:1	Math.imul
dfb890f8.js:1	Math.log10
dfb890f8.js:1	Math.log1p
dfb890f8.js:1	Math.log2
dfb890f8.js:1	Math.sign
dfb890f8.js:1	Math.sinh
dfb890f8.js:1	Math.tanh

URL

Est
Savings

dfb890f8.js:1	Math.trunc
dfb890f8.js:1	Object.assign
dfb890f8.js:1	Object.create
dfb890f8.js:1	Object.entries
dfb890f8.js:1	Object.freeze
dfb890f8.js:1	Object.fromEntries
dfb890f8.js:1	Object.getOwnPropertyDescriptor
dfb890f8.js:1	Object.getOwnPropertyDescriptors
dfb890f8.js:1	Object.getPrototypeOf
dfb890f8.js:1	Object.hasOwn
dfb890f8.js:1	Object.is
dfb890f8.js:1	Object.isExtensible
dfb890f8.js:1	Object.isFrozen
dfb890f8.js:1	Object.keys
dfb890f8.js:1	Object.preventExtensions
dfb890f8.js:1	Object.seal
dfb890f8.js:1	Object.setPrototypeOf
dfb890f8.js:1	Object.values
dfb890f8.js:1	Promise.allSettled
dfb890f8.js:1	Promise.any
dfb890f8.js:1	Reflect.apply
dfb890f8.js:1	Reflect.construct
dfb890f8.js:1	Reflect.deleteProperty
dfb890f8.js:1	Reflect.get
dfb890f8.js:1	Reflect.getOwnPropertyDescriptor
dfb890f8.js:1	Reflect.getPrototypeOf
dfb890f8.js:1	Reflect.has
dfb890f8.js:1	Reflect.isExtensible
dfb890f8.js:1	Reflect.ownKeys
dfb890f8.js:1	Reflect.preventExtensions
dfb890f8.js:1	Reflect.setPrototypeOf

URL	Est Savings
<div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div> <div>dfb890f8.js:1</div>	<div>String.fromCodePoint</div> <div>String.prototype.codePointAt</div> <div>String.prototype.includes</div> <div>String.prototype.link</div> <div>String.prototype.matchAll</div> <div>String.prototype.repeat</div> <div>String.prototype.replaceAll</div> <div>String.prototype.substr</div> <div>String.prototype.trim</div> <div>String.prototype.trimEnd</div> <div>String.prototype.trimStart</div> <div>String.raw</div>
...js/477e61de.js (okko.tv)	0.6 KiB
<div>477e61de.js:1</div> <div>477e61de.js:37</div> <div>477e61de.js:1</div>	<div>@babel/plugin-transform-classes</div> <div>@babel/plugin-transform-regenerator</div> <div>@babel/plugin-transform-spread</div>
...js/eda88e57.js (okko.tv)	0.1 KiB
<div>eda88e57.js:14</div>	<div>@babel/plugin-transform-classes</div>
...js/a2eb038c.js (okko.tv)	0.0 KiB
<div>a2eb038c.js:1</div>	<div>@babel/plugin-transform-classes</div>
...js/09b386cc.js (okko.tv)	0.0 KiB
<div>09b386cc.js:1</div> <div>09b386cc.js:1</div>	<div>@babel/plugin-transform-classes</div> <div>@babel/plugin-transform-spread</div>
...js/f71b4532.js (okko.tv)	0.0 KiB
<div>f71b4532.js:1</div>	<div>@babel/plugin-transform-classes</div>

URL	Est Savings
<div>f71b4532.js:1</div> <div>...js/dbf85e34.js (okko.tv)</div> <div>dbf85e34.js:1</div> <div>Unattributable</div> <div>chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/webpage_content_reporter.js</div> <div>webpage_content_reporter.js:2</div> <div>webpage_content_reporter.js:2</div> <div>webpage_content_reporter.js:2</div> <div>webpage_content_reporter.js:2</div> <div>chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/writing_mode_assistant.js</div> <div>writing_mode_assistant.js:2</div> <div>writing_mode_assistant.js:2</div> <div>writing_mode_assistant.js:2</div>	<div>@babel/plugin-transform-spread</div> <div>0.0 KiB</div> <div>@babel/plugin-transform-classes</div> <div>18.1 KiB</div> <div>9.1 KiB</div> <div>@babel/plugin-transform-classes</div> <div>Array.isArray</div> <div>Object.is</div> <div>Object.keys</div> <div>9.0 KiB</div> <div>@babel/plugin-transform-classes</div> <div>Object.is</div> <div>Object.keys</div>

▲ Reduce unused CSS — Est savings of 105 KiB

^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP

URL	Transfer Size	Est Savings
okko.tv <div>1st Party</div>	113.4 KiB	104.7 KiB
...css/8f7a41fe.css (okko.tv)	113.4 KiB	104.7 KiB

▲ Reduce unused JavaScript — Est savings of 1,097 KiB

^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP



If you are not server-side rendering, [split your JavaScript bundles](#) with `React.lazy()`. Otherwise, code-split using a third-party library such as [loadable-components](#).

☒ Show 3rd-party resources (6)

URL	Transfer Size	Est Savings
okko.tv 1st Party	1,281.2 KiB	793.5 KiB
...js/477e61de.js (okko.tv)	1,121.8 KiB	700.4 KiB
...esm/index.js (player-static.okko.tv)	110.0 KiB	71.8 KiB
...js/dfb890f8.js (okko.tv)	49.3 KiB	21.3 KiB
datago.ru	266.0 KiB	102.5 KiB
/server-side/gtm.js?id=GTM-MRRZLRW (stream.datago.ru)	120.9 KiB	38.4 KiB
/tracker/sp.js (stream.datago.ru)	72.6 KiB	32.1 KiB
/tracker/sp.js (stream.datago.ru)	72.6 KiB	32.1 KiB
selcdn.net	136.5 KiB	74.9 KiB
/webchat/chatBot.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	136.5 KiB	74.9 KiB
Unattributable	57.6 KiB	49.3 KiB
chrome-extension:///igpdmclhhlcpoindmhkhillbfhdgoegm/webpage_content_reporter.js	57.6 KiB	49.3 KiB
Google Tag Manager Tag-Manager	118.5 KiB	47.7 KiB
/gtag/js?id=AW-168... (www.googletagmanager.com)	118.5 KiB	47.7 KiB
Yandex Metrica Analytics	53.3 KiB	29.1 KiB
/metrika/tag.js (mc.yandex.ru)	53.3 KiB	29.1 KiB

▲ Page prevented back/forward cache restoration — 4 failure reasons ^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can

speed up these return navigations. [Learn more about the bfcache](#)

Failure reason	Failure type
Pages with cache-control:no-store header cannot enter back/forward cache. ...season/1 (okko.tv)	Actionable
Pages whose main resource has cache-control:no-store cannot enter back/forward cache. ...season/1 (okko.tv)	Not actionable
Back/forward cache is disabled because some JavaScript network request received resource with `Cache-Control: no-store` header. ...season/1 (okko.tv)	Not actionable
Internal error. ...season/1 (okko.tv)	Not actionable

Avoid enormous network payloads — Total size was 5,472 KiB



Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

☒ Show 3rd-party resources (3)

URL	Transfer Size
okko.tv 1st Party	2,481.7 KiB
...js/477e61de.js (okko.tv)	1,149.8 KiB
...175.../175..._1694x650.png?width=200&scale=1&quality=80 (static.okko.tv)	731.9 KiB
...season/1 (okko.tv)	162.4 KiB
...css/8f7a41fe.css (okko.tv)	129.4 KiB
...esm/index.js (player-static.okko.tv)	119.3 KiB
...v1/aHR0cHM6L...?scale=2&quality= (static.okko.tv)	95.7 KiB
...v1/aHR0cHM6L...?scale=2&quality= (static.okko.tv)	93.3 KiB
selcdn.net	183.2 KiB

URL	Transfer Size
/webchat/chatBot.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	183.2 KiB
datago.ru	134.4 KiB
/server-side/gtm.js?id=GTM-MRRZLRW (stream.datago.ru)	134.4 KiB
Google Tag Manager Tag-Manager	129.7 KiB
/gtag/js?id=AW-168... (www.googletagmanager.com)	129.7 KiB

Avoid long main-thread tasks — 11 long tasks found



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

☒ Show 3rd-party resources (5)

URL	Start Time	Duration
okko.tv 1st Party		1,098 ms
...js/477e61de.js (okko.tv)	3,910 ms	650 ms
...js/f71b4532.js (okko.tv)	4,570 ms	208 ms
...js/dfb890f8.js (okko.tv)	1,437 ms	86 ms
...season/1 (okko.tv)	611 ms	84 ms
...season/1 (okko.tv)	839 ms	70 ms
datago.ru		133 ms
/server-side/gtm.js?id=GTM-MRRZLRW (stream.datago.ru)	1,288 ms	133 ms
Yandex Metrica Analytics		124 ms
/metrika/tag.js (mc.yandex.ru)	1,144 ms	69 ms
/metrika/tag.js (mc.yandex.ru)	1,585 ms	55 ms
Google Tag Manager Tag-Manager		101 ms
/gtag/js?id=AW-168... (www.googletagmanager.com)	2,088 ms	101 ms

URL	Start Time	Duration
selcdn.net		93 ms
/webchat/chatBot.js (d0c8daea-a5e0-4205-9e49-7f6b2f7d455f.selcdn.net)	5,494 ms	93 ms
Unattributable		50 ms
Unattributable	1,013 ms	50 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.


PASSED AUDITS (13)

Hide

Document request latency

^

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP

 If you are using React Router, minimize usage of the `<Redirect>` component for [route navigations](#).

Avoids redirects

Server responds quickly (observed 421 ms)

Applies text compression

Duplicated JavaScript

^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

INP breakdown

^

Start investigating with the longest subpart. [Delays can be minimized](#). To reduce processing duration, [optimize the main-thread costs](#), often JS.

Legacy JavaScript

^

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#).

Modern HTTP

^

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#).

Optimize viewport for mobile



Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

meta

Minify CSS



Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP



If your build system minifies CSS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more.](#)

Minify JavaScript



Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP



If your build system minifies JS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more.](#)

Use HTTP/2



HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) LCP
FCP

☐ User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)



Use the React DevTools Profiler, which makes use of the Profiler API, to measure the rendering performance of your components. [Learn more.](#)

☐ Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Uses passive listeners to improve scrolling performance



Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.



ARIA

▲

Elements with an ARIA `[role]` that require children to contain a specific `[role]` are missing some or all of those required children.

^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements](#).

Failing Elements	
	ul.xs7_O0s_ia9aB_Sj.d_9linph
	li._4tefS2jl.V3yfAVpw.xJM3C81k.iu_XlliA

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

NAMES AND LABELS


▲

Buttons do not have an accessible name


^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

Failing Elements



button._9lww5cH_




button.HtTEYg53.__3NOjjiyA6.rz3O0tID.F70_S_qd.OkFcQD62.wN62DCIW.oTLXblOu

▲ Image elements do not have `[alt]` attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Failing Elements



img.__2BuCRQq4

img.__2BuCRQq4

img.__2BuCRQq4

img.__2BuCRQq4

img.__2BuCRQq4

img.__2BuCRQq4

img.__2BuCRQq4

img.__2BuCRQq4

img.__2BuCRQq4

img.__2BuCRQq4

img.__2BuCRQq4

Failing Elements

img._2BuCRQq4

img._2BuCRQq4

img._2BuCRQq4

img._2BuCRQq4

img._2BuCRQq4

img._2BuCRQq4

img._2BuCRQq4

img._2BuCRQq4

img._2BuCRQq4

body > img


``

▲ Links do not have a discernible name



Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Failing Elements



a.XXmaK_Ks

▲ Image elements have `[alt]` attributes that are redundant text.



Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

Failing Elements

img.gi8dEl9y.KyTqadoF

img.gi8dEl9y.KyTqadoF

img.gi8dEl9y.KyTqadoF

img.gi8dEl9y.KyTqadoF

Министерство Всего Хорошего

``

Инспектор Гаврилов

``

img.gi8dEl9y.KyTqadoF

img.gi8dEl9y.KyTqadoF

img.gi8dEl9y.KyTqadoF

img.gi8dEl9y.KyTqadoF

Лёгкие сериалы

``

Новинки

``

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

BEST PRACTICES

▲ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

Failing Elements

meta

▲ Touch targets do not have sufficient size or spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Failing Elements

- a.__23cciozg.TrolJfD6.MznrTqsF
- a.__23cciozg.TrolJfD6.MznrTqsF
- a.__23cciozg.TrolJfD6.MznrTqsF
- a.__23cciozg.TrolJfD6.MznrTqsF

These items highlight common accessibility best practices.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements

span.__26ii8ap5

div.ue_aVlx7_dwPS786.ikotiWLW

div.yEE7bVnJ

div.V3cXqAhf__70POpnbZ.kGX7IxEc

Failing Elements

div.Kdj9f0nr

div_oOv0Eaa

div.ISZI_S1U.RGqYOOuK.Lpj939i9

div.Kdj9f0nr

div_oOv0Eaa

div.Kdj9f0nr

div_oOv0Eaa

These are opportunities to improve the legibility of your content.

TABLES AND LISTS

▲

List items () are not contained within , or <menu> parent elements.

^

Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. [Learn more about proper list structure.](#)

Failing Elements

li.__4tefS2jI.V3yfAVpw.xJM3C81k.iu_XlIiA

These are opportunities to improve the experience of reading tabular or list data using assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

○

Interactive controls are keyboard focusable

^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#)

☐ Interactive elements indicate their purpose and state



Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#)

☐ The page has a logical tab order



Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#)

☐ Visual order on the page follows DOM order



DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#)

☐ User focus is not accidentally trapped in a region



A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#)

☐ The user's focus is directed to new content added to the page



If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#)

☐ HTML5 landmark elements are used to improve navigation



Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#)

☐ Offscreen content is hidden from assistive technology



Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#)

☐ Custom controls have associated labels



Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

☐ Custom controls have ARIA roles



Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (16)

Hide

[aria-*] attributes match their roles



Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles.](#)

[aria-hidden="true"] is not present on the document <body>



Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

[role]s have all required [aria-*] attributes



Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

[aria-*] attributes have valid values



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

[aria-*] attributes are valid and not misspelled



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

ARIA attributes are used as specified for the element's role



Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

Elements use only permitted ARIA attributes



Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

[role] values are valid



ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

Document has a <title> element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

<html> element has a [lang] attribute



If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute](#).

<html> element has a valid value for its [lang] attribute



Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute](#).

Lists contain only elements and script supporting elements (<script> and <template>).



Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure](#).

No element has a [tabindex] value greater than 0



A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute](#).

Heading elements appear in a sequentially-descending order



Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](#).

Uses ARIA roles only on compatible elements



Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles](#).

Deprecated ARIA roles were not used



Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles](#).

NOT APPLICABLE (32)

Hide

☐ [accesskey] values are unique



Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys](#).

☐ `button`, `link`, and `menuitem` elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

☐ Elements with `role="dialog"` or `role="alertdialog"` have accessible names. ^

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

☐ `[aria-hidden="true"]` elements do not contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

☐ ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

☐ ARIA `meter` elements have accessible names ^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

☐ ARIA `progressbar` elements have accessible names ^

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

☐ `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

☐ Elements with the `role=text` attribute do not have focusable descendents. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#)

☐ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

☐ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

☐ ARIA `treeitem` elements have accessible names ^

When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#)

☐ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

☐ `<d1>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

☐ Definition list items are wrapped in `<d1>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<d1>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

☐ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

☐ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

☐ `<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

○ Input buttons have discernible text. ^

Adding discernible and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

○ `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

○ Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

○ Links are distinguishable without relying on color. ^

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

○ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

○ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

○ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

○ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

`<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

`[lang]` attributes have a valid value

^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#)

`<video>` elements contain a `<track>` element with `[kind="captions"]`

^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)



Best Practices

GENERAL

▲

Uses third-party cookies — 94 cookies found

^

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Name	URL
Yandex Metrica <div>Analytics</div>	
igames	/metrika/tag.js (mc.yandex.ru)
sc_1764240532937	/metrika/tag.js (mc.yandex.ru)
upa_completed	/metrika/tag.js (mc.yandex.ru)

Name	URL
gdpr	/metrika/tag.js (mc.yandex.ru)
_ymab_param	/metrika/tag.js (mc.yandex.ru)
_ymab_param	/metrika/tag.js (mc.yandex.ru)
user_unchecked_cart_item_ids	/metrika/tag.js (mc.yandex.ru)
uniqueuid	/metrika/tag.js (mc.yandex.ru)
_ymab_param	/metrika/tag.js (mc.yandex.ru)
afisha.sid	/metrika/tag.js (mc.yandex.ru)
sessguard	/metrika/tag.js (mc.yandex.ru)
mda2_beacon	/metrika/tag.js (mc.yandex.ru)
lah	/metrika/tag.js (mc.yandex.ru)
yandexuid	/metrika/tag.js (mc.yandex.ru)
yuidss	/metrika/tag.js (mc.yandex.ru)
gdpr	/metrika/tag.js (mc.yandex.ru)
_ym_uid	/metrika/tag.js (mc.yandex.ru)
yandex_login	/metrika/tag.js (mc.yandex.ru)
yashr	/metrika/tag.js (mc.yandex.ru)
ymex	/metrika/tag.js (mc.yandex.ru)
amcuid	/metrika/tag.js (mc.yandex.ru)
my	/metrika/tag.js (mc.yandex.ru)
_ym_d	/metrika/tag.js (mc.yandex.ru)
is_gdpr	/metrika/tag.js (mc.yandex.ru)
is_gdpr_b	/metrika/tag.js (mc.yandex.ru)

Name	URL
skid	/metrika/tag.js (mc.yandex.ru)
yabs-vdrf	/metrika/tag.js (mc.yandex.ru)
yabs-sid	/metrika/tag.js (mc.yandex.ru)
i	/metrika/tag.js (mc.yandex.ru)
gpauto	/metrika/tag.js (mc.yandex.ru)
_ym_isad	/metrika/tag.js (mc.yandex.ru)
Session_id	/metrika/tag.js (mc.yandex.ru)
sessar	/metrika/tag.js (mc.yandex.ru)
sessionid2	/metrika/tag.js (mc.yandex.ru)
yp	/metrika/tag.js (mc.yandex.ru)
ys	/metrika/tag.js (mc.yandex.ru)
bh	/metrika/tag.js (mc.yandex.ru)
cycada	/metrika/tag.js (mc.yandex.ru)
VK <div>Social</div>	
idt_140a329c	...api/openapi.js?169 (vk.com)
rt_140a329c	...api/openapi.js?169 (vk.com)
sui	...api/openapi.js?169 (vk.com)
p	...api/openapi.js?169 (vk.com)
remixnsid	...api/openapi.js?169 (vk.com)
at_140a329c	...api/openapi.js?169 (vk.com)
remixnsid	...api/openapi.js?169 (vk.com)
remixnsid	...api/openapi.js?169 (vk.com)

Name	URL
remixdark_color_scheme	...api/openapi.js?169 (vk.com)
remixcolor_scheme_mode	...api/openapi.js?169 (vk.com)
remixsuc	...api/openapi.js?169 (vk.com)
remixscreen_width	...api/openapi.js?169 (vk.com)
remixscreen_height	...api/openapi.js?169 (vk.com)
remixscreen_dpr	...api/openapi.js?169 (vk.com)
remixscreen_depth	...api/openapi.js?169 (vk.com)
remixrt	...api/openapi.js?169 (vk.com)
remixstid	...api/openapi.js?169 (vk.com)
remixstlid	...api/openapi.js?169 (vk.com)
remixlang	...api/openapi.js?169 (vk.com)
remixdt	...api/openapi.js?169 (vk.com)
remixuacck	...api/openapi.js?169 (vk.com)
remixuas	...api/openapi.js?169 (vk.com)
remixdmgr	...api/openapi.js?169 (vk.com)
remixscreen_width	...api/openapi.js?169 (vk.com)
remixscreen_height	...api/openapi.js?169 (vk.com)
remixscreen_dpr	...api/openapi.js?169 (vk.com)
remixscreen_depth	...api/openapi.js?169 (vk.com)
remixscreen_winzoom	...api/openapi.js?169 (vk.com)
remixrefkey	...api/openapi.js?169 (vk.com)
remixscreen_winzoom	...api/openapi.js?169 (vk.com)

Name	URL
remixnsid	...api/openapi.js?169 (vk.com)
adblock	...api/openapi.js?169 (vk.com)
remixua	...api/openapi.js?169 (vk.com)
remixmdevice	...api/openapi.js?169 (vk.com)
remixpuad	...api/openapi.js?169 (vk.com)
remixsid	...api/openapi.js?169 (vk.com)
remixff	...api/openapi.js?169 (vk.com)
remixmvk-fp	...api/openapi.js?169 (vk.com)
remixgp	...api/openapi.js?169 (vk.com)
prcl	...api/openapi.js?169 (vk.com)
remixir	...api/openapi.js?169 (vk.com)
weborama-tech.ru	
AFFICHE_W	...advertiserv2/adperf_conversion.js (cstatic-ru-cv.weborama-tech.ru)
telegram.org	
stel_ssld	/js/pixel.js (telegram.org)
Other Google APIs/SDKs	Utility
LSOLH	/ccm/collect?frm=... (www.google.com)
__Secure-OSID	/ccm/collect?frm=... (www.google.com)
__Secure-OSID	/ccm/collect?frm=... (www.google.com)
__Secure-OSID	/ccm/collect?frm=... (www.google.com)
__Secure-OSID	/ccm/collect?frm=... (www.google.com)
__Secure-OSID	/ccm/collect?frm=... (www.google.com)

Name	URL
__Host-3PLSID	/ccm/collect?frm=... (www.google.com)
__Secure-OSID	/ccm/collect?frm=... (www.google.com)
__Secure-3PAPISID	/ccm/collect?frm=... (www.google.com)
__Secure-3PSID	/ccm/collect?frm=... (www.google.com)
__Secure-3PSIDTS	/ccm/collect?frm=... (www.google.com)
NID	/ccm/collect?frm=... (www.google.com)
__Secure-3PSIDCC	/ccm/collect?frm=... (www.google.com)

▲ Browser errors were logged to the console

^


Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

☒ Show 3rd-party resources (12)

Source	Description
okko.tv 1st Party	
<div>477e61de.js:1</div>	<div>failed to fetch to kollector/external Error when sending event(s) to kollector on client TypeError: Failed to fetch at t.<anonymous> (https://okko.tv/assets/js/477e61de.js:37:36015) at https://okko.tv/assets/js/477e61de.js:37:35469 at Object.next (https://okko.tv/assets/js/477e61de.js:37:35574) at I (https://okko.tv/assets/js/477e61de.js:37:31302) at 1 (https://okko.tv/assets/js/477e61de.js:37:31499) at https://okko.tv/assets/js/477e61de.js:37:31558 at new Promise (<anonymous>) at t.<anonymous> (https://okko.tv/assets/js/477e61de.js:37:31440) at t._fetchLib (https://okko.tv/assets/js/477e61de.js:37:36356) at https://okko.tv/assets/js/477e61de.js:37:51885</div>
<div>477e61de.js:1</div>	<div>failed to fetch to kollector/external Error when sending event(s) to kollector on client TypeError: Failed to fetch at t.<anonymous> (https://okko.tv/assets/js/477e61de.js:37:36015) at https://okko.tv/assets/js/477e61de.js:37:35469 at Object.next (https://okko.tv/assets/js/477e61de.js:37:35574) at I (https://okko.tv/assets/js/477e61de.js:37:31302) at 1 (https://okko.tv/assets/js/477e61de.js:37:31499) at https://okko.tv/assets/js/477e61de.js:37:31558 at new Promise (<anonymous>) at t.<anonymous> (https://okko.tv/assets/js/477e61de.js:37:31440) at t._fetchLib</div>

Source	Description
	(https://okko.tv/assets/js/477e61de.js:37:36356) at https://okko.tv/assets/js/477e61de.js:37:51885
mail.ru	
<div>top-fwz1.mail.ru/js/code.js:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER
playfamily.ru	
<div>stat.playfamily.ru/k...5IY2Q4jurlYZruDTg:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER
<div>stat.playfamily.ru/k...5IY2Q4jurlYZruDTg:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER
VK <div>Social</div>	
<div>vk.com/rtrg?p=VK-RTR...7%D0%BE%D0%BD%20:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER
<div>vk.com/rtrg?p=VK-RTR...7%D0%BE%D0%BD%20:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER
<div>vk.com/rtrg?p=VK-RTR...=view_content&v=0:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER
<div>openapi.js:1</div>	Open api access error
Weborama <div>Ad</div>	
<div>wcm-ru.frontend.webo...27&a.cp=29&a.ct=d:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER

Source	Description
<div>wcm-ru.frontend.webo...a=%25aw_random%25:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER
<div>redirect.frontend.we...d%3D%7BWEB_O_ID%7D:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER
top100.ru	
<div>st.top100.ru/top100/top100.js:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER
AdRiver <div>Ad</div>	
<div>ad.adriver.ru/cgi-bi...7&tail256=unknown:1</div>	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER

 Issues were logged in the [Issues](#) panel in Chrome Devtools

^

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
Cookie
<div>/metrika/tag.js (mc.yandex.ru)</div>
<div>...api/openapi.js?169 (vk.com)</div>
<div>...api/openapi.6ed04a4...js?169 (vk.com)</div>
<div>...advertiserv2/adperf_conversion.js (cstatic-ru-cv.weborama-tech.ru)</div>
<div>/js/pixel.js (telegram.org)</div>
<div>/watch/88649920?wmode=... (mc.yandex.ru)</div>
<div>/watch/44916361?wmode=... (mc.yandex.ru)</div>
<div>/fcgi-bin/dispatch.fcgi?a.A=... (wcm.weborama-tech.ru)</div>
<div>/pxl (telegram.org)</div>
<div>...44916361/1?page-url=... (mc.yandex.ru)</div>
<div>/ccm/collect?frm=... (www.google.com)</div>

Issue type

/fcgi-bin/dispatch.fcgi?a.A=... (wcm.weborama-tech.ru)

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
React	17.0.1
Lo-Dash	4.17.21
core-js	core-js-global@3.27.2; core-js-pure@2.6.11; core-js-global@2.6.12

Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

Show 3rd-party resources (2)

URL	Map URL
okko.tv 1st Party	
...js/477e61de.js (okko.tv)	
Large JavaScript file is missing a source map	
datago.ru	
/tracker/sp.js (stream.datago.ru)	/tracker/sp.js.map (stream.datago.ru)
Error: Timed out fetching resource	
/tracker/sp.js (stream.datago.ru)	/tracker/sp.js.map (stream.datago.ru)
Error: Timed out fetching resource	

TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
`script-src` directive is missing. This can allow the execution of unsafe scripts.	script-src	High
Missing `object-src` allows the injection of plugins that execute unsafe scripts. Consider setting `object-src` to `none` if you can.	object-src	High

☐ Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

Description	Directive	Severity
No `includeSubDomains` directive found	includeSubDomains	Medium
No `preload` directive found	preload	Medium

☐ Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

Description	Directive	Severity
No COOP header found		High

☐ Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

Uses HTTPS



All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

Avoids deprecated APIs



Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs](#).

Allows users to paste into input fields



Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).

Avoids requesting the geolocation permission on page load



Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#).

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).

Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).

Serves images with appropriate resolution



Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](#).

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).

Properly defines charset



A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

NOT APPLICABLE (3)

Hide

☐ Redirects HTTP traffic to HTTPS



Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)

☐ Mitigate clickjacking with XFO or CSP



The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#)

☐ Document uses legible font sizes



Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. [Learn more about legible font sizes.](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials.](#)

CONTENT BEST PRACTICES

Image elements do not have [\[alt\]](#) attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Failing Elements



img.__2BuCRQq4

Failing Elements



- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4
- img.__2BuCRQq4

```
body > img

```


Format your HTML in a way that enables crawlers to better understand your app’s content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○

Structured data is valid

^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Hide

Page isn’t blocked from indexing

^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

Document has a <title> element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

Document has a meta description

^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

Page has successful HTTP status code

^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

Links have descriptive text

^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

Links are crawlable

^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

robots.txt is valid

^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#)

Document has a valid [hreflang](#)



hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

Document has a valid [rel=canonical](#)



Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)



Captured at Nov 27, 2025, 1:50 PM GMT+3



Emulated Desktop with Lighthouse 12.8.1



Single page session



Initial page load



Custom throttling



Using Chromium 140.0.0.0 with devtools

Generated by **Lighthouse** 12.8.1 | [File an issue](#)