


Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



METRICS


Expand view

First Contentful Paint
0.5 s
Total Blocking Time
90 ms

Largest Contentful Paint
1.2 s
Cumulative Layout Shift
0.049

Speed Index

0.9 s



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Go back to audits

Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Use efficient cache lifetimes — Est savings of 896 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#) FCP LCP

✓ Show 3rd-party resources (28)

Request	Cache TTL	Transfer Size
wikimedia.org		848 KiB
...Shattered....jpg/1500px-Shattered_light_fixture_3.jpg (upload.wikimedia.org)	None	533 KiB
...Surikov_B....jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)	None	62 KiB
...71/Wikipedia_Aasian_Month_Logo.svg (upload.wikimedia.org)	None	44 KiB
...Map_of_Bu...%D0%B5-bg.svg/330px-Map...%D0%B5-bg.svg.png (upload.wikimedia.org)	None	31 KiB
...Destructi...%2C_2025-11-19.webp/330px-Des...%2C_2025-11-19.webp.png (upload.wikimedia.org)	None	28 KiB
...		
%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0%B4%D0%BE%D0%B2%D1%8B%D1%85_%D1%82%D0%B5%D0%BB_%D0%B3%D1%80%D0%B8%D0%B1%D0%BE%D0%B2.png/250px-%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0....png/250px-%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0% (upload.wikimedia.org)	None	26 KiB
...e3/Wikipedia_logo_letters_banner.svg (upload.wikimedia.org)	None	24 KiB
...Napoleon....jpg/250px-Napoleon_Diamond_Necklace.jpg (upload.wikimedia.org)	None	15 KiB
...Notificat....svg/96px-Notification-icon-Wiktionary-logo.svg.png (upload.wikimedia.org)	None	12 KiB
...1966_Prin....jpg/250px-196....jpg (upload.wikimedia.org)	None	11 KiB
...Shield_Ar....svg/120px-Shield_Ardatovsky_MO.svg.png (upload.wikimedia.org)	None	8 KiB
...MediaWiki....svg/96px-Medi....svg.png (upload.wikimedia.org)	None	7 KiB
...Notificat....svg/96px-Notification-icon-Wikinews-logo.svg.png (upload.wikimedia.org)	None	6 KiB

Request	Cache TTL	Transfer Size
...Notificat....svg/96px-Notification-icon-Wikibooks-logo.svg.png (upload.wikimedia.org)	None	4 KiB
...Notificat....svg/96px-Notification-icon-Wikisource-logo.svg.png (upload.wikimedia.org)	None	4 KiB
...Notificat....svg/96px-Notification-icon-Wikispecies-logo.svg.png (upload.wikimedia.org)	None	4 KiB
...Notificat....svg/96px-Notification-icon-Wikiquote.svg.png (upload.wikimedia.org)	None	4 KiB
...Notificat....svg/96px-Notification-icon-Wikifunctions-logo.s....png (upload.wikimedia.org)	None	4 KiB
...Notificat....svg/96px-Notification-icon-Wikiversity-logo.svg.png (upload.wikimedia.org)	None	3 KiB
...Flag_of_t....svg/120px-Flag_of_the_President_of_Slovakia.svg.png (upload.wikimedia.org)	None	3 KiB
...Notificat....svg/96px-Notification-icon-Commons-logo.svg.png (upload.wikimedia.org)	None	3 KiB
...Wikimedia....svg/120px-Wikimedia-logo_black.svg.png (upload.wikimedia.org)	None	3 KiB
...Notificat....svg/96px-Notification-icon-Wikivoyage-logo.svg.png (upload.wikimedia.org)	None	2 KiB
...Flag_of_Ecuador.svg/60px-Flag_of_Ecuador.svg.png (upload.wikimedia.org)	None	2 KiB
...Flag_of_K....svg/60px-Flag_of_Kaliningrad_Oblast.svg.png (upload.wikimedia.org)	None	1 KiB
...Notificat....svg/96px-Notification-icon-Wikidata-logo.svg.png (upload.wikimedia.org)	None	1 KiB
...ac/Close_oajs.png (upload.wikimedia.org)	None	1 KiB
...OOjs_UI_i....svg/40px-OOjs_UI_icon_ellipsis.svg.png (upload.wikimedia.org)	None	1 KiB
wikipedia.org 1st Party		50 KiB
/w/load.php?lang=... (ru.wikipedia.org)	5m	21 KiB
/w/load.php?lang=... (ru.wikipedia.org)	5m	15 KiB
/w/load.php?modules=ext.gadget.ReferenceTooltips&only=scripts (en.wikipedia.org)	5m	6 KiB
/w/load.php?lang=ru&modules=site.styles&only=styles&skin=vector (ru.wikipedia.org)	5m	4 KiB
/w/load.php?modules=ext.gadget.ReferenceTooltips&only=styles (en.wikipedia.org)	5m	2 KiB
/w/load.php?lang=... (ru.wikipedia.org)	5m	2 KiB

▲ Improve image delivery — Est savings of 564 KiB



Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP

☒ Show 3rd-party resources (9)

URL	Resource Size	Est Savings
wikimedia.org	709.6 KiB	557.1 KiB
...Shattered....jpg/1500px-Shattered_light_fixture_3.jpg (upload.wikimedia.org)	531.5 KiB	434.7 KiB
Increasing the image compression factor could improve this image's download size.		294.2 KiB
This image file is larger than it needs to be (1500x972) for its displayed dimensions		314.7 KiB

URL	Resource Size	Est Savings
(958x621). Use responsive images to reduce the image download size.		
...Surikov_B...jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)	60.9 KiB	47.9 KiB
Increasing the image compression factor could improve this image's download size.		40.6 KiB
This image file is larger than it needs to be (500x250) for its displayed dimensions (400x200). Use responsive images to reduce the image download size.		21.9 KiB
...		
%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0%B4%D0%BE%D0%B2%D1%8B%D1%85_%D1%82%D0%B5%D0%BB_%D0%B3%D1%80%D0%B8%D0%B1%D0%BE%D0%B2.png/250px-%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0....png/250px-%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0% (upload.w	24.8 KiB	20.5 KiB
ikimedia.org)		
Increasing the image compression factor could improve this image's download size.		20.5 KiB
...Map_of_Bu...%D0%B5-bg.svg/330px-Map...%D0%B5-bg.svg.png (upload.wikimedia.org)	30.2 KiB	16.1 KiB
Increasing the image compression factor could improve this image's download size.		16.1 KiB
...Destructi...%2C_2025-11-19.webp/330px-Des...%2C_2025-11-19.webp.png (upload.wikimedia.org)	27.1 KiB	13.8 KiB
Increasing the image compression factor could improve this image's download size.		13.8 KiB
...Notificat....svg/96px-Notification-icon-Wiktionary-logo.svg.png (upload.wikimedia.org)	11.1 KiB	9.6 KiB
Increasing the image compression factor could improve this image's download size.		9.6 KiB
...1966_Prin....jpg/250px-196....jpg (upload.wikimedia.org)	10.5 KiB	5.4 KiB
Increasing the image compression factor could improve this image's download size.		5.4 KiB
...Shield_Ar....svg/120px-Shield_Ardatovsky_MO.svg.png (upload.wikimedia.org)	7.6 KiB	4.7 KiB
Increasing the image compression factor could improve this image's download size.		4.7 KiB
...MediaWiki....svg/96px-Medi....svg.png (upload.wikimedia.org)	5.9 KiB	4.4 KiB
Increasing the image compression factor could improve this image's download size.		4.4 KiB
wikipedia.org 1st Party	20.3 KiB	6.6 KiB
...project-logos/ruwiki-2x.png (ru.wikipedia.org)	20.3 KiB	6.6 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		6.6 KiB

 Network dependency tree

^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP

Maximum critical path latency: **435 ms**

Initial Navigation

/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D0%B0%D1%8F_%D... (ru.wikipedia.org) - **119 ms**, 32.2

/w/load.php?lang=ru&modules=site.styles&only=styles&skin=vector (ru.wikipedia.org) - **435 ms**, 4.07 KiB

/w/load.php?lang=... (ru.wikipedia.org) - **432 ms**, 1.93 KiB

/w/load.php?lang=... (ru.wikipedia.org) - **374 ms**, 15.22 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://upload.wikimedia.org/	

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Render blocking requests ^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP

URL	Transfer Size	Duration
wikipedia.org 1st Party	21.2 KiB	0 ms
/w/load.php?lang=ru&modules=site.styles&only=styles&skin=vector (ru.wikipedia.org)	4.1 KiB	
/w/load.php?lang=... (ru.wikipedia.org)	1.9 KiB	
/w/load.php?lang=... (ru.wikipedia.org)	15.2 KiB	

○ Layout shift culprits ^

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS

Element	Layout shift score
Total	0.049
<div><div></div><div>Перейти к навигации Перейти к поиску Добро пожаловать в Википедию, свободную э...</div><div><div id="bodyContent" class="vector-body"></div></div>	0.049

Element

Layout shift score

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#)

Statistic	Element	Value
Total elements		1,181
Most children	<div><div></div><div>العربية Azərbaycanca Башҡортса Беларуская Беларуская (тарашкевіца) Български Но... <ul class="vector-menu-content-list"></div></div>	43
DOM depth	<div><div></div><div><div></div><div>Калининградская область </div></div></div>	17

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP

Subpart

Duration

Time to first byte	70 ms
Element render delay	680 ms

<div><div></div></div>	<div>«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков... <p></div>
------------------------	---

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content.

3rd party	Transfer size	Main thread time
igpdmclhhlcpoindmhkhillbfhdgoegm	0 KiB	48 ms
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/webpage_content_reporter.js	0 KiB	29 ms
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/writing_mode_assistant.js	0 KiB	19 ms
bgpmiljelfnilfcfmoppijdkmccbcel	0 KiB	24 ms
chrome-extension://bgpmiljelfnilfcfmoppijdkmccbcel/filter_content.js	0 KiB	18 ms
chrome-extension://bgpmiljelfnilfcfmoppijdkmccbcel/snippets.js	0 KiB	6 ms
hhckidpbkbmoeejbddojbdgidalionif	0 KiB	22 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/video_toolbar.js	0 KiB	8 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/third_party/davidshimjs-qrcodejs/qrcode.min.js	0 KiB	4 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/video_handler.js	0 KiB	3 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/skip_button.js	0 KiB	2 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/lucid_mode_button.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/button.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/default_video_handler.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/skip_button_popup.js	0 KiB	0 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/bragi.js	0 KiB	0 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/send_by_qr_code_button.js	0 KiB	0 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/video_detach_button.js	0 KiB	0 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/hint.js	0 KiB	0 ms
cbnpimmlikdmfccbjhbjlmonkehnlofh	0 KiB	3 ms
chrome-extension://cbnpimmlikdmfccbjhbjlmonkehnlofh/user_style.js	0 KiB	3 ms
bglibfjmlfdbdeofhmgmhblgpjldlikf	0 KiB	2 ms
chrome-extension://bglibfjmlfdbdeofhmgmhblgpjldlikf/content.js	0 KiB	2 ms
wikimedia.org	851 KiB	1 ms
/w/index.php?title=... (meta.wikimedia.org)	3 KiB	1 ms
...ac/Close_oajs.png (upload.wikimedia.org)	1 KiB	0 ms
...Shattered....jpg/1500px-Shattered_light_fixture_3.jpg (upload.wikimedia.org)	533 KiB	0 ms
...Surikov_B....jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)	62 KiB	0 ms
...71/Wikipedia_Asian_Month_Logo.svg (upload.wikimedia.org)	44 KiB	0 ms
...Map_of_Bu...%D0%B5-bg.svg/330px-Map...%D0%B5-bg.svg.png (upload.wikimedia.org)	31 KiB	0 ms
...Destructi...%2C_2025-11-19.webp/330px-Des...%2C_2025-11-19.webp.png (upload.wikimedia.org)	28 KiB	0 ms

3rd party	Transfer size	Main thread time
...		
%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0%B4%D0%BE%D0%B2%D1%8B%D1%85_%D1%82%D0%B5%D0%BB_%D0%B3%D1%80%D0%B8%D0%B1%D0%BE%D0%B2.png/250px-	26 KiB	0 ms
%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0....png/250px-		
%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0% (upload.wikimedia.org)		
...e3/Wikipedia_logo_letters_banner.svg (upload.wikimedia.org)	24 KiB	0 ms
...Napoleon....jpg/250px-Napoleon_Diamond_Necklace.jpg (upload.wikimedia.org)	15 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wiktionary-logo.svg.png (upload.wikimedia.org)	12 KiB	0 ms
...1966_Prin....jpg/250px-196....jpg (upload.wikimedia.org)	11 KiB	0 ms
...Shield_Ar....svg/120px-Shield_Ardatovsky_MO.svg.png (upload.wikimedia.org)	8 KiB	0 ms
...MediaWiki....svg/96px-Medi....svg.png (upload.wikimedia.org)	7 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wikinews-logo.svg.png (upload.wikimedia.org)	6 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wikibooks-logo.svg.png (upload.wikimedia.org)	4 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wikisource-logo.svg.png (upload.wikimedia.org)	4 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wikispecies-logo.svg.png (upload.wikimedia.org)	4 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wikiquote.svg.png (upload.wikimedia.org)	4 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wikifunctions-logo.s....png (upload.wikimedia.org)	4 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wikiversity-logo.svg.png (upload.wikimedia.org)	3 KiB	0 ms
...Flag_of_t....svg/120px-Flag_of_the_President_of_Slovakia.svg.png (upload.wikimedia.org)	3 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Commons-logo.svg.png (upload.wikimedia.org)	3 KiB	0 ms
...Wikimedia....svg/120px-Wikimedia-logo_black.svg.png (upload.wikimedia.org)	3 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wikivoyage-logo.svg.png (upload.wikimedia.org)	2 KiB	0 ms
...Flag_of_Ecuador.svg/60px-Flag_of_Ecuador.svg.png (upload.wikimedia.org)	2 KiB	0 ms
...Flag_of_K....svg/60px-Flag_of_Kaliningrad_Oblast.svg.png (upload.wikimedia.org)	1 KiB	0 ms
...Notificat....svg/96px-Notification-icon-Wikidata-logo.svg.png (upload.wikimedia.org)	1 KiB	0 ms
...OOjs_UI_i....svg/40px-OOjs_UI_icon_ellipsis.svg.png (upload.wikimedia.org)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Avoid serving legacy JavaScript to modern browsers — Est savings of 18 KiB ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must

support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

URL	Est Savings
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/webpage_content_reporter.js	9.1 KiB
<div>webpage_content_reporter.js:2</div>	@babel/plugin-transform-classes
<div>webpage_content_reporter.js:2</div>	Array.isArray
<div>webpage_content_reporter.js:2</div>	Object.is
<div>webpage_content_reporter.js:2</div>	Object.keys
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/writing_mode_assistant.js	9.0 KiB
<div>writing_mode_assistant.js:2</div>	@babel/plugin-transform-classes
<div>writing_mode_assistant.js:2</div>	Object.is
<div>writing_mode_assistant.js:2</div>	Object.keys

Reduce unused CSS — Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP

URL	Transfer Size	Est Savings
.mw-spinner{position:relative; } ...	18.2 KiB	17.7 KiB

Reduce unused JavaScript — Est savings of 49 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). FCP LCP

URL	Transfer Size	Est Savings
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/webpage_content_reporter.js	57.6 KiB	49.3 KiB

☐ Avoid long main-thread tasks — 5 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long](#)

[main-thread tasks](#) TBT

URL	Start Time	Duration
wikipedia.org 1st Party		299 ms
/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D0%B0%D1%8F_%D... (ru.wikipedia.org)	590 ms	127 ms
/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D0%B0%D1%8F_%D... (ru.wikipedia.org)	722 ms	62 ms
/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D0%B0%D1%8F_%D... (ru.wikipedia.org)	353 ms	57 ms
/w/load.php?lang=... (ru.wikipedia.org)	887 ms	53 ms
Unattributable		107 ms
Unattributable	410 ms	107 ms

User Timing marks and measures — 2 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
mwStartup	Mark	390.00 ms	
mwCentralNoticeBanner	Mark	1,319.69 ms	

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (20)

Hide

Document request latency

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP

- Avoids redirects
- Server responds quickly (observed 65 ms)
- Applies text compression

Duplicated JavaScript

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

Font display

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#).

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations.

INP breakdown

Start investigating with the longest subpart. [Delays can be minimized](#). To reduce processing duration, [optimize the main-thread costs](#), often JS.

LCP request discovery

Optimize LCP by making the LCP image [discoverable](#) from the HTML immediately, and [avoiding lazy-loading](#)

Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#)

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#).

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

meta

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images](#). FCP LCP

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP

Minify JavaScript



Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP

Use HTTP/2



HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) FCP

Avoids enormous network payloads — Total size was 1,002 KiB



Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

☒ Show 3rd-party resources (7)

URL	Transfer Size
wikimedia.org	747.0 KiB
...Shattered....jpg/1500px-Shattered_light_fixture_3.jpg (upload.wikimedia.org)	532.7 KiB
...Surikov_B....jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)	61.9 KiB
...71/Wikipedia_Asian_Month_Logo.svg (upload.wikimedia.org)	43.7 KiB
...Map_of_Bu...%D0%B5-bg.svg/330px-Map...%D0%B5-bg.svg.png (upload.wikimedia.org)	31.2 KiB
...Destructi...%2C_2025-11-19.webp/330px-Des...%2C_2025-11-19.webp.png (upload.wikimedia.org)	28.0 KiB
...	
%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0%B4%D0%BE%D0%B2%D1%8B%D1%85_%D1%82%D0%B5%D0%BB_%D0%B3%D1%80%D0%B8%D0%B1%D0%BE%D0%B2.png/250px-%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0....png/250px-%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0% (upload.wikimedia.org)	25.9 KiB
...e3/Wikipedia_logo_letters_banner.svg (upload.wikimedia.org)	23.6 KiB
wikipedia.org 1st Party	93.1 KiB
/w/load.php?lang=ru&modules=jquery&skin=vector&version=r2z40 (ru.wikipedia.org)	39.9 KiB
/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D0%B0%D1%8F_%D... (ru.wikiped ia.org)	32.3 KiB
...project-logos/ruwiki-2x.png (ru.wikipedia.org)	21.0 KiB

JavaScript execution time — 0.3 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

URL	Total CPU Time	Script Evaluation	Script Parse
wikipedia.org 1st Party	723 ms	236 ms	18 ms
/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D0%B0%D1%8F_%D... (ru.wikipedia.org)	548 ms	91 ms	14 ms
/w/load.php?lang=... (ru.wikipedia.org)	175 ms	145 ms	4 ms
Unattributable	270 ms	12 ms	0 ms
Unattributable	270 ms	12 ms	0 ms

Minimizes main-thread work — 1.4 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	530 ms
Other	355 ms
Style & Layout	314 ms
Rendering	52 ms
Parse HTML & CSS	51 ms
Script Parsing & Compilation	50 ms

☐ Lazy load third-party resources with facades



Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade.](#) TBT

Uses passive listeners to improve scrolling performance



Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners.](#)

Avoids `document.write()`



For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

Page didn't prevent back/forward cache restoration



Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

▲ Links rely on color to be distinguishable.




Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](#).

Failing Elements



Василия Сурикова



«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...
<p>



Государственной Третьяковской галерее





«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...
<p>




Москве


Failing Elements




«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...
<p>




расколом



«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...
<p>




Русской православной церкви



«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...
<p>




старообрядчества




«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...
<p>




Феодосию Прокофьевну Морозову



«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...
<p>




Чудовом монастыре



«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...
<p>

Failing Elements




двуперстным




«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...

<p>




крестным знаменем



«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...

<p>




Утро стрелецкой казни



«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...

<p>



Меншиков в Берёзове



«Боярыня Морозова» — крупноформатная картина русского художника Василия Суриков...


<p>



Товарищества передвижных художественных выставок

<a

href="/wiki/%D0%A2%D0%BE%D0%B2%D0%B0%D1%80%D0%B8%D1%89%D0%B5%D1%81%D1%82%D0%B2D..."
class="mw-redirect">



Первоначальный эскиз картины «Боярыня Морозова» был написан в 1881 году, однако...


<p>

Failing Elements



Санкт-Петербурге

[D0%A1%D0%B0%D0%BD%D0%BA%D1%82-%D0%9F%D0%B5%D1%82%D0%B5%D1%80%D0%B1...](/wiki/%D0%A1%D0%B0%D0%BD%D0%BA%D1%82-%D0%9F%D0%B5%D1%82%D0%B5%D1%80%D0%B1...)




Первоначальный эскиз картины «Боярыня Морозова» был написан в 1881 году, однако...

<p>




Павлом Третьяковым




Первоначальный эскиз картины «Боярыня Морозова» был написан в 1881 году, однако...

<p>




Владимир Стасов




Художественный критик Владимир Стасов писал, что Суриков, представивший на 15-й...

<p>




Дмитрия Сарабьянова



Художественный критик Владимир Стасов писал, что Суриков, представивший на 15-й...

<p>



англ.




«Проклятие её плоти» (англ. The Curse of Her Flesh) — американский малобюджетны...

<p>

Failing Elements




малобюджетный фильм




«Проклятие её плоти» (англ. The Curse of Her Flesh) — американский малобюджетны...

<p>



сексплотэйшн




«Проклятие её плоти» (англ. The Curse of Her Flesh) — американский малобюджетны...

<p>



Майклом Финдли




«Проклятие её плоти» (англ. The Curse of Her Flesh) — американский малобюджетны...

<p>



Роберты Финдли




«Проклятие её плоти» (англ. The Curse of Her Flesh) — американский малобюджетны...

<p>



Прикосновение её плоти




«Проклятие её плоти» (англ. The Curse of Her Flesh) — американский малобюджетны...

<p>

Failing Elements




Поцелуй её плоти




«Проклятие её плоти» (англ. The Curse of Her Flesh) — американский малобюджетны...
<p>



грайндхаусного




«Проклятие её плоти» (англ. The Curse of Her Flesh) — американский малобюджетны...
<p>




42-й улицы Манхэттена




Картина создавалась в условиях ограниченного бюджета и предназначалась для пока...
<p>



Ожерелье



Ожерелье (на илл.), заказанное Наполеоном для второй жены, следовало моде на «р...




Наполеоном



Ожерелье (на илл.), заказанное Наполеоном для второй жены, следовало моде на «р...

Failing Elements




второй жены

[второй жены](/wiki/%D0%9C%D0%B0%D1%80%D0%B8%D1%8F-%D0%9B%D1%83%D0%B8%D0%B7%D0%B0_%D0%90...)



Ожерелье (на илл.), заказанное Наполеоном для второй жены, следовало моде на «р...

[Ожерелье \(на илл.\), заказанное Наполеоном для второй жены, следовало моде на «р...](#)




курдской

[курдской](/wiki/%D0%9A%D1%83%D1%80%D0%B4%D1%8B)



Первой работой курдской художницы Зехры Доган после освобождения из тюрьмы был ...

[Первой работой курдской художницы Зехры Доган после освобождения из тюрьмы был ...](#)




Зехры Доган

[Зехры Доган](/wiki/%D0%94%D0%BE%D0%B3%D0%B0%D0%BD,_%D0%97%D0%B5%D1%85%D1%80%D0%B0)



Первой работой курдской художницы Зехры Доган после освобождения из тюрьмы был ...

[Первой работой курдской художницы Зехры Доган после освобождения из тюрьмы был ...](#)




Мехди Раджабиан

[Мехди Раджабиан](/wiki/%D0%A0%D0%B0%D0%B4%D0%B6%D0%B0%D0%B1%D1%8F%D0%BD,_%D0%9C%D0%B5%D1%85...)



Первой работой курдской художницы Зехры Доган после освобождения из тюрьмы был ...

[Первой работой курдской художницы Зехры Доган после освобождения из тюрьмы был ...](#)



мемом


[мемом](/wiki/%D0%98%D0%BD%D1%82%D0%B5%D1%80%D0%BD%D0%B5%D1%82-%D0%BC%D0%B5%D0%BC)




Российский «экстрасенс» стал «мемом».

[Российский «экстрасенс» стал «мемом».](#)


Failing Elements



двух



Для рабочих двух заводов и одной ж/д станции советская власть создала «колбасу».



заводов




Для рабочих двух заводов и одной ж/д станции советская власть создала «колбасу».



одной ж/д станции




Для рабочих двух заводов и одной ж/д станции советская власть создала «колбасу».



Гран-при Японии



Японский гоночный автомобиль (на илл.) до победы в Гран-при Японии установил пя...




НОВЫХ



Японский гоночный автомобиль (на илл.) до победы в Гран-при Японии установил пя...

Failing Elements



Нигерии
[Nigeria](/wiki/%D0%9D%D0%B8%D0%B3%D0%B5%D1%80%D0%B8%D1%8F)




В Нигерии неизвестные боевики напали на школу и похитили 315 человек, включая 3...
[Nigeria](#)



Экс-премьер-министра
[Ex-Premier Minister](/wiki/%D0%A1%D0%BF%D0%B8%D1%81%D0%BE%D0%BA_%D0%B3%D0%BB%D0%B0%D0%B2_%D0%BF...)



Экс-премьер-министра Бангладеш Шейх Хасину заочно приговорили к смертной казни ...
[Ex-Premier Minister](#)



Бангладеш
[Bangladesh](/wiki/%D0%91%D0%B0%D0%BD%D0%B3%D0%BB%D0%B0%D0%B4%D0%B5%D1%88)




Экс-премьер-министра Бангладеш Шейх Хасину заочно приговорили к смертной казни ...
[Ex-Premier Minister](#)



смертной казни
[Death Sentence](/wiki/%D0%A1%D0%BC%D0%B5%D1%80%D1%82%D0%BD%D0%B0%D1%8F_%D0%BA%D0%B0%D0%B7...)



Экс-премьер-министра Бангладеш Шейх Хасину заочно приговорили к смертной казни ...
[Ex-Premier Minister](#)




энергетики
[Energy](/wiki/%D0%93%D1%80%D0%B8%D0%BD%D1%87%D1%83%D0%BA,_%D0%A1%D0%B2%D0%B5%D1%82...)



В результате антикоррупционного расследования были отправлены в отставку минист...
[Anti-corruption Investigation](#)


Failing Elements



ЮСТИЦИИ




В результате антикоррупционного расследования были отправлены в отставку минист...



Тимур Миндич




В результате антикоррупционного расследования были отправлены в отставку минист...



Владимира Зеленского




В результате антикоррупционного расследования были отправлены в отставку минист...



США



В США завершилась приостановка работы правительства, продлившаяся рекордные 43 ...




1895



1895 — Альфред Нобель завещал передать своё состояние в фонд Нобелевской премии.

Failing Elements



Альфред Нобель




1895 — Альфред Нобель завещал передать своё состояние в фонд Нобелевской премии.




Нобелевской премии




1895 — Альфред Нобель завещал передать своё состояние в фонд Нобелевской премии.




1896




1896 — Рихард Штраус представил немецкой публике симфоническую поэму «Так говор...



Рихард Штраус



1896 — Рихард Штраус представил немецкой публике симфоническую поэму «Так говор...




Так говорил Заратустра




1896 — Рихард Штраус представил немецкой публике симфоническую поэму «Так говор...

Failing Elements




1919
[1919](/wiki/1919_%D0%B3%D0%BE%D0%B4%)




1919 — Нёйиский договор лишил Болгарию десятой части её территории (на илл.).



Нёйиский договор




1919 — Нёйиский договор лишил Болгарию десятой части её территории (на илл.).



Болгарию
[Болгарию](/wiki/%D0%91%D0%BE%D0%BB%D0%B3%D0%B0%D1%80%D0%B8%D1%8F%)




1919 — Нёйиский договор лишил Болгарию десятой части её территории (на илл.).



2001
[2001](/wiki/2001_%D0%B3%D0%BE%D0%B4%)



2001 — астрономы сообщили об обнаружении атмосферы на планете Осирис.





атмосферы
[атмосферы](/wiki/%D0%90%D1%82%D0%BC%D0%BE%D1%81%D1%84%D0%B5%D1%80%D0%B0%)



2001 — астрономы сообщили об обнаружении атмосферы на планете Осирис.

Failing Elements

	<p>Осирис</p> <p></p>
	<p>2001 — астрономы сообщили об обнаружении атмосферы на планете Осирис.</p> <p></p>
	<p>2005</p> <p><a ><a="" ><="" a="" href="/wiki/2005_%D0%B3%D0%BE%D0%B4"></p>
	<p>2005 — в Амьене прошла первая операция по пересадке лица.</p> <p></p>
	<p>Амьене</p> <p><a ><a="" ><="" a="" href="/wiki/%D0%90%D0%BC%D1%8C%D0%B5%D0%BD"></p>
	<p>2005 — в Амьене прошла первая операция по пересадке лица.</p> <p></p>
	<p>пересадке лица</p> <p><a ><a="" ><="" a="" href="/wiki/%D0%A2%D1%80%D0%B0%D0%BD%D1%81%D0%BF%D0%BB%D0%B0%D0%BD%D1%82%D0%B0%D..."></p>
	<p>2005 — в Амьене прошла первая операция по пересадке лица.</p> <p></p>
	<p>Выборы на Коморах</p> <p><a ><a="" ><="" a="" href="/wiki/%D0%A8%D0%B0%D0%B1%D0%BB%D0%BE%D0%BD:%D0%92%D1%8B%D0%B1%D0%BE%D1%80..."></p>
	<p>{{Выборы на Коморах}}</p> <p></p>

Failing Elements

Фонда Викимедиа

Википедия расположена на серверах Фонда Викимедиа — некоммерческой организации,...
<div class="fake-heading h2 main-header main-wikimedia-header">

These are opportunities to improve the legibility of your content.

BEST PRACTICES

▲ Touch targets do not have sufficient size or spacing.

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets](#).

Failing Elements

Избранные статьи

Случайная статья

Случайная статья


Избранные статьи

Текущие события

Текущие события

Случайная статья


Failing Elements



```
<a href="/wiki/%D0%A1%D0%BB%D1%83%D0%B6%D0%B5%D0%B1%D0%BD%D0%B0%D1%8F:%D0%A1%D0%BB..."
accesskey="x">
```



```
Пожертвовать
<a href="https://donate.wikimedia.org/?
wmf_source=donate&wmf_medium=sidebar&wmf_cam...">
```




```
Пожертвовать
<a href="https://donate.wikimedia.org/?
wmf_source=donate&wmf_medium=sidebar&wmf_cam...">
```



```
Текущие события
<a href="/wiki/%D0%9F%D0%BE%D1%80%D1%82%D0%B0%D0%BB:%D0%A2%D0%B5%D0%BA%D1%83%D1%89...">
```




```
Сообщить об ошибке
<a
href="/wiki/%D0%92%D0%B8%D0%BA%D0%B8%D0%BF%D0%B5%D0%B4%D0%B8%D1%8F:%D0%A1%D0%BE..."
role="button">
```




```
Как править статьи
<a href="/wiki/%D0%A1%D0%BF%D1%80%D0%B0%D0%B2%D0%BA%D0%B0:%D0%92%D0%B2%D0%B5%D0%B4...">
```




```
Как править статьи
<a
href="/wiki/%D0%A1%D0%BF%D1%80%D0%B0%D0%B2%D0%BA%D0%B0:%D0%92%D0%B2%D0%B5%D0%B4...">
```




```
Сообщить об ошибке
<a href="/wiki/%D0%92%D0%B8%D0%BA%D0%B8%D0%BF%D0%B5%D0%B4%D0%B8%D1%8F:%D0%A1%D0%BE..."
role="button">
```



```
Форум
<a
href="/wiki/%D0%92%D0%B8%D0%BA%D0%B8%D0%BF%D0%B5%D0%B4%D0%B8%D1%8F:%D0%A4%D0%BE...">
```



```
Справка
<a href="/wiki/%D0%92%D0%B8%D0%BA%D0%B8%D0%BF%D0%B5%D0%B4%D0%B8%D1%8F:%D0%A1%D0%BF...">
```



```
Справка
<a
href="/wiki/%D0%92%D0%B8%D0%BA%D0%B8%D0%BF%D0%B5%D0%B4%D0%B8%D1%8F:%D0%A1%D0%BF...">
```



```
Форум
<a href="/wiki/%D0%92%D0%B8%D0%BA%D0%B8%D0%BF%D0%B5%D0%B4%D0%B8%D1%8F:%D0%A4%D0%BE...">
```

Failing Elements

	<p>Свежие правки</p> <p><a</p> <p>href="/wiki/%D0%A1%D0%BB%D1%83%D0%B6%D0%B5%D0%B1%D0%BD%D0%B0%D1%8F:%D0%A1%D0%B2..."</p> <p>accesskey="r"></p>
	<p>Новые страницы</p> <p></p>
	<p>Новые страницы</p> <p><a</p> <p>href="/wiki/%D0%A1%D0%BB%D1%83%D0%B6%D0%B5%D0%B1%D0%BD%D0%B0%D1%8F:%D0%9D%D0%BE..."></p>
	<p>Свежие правки</p> <p><a href="/wiki/%D0%A1%D0%BB%D1%83%D0%B6%D0%B5%D0%B1%D0%BD%D0%B0%D1%8F:%D0%A1%D0%B2..."</p> <p>accesskey="r"></p>
	<p>Связанные правки</p> <p><a</p> <p>href="/wiki/%D0%A1%D0%BB%D1%83%D0%B6%D0%B5%D0%B1%D0%BD%D0%B0%D1%8F:%D0%A1%D0%B2..."</p> <p>rel="nofollow" accesskey="k"></p>
	<p>Постоянная ссылка</p> <p></p>
	<p>Постоянная ссылка</p> <p><a href="https://ru.wikipedia.org/w/index.php?</p> <p>title=%D0%97%D0%B0%D0%B3%D0%BB%D0%B0..."></p>
	<p>Связанные правки</p> <p><a href="/wiki/%D0%A1%D0%BB%D1%83%D0%B6%D0%B5%D0%B1%D0%BD%D0%B0%D1%8F:%D0%A1%D0%B2..."</p> <p>rel="nofollow" accesskey="k"></p>
	<p>Сведения о странице</p> <p></p>
	<p>Сведения о странице</p> <p><a href="/w/index.php?</p> <p>title=%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D0%B0%D1%8F_..."></p>
	<p>Постоянная ссылка</p> <p></p>
	<p>Скачать QR-код</p>

Failing Elements

	<div></div>
<div></div>	<div>Развернуть всё</div> <div></div>
<div></div>	<div>Развернуть всё</div> <div></div>
<div></div>	<div>Скачать QR-код</div> <div></div>
<div></div>	<div>Скачать как PDF</div> <div></div>
<div></div>	<div>Версия для печати</div> <div></div>
<div></div>	<div>Версия для печати</div> <div></div>
<div></div>	<div>Скачать как PDF</div> <div></div>
<div></div>	<div>Медиавики</div> <div></div>
<div></div>	<div>Мета-вики</div> <div></div>
<div></div>	<div>Мета-вики</div> <div></div>
<div></div>	<div>Медиавики</div> <div></div>

Failing Elements

	<div>Викивиды</div> <div><a</div> <div>href="https://species.wikimedia.org/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0..."</div> <div>hreflang="en"></div>
	<div>Викиучебник</div> <div><a href="https://ru.wikibooks.org/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D..."</div> <div>hreflang="ru"></div>
	<div>Викиучебник</div> <div><a</div> <div>href="https://ru.wikibooks.org/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D..."</div> <div>hreflang="ru"></div>
	<div>Викивиды</div> <div><a href="https://species.wikimedia.org/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0..."</div> <div>hreflang="en"></div>
	<div>Викиданные</div> <div></div>
	<div>Викиданные</div> <div></div>
	<div>Викиучебник</div> <div><a href="https://ru.wikibooks.org/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D..."</div> <div>hreflang="ru"></div>
	<div>Викифункции</div> <div></div>
	<div>Викифункции</div> <div></div>
	<div>Викиданные</div> <div></div>
	<div>Викиновости</div> <div><a href="https://ru.wikinews.org/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D0..."</div> <div>hreflang="ru"></div>
	<div>Викиновости</div> <div><a</div> <div>href="https://ru.wikinews.org/wiki/%D0%97%D0%B0%D0%B3%D0%BB%D0%B0%D0%B2%D0%BD%D0..."</div>

Failing Elements

	<code>hreflang="ru"></code>
	<p>Викифункции</p> <code></code>
	<p>Викицитатник</p> <code></code>
	<p>Викицитатник</p> <code></code>
	<p>Викиновости</p> <code></code>
	<p>Викитека</p> <code></code>
	<p>Викитека</p> <code></code>
	<p>Викицитатник</p> <code></code>
	<p>Викиверситет</p> <code></code>
	<p>Викиверситет</p> <code></code>
	<p>Викитека</p> <code></code>
	<p>Викигид</p> <code></code>
	<p>Викисловарь</p> <code></code>

Failing Elements

	<p>Викисловарь</p> <pre></pre>
	<p>Викигид</p> <pre></pre>
	<p>Azərbaycanca</p> <pre></pre>
	<p>Башҡортса</p> <pre></pre>
	<p>Башҡортса</p> <pre></pre>
	<p>Azərbaycanca</p> <pre></pre>
	<p>Беларуская</p> <pre></pre>
	<p>Беларуская</p> <pre></pre>
	<p>Башҡортса</p> <pre></pre>
	<p>Български</p> <pre></pre>
	<p>Нохчийн</p> <pre></pre>

Failing Elements

<div><div></div></div>	<div>Нохчийн</div> <div></div>
<div><div></div></div>	<div>Български</div> <div></div>
<div><div></div></div>	<div>Čeština</div> <div></div>
<div><div></div></div>	<div>Čeština</div> <div></div>
<div><div></div></div>	<div>Нохчийн</div> <div></div>
<div><div></div></div>	<div>Чăвашла</div> <div></div>
<div><div></div></div>	<div>Чăвашла</div> <div></div>
<div><div></div></div>	<div>Čeština</div> <div></div>
<div><div></div></div>	<div>Dansk</div> <div></div>
<div><div></div></div>	<div>Dansk</div> <div></div>
<div><div></div></div>	<div>Чăвашла</div> <div></div>
<div><div></div></div>	<div>Deutsch</div> <div></div>
	<div>Deutsch</div>

Failing Elements

	<div></div>
<div>Dansk</div>	<div></div>
<div>Ελληνικά</div>	<div></div>
<div>Ελληνικά</div>	<div></div>
<div>Deutsch</div>	<div></div>
<div>English</div>	<div></div>
<div>English</div>	<div></div>
<div>Ελληνικά</div>	<div></div>
<div>Español</div>	<div></div>
<div>Español</div>	<div></div>
<div>English</div>	<div></div>
<div>Eesti</div>	<div></div>
<div>Eesti</div>	<div></div>

Failing Elements

	<code>class="interlanguage-link-target"></code>
	<p>Español</p> <code></code>
	<p>فارسی</p> <code></code>
	<p>فارسی</p> <code></code>
	<p>Eesti</p> <code></code>
	<p>Suomi</p> <code></code>
	<p>Suomi</p> <code></code>
	<p>فارسی</p> <code></code>
	<p>Français</p> <code></code>
	<p>Français</p> <code></code>
	<p>Suomi</p> <code></code>
	<p>עברית</p> <code></code>

Failing Elements

	<p>עברית</p> <p></p>
	<p>Français</p> <p></p>
	<p>Magyar</p> <p></p>
	<p>Magyar</p> <p></p>
	<p>עברית</p> <p></p>
	<p>Հայերեն</p> <p></p>
	<p>Հայերեն</p> <p></p>
	<p>Magyar</p> <p></p>
	<p>Italiano</p> <p></p>
	<p>Italiano</p> <p></p>
	<p>Հայերեն</p> <p></p>
	<p>日本語</p> <p></p>
	<p>日本語</p>

Failing Elements

	<div></div>
<div>Italiano</div>	<div></div>
<div>ქართული</div>	<div></div>
<div>ქართული</div>	<div></div>
<div>日本語</div>	<div></div>
<div>Қазақша</div>	<div></div>
<div>Қазақша</div>	<div></div>
<div>ქართული</div>	<div></div>
<div>한국어</div>	<div></div>
<div>한국어</div>	<div></div>
<div>Қазақша</div>	<div></div>
<div>Lietuvių</div>	<div></div>
<div>Lietuvių</div>	<div></div>


Failing Elements

	<div>class="interlanguage-link-target"></div>
<div></div>	<div>한국어<div></div></div>
<div></div>	<div>Latviešu<div></div></div>
<div></div>	<div>Latviešu<div></div></div>
<div></div>	<div>Lietuvių<div></div></div>
<div></div>	<div>Nederlands<div></div></div>
<div></div>	<div>Nederlands<div></div></div>
<div></div>	<div>Latviešu<div></div></div>
<div></div>	<div>Norsk bokmål<div></div></div>
<div></div>	<div>Norsk bokmål<div></div></div>
<div></div>	<div>Nederlands<div></div></div>
<div></div>	<div>Ирон<div></div></div>

Failing Elements



Polski




Polski



Ирон



Português




Português




Polski



Română




Română




Português



Саха тыла



Саха тыла



Română

Failing Elements

<div></div>	<div></div>
<div><div></div><div>Српски / srpski</div></div>	<div><div></div></div>
<div><div></div><div>Српски / srpski</div></div>	<div><div></div></div>
<div><div></div><div>Саха тыла</div></div>	<div><div></div></div>
<div><div></div><div>Svenska</div></div>	<div><div></div></div>
<div><div></div><div>Türkçe</div></div>	<div><div></div></div>
<div><div></div><div>Türkçe</div></div>	<div><div></div></div>
<div><div></div><div>Svenska</div></div>	<div><div></div></div>
<div><div></div><div>Українська</div></div>	<div><div></div></div>
<div><div></div><div>Tiếng Việt</div></div>	<div><div></div></div>
<div><div></div><div>Tiếng Việt</div></div>	<div><div></div></div>

Failing Elements	
<div><div></div></div>	<div>Українська</div> <div></div>

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

<div><div></div></div>	<div>Interactive controls are keyboard focusable</div> <div>Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable.</div>	<div>^</div>
<div><div></div></div>	<div>Interactive elements indicate their purpose and state</div> <div>Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints.</div>	<div>^</div>
<div><div></div></div>	<div>The page has a logical tab order</div> <div>Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering.</div>	<div>^</div>
<div><div></div></div>	<div>Visual order on the page follows DOM order</div> <div>DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering.</div>	<div>^</div>
<div><div></div></div>	<div>User focus is not accidentally trapped in a region</div> <div>A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus traps.</div>	<div>^</div>
<div><div></div></div>	<div>The user's focus is directed to new content added to the page</div> <div>If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content.</div>	<div>^</div>
<div><div></div></div>	<div>HTML5 landmark elements are used to improve navigation</div> <div>Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements.</div>	<div>^</div>
<div><div></div></div>	<div>Offscreen content is hidden from assistive technology</div> <div>Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content.</div>	<div>^</div>

☐ Custom controls have associated labels



Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#)

☐ Custom controls have ARIA roles



Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (29)

Hide

[\[aria-*\]](#) attributes match their roles



Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles.](#)

[\[aria-hidden="true"\]](#) is not present on the document `<body>`



Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document `<body>`. [Learn how aria-hidden affects the document body.](#)

[\[role\]](#)s have all required [\[aria-*\]](#) attributes



Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

[\[aria-*\]](#) attributes have valid values



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

[\[aria-*\]](#) attributes are valid and not misspelled



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

Buttons have an accessible name



When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

Image elements have [\[alt\]](#) attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Input buttons have discernible text.



Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.



Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

`[accesskey]` values are unique



Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#)

ARIA attributes are used as specified for the element's role



Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

Elements use only permitted ARIA attributes



Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

`[role]` values are valid



ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

Background and foreground colors have a sufficient contrast ratio



Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.



When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#)

Definition list items are wrapped in `<dl>` elements



Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

Document has a `<title>` element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

`<html>` element has a `[lang]` attribute

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#)

`<html>` element has a valid value for its `[lang]` attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the `lang` attribute.](#)

Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Lists contain only `` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

List items (``) are contained within ``, `` or `<menu>` parent elements

Screen readers require list items (``) to be contained within a parent ``, `` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

No element has a `[tabindex]` value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute.](#)

`[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the `lang` attribute.](#)

Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Uses ARIA roles only on compatible elements



Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#)

Deprecated ARIA roles were not used



Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

Image elements do not have `[alt]` attributes that are redundant text.



Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#)

NOT APPLICABLE (26)

Hide

☐ `button`, `link`, and `menuitem` elements have accessible names



When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

☐ Elements with `role="dialog"` or `role="alertdialog"` have accessible names.



ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

☐ `[aria-hidden="true"]` elements do not contain focusable descendents



Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

☐ ARIA input fields have accessible names



When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

☐ ARIA `meter` elements have accessible names



When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#)

☐ ARIA `progressbar` elements have accessible names



When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#)

- Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

- `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

- Elements with the `role=text` attribute do not have focusable descendents. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#)

- ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

- ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#)

- ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#)

- The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#)

- ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#)

- No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

- `<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#)

- `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

- `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

- The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

- `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

- Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#)

- Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#)

- Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#)

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#)

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#)

- `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#)



Best Practices

GENERAL

▲ Uses third-party cookies — 7 cookies found ^

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Name	URL
wikimedia.org	
WMF-Uniq	...Surikov_B...jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)
WMF-Uniq	...Surikov_B...jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)
NetworkProbLimit	...Surikov_B...jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)
WMF-Uniq	...Surikov_B...jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)
NetworkProbLimit	...Surikov_B...jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)
WMF-Uniq	...Surikov_B...jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)
WMF-Uniq	...Surikov_B...jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)

▲ Issues were logged in the [Issues](#) panel in Chrome Devtools ^

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
Cookie
...Surikov_B...jpg/500px-Surikov_Boyarynya_Morozova_gtg.jpg (upload.wikimedia.org)
...Napoleon_...jpg/250px-Napoleon_Diamond_Necklace.jpg (upload.wikimedia.org)

Issue type

...OOjs_UI_i....svg/40px-OOjs_UI_icon_ellipsis.svg.png (upload.wikimedia.org)

...Flag_of_t....svg/120px-Flag_of_the_President_of_Slovakia.svg.png (upload.wikimedia.org)

...Shield_Ar....svg/120px-Shield_Ardatovsky_MO.svg.png (upload.wikimedia.org)

...Shattered....jpg/1500px-Shattered_light_fixture_3.jpg (upload.wikimedia.org)

...Destructi...%2C_2025-11-19.webp/330px-Des...%2C_2025-11-19.webp.png (upload.wikimedia.org)

...Map_of_Bu...%D0%B5-bg.svg/330px-Map...%D0%B5-bg.svg.png (upload.wikimedia.org)

...

%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0%B4%D0%BE%D0%B2%D1%8B%D1%85_%D1%82%D0%B5%D0%BB_%D0%B3%D1%80%D0%B8%D0%B1%D0%BE%D0%B2.png/250px-%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0....png/250px-%D0%A4%D0%BE%D1%80%D0%BC%D1%8B_%D0%BF%D0%BB%D0%BE%D0% (upload.wikimedia.org)

...1966_Prin....jpg/250px-196....jpg (upload.wikimedia.org)

...Flag_of_K....svg/60px-Flag_of_Kaliningrad_Oblast.svg.png (upload.wikimedia.org)

...Flag_of_Ecuador.svg/60px-Flag_of_Ecuador.svg.png (upload.wikimedia.org)

...Wikimedia....svg/120px-Wikimedia-logo_black.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wiktionary-logo.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wikiquote.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wikibooks-logo.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wikisource-logo.svg.png (upload.wikimedia.org)

...e3/Wikipedia_logo_letters_banner.svg (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wikinews-logo.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wikiversity-logo.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Commons-logo.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wikivoyage-logo.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wikidata-logo.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wikispecies-logo.svg.png (upload.wikimedia.org)

...Notificat....svg/96px-Notification-icon-Wikifunctions-logo.s....png (upload.wikimedia.org)

...MediaWiki....svg/96px-Medi....svg.png (upload.wikimedia.org)

/w/index.php?title=... (meta.wikimedia.org)

...ac/Close_oojs.png (upload.wikimedia.org)

...71/Wikipedia_Asian_Month_Logo.svg (upload.wikimedia.org)

○ Detected JavaScript libraries




All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Name	Version
jQuery	3.7.1

USER EXPERIENCE

▲ Serves images with low resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

URL	Displayed size	Actual size	Expected size
<div>wikimedia.org</div> <div></div> <div>Свернуть</div> <div></div>	24 x 24	24 x 24	48 x 48

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

○ Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

Description	Directive	Severity
No COOP header found		High

Mitigate clickjacking with XFO or CSP

^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#)

Description	Severity
No frame control policy found	High

Mitigate DOM-based XSS with Trusted Types

^

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (11)

Hide

Uses HTTPS

^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

Avoids deprecated APIs

^

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Allows users to paste into input fields

^

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

Avoids requesting the geolocation permission on page load

^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

Has a `<meta name="viewport">` tag with `width` or `initial-scale`



A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset



A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

No browser errors logged to the console



Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Page has valid source maps



Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

URL	Map URL
wikipedia.org 1st Party	
/w/load.php?lang=... (ru.wikipedia.org)	/w/load.php?lang=... (ru.wikipedia.org)
/w/load.php?lang=ru&modules=jquery&skin=vector&version=r2z40 (ru.wikipedia.org)	/w/load.php?lang=... (ru.wikipedia.org)
/w/load.php?modules=ext.gadget.ReferenceTooltips&only=scripts (en.wikipedia.org)	/w/load.php?modules=... (en.wikipedia.org)

NOT APPLICABLE (3)

Hide

○ Redirects HTTP traffic to HTTPS



Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)

○ Use a strong HSTS policy



Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

○ Document uses legible font sizes



Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more about legible font sizes.](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials.](#)

CONTENT BEST PRACTICES

▲ Document does not have a meta description



Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

Format your HTML in a way that enables crawlers to better understand your app’s content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○ Structured data is valid



Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more about Structured Data.](#)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Hide

Page isn't blocked from indexing



Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

Document has a <title> element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

Page has successful HTTP status code



Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

Links have descriptive text



Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

Links are crawlable



Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

robots.txt is valid



If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#)

Image elements have [alt] attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Document has a valid hreflang



hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

Document has a valid rel=canonical



Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

■ Captured at Nov 27, 2025, 1:55 PM GMT+3

■ Initial page load

■ Emulated Desktop with Lighthouse 12.8.1

■ Custom throttling

■ Single page session

■ Using Chromium 140.0.0.0 with devtools

