https://rutube.ru/ ⋮

54 Performance

89 Accessibility

67 Best Practices

100 SEO

There were issues affecting this run of Lighthouse:

- **The page loaded too slowly to finish within the time limit. Results may be incomplete.**

54

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49   50–89   90–100

METRICS   Expand view

First Contentful Paint

1.0 s

Largest Contentful Paint

1.0 s

▲ Total Blocking Time

Cumulative Layout Shift

2,350 ms

0.11

▲ Speed Index

13.6 s

Later this year, insights will replace performance audits. [Learn more and provide feedback here](#).

<button>Go back to audits</button>

Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Layout shift culprits ⌄

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS

Element	Layout shift score
Total	0.012
div.wdp-showcase-module__wdp-showcase `<div class="wdp-showcase-module__wdp-showcase">`	0.012

Element	Layout shift score
Total	0.110
Больше возможностей RUTUBEИстория просмотра, рекомендации по вашим интересам, p... `<div class="wdp-popup-module__popup wdp-video-view-trigger-popup-elements-module__popup">`	0.110

▲ Forced reflow ⌄

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations.

Top function call	Total reflow time
5098.js:2	340 ms

Source	Total reflow time
[unattributed]	28 ms
wdp.js:14	0 ms
wdp.js:14	1 ms
3627.js:1	1 ms
3268.js:8	153 ms
wdp.js:1	28 ms
5938.js:1	0 ms
3268.js:8	54 ms
wdp.js:1	1 ms
5098.js:1	33 ms
wdp.js:31	2 ms
wdp.js:31	0 ms
3268.js:8	140 ms
wdp.js:31	3 ms
wdp.js:1	2 ms
tag.js:16	120 ms
5098.js:1	119 ms

⚠️ Network dependency tree   ⌃

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP

Maximum critical path latency: **210 ms**

Initial Navigation

https://rutube.ru **- 189 ms,** 68.23 KiB

/platform-compose.6e6e040c.js (rutube.ru) **- 210 ms,** 0.82 KiB

/envs.a7cfc425.js (rutube.ru) **- 207 ms,** 1.34 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first

request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

_____

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Use efficient cache lifetimes   — Est savings of 203 KiB   ⌃

A long cache lifetime can speed up repeat visits to your page. Learn more. [FCP] [LCP]

☑ Show 3rd-party resources (69)

Request	Cache TTL	Transfer Size
Yandex Metrica [Analytics]		**85 KiB**
/metrika/tag.js (mc.yandex.ru)	1h	85 KiB
uxfeedback.ru		**114 KiB**
/assets-5.8.0/1.5764fbd….js (cdn.uxfeedback.ru)	10m	46 KiB
/assets-5.8.0/3.6dcb494….js (cdn.uxfeedback.ru)	10m	27 KiB
/assets-5.8.0/2.382f9d5….js (cdn.uxfeedback.ru)	10m	23 KiB
/assets-5.8.0/151d940….css (cdn.uxfeedback.ru)	10m	7 KiB
/assets-5.8.0/3d6e3b5….css (cdn.uxfeedback.ru)	10m	5 KiB
/widget.js (cdn.uxfeedback.ru)	10m	3 KiB
/assets-5.8.0/4.336e01f….js (cdn.uxfeedback.ru)	10m	3 KiB
rutubelist.ru		**305 KiB**
…96/f696f18….jpg?width=120 (pic.rutubelist.ru)	7d	76 KiB
…2f/9b2f6d7….jpg?width=120 (pic.rutubelist.ru)	7d	9 KiB
…02/5202026….jpg?width=120 (pic.rutubelist.ru)	7d	7 KiB
…45/2345b9e….jpg?width=120 (pic.rutubelist.ru)	7d	7 KiB
…9e/449e7dc….jpeg?width=120 (pic.rutubelist.ru)	7d	6 KiB
…0e/0c0e33f….jpg?width=120 (pic.rutubelist.ru)	7d	6 KiB
…f6/c8f6df5….jpg?width=120 (pic.rutubelist.ru)	7d	6 KiB
…7d/447ddbe….jpg?width=120 (pic.rutubelist.ru)	7d	6 KiB
…c5/02c5eb2….jpg?width=120 (pic.rutubelist.ru)	7d	6 KiB
…52/c65258f….jpg?width=120 (pic.rutubelist.ru)	7d	6 KiB

Request	Cache TTL	Transfer Size
...ab/bdab0a4....jpg?width=120 (pic.rutubelist.ru)	7d	6 KiB
...72/9f723e0....jpg?width=120 (pic.rutubelist.ru)	7d	6 KiB
...80/988061b....jpg?width=120 (pic.rutubelist.ru)	7d	5 KiB
...c8/efc8080....jpg?width=120 (pic.rutubelist.ru)	7d	5 KiB
...c6/04c6838....jpg?width=120 (pic.rutubelist.ru)	7d	5 KiB
...fb/2efb23a....jpg?width=120 (pic.rutubelist.ru)	7d	5 KiB
...ec/d6ec649....jpg?width=120 (pic.rutubelist.ru)	7d	5 KiB
...a7/77a717f....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...e9/4ae9354....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...e8/e5e80bc....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...15/19154b3....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...a7/38a747e....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...bb/23bba5d....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...fb/a7fb689....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...04/5204018....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...2a/c42ad21....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...02/e7025e8....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...ac/b8ac9d4....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...0a/6a0a878....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...0a/660a88e....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...f0/c7f0960....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...71/6171c0b....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...36/c8366a6....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...fa/7bfa659....jpg?width=120 (pic.rutubelist.ru)	7d	4 KiB
...b6/d9b6ae4....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...54/055437a....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...e1/6ee181f....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...0e/ed0e1c3....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...35/7f35e26....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...e9/3be982d....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...40/9b40550....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...0e/7b0eff0....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB

Request	Cache TTL	Transfer Size
...ec/1fec36d....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...d0/8cd01b6....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...f3/cdf3f29....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...cf/78cff2d....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...0d/a30dd99....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...e0/8ce0eaa....jpg?width=120 (pic.rutubelist.ru)	7d	3 KiB
...8c/4e8cc48....jpg?width=120 (pic.rutubelist.ru)	7d	2 KiB
...24/d02422c....jpg?width=120 (pic.rutubelist.ru)	7d	2 KiB
...02/e702381....jpg?width=120 (pic.rutubelist.ru)	7d	2 KiB
...cc/52cc604....jpg?width=120 (pic.rutubelist.ru)	7d	2 KiB
...c2/c4c2df1....jpg?width=120 (pic.rutubelist.ru)	7d	2 KiB
...66/8366ecc....jpg?width=120 (pic.rutubelist.ru)	7d	2 KiB
...7f/8a7f5d3....jpg?width=120 (pic.rutubelist.ru)	7d	2 KiB
...d8/39d8624....svg (pic.rutubelist.ru)	7d	2 KiB
...78/5478bee....svg (pic.rutubelist.ru)	7d	1 KiB
...c5/f0c5afb....jpg?width=120 (pic.rutubelist.ru)	7d	1 KiB
...38/f1388f4....svg (pic.rutubelist.ru)	7d	1 KiB
...7b/4b7b364....svg (pic.rutubelist.ru)	7d	1 KiB
...c5/3cc501d....svg (pic.rutubelist.ru)	7d	1 KiB
rutube.ru 1st Party		**2 KiB**
/envs.a7cfc425.js (rutube.ru)	7d	1 KiB
/platform-compose.6e6e040c.js (rutube.ru)	7d	1 KiB

Font display   —   Est savings of 20 ms   ⌃

Consider setting font-display to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with font metric overrides. [FCP]

URL	Est Savings
rutube.ru 1st Party	**40 ms**
...Regular/OpenSans-Regular.woff2?20231026 (static.rutube.ru)	20 ms
...Semibold/OpenSans-Semibold.woff2?20231026 (static.rutube.ru)	20 ms

Improve image delivery   —   Est savings of 1,530 KiB   ⌃

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size FCP LCP

URL	Resource Size	Est Savings
rutubelist.ru	**1,820.4 KiB**	**1,530.4 KiB**
...51/87515a1....png?width=1000 (pic.rutubelist.ru)	739.7 KiB	730.7 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		648.2 KiB
This image file is larger than it needs to be (1000x562) for its displayed dimensions (312x176). Use responsive images to reduce the image download size.		667.5 KiB
...31/5d31051....jpg?width=1000 (pic.rutubelist.ru)	170.6 KiB	143.5 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		79.0 KiB
This image file is larger than it needs to be (1000x563) for its displayed dimensions (544x306). Use responsive images to reduce the image download size.		120.1 KiB
...21/7221cf7....jpg?width=1000 (pic.rutubelist.ru)	140.7 KiB	131.8 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		49.4 KiB
This image file is larger than it needs to be (1000x561) for its displayed dimensions (313x176). Use responsive images to reduce the image download size.		126.9 KiB
...97/2297752....jpg?width=1000 (pic.rutubelist.ru)	123.0 KiB	95.8 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		31.7 KiB
This image file is larger than it needs to be (1000x561) for its displayed dimensions (545x306). Use responsive images to reduce the image download size.		86.4 KiB
...3a/e13a5d9....jpg?width=1000 (pic.rutubelist.ru)	102.4 KiB	92.8 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		11.0 KiB
This image file is larger than it needs to be (1000x562) for its displayed dimensions (324x182). Use responsive images to reduce the image download size.		91.7 KiB
...79/2a7985b....jpg?width=1000 (pic.rutubelist.ru)	81.5 KiB	73.5 KiB
This image file is larger than it needs to be (1000x562) for its displayed dimensions (312x176). Use responsive images to reduce the image download size.		73.5 KiB
...07/0c075f7....jpg?width=1000 (pic.rutubelist.ru)	86.0 KiB	60.4 KiB
This image file is larger than it needs to be (1000x561) for its displayed dimensions (545x306). Use responsive images to reduce the image download size.		60.4 KiB
...3c/903c877....jpg?width=1000 (pic.rutubelist.ru)	58.1 KiB	52.0 KiB
This image file is larger than it needs to be (1000x562) for its displayed dimensions (324x182). Use responsive images to reduce the image download size.		52.0 KiB

| URL	Resource Size	Est Savings
...d0/cad0f00....jpg?width=600 (pic.rutubelist.ru)	67.5 KiB	37.9 KiB
This image file is larger than it needs to be (600x839) for its displayed dimensions (384x576). Use responsive images to reduce the image download size.		37.9 KiB
...ab/9eab926....jpg?height=900 (pic.rutubelist.ru)	51.2 KiB	32.0 KiB
This image file is larger than it needs to be (506x900) for its displayed dimensions (310x551). Use responsive images to reduce the image download size.		32.0 KiB
...77/3977032....jpg?width=600 (pic.rutubelist.ru)	56.9 KiB	30.1 KiB
This image file is larger than it needs to be (573x800) for its displayed dimensions (403x537). Use responsive images to reduce the image download size.		30.1 KiB
...af/2fafbff....jpg?width=600 (pic.rutubelist.ru)	38.3 KiB	17.8 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		17.8 KiB
...f8/1af8d15....png?width=120 (pic.rutubelist.ru)	18.2 KiB	17.5 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		15.8 KiB
This image file is larger than it needs to be (120x120) for its displayed dimensions (64x64). Use responsive images to reduce the image download size.		13.0 KiB
...2f/7f2ff56....jpg?width=400 (pic.rutubelist.ru)	20.4 KiB	5.7 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		5.7 KiB
...c5/e4c50e2....jpg?width=600 (pic.rutubelist.ru)	24.2 KiB	4.5 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		4.5 KiB
...dc/97dc06a....jpg?height=900 (pic.rutubelist.ru)	41.8 KiB	4.3 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		4.3 KiB

Render blocking requests ⌃

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. FCP LCP

URL	Transfer Size	Duration
rutube.ru [1st Party]	**2.2 KiB**	**280 ms**
/platform-compose.6e6e040c.js (rutube.ru)	0.8 KiB	180 ms
/envs.a7cfc425.js (rutube.ru)	1.3 KiB	90 ms

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. Learn how to avoid an excessive DOM size.

Statistic	Element	Value
Total elements		6,450
Most children	section.wdp-grid-module__grid	99
DOM depth	div.wdp-card-description-meta-info-module__metaInfoViewsCountNumber	26

INP breakdown

Start investigating with the longest subpart. Delays can be minimized. To reduce processing duration, optimize the main-thread costs, often JS.

Subpart	Duration
Input delay	0 ms
Processing duration	60 ms
Presentation delay	450 ms

div.wdp-popup-module__popup > div.wdp-popup-module__header > button.wdp-popup-module__icon > svg.svg-icon

```
<svg class="svg-icon svg-icon--IconClose svg-icon--size" xmlns="http://www.w3.org/2000/svg" width="24" height="24"
fill="none" viewBox="0 0 24 24" style="color: var(--pen-secondary100); --rutube-icon-custom-size: 24px;">
```

LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP

Subpart	Duration
Time to first byte	40 ms
Element render delay	420 ms

img

3rd parties

3rd party code can significantly impact load performance. Reduce and defer loading of 3rd party code to prioritize your page's content.

3rd party	Transfer size	Main thread time
Google Tag Manager Tag-Manager	**214 KiB**	**69 ms**
/gtm.js?id=GTM-NCRR8Q2&gtm_auth=&gtm_preview=&gtm_cookies_win=x (www.googletagmanager.com)	108 KiB	37 ms
/gtm.js?id=GTM-MWCS5JT&gtm_auth=&gtm_preview=&gtm_cookies_win=x (www.googletagmanager.com)	107 KiB	32 ms
bgpmiljelfnilfcfmoppijdkmccbccel	**0 KiB**	**62 ms**
chrome-extension://bgpmiljelfnilfcfmoppijdkmccbccel/filter_content.js	0 KiB	57 ms
chrome-extension://bgpmiljelfnilfcfmoppijdkmccbccel/snippets.js	0 KiB	5 ms
igpdmclhhlcpoindmhkhillbfhdgoegm	**0 KiB**	**59 ms**
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/webpage_content_reporter.js	0 KiB	42 ms
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/writing_mode_assistant.js	0 KiB	17 ms
Yandex Metrica Analytics	**93 KiB**	**51 ms**
/metrika/tag.js (mc.yandex.ru)	85 KiB	51 ms
/watch/53182297?wmode=… (mc.yandex.ru)	2 KiB	0 ms
/watch/53182297?wmode=… (mc.yandex.ru)	1 KiB	0 ms
/watch/94863760?page-url=… (mc.yandex.ru)	1 KiB	0 ms
/ytm-config/94863760?wmode=7 (mc.yandex.ru)	1 KiB	0 ms
/watch/94863760?wmode=… (mc.yandex.ru)	1 KiB	0 ms
/watch/94863760?wmode=… (mc.yandex.ru)	1 KiB	0 ms
/watch/87342106?wmode=… (mc.yandex.ru)	1 KiB	0 ms
/clmap/94863760?page-url=… (mc.yandex.ru)	1 KiB	0 ms
…53182297/1?page-url=… (mc.yandex.ru)	0 KiB	0 ms
…53182297/1?page-url=… (mc.yandex.ru)	0 KiB	0 ms
…53182297/1?page-url=… (mc.yandex.ru)	0 KiB	0 ms
…94863760/1?page-url=… (mc.yandex.ru)	0 KiB	0 ms
/watch/87342106?page-url=… (mc.yandex.ru)	0 KiB	0 ms
/watch/53182297?page-url=… (mc.yandex.ru)	0 KiB	0 ms
…53182297/1?page-url=… (mc.yandex.ru)	0 KiB	0 ms

3rd party	Transfer size	Main thread time
…94863760/1?page-url=… (mc.yandex.ru)	0 KiB	0 ms
…94863760/1?page-url=… (mc.yandex.ru)	0 KiB	0 ms
/clmap/53182297?page-url=… (mc.yandex.ru)	0 KiB	0 ms
uxfeedback.ru	**115 KiB**	**37 ms**
/assets-5.8.0/1.5764fbd….js (cdn.uxfeedback.ru)	46 KiB	17 ms
/widget.js (cdn.uxfeedback.ru)	3 KiB	12 ms
/assets-5.8.0/3.6dcb494….js (cdn.uxfeedback.ru)	27 KiB	4 ms
/assets-5.8.0/2.382f9d5….js (cdn.uxfeedback.ru)	23 KiB	3 ms
/assets-5.8.0/4.336e01f….js (cdn.uxfeedback.ru)	3 KiB	1 ms
…widgets/j1vtbhp0z…?uid=bdae42d0-…&uidType=old (widget-api.uxfeedback.ru)	1 KiB	0 ms
/assets-5.8.0/151d940….css (cdn.uxfeedback.ru)	7 KiB	0 ms
/assets-5.8.0/3d6e3b5….css (cdn.uxfeedback.ru)	5 KiB	0 ms
hhckidpbkbmoeejbddojbdgidalionif	**0 KiB**	**31 ms**
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/video_toolbar.js	0 KiB	10 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/skip_button.js	0 KiB	5 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/third_party/davidshimjs-qrcodejs/qrcode.min.js	0 KiB	4 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/video_handler.js	0 KiB	3 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/button.js	0 KiB	2 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/lucid_mode_button.js	0 KiB	2 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/default_video_handler.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/skip_button_popup.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/send_by_qr_code_button.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/bragi.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/video_detach_button.js	0 KiB	1 ms
chrome-extension://hhckidpbkbmoeejbddojbdgidalionif/components/hint.js	0 KiB	1 ms
bglibfjmlfdbdeofhmgmhblgpjldlikf	**0 KiB**	**6 ms**
chrome-extension://bglibfjmlfdbdeofhmgmhblgpjldlikf/content.js	0 KiB	6 ms
cbnpimmlikdmfccbjhbjlmonkehnlofh	**0 KiB**	**2 ms**
chrome-extension://cbnpimmlikdmfccbjhbjlmonkehnlofh/user_style.js	0 KiB	2 ms
rutubelist.ru	**3,928 KiB**	**0 ms**

3rd party	Transfer size	Main thread time
...51/87515a1....png?width=1000 (pic.rutubelist.ru)	741 KiB	0 ms
...c6/a3c6d3a....jpg?width=600 (pic.rutubelist.ru)	185 KiB	0 ms
...31/5d31051....jpg?width=1000 (pic.rutubelist.ru)	171 KiB	0 ms
...21/7221cf7....jpg?width=1000 (pic.rutubelist.ru)	141 KiB	0 ms
...97/2297752....jpg?width=1000 (pic.rutubelist.ru)	123 KiB	0 ms
...07/4c07f1c....jpg?width=1000 (pic.rutubelist.ru)	123 KiB	0 ms
...5a/db5aaa5....jpg?width=1000 (pic.rutubelist.ru)	118 KiB	0 ms
...f8/e6f8242....jpg?width=600 (pic.rutubelist.ru)	112 KiB	0 ms
...f7/0df7969....jpg?width=600 (pic.rutubelist.ru)	103 KiB	0 ms
...3a/e13a5d9....jpg?width=1000 (pic.rutubelist.ru)	103 KiB	0 ms
...5e/4c5e66e....jpg?width=1000 (pic.rutubelist.ru)	101 KiB	0 ms
...90/5a9097b....jpg?width=600 (pic.rutubelist.ru)	100 KiB	0 ms
...59/7859380....jpg?width=1000 (pic.rutubelist.ru)	98 KiB	0 ms
...12/ef121cc....jpg?width=600 (pic.rutubelist.ru)	91 KiB	0 ms
...07/0c075f7....jpg?width=1000 (pic.rutubelist.ru)	86 KiB	0 ms
...79/2a7985b....jpg?width=1000 (pic.rutubelist.ru)	82 KiB	0 ms
...96/f696f18....jpg?width=120 (pic.rutubelist.ru)	76 KiB	0 ms
...d0/cad0f00....jpg?width=600 (pic.rutubelist.ru)	68 KiB	0 ms
...3c/903c877....jpg?width=1000 (pic.rutubelist.ru)	58 KiB	0 ms
...77/3977032....jpg?width=600 (pic.rutubelist.ru)	57 KiB	0 ms
...52/2b526d1....jpg?width=1000 (pic.rutubelist.ru)	57 KiB	0 ms
...ab/9eab926....jpg?height=900 (pic.rutubelist.ru)	51 KiB	0 ms
...ee/91ee078....jpg?width=600 (pic.rutubelist.ru)	47 KiB	0 ms
...4d/c04d702....jpg?width=600 (pic.rutubelist.ru)	46 KiB	0 ms
...dc/97dc06a....jpg?height=900 (pic.rutubelist.ru)	42 KiB	0 ms
...b1/6db1968....jpg?height=900 (pic.rutubelist.ru)	41 KiB	0 ms
...af/2fafbff....jpg?width=600 (pic.rutubelist.ru)	38 KiB	0 ms
...71/ef71a6c....jpg?width=600 (pic.rutubelist.ru)	36 KiB	0 ms
...48/f048da5....jpg?width=600 (pic.rutubelist.ru)	29 KiB	0 ms
...4f/ae4fc5b....jpg?width=400 (pic.rutubelist.ru)	29 KiB	0 ms
...54/80549cb....jpg?width=400 (pic.rutubelist.ru)	28 KiB	0 ms
...12/7912f5a....jpg?width=400 (pic.rutubelist.ru)	28 KiB	0 ms

3rd party	Transfer size	Main thread time
...5f/f25f06b....jpg?width=600 (pic.rutubelist.ru)	28 KiB	0 ms
...7b/ab7be58....jpg?width=600 (pic.rutubelist.ru)	27 KiB	0 ms
...be/3fbeec5....jpg?width=400 (pic.rutubelist.ru)	27 KiB	0 ms
...1c/8c1c2be....jpg?height=900 (pic.rutubelist.ru)	26 KiB	0 ms
...5c/e05cd2e....jpg?width=600 (pic.rutubelist.ru)	25 KiB	0 ms
...c5/e4c50e2....jpg?width=600 (pic.rutubelist.ru)	24 KiB	0 ms
...f0/e4f0386....jpg?width=600 (pic.rutubelist.ru)	24 KiB	0 ms
...82/fa82918....jpg?width=600 (pic.rutubelist.ru)	23 KiB	0 ms
...34/7534cdf....jpg?height=900 (pic.rutubelist.ru)	21 KiB	0 ms
...2f/7f2ff56....jpg?width=400 (pic.rutubelist.ru)	20 KiB	0 ms
...79/f67943f....jpg?width=400 (pic.rutubelist.ru)	20 KiB	0 ms
...9c/759c51e....jpg?width=600 (pic.rutubelist.ru)	20 KiB	0 ms
...5c/655c26e....jpg?width=600 (pic.rutubelist.ru)	20 KiB	0 ms
...67/7967c4b....jpg?width=400 (pic.rutubelist.ru)	20 KiB	0 ms
...f8/1af8d15....png?width=120 (pic.rutubelist.ru)	18 KiB	0 ms
...4f/ae4fc5b....jpg?width=200 (pic.rutubelist.ru)	10 KiB	0 ms
...12/7912f5a....jpg?width=200 (pic.rutubelist.ru)	9 KiB	0 ms
...54/80549cb....jpg?width=200 (pic.rutubelist.ru)	9 KiB	0 ms
...be/3fbeec5....jpg?width=200 (pic.rutubelist.ru)	9 KiB	0 ms
...2f/9b2f6d7....jpg?width=120 (pic.rutubelist.ru)	9 KiB	0 ms
...79/f67943f....jpg?width=200 (pic.rutubelist.ru)	7 KiB	0 ms
...2f/7f2ff56....jpg?width=200 (pic.rutubelist.ru)	7 KiB	0 ms
...02/5202026....jpg?width=120 (pic.rutubelist.ru)	7 KiB	0 ms
...67/7967c4b....jpg?width=200 (pic.rutubelist.ru)	7 KiB	0 ms
...45/2345b9e....jpg?width=120 (pic.rutubelist.ru)	7 KiB	0 ms
...9e/449e7dc....jpeg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...0e/0c0e33f....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...f6/c8f6df5....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...6d/9f6dacd....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...7d/447ddbe....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...c5/02c5eb2....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...4c/974c7a6....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms

3rd party	Transfer size	Main thread time
...04/0104c0e....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...52/c65258f....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...ab/bdab0a4....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...72/9f723e0....jpg?width=120 (pic.rutubelist.ru)	6 KiB	0 ms
...80/988061b....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...c8/efc8080....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...ae/07ae284....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...f2/e1f25f9....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...c6/04c6838....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...57/ff57ed7....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...fb/2efb23a....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...0c/b50c4dd....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...00/e300ccf....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...ec/d6ec649....jpg?width=120 (pic.rutubelist.ru)	5 KiB	0 ms
...18/f818c12....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...a7/77a717f....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...3d/523daa9....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...e9/4ae9354....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...60/ab60915....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...2e/992e701....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...e8/e5e80bc....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...15/19154b3....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...3e/333e3b6....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...a7/38a747e....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...bb/23bba5d....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...fb/a7fb689....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...04/5204018....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...d4/72d4d44....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...2a/c42ad21....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...02/e7025e8....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...ac/b8ac9d4....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...30/74300f5....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms

3rd party	Transfer size	Main thread time
...0a/6a0a878....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...0a/660a88e....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...98/ea98108....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...f0/c7f0960....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...71/6171c0b....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...66/f666809....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...36/c8366a6....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...fa/7bfa659....jpg?width=120 (pic.rutubelist.ru)	4 KiB	0 ms
...b6/d9b6ae4....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...54/055437a....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...e1/6ee181f....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...0e/ed0e1c3....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...09/89099f2....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...e9/3be982d....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...35/7f35e26....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...40/9b40550....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...50/8850b95....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...0e/7b0eff0....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...ec/1fec36d....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...d0/8cd01b6....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...f3/cdf3f29....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...58/a458f9d....png?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...cf/78cff2d....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...0d/a30dd99....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...e0/8ce0eaa....jpg?width=120 (pic.rutubelist.ru)	3 KiB	0 ms
...8c/4e8cc48....jpg?width=120 (pic.rutubelist.ru)	2 KiB	0 ms
...24/d02422c....jpg?width=120 (pic.rutubelist.ru)	2 KiB	0 ms
...02/e702381....jpg?width=120 (pic.rutubelist.ru)	2 KiB	0 ms
...cc/52cc604....jpg?width=120 (pic.rutubelist.ru)	2 KiB	0 ms
...c2/c4c2df1....jpg?width=120 (pic.rutubelist.ru)	2 KiB	0 ms
...66/8366ecc....jpg?width=120 (pic.rutubelist.ru)	2 KiB	0 ms
...7f/8a7f5d3....jpg?width=120 (pic.rutubelist.ru)	2 KiB	0 ms

3rd party	Transfer size	Main thread time
...d8/39d8624....svg (pic.rutubelist.ru)	2 KiB	0 ms
...78/5478bee....svg (pic.rutubelist.ru)	1 KiB	0 ms
...c5/f0c5afb....jpg?width=120 (pic.rutubelist.ru)	1 KiB	0 ms
...38/f1388f4....svg (pic.rutubelist.ru)	1 KiB	0 ms
...7b/4b7b364....svg (pic.rutubelist.ru)	1 KiB	0 ms
...c5/3cc501d....svg (pic.rutubelist.ru)	1 KiB	0 ms
weborama-tech.ru	**0 KiB**	**0 ms**
/fcgi-bin/dispatch.fcgi?a.cid=... (wcm.weborama-tech.ru)	0 KiB	0 ms
Google Fonts Cdn	**2 KiB**	**0 ms**
/css?family=Roboto:400&subset=cyrillic (fonts.googleapis.com)	2 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

🔺 Minimize main-thread work — 8.0 s ⌃

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	4,224 ms
Other	1,633 ms
Style & Layout	1,171 ms
Garbage Collection	470 ms
Script Parsing & Compilation	258 ms
Rendering	220 ms
Parse HTML & CSS	71 ms

🔺 Reduce JavaScript execution time — 4.2 s ⌃

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#) TBT

☑ Show 3rd-party resources (3)

URL	Total CPU Time	Script Evaluation	Script Parse
rutube.ru [1st Party]	**5,853 ms**	**3,744 ms**	**134 ms**
...web/main.js?release-woodpecker-336-0-0-60715cce (static.rutube.ru)	2,128 ms	1,826 ms	10 ms
...web/3268.js (static.rutube.ru)	1,194 ms	934 ms	31 ms
https://rutube.ru	1,070 ms	120 ms	36 ms
...js/394.js (static.rutube.ru)	560 ms	539 ms	14 ms
...web/5098.js (static.rutube.ru)	462 ms	103 ms	4 ms
...web/2339.js (static.rutube.ru)	218 ms	59 ms	1 ms
...js/139.js (static.rutube.ru)	161 ms	142 ms	6 ms
...web/wdp.js (static.rutube.ru)	61 ms	22 ms	32 ms
Unattributable	**1,481 ms**	**55 ms**	**0 ms**
Unattributable	1,481 ms	55 ms	0 ms
Yandex Metrica [Analytics]	**230 ms**	**102 ms**	**11 ms**
/metrika/tag.js (mc.yandex.ru)	230 ms	102 ms	11 ms
Google Tag Manager [Tag-Manager]	**110 ms**	**97 ms**	**12 ms**
/gtm.js?id=GTM-NCRR8Q2&gtm_auth=&gtm_preview=&gtm_cookies_win=x (www.googletagmanager.com)	110 ms	97 ms	12 ms
uxfeedback.ru	**77 ms**	**68 ms**	**6 ms**
/assets-5.8.0/1.5764fbd....js (cdn.uxfeedback.ru)	77 ms	68 ms	6 ms

⚠ Reduce unused CSS — Est savings of 87 KiB ⌃

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. [FCP] [LCP]

URL	Transfer Size	Est Savings
rutube.ru [1st Party]	**92.9 KiB**	**86.9 KiB**
...web/9947.ec749647ab014277.css (static.rutube.ru)	62.5 KiB	56.4 KiB
...css/394.css (static.rutube.ru)	30.4 KiB	30.4 KiB

▲ Page prevented back/forward cache restoration　— 4 failure reasons　⌃

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache

Failure reason	Failure type
Pages with cache-control:no-store header cannot enter back/forward cache. https://rutube.ru	Actionable
Pages whose main resource has cache-control:no-store cannot enter back/forward cache. https://rutube.ru	Not actionable
Back/forward cache is disabled because some JavaScript network request received resource with `Cache-Control: no-store` header. https://rutube.ru	Not actionable
Internal error. https://rutube.ru	Not actionable

Defer offscreen images　— Est savings of 1,156 KiB　⌃

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn how to defer offscreen images. [FCP] [LCP]

	URL	Resource Size	Est Saving
rutubelist.ru		**1,156.3 KiB**	**1,156.3 Ki**
img.wdp-card-vertical-module__card-photo	...c6/a3c6d3a....jpg? width=600 (pic.rutubelist.ru)	184.3 KiB	184.3 K
img.wdp-card-vertical-module__card-photo	...f8/e6f8242....jpg? width=600 (pic.rutubelist.ru)	111.7 KiB	111.7 K

	URL	Resource Size	Est Saving
img.wdp-card-vertical-module__card-photo	...f7/0df7969....jpg? width=600 (pic.rutubelist.ru)	103.0 KiB	103.0 K
img.wdp-card-vertical-module__card-photo	...90/5a9097b....jpg? width=600 (pic.rutubelist.ru)	100.0 KiB	100.0 K
img.wdp-card-vertical-module__card-photo	...12/ef121cc....jpg? width=600 (pic.rutubelist.ru)	90.5 KiB	90.5 K
img.wdp-card-description-module__authorImage	...96/f696f18....jpg? width=120 (pic.rutubelist.ru)	76.2 KiB	76.2 K
img.wdp-card-vertical-module__card-photo	...d0/cad0f00....jpg? width=600 (pic.rutubelist.ru)	67.5 KiB	67.5 K
img.wdp-card-vertical-module__card-photo	...77/3977032....jpg? width=600 (pic.rutubelist.ru)	56.9 KiB	56.9 K
img.wdp-card-vertical-module__card-photo	...ee/91ee078....jpg? width=600 (pic.rutubelist.ru)	47.2 KiB	47.2 K
img.wdp-card-vertical-module__card-photo	...4d/c04d702....jpg? width=600 (pic.rutubelist.ru)	46.1 KiB	46.1 K
img.wdp-card-vertical-module__card-photo	...71/ef71a6c....jpg? width=600 (pic.rutubelist.ru)	35.8 KiB	35.8 K
img.wdp-card-vertical-module__card-photo	...48/f048da5....jpg? width=600 (pic.rutubelist.ru)	28.9 KiB	28.9 K
img.wdp-card-vertical-module__card-photo	...5f/f25f06b....jpg? width=600 (pic.rutubelist.ru)	27.3 KiB	27.3 K
img.wdp-card-vertical-module__card-photo	...7b/ab7be58....jpg? width=600 (pic.rutubelist.ru)	26.7 KiB	26.7 K
img.wdp-card-vertical-module__card-photo	...5c/e05cd2e....jpg? width=600 (pic.rutubelist.ru)	25.2 KiB	25.2 K
img.wdp-card-vertical-module__card-photo	...f0/e4f0386....jpg? width=600 (pic.rutubelist.ru)	23.6 KiB	23.6 K
img.wdp-card-vertical-module__card-photo	...82/fa82918....jpg? width=600 (pic.rutubelist.ru)	22.8 KiB	22.8 K
img.wdp-card-vertical-module__card-photo	...9c/759c51e....jpg? width=600 (pic.rutubelist.ru)	20.2 KiB	20.2 K

	URL	Resource Size	Est Saving
img.wdp-card-vertical-module__card-photo	...5c/655c26e....jpg? width=600 (pic.rutubelist.ru)	20.1 KiB	20.1 K
img.wdp-card-description-module__authorImage	...9e/449e7dc....jpeg? width=120 (pic.rutubelist.ru)	6.2 KiB	6.2 K
img.wdp-card-description-module__authorImage	...6d/9f6dacd....jpg? width=120 (pic.rutubelist.ru)	5.9 KiB	5.9 K
img.wdp-card-description-module__authorImage	...60/ab60915....jpg? width=120 (pic.rutubelist.ru)	4.3 KiB	4.3 K
img.wdp-card-description-module__authorImage	...e8/e5e80bc....jpg? width=120 (pic.rutubelist.ru)	4.2 KiB	4.2 K
img.wdp-card-description-module__authorImage	...02/e7025e8....jpg? width=120 (pic.rutubelist.ru)	3.7 KiB	3.7 K
img.wdp-card-description-module__authorImage	...f0/c7f0960....jpg? width=120 (pic.rutubelist.ru)	3.6 KiB	3.6 K
img.wdp-card-description-module__authorImage	...50/8850b95....jpg? width=120 (pic.rutubelist.ru)	2.8 KiB	2.8 K
img.wdp-card-description-module__authorImage	...f3/cdf3f29....jpg? width=120 (pic.rutubelist.ru)	2.8 KiB	2.8 K
img.wdp-card-description-module__authorImage	...e0/8ce0eaa....jpg? width=120 (pic.rutubelist.ru)	2.4 KiB	2.4 K
img.wdp-card-description-module__authorImage	...8c/4e8cc48....jpg? width=120 (pic.rutubelist.ru)	2.3 KiB	2.3 K
img.wdp-card-description-module__authorImage	...cc/52cc604....jpg? width=120 (pic.rutubelist.ru)	2.1 KiB	2.1 K
img.wdp-card-description-module__authorImage	...02/e702381....jpg? width=120 (pic.rutubelist.ru)	2.0 KiB	2.0 K

Avoid serving legacy JavaScript to modern browsers — Est savings of 20 KiB ⌃

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support legacy browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP

☐ Show 3rd-party resources (1)

URL	Est Savings
Unattributable	**18.1 KiB**
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/webpage_content_reporter.js	9.1 KiB

webpage_content_reporter.js:2	@babel/plugin-transform-classes
webpage_content_reporter.js:2	Array.isArray
webpage_content_reporter.js:2	Object.is
webpage_content_reporter.js:2	Object.keys

URL	Est Savings
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/writing_mode_assistant.js	9.0 KiB

writing_mode_assistant.js:2	@babel/plugin-transform-classes
writing_mode_assistant.js:2	Object.is
writing_mode_assistant.js:2	Object.keys

URL	Est Savings
rutube.ru [1st Party]	**1.5 KiB**
...js/581.js (static.rutube.ru)	0.6 KiB

581.js:1	@babel/plugin-transform-classes
581.js:1	@babel/plugin-transform-regenerator
581.js:1	@babel/plugin-transform-spread

URL	Est Savings
...js/610.js (static.rutube.ru)	0.5 KiB

610.js:1	@babel/plugin-transform-classes
610.js:1	@babel/plugin-transform-spread

URL	Est Savings
...web/3268.js (static.rutube.ru)	0.4 KiB

URL		Est Savings
3268.js:8	@babel/plugin-transform-regenerator	
...web/main.js?release-woodpecker-336-0-0-60715cce (static.rutube.ru)		0.0 KiB
main.js?release-wood…-336-0-0-60715cce:1	Array.prototype.at	
main.js?release-wood…-336-0-0-60715cce:1	Array.prototype.findLast	
main.js?release-wood…-336-0-0-60715cce:1	Array.prototype.findLastIndex	
main.js?release-wood…-336-0-0-60715cce:1	Array.prototype.unshift	
main.js?release-wood…-336-0-0-60715cce:1	Object.hasOwn	

Reduce unused JavaScript — Est savings of 599 KiB   ⌃

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. [FCP] [LCP]

☑ Show 3rd-party resources (3)

URL	Transfer Size	Est Savings
rutube.ru [1st Party]	**668.1 KiB**	**422.1 KiB**
...web/wdp.js (static.rutube.ru)	239.0 KiB	134.4 KiB
...js/394.js (static.rutube.ru)	137.9 KiB	114.2 KiB
...web/3268.js (static.rutube.ru)	177.4 KiB	89.5 KiB
...js/581.js (static.rutube.ru)	44.7 KiB	31.7 KiB
...js/139.js (static.rutube.ru)	36.5 KiB	28.1 KiB
...js/610.js (static.rutube.ru)	32.7 KiB	24.1 KiB
Google Tag Manager [Tag-Manager]	**199.1 KiB**	**106.1 KiB**
/gtm.js?id=GTM-MWCS5JT&gtm_auth=&gtm_preview=&gtm_cookies_win=x (www.googletagmanager.com)	101.4 KiB	53.7 KiB
/gtm.js?id=GTM-NCRR8Q2&gtm_auth=&gtm_preview=&gtm_cookies_win=x (www.googletagmanager.com)	97.7 KiB	52.3 KiB

URL	Transfer Size	Est Savings
Unattributable	**57.6 KiB**	**49.3 KiB**
chrome-extension://igpdmclhhlcpoindmhkhillbfhdgoegm/webpage_content_reporter.js	57.6 KiB	49.3 KiB
Yandex Metrica [Analytics]	**44.4 KiB**	**21.9 KiB**
/metrika/tag.js (mc.yandex.ru)	44.4 KiB	21.9 KiB

Avoid enormous network payloads   —   Total size was 5,959 KiB   ⌃

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](#).

☑ Show 3rd-party resources (7)

URL	Transfer Size
rutubelist.ru	**1,601.1 KiB**
...51/87515a1....png?width=1000 (pic.rutubelist.ru)	740.7 KiB
...c6/a3c6d3a....jpg?width=600 (pic.rutubelist.ru)	184.6 KiB
...31/5d31051....jpg?width=1000 (pic.rutubelist.ru)	170.9 KiB
...21/7221cf7....jpg?width=1000 (pic.rutubelist.ru)	141.0 KiB
...97/2297752....jpg?width=1000 (pic.rutubelist.ru)	123.3 KiB
...07/4c07f1c....jpg?width=1000 (pic.rutubelist.ru)	123.1 KiB
...5a/db5aaa5....jpg?width=1000 (pic.rutubelist.ru)	117.6 KiB
rutube.ru [1st Party]	**622.5 KiB**
...web/wdp.js (static.rutube.ru)	274.2 KiB
...web/3268.js (static.rutube.ru)	209.3 KiB
...js/394.js (static.rutube.ru)	139.0 KiB

⟳   Avoid long main-thread tasks   —   20 long tasks found   ⌃

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) [TBT]

☑ Show 3rd-party resources (2)

URL	Start Time	Duration
rutube.ru [1st Party]		**3,221 ms**
...js/394.js (static.rutube.ru)	3,395 ms	472 ms
...web/3268.js (static.rutube.ru)	4,300 ms	455 ms
...web/main.js?release-woodpecker-336-0-0-60715cce (static.rutube.ru)	2,863 ms	355 ms
...web/main.js?release-woodpecker-336-0-0-60715cce (static.rutube.ru)	5,318 ms	339 ms
...web/3268.js (static.rutube.ru)	4,011 ms	252 ms
...web/main.js?release-woodpecker-336-0-0-60715cce (static.rutube.ru)	2,607 ms	243 ms
...web/2339.js (static.rutube.ru)	5,865 ms	188 ms
...web/3268.js (static.rutube.ru)	1,621 ms	187 ms
...web/main.js?release-woodpecker-336-0-0-60715cce (static.rutube.ru)	3,273 ms	122 ms
...web/main.js?release-woodpecker-336-0-0-60715cce (static.rutube.ru)	3,901 ms	100 ms
...web/main.js?release-woodpecker-336-0-0-60715cce (static.rutube.ru)	4,785 ms	98 ms
...web/main.js?release-woodpecker-336-0-0-60715cce (static.rutube.ru)	2,502 ms	93 ms
https://rutube.ru	352 ms	86 ms
https://rutube.ru	700 ms	64 ms
...web/3268.js (static.rutube.ru)	5,791 ms	61 ms
https://rutube.ru	856 ms	56 ms
...web/2339.js (static.rutube.ru)	5,686 ms	50 ms
Unattributable		**293 ms**
Unattributable	1,010 ms	293 ms
Yandex Metrica [Analytics]		**59 ms**
/metrika/tag.js (mc.yandex.ru)	4,898 ms	59 ms
uxfeedback.ru		**50 ms**

URL	Start Time	Duration
/assets-5.8.0/1.5764fbd....js (cdn.uxfeedback.ru)	5,246 ms	50 ms

⭕ User Timing marks and measures — 1 user timing ︿

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#).

Name	Type	Start Time	Duration
sentry-tracing-init	Mark	2,176.98 ms	

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (12) — Hide

Document request latency ︿

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. `FCP` `LCP`

Avoids redirects

Server responds quickly (observed 28 ms)

Applies text compression

⭕ Duplicated JavaScript ︿

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

⭕ LCP request discovery ︿

Optimize LCP by making the LCP image [discoverable](#) from the HTML immediately, and [avoiding lazy-loading](#)

⭕ Legacy JavaScript ︿

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#)

⭕ Modern HTTP ︿

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#).

Optimize viewport for mobile   ⌃

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

meta

Minify CSS   ⌃

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP

Minify JavaScript   ⌃

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). FCP LCP

Use HTTP/2   ⌃

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2](#). LCP FCP

◯   Lazy load third-party resources with facades   ⌃

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade](#). TBT

Uses passive listeners to improve scrolling performance   ⌃

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more about adopting passive event listeners](#).

Avoids `document.write()`   ⌃

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write()](#).

89

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

⚠ Buttons do not have an accessible name ⌃

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](about:blank).

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

article.wdp-card-wrapper-module__wrapper > div.wdp-card-description-module__descriptionWrapper > div.wdp-card-description-module__titleWrapper > button.freyja_char-more-menu__more-menu--anchor_bFSMm
`<button class="freyja_char-more-menu__more-menu--anchor_bFSMm" type="button">`

article.wdp-card-wrapper-module__wrapper > div.wdp-card-description-module__descriptionWrapper > div.wdp-card-description-module__titleWrapper > button.freyja_char-more-menu__more-menu--anchor_bFSMm
`<button class="freyja_char-more-menu__more-menu--anchor_bFSMm" type="button">`

article.wdp-card-wrapper-module__wrapper > div.wdp-card-description-module__descriptionWrapper > div.wdp-card-description-module__titleWrapper > button.freyja_char-more-menu__more-menu--anchor_bFSMm
`<button class="freyja_char-more-menu__more-menu--anchor_bFSMm" type="button">`

article.wdp-card-wrapper-module__wrapper > div.wdp-card-description-module__descriptionWrapper > div.wdp-card-description-module__titleWrapper > button.freyja_char-more-menu__more-menu--anchor_bFSMm
`<button class="freyja_char-more-menu__more-menu--anchor_bFSMm" type="button">`

article.wdp-card-wrapper-module__wrapper > div.wdp-card-description-module__descriptionWrapper > div.wdp-card-description-module__titleWrapper > button.freyja_char-more-menu__more-menu--anchor_bFSMm
`<button class="freyja_char-more-menu__more-menu--anchor_bFSMm" type="button">`

article.wdp-card-wrapper-module__wrapper > div.wdp-card-description-module__descriptionWrapper > div.wdp-card-description-module__titleWrapper > button.freyja_char-more-menu__more-menu--anchor_bFSMm
`<button class="freyja_char-more-menu__more-menu--anchor_bFSMm" type="button">`

article.wdp-card-wrapper-module__wrapper > div.wdp-card-description-module__descriptionWrapper > div.wdp-card-description-module__titleWrapper > button.freyja_char-more-menu__more-menu--anchor_bFSMm
`<button class="freyja_char-more-menu__more-menu--anchor_bFSMm" type="button">`

article.wdp-card-wrapper-module__wrapper > div.wdp-card-description-module__descriptionWrapper > div.wdp-card-description-module__titleWrapper > button.freyja_char-more-menu__more-menu--anchor_bFSMm
`<button class="freyja_char-more-menu__more-menu--anchor_bFSMm" type="button">`

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

Failing Elements

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

button.freyja_char-more-menu__more-menu--anchor_bFSMm

⚠️ Image elements have `[alt]` attributes that are redundant text.   ⌄

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the `alt` attribute.

Failing Elements

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

Failing Elements

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

img.wdp-card-vertical-module__card-photo

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

BEST PRACTICES

🔺 `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5. ⌃

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.

Failing Elements

meta

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Hide

◯ Interactive controls are keyboard focusable ⌃

Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable.

◯ Interactive elements indicate their purpose and state ⌃

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints](#).

⭕ The page has a logical tab order ⌃

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering](#).

⭕ Visual order on the page follows DOM order ⌃

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering](#).

⭕ User focus is not accidentally trapped in a region ⌃

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps](#).

⭕ The user's focus is directed to new content added to the page ⌃

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content](#).

⭕ HTML5 landmark elements are used to improve navigation ⌃

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements](#).

⭕ Offscreen content is hidden from assistive technology ⌃

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content](#).

⭕ Custom controls have associated labels ⌃

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels](#).

⭕ Custom controls have ARIA roles ⌃

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls](#).

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (24) Hide

`[aria-*]` attributes match their roles ⌃

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn how to match ARIA attributes to their roles](#).

`[aria-hidden="true"]` is not present on the document `<body>`   ⌃

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body](#).

`[role]`s have all required `[aria-*]` attributes   ⌃

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes](#).

`[aria-*]` attributes have valid values   ⌃

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes](#).

`[aria-*]` attributes are valid and not misspelled   ⌃

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes](#).

Image elements have `[alt]` attributes   ⌃

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

`button`, `link`, and `menuitem` elements have accessible names   ⌃

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible](#).

ARIA attributes are used as specified for the element's role   ⌃

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes](#).

`[aria-hidden="true"]` elements do not contain focusable descendents   ⌃

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements](#).

Elements use only permitted ARIA attributes   ⌃

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles](#).

`[role]` values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles](#).

Background and foreground colors have a sufficient contrast ratio

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).

Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

`<html>` element has a `[lang]` attribute

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute](#).

`<html>` element has a valid value for its `[lang]` attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the `lang` attribute](#).

Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable](#).

Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible](#).

Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure](#).

List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

Screen readers require list items (<li>) to be contained within a parent <ul>, <ol> or <menu> to be announced properly. [Learn more about proper list structure](#).

No element has a `[tabindex]` value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the `tabindex` attribute.

Touch targets have sufficient size and spacing.   ⌃

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.

Heading elements appear in a sequentially-descending order   ⌃

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order.

Uses ARIA roles only on compatible elements   ⌃

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. Learn more about ARIA roles.

Deprecated ARIA roles were not used   ⌃

Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles.

NOT APPLICABLE (30)   Hide

○   `[accesskey]` values are unique   ⌃

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys.

○   Elements with `role="dialog"` or `role="alertdialog"` have accessible names.   ⌃

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible.

○   ARIA input fields have accessible names   ⌃

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels.

○   ARIA `meter` elements have accessible names   ⌃

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name `meter` elements.

○   ARIA `progressbar` elements have accessible names   ⌃

When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements](#).

○ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ⌃

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements](#).

○ `[role]`s are contained by their required parent element ⌃

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element](#).

○ Elements with the `role=text` attribute do not have focusable descendents. ⌃

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the role=text attribute](#).

○ ARIA toggle fields have accessible names ⌃

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields](#).

○ ARIA `tooltip` elements have accessible names ⌃

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements](#).

○ ARIA `treeitem` elements have accessible names ⌃

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements](#).

○ The page contains a heading, skip link, or landmark region ⌃

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks](#).

○ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ⌃

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly](#).

○ Definition list items are wrapped in `<dl>` elements ⌃

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly](#).

○ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs.

○ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels.

○ `<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles.

○ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the `lang` attribute.

○ Input buttons have discernible text. ^

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons.

○ `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text.

○ Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more about form element labels.

○ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more about the refresh meta tag.

○ `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. Learn more about alt text for `object` elements.

○ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element](#).

○ Skip links are focusable.   ⌃

Including a skip link can help users skip to the main content to save time. [Learn more about skip links](#).

○ Tables have different content in the summary attribute and `<caption>`.   ⌃

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption](#).

○ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.   ⌃

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute](#).

○ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.   ⌃

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers](#).

○ `[lang]` attributes have a valid value   ⌃

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute](#).

○ `<video>` elements contain a `<track>` element with `[kind="captions"]`   ⌃

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions](#).

67

Best Practices

GENERAL

▲ Uses third-party cookies — 40 cookies found   ⌃

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](#).

Name	URL

Yandex Metrica [Analytics]

igames	/metrika/tag.js (mc.yandex.ru)
sc_1764240532937	/metrika/tag.js (mc.yandex.ru)
sc_1764240743274	/metrika/tag.js (mc.yandex.ru)
upa_completed	/metrika/tag.js (mc.yandex.ru)
gdpr	/metrika/tag.js (mc.yandex.ru)
_ymab_param	/metrika/tag.js (mc.yandex.ru)
_ymab_param	/metrika/tag.js (mc.yandex.ru)
user_unchecked_cart_item_ids	/metrika/tag.js (mc.yandex.ru)
uniqueuid	/metrika/tag.js (mc.yandex.ru)
_ymab_param	/metrika/tag.js (mc.yandex.ru)
afisha.sid	/metrika/tag.js (mc.yandex.ru)
sessguard	/metrika/tag.js (mc.yandex.ru)
mda2_beacon	/metrika/tag.js (mc.yandex.ru)
lah	/metrika/tag.js (mc.yandex.ru)
yandexuid	/metrika/tag.js (mc.yandex.ru)
yuidss	/metrika/tag.js (mc.yandex.ru)
gdpr	/metrika/tag.js (mc.yandex.ru)
_ym_uid	/metrika/tag.js (mc.yandex.ru)
yandex_login	/metrika/tag.js (mc.yandex.ru)
yashr	/metrika/tag.js (mc.yandex.ru)
ymex	/metrika/tag.js (mc.yandex.ru)
amcuid	/metrika/tag.js (mc.yandex.ru)

Name	URL
my	/metrika/tag.js (mc.yandex.ru)
_ym_d	/metrika/tag.js (mc.yandex.ru)
is_gdpr	/metrika/tag.js (mc.yandex.ru)
is_gdpr_b	/metrika/tag.js (mc.yandex.ru)
skid	/metrika/tag.js (mc.yandex.ru)
yabs-vdrf	/metrika/tag.js (mc.yandex.ru)
yabs-sid	/metrika/tag.js (mc.yandex.ru)
i	/metrika/tag.js (mc.yandex.ru)
gpauto	/metrika/tag.js (mc.yandex.ru)
_ym_isad	/metrika/tag.js (mc.yandex.ru)
Session_id	/metrika/tag.js (mc.yandex.ru)
sessar	/metrika/tag.js (mc.yandex.ru)
sessionid2	/metrika/tag.js (mc.yandex.ru)
cycada	/metrika/tag.js (mc.yandex.ru)
ys	/metrika/tag.js (mc.yandex.ru)
yp	/metrika/tag.js (mc.yandex.ru)
bh	/metrika/tag.js (mc.yandex.ru)
weborama-tech.ru	
AFFICHE_W	/fcgi-bin/dispatch.fcgi?a.cid=... (wcm.weborama-tech.ru)

⚠️ Browser errors were logged to the console ⌃

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit

☑ Show 3rd-party resources (3)

Source	Description

yandex.ru

yandex.ru/ads/system/context.js:1	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER

expf.ru

api.expf.ru/api/v1/config.json:1	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER

24smi.net

data.24smi.net/ctp?id=32:1	Failed to load resource: net::ERR_BLOCKED_BY_ADBLOCKER

rutube.ru `1st Party`

3268.js:8	Uncaught (in promise) Error: Sigma Error: Invalid token or configuration not published. Sigma token: B0A3770E-832D-4076-BBE2-D81C5599EF23

⚠️ Issues were logged in the `Issues` panel in Chrome Devtools　　　　　　　⌃

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
Cookie

/metrika/tag.js (mc.yandex.ru)

/watch/53182297?wmode=… (mc.yandex.ru)

/watch/94863760?wmode=… (mc.yandex.ru)

/watch/87342106?wmode=… (mc.yandex.ru)

/fcgi-bin/dispatch.fcgi?a.cid=… (wcm.weborama-tech.ru)

/watch/53182297?wmode=… (mc.yandex.ru)

…94863760/1?page-url=… (mc.yandex.ru)

…53182297/1?page-url=… (mc.yandex.ru)

/watch/94863760?wmode=… (mc.yandex.ru)

/ytm-config/94863760?wmode=7 (mc.yandex.ru)

…94863760/1?page-url=… (mc.yandex.ru)

…53182297/1?page-url=… (mc.yandex.ru)

…94863760/1?page-url=… (mc.yandex.ru)

…53182297/1?page-url=… (mc.yandex.ru)

Issue type
/watch/94863760?page-url=... (mc.yandex.ru)
/watch/87342106?page-url=... (mc.yandex.ru)
/watch/53182297?page-url=... (mc.yandex.ru)
/clmap/94863760?page-url=... (mc.yandex.ru)
...53182297/1?page-url=... (mc.yandex.ru)
/clmap/53182297?page-url=... (mc.yandex.ru)

◯ Detected JavaScript libraries   ⌃

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit](#).

Name	Version
core-js	core-js-global@3.33.3; core-js-global@3.33.3

🔺 Missing source maps for large first-party JavaScript   ⌃

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#).

URL	Map URL
rutube.ru [1st Party]	
...web/wdp.js (static.rutube.ru)	
`Large JavaScript file is missing a source map`	
...web/3268.js (static.rutube.ru)	
`Large JavaScript file is missing a source map`	

USER EXPERIENCE

🔺 Displays images with incorrect aspect ratio   ⌃

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).

	URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
img	data:image/png;base64,iVBORw0KGgoAAAANSUhE UgAAAZAAAAEsCAYAAADtt...	188 x 600 (0.31)	400 x 300 (1.33)

⚠ Serves images with low resolution   ⌃

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](#).

	URL	Displayed size	Actual size	Expected size
img	data:image/png;base64,iVBORw0KGgoAAAA NSUhEUgAAAZAAAAEsCAYAAADtt...	188 x 600	400 x 300	376 x 1200

TRUST AND SAFETY

◯ Ensure CSP is effective against XSS attacks   ⌃

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
No CSP found in enforcement mode		High

◯ Use a strong HSTS policy   ⌃

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

Description	Directive	Severity
No HSTS header found		High

○ Ensure proper origin isolation with COOP   ⌃

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. Learn more about deploying the COOP header.

Description	Directive	Severity
No COOP header found		High

○ Mitigate DOM-based XSS with Trusted Types   ⌃

The `require-trusted-types-for` directive in the `Content-Security-Policy` (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. Learn more about mitigating DOM-based XSS with Trusted Types.

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (8)   Hide

Uses HTTPS   ⌃

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS.

Avoids deprecated APIs   ⌃

Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.

Allows users to paste into input fields   ⌃

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields.

Avoids requesting the geolocation permission on page load   ⌃

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission.

Avoids requesting the notification permission on page load   ⌃

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications.

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ▲

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](). [Learn more about using the viewport meta tag]().

Page has the HTML doctype ▲

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration]().

Properly defines charset ▲

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding]().

NOT APPLICABLE (3)   Hide

○   Redirects HTTP traffic to HTTPS ▲

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more]().

○   Mitigate clickjacking with XFO or CSP ▲

The `X-Frame-Options` (XFO) header or the `frame-ancestors` directive in the `Content-Security-Policy` (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking]().

○   Document uses legible font sizes ▲

Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥12px. [Learn more about legible font sizes]().

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](). [Learn more about Google Search Essentials]().

ADDITIONAL ITEMS TO MANUALLY CHECK (1)   Hide

○   Structured data is valid ▲

Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more about Structured Data.

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)   Hide

Page isn't blocked from indexing   ⌃

Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives.

Document has a `<title>` element   ⌃

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

Document has a meta description   ⌃

Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description.

Page has successful HTTP status code   ⌃

Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes.

Links have descriptive text   ⌃

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

Links are crawlable   ⌃

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links crawlable

robots.txt is valid   ⌃

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more about robots.txt.

Image elements have `[alt]` attributes   ⌃

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the `alt` attribute.

Document has a valid `hreflang`   ⌃

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

Document has a valid `rel=canonical` ∧

Canonical links suggest which URL to show in search results. [Learn more about canonical links](#).

Captured at Nov 27, 2025, 1:52 PM GMT+3

Initial page load

Emulated Desktop with Lighthouse 12.8.1

Custom throttling

Single page session

Using Chromium 140.0.0.0 with devtools

Generated by **Lighthouse** 12.8.1 | [File an issue](#)