

1. resources/views/layouts/navigation.blade.php

```
<style>
    .sidebar.toggled {
        margin-left: -260px;
    }
</style>
<nav id="sidebar" class="sidebar" style="max-width: auto; min-width:auto;">
    <a class="sidebar-brand" href="/dashboard" style="background:#781E2A;">
        
    </a>
    <div class="sidebar-content">
        <div class="sidebar-user">
            
            <div class="fw-bold"><h2 style="color:
#153d77;">{{Auth::user()->idPengguna}}</h2></div>
            <h4 style="color: #153d77; text-transform:
uppercase;">{{Auth::user()->nama}}</h4>
        </div>

        <ul class="sidebar-nav">
            @if (Request::is('dashboard'))
            <li class="sidebar-item active">
            @else
            <li class="sidebar-item">
            @endif
                <a class="sidebar-link" href="/dashboard">
                    <i class="align-middle me-2 fas fa-fw fa-home"></i>
                <span class="align-middle">LAMAMAN UTAMA</span>
                </a>
            </li>
            @if (Request::is('user/tugas')) ||
Request::is('user/tugas/*'))
            <li class="sidebar-item active">
            @else
            <li class="sidebar-item">
            @endif
                <a class="sidebar-link" href="/user/tugas/list">
                    <i class="align-middle me-2 fas fa-fw fa-clipboard-
check"></i> <span class="align-middle">TUGASAN</span>
                </a>
            </li>
            @if(Auth::user()->kategoripengguna == "1")
            @if (Request::is('users') || Request::is('users/*')) ||
Request::is('user-categories') || Request::is('user-categories/*'))
            <li class="sidebar-item active">
                <a data-bs-target="#pages" data-bs-toggle="collapse"
class="sidebar-link" aria-expanded="true">
                    <svg xmlns="http://www.w3.org/2000/svg" width="16"
height="16" fill="currentColor" class="bi bi-people-fill" viewBox="0 0 16
16">
                        <path d="M7 14s-1 0-1-1 1-4 5-4 5 3 5 4-1 1-1
1H7Zm4-6a3 3 0 1 0 0-6 3 3 0 0 0 6Zm-5.784 6A2.238 2.238 0 0 1 5 13c0-
1.355,68-2.75 1.936-3.72A6.325 6.325 0 0 0 5 9c-4 0-5 3-5 4s1 1
1h4.216ZM4.5 8a2.5 2.5 0 1 0 0-5 2.5 2.5 0 0 0 0 5Z"/>
                    </svg><span class="align-middle">PENGURUSAN
PENGUNA</span>
                </a>
                <ul id="pages" class="sidebar-dropdown list-unstyled
collapse show" data-bs-parent="#sidebar">
                    @if (Request::is('users') || Request::is('users/*'))
                    <li class="sidebar-item active"><a class="sidebar-
link" href="/users">Senarai Pengguna</a></li>
                    @else
                    <li class="sidebar-item"><a class="sidebar-link"
href="/users">Senarai Pengguna</a></li>
                    @endif
```

```

@if (Request::is('user-categories') ||
Request::is('user-categories/*'))
    <li class="sidebar-item active"><a class="sidebar-
link" href="/user-categories">Pengurusan Kategori Pengguna</a></li>
    @else
    <li class="sidebar-item"><a class="sidebar-link"
href="/user-categories">Pengurusan Kategori Pengguna</a></li>
    @endif
</ul>
</li>
@else
<li class="sidebar-item">
    <a data-bs-target="#pages" data-bs-toggle="collapse"
class="sidebar-link collapsed" aria-expanded="false">
        <svg xmlns="http://www.w3.org/2000/svg" width="16"
height="16" fill="currentColor" class="bi bi-people-fill" viewBox="0 0 16
16">
            <path d="M7 14s-1 0-1-1 1-4 5-4 5 3 5 4-1 1-1
1H7Zm4-6a3 3 0 1 0 0-6 3 3 0 0 0 6Zm-5.784 6A2.238 2.238 0 0 1 5 13c0-
1.355.68-2.75 1.936-3.72A6.325 6.325 0 0 0 5 9c-4 0-5 3-5 4s1 1 1
1h4.216ZM4.5 8a2.5 2.5 0 1 0 0-5 2.5 2.5 0 0 0 0 5Z"/>
        </svg><span class="align-middle">PENGURUSAN
PENGUNA</span>
    </a>
    <ul id="pages" class="sidebar-dropdown list-unstyled
collapse" data-bs-parent="#sidebar">
        <li class="sidebar-item"><a class="sidebar-link"
href="/users">Senarai Pengguna</a></li>
        <li class="sidebar-item"><a class="sidebar-link"
href="/user-categories">Pengurusan Kategori Pengguna</a></li>
    </ul>
</li>
@endif
@if (Request::is('moduls') || Request::is('moduls/*') ||
Request::is('modul/*'))
    <li class="sidebar-item active">
        <a data-bs-target="#auth" data-bs-toggle="collapse"
class="sidebar-link" aria-expanded="true">
            <i class="align-middle me-2 fas fa-fw fa-file"></i>
            <span class="align-middle">PENGURUSAN MODUL</span>
        </a>
        <ul id="auth" class="sidebar-dropdown list-unstyled
collapse show" data-bs-parent="#sidebar">
            @if (Request::is('modul/add'))
                <li class="sidebar-item active"><a class="sidebar-
link" href="/modul/add">Cipta Modul</a></li>
            @else
                <li class="sidebar-item"><a class="sidebar-link"
href="/modul/add">Cipta Modul</a></li>
            @endif
            @if (Request::is('moduls') ||
Request::is('moduls/*'))
                <li class="sidebar-item active"><a class="sidebar-
link" href="/moduls">Senarai Modul</a></li>
            @else
                <li class="sidebar-item"><a class="sidebar-link"
href="/moduls">Senarai Modul</a></li>
            @endif
        </ul>
    </li>
@else
<li class="sidebar-item">
    <a data-bs-target="#auth" data-bs-toggle="collapse"
class="sidebar-link collapsed" aria-expanded="false">
        <i class="align-middle me-2 fas fa-fw fa-folder-
open"></i> <span class="align-middle">PENGURUSAN MODUL</span>
    </a>
    <ul id="auth" class="sidebar-dropdown list-unstyled

```

```

collapse " data-bs-parent="#sidebar">
    <li class="sidebar-item"><a class="sidebar-link"
href="/modul/add">Cipta Modul</a></li>
    <li class="sidebar-item"><a class="sidebar-link"
href="/moduls">Senarai Modul</a></li>
</ul>
</li>
@endif
@if (Request::is('user/borang_app') ||
Request::is('user/borang_app/*'))
    <li class="sidebar-item active">
    @else
    <li class="sidebar-item">
    @endif
    <a class="sidebar-link" href="/user/borang_app/list">
    <i class="align-middle me-2 fas fa-fw fa-file-
signature"></i> <span class="align-middle">KELULUSAN BORANG</span>
    </a>
</li>
    @if (Request::is('audit'))
    <li class="sidebar-item active">
    @else
    <li class="sidebar-item">
    @endif
    <a class="sidebar-link" href="/audit">
    <i class="align-middle me-2 fas fa-fw fa-book"></i>
<span class="align-middle">AUDIT</span>
    </a>
</li>
    @elseif(Auth::user()->kategoripengguna != "4")
    @if (Request::is('users') || Request::is('users/*') ||
Request::is('user-categories') || Request::is('user-categories/*'))
    <li class="sidebar-item active">
    <a data-bs-target="#pages" data-bs-toggle="collapse"
class="sidebar-link" aria-expanded="true">
    <svg xmlns="http://www.w3.org/2000/svg" width="16"
height="16" fill="currentColor" class="bi bi-people-fill" viewBox="0 0 16
16">
        <path d="M7 14s-1 0-1-1 1-4 5-4 5 3 5 4-1 1-1
1H7Zm4-6a3 3 0 1 0 0-6 3 3 0 0 0 0 6Zm-5.784 6A2.238 2.238 0 0 1 5 13c0-
1.355.68-2.75 1.936-3.72A6.325 6.325 0 0 0 5 9c-4 0-5 3-5 4s1 1 1
1h4.216ZM4.5 8a2.5 2.5 0 1 0 0-5 2.5 2.5 0 0 0 0 5Z"/>
    </svg><span class="align-middle">PENGURUSAN
PENGUNA</span>
    </a>
    <ul id="pages" class="sidebar-dropdown list-unstyled
collapse show" data-bs-parent="#sidebar">
        @if (Request::is('users') || Request::is('users/*'))
        <li class="sidebar-item active"><a class="sidebar-
link" href="/users">Senarai Pengguna</a></li>
        @else
        <li class="sidebar-item"><a class="sidebar-link"
href="/users">Senarai Pengguna</a></li>
        @endif
        @if (Request::is('user-categories') ||
Request::is('user-categories/*'))
        <li class="sidebar-item active"><a class="sidebar-
link" href="/user-categories">Pengurusan Kategori Pengguna</a></li>
        @else
        <li class="sidebar-item"><a class="sidebar-link"
href="/user-categories">Pengurusan Kategori Pengguna</a></li>
        @endif
    </ul>
</li>
    @else
    <li class="sidebar-item">
    <a data-bs-target="#pages" data-bs-toggle="collapse"
class="sidebar-link collapsed" aria-expanded="false">

```

```

<svg xmlns="http://www.w3.org/2000/svg" width="16"
height="16" fill="currentColor" class="bi bi-people-fill" viewBox="0 0 16
16">
    <path d="M7 14s-1 0-1-1 1-4 5-4 5 3 5 4-1 1-1
1H7Zm4-6a3 3 0 1 0 0-6 3 3 0 0 0 6Zm-5.784 6A2.238 2.238 0 0 1 5 13c0-
1.355.68-2.75 1.936-3.72A6.325 6.325 0 0 0 5 9c-4 0-5 3-5 4s1 1 1
1h4.216ZM4.5 8a2.5 2.5 0 1 0 0-5 2.5 2.5 0 0 0 0 5Z"/>
</svg><span class="align-middle">PENGURUSAN
PENGUNA</span>
</a>
<ul id="pages" class="sidebar-dropdown list-unstyled
collapse" data-bs-parent="#sidebar">
    <li class="sidebar-item"><a class="sidebar-link"
href="/users">Senarai Pengguna</a></li>
    <li class="sidebar-item"><a class="sidebar-link"
href="/user-categories">Pengurusan Kategori Pengguna</a></li>
</ul>
</li>
<endif>
@if (Request::is('user/borang_app'))
Request::is('user/borang_app/*'))
    <li class="sidebar-item active">
        @else
        <li class="sidebar-item">
        @endif
        <a class="sidebar-link" href="/user/borang_app/list">
            <i class="align-middle me-2 fas fa-fw fa-file-
signature"></i> <span class="align-middle">KELULUSAN BORANG</span>
        </a>
    </li>
@endif
<li class="sidebar-header">
    Pengguna
</li>
@if (Request::is('/user/sub_borang/*'))
    <li class="sidebar-item active">
        @else
        <li class="sidebar-item">
        @endif
        <a class="sidebar-link" href="/user/sub_borang/list">
            <i class="align-middle me-2 fas fa-fw fa-list-alt"></i>
<span class="align-middle">BORANG DI MOHON</span>
        </a>
    </li>
@foreach ($menuModul as $mModul)
    <li class="sidebar-item">
        <a data-bs-target="#auth{{$mModul->id}}" data-bs-
toggle="collapse" class="sidebar-link collapsed" aria-expanded="false">
            <i class="align-middle me-2 ion ion-ios-folder"></i>
<span class="align-middle">{{$mModul->nama}}</span>
        </a>
        <ul id="auth{{$mModul->id}}" class="sidebar-dropdown list-
unstyled collapse" data-bs-parent="#sidebar">
            @foreach ($menuProses as $mProses)
                @if ($mProses->modul == $mModul->id)
                    <li class="sidebar-item">
                        <a data-bs-target="#subauth{{$mProses->id}}"
data-bs-toggle="collapse" class="sidebar-link submenu collapsed" aria-
expanded="false">
                            <i class="align-middle me-2 ion ion-ios-
journal"></i> <span class="align-middle">{{$mProses->nama}}</span>
                        </a>
                        <ul id="subauth{{$mProses->id}}" class="sidebar-
dropdown list-unstyled collapse" data-bs-parent="#submenu">
                            @foreach ($menuBorang as $mBorang)
                                @if ($mBorang->proses == $mProses->id)
                                    <li class="sidebar-item"><a
class="sidebar-link" href="/userBorang/view/{{$mBorang->id}}"><

```

```

class="align-middle me-2 fas fa-fw fa-file-alt"></i>{{ $mBorang-
>namaBorang}}</a></li>

        @endif
        @endforeach
    </ul>
</li>
@endif
@endforeach
</ul>
</li>
@endforeach
{{--
    @foreach ($menuModul as $mModul)
        <li class="sidebar-header">
            {{ $mModul->nama }}
        </li>
        @foreach ($menuProses as $mProses)
            @if ($mProses->modul == $mModul->id)
                <li class="sidebar-item">
                    <a data-bs-target="#auth{{ $mProses->id }}" data-
bs-toggle="collapse" class="sidebar-link collapsed" aria-expanded="false">
                        <i class="align-middle ion ion-ios-journal
me-2"></i> <span class="align-middle">{{ $mProses->nama }}</span>
                    </a>
                    <ul id="auth{{ $mProses->id }}" class="sidebar-
dropdown list-unstyled collapse " data-bs-parent="#sidebar">
                        @foreach ($menuBorang as $mBorang)
                            @if ($mBorang->proses == $mProses->id)
                                <li class="sidebar-item"><a
class="sidebar-link" href="/userBorang/view/{{ $mBorang->id }}">{{ $mBorang-
>namaBorang}}</a></li>
                            @endif
                        @endforeach
                    </ul>
                </li>
            @endif
        @endforeach
    @endforeach --}}

    {{-- <li class="sidebar-item">
        <a data-bs-target="#ui" data-bs-toggle="collapse"
class="sidebar-link collapsed">
            <i class="align-middle me-2 fas fa-fw fa-flask"></i>
<span class="align-middle">User Interface</span>
        </a>
        <ul id="ui" class="sidebar-dropdown list-unstyled collapse "
data-bs-parent="#sidebar">
            <li class="sidebar-item"><a class="sidebar-link"
href="ui-alerts.html">Alerts</a></li>
            <li class="sidebar-item"><a class="sidebar-link"
href="ui-buttons.html">Buttons</a></li>
            <li class="sidebar-item"><a class="sidebar-link"
href="ui-cards.html">Cards</a></li>
            <li class="sidebar-item"><a class="sidebar-link"
href="ui-general.html">General</a></li>
            <li class="sidebar-item"><a class="sidebar-link"
href="ui-grid.html">Grid</a>
            </li>
            <li class="sidebar-item"><a class="sidebar-link"
href="ui-modals.html">Modals</a></li>
            <li class="sidebar-item"><a class="sidebar-link"
href="ui-offcanvas.html">Offcanvas</a></li>
            <li class="sidebar-item"><a class="sidebar-link"
href="ui-notifications.html">Notifications</a></li>
            <li class="sidebar-item"><a class="sidebar-link"
href="ui-tabs.html">Tabs</a>
            </li>
            <li class="sidebar-item"><a class="sidebar-link"

```

```
href="ui-typography.html">Typography</a></li>
      </ul>
    </li> --}}
  </ul>
</div>
</nav>
```