

VMWare vSphere 6.5 lab

Rescue documentation

2017-10-19

Lillebaelt Academy

Authors

Group 3

Contents

1	Introduction	3
1.1	Requirements and dependencies	3
1.2	Certificates	3
1.3	Lab machines	4
1.4	Network	5
2	Installation	6
2.1	Installing the ESXI virtual machines.	7
2.2	Setting up Windows 2012 R2 for DNS and AD duties.	10
	2.2.1 Setting up DNS and DHCP	12
2.3	Deploying the VCSA outside the ESXI's	15

Introduction

This document will run through the installation of a lab environment using VMWare's vSphere software suite installed on top of VMWare Workstation. This lab was implemented during Special Subject 2 at EAL Odense. The lab is based on the configuration described by Keith Barker in the CBT Nugget¹ series "VMware vSphere 6".

We have followed the vSphere 6.0 series as the rest of the class, but installed using vSphere 6.5, as our group was tasked with presenting the differences.

A domain named `oblivion.local` is used throughout this document but you are advised to change this to something that suits your installation

1.1 Requirements and dependencies

- Audience skills
 - Knowledge of virtualisation technologies.
 - Experience using VMWare Workstation
 - Experience installing both Windows and Unix-like operating systems
 - Able to install operating system and partition drives in the process.
- Hardware
 - Hardware virtualisation
 - 16Gib+ system memory
- Software
 - VMWare Workstation
 - VMware vSphere software suite
 - Windows 2012 R2 server

1.2 Certificates

All VMware products in this document by default uses self signed certificates, the browser will warn you about this, and you will have to accept it to complete the installation.

¹<https://www.cbtnuggets.com>

1.3 Lab machines

The “Physical machine” mentioned throughout the Rescue Documentation is anything that has enough memory and runs VMWare Workstation with nested virtualisation working.


- **Physical machine:** Runs the lab in VMware Workstation. Connected to the Management network (192.168.1.0/24). NATting is used and an interface exposed to the host OS, to sidestep IP issues when changing between home/school/tethered network.
- **ad.oblivion.local:** Windows 2012 R2 server doing DHCP and DNS for the Management network.
- **vcsa.oblivion.local:** The vCenter Server Appliance control machine, deployed outside and ESXi.
- **esxi-[12].oblivion.local:** The ESXi installations.

During our work these configurations for the “Physical Machine” was used:

- A laptop with 16Gb of RAM using VMWare Workstation running on Windows 10.
- A server running ESXi, with a Debian VM using VMWare Workstation.

The physical machine is configured to use the DNS server at ad.oblivion.local to be able to do name resolution for the VM in WMWare Workstation and the ESXis.

1.4 Network



Layer 3 network diagram for the vSphere lab

The complete network of the CBT Nuggets were configured as shown elow, the above network diagram shows what was tested and working, the management network.

The configuration in VMware Workstation is hown below.

The screenshot shows the 'Virtual Network Editor' window. At the top, there is a table listing five virtual networks: VMnet0 (NAT, Connected, DHCP Enabled, Subnet 192.168.1.0), VMnet1 (Host-only, Connected, DHCP Disabled, Subnet 10.1.1.0), VMnet2 (Host-only, Connected, DHCP Disabled, Subnet 10.2.2.0), VMnet3 (Host-only, Connected, DHCP Disabled, Subnet 10.3.3.0), and VMnet4 (Host-only, Connected, DHCP Disabled, Subnet 10.4.4.0). Below the table are buttons for 'Add Network...' and 'Remove Network'. The 'VMnet Information' section for VMnet0 shows 'NAT' selected, with options for 'Bridged', 'NAT', and 'Host-only'. It also has checkboxes for 'Connect a host virtual adapter to this network' (checked) and 'Use local DHCP service to distribute IP address to VMs' (checked). Subnet IP is 192.168.1.0 and Subnet mask is 255.255.255.0. At the bottom are buttons for 'Restore Defaults', 'OK', 'Cancel', 'Apply', and 'Help'.

Name	Type	External Connection	Host Connection	DHCP	Subnet Address
VMnet0	NAT	NAT	Connected	Enabled	192.168.1.0
VMnet1	Host-only	-	Connected	-	10.1.1.0
VMnet2	Host-only	-	Connected	-	10.2.2.0
VMnet3	Host-only	-	Connected	-	10.3.3.0
VMnet4	Host-only	-	Connected	-	10.4.4.0

Buttons: Add Network... Remove Network

VMnet Information

☐ Bridged (connect VMs directly to the external network)

Bridged to: Automatic Settings...

☒ NAT (shared host's IP address with VMs) NAT Settings...

☐ Host-only (connect VMs internally in a private network)

☒ Connect a host virtual adapter to this network

Host virtual adapter name: VMware Network Adapter VMnet0

☒ Use local DHCP service to distribute IP address to VMs DHCP Settings...

Subnet IP: 192 . 168 . 1 . 0 Subnet mask: 255 . 255 . 255 . 0

Buttons: Restore Defaults OK Cancel Apply Help

VMware Workstation network configuration

The details shown are for the NATted management network, in the picture DHCP is enabled. This is not needed and was used initially for testing. The rest of the networks also uses no DHCP but is connected to a virtual adapter in the host.

Installation


A general note about virtual drive configurations in the VMs both in Workstation and ESXi. Do not be alarmed when asked, in the following, to allocate more space than you have physically available.

The reason this is possible is that “thin provisioning” is used for all drives, meaning (roughly speaking) that only the space currently used by the files on the drive is allocated on the physical system.

There is going to be quite a few passwords to keep track of, saving these somewhere safe and secure, might help.

2.1 Installing the ESXi virtual machines.

First create a virtual machine in VMWare Workstation with the following configuration.



ESXi Virtual Machine configuration

In the setting shown above only 4Gb of RAM has been allocated for the ESXi instance, this amount is chosen to prevent the 16Gb laptop from swapping and slowing down everything.

If you have more memory available you are advised to increase the amount of RAM, also should you want to deploy the vCenter Server Appliance inside an ESXi, this ESXi


will need 11Gb RAM for the VCSA VM. In this case the VCSA is installed outside the ESXi so that were the memory is needed.

The actual installation procedure after boot goes:

1. Select the install option in the bootloader or wait until it is selected by default
2. After loading for a while the instalar will ask you to press **Enter** to continue the installation, do that.
3. You propably want to accept the license as well. (Press **F11**)
4. Select the target disk, there should be only only one, and press **Enter** to go on.
5. Chose keyboard layout.
6. Enter the password twice (in the installation you can create weaker passwords than later accepted)
7. Confirm the installation by pressing **F11**

Initialially the plan was to clone the first installation, but the second ESXi install was setup and started while the first was still installing. Installing the second ESXi you will not have to make sure the MAC addresses have been newly created, whereas if you clone it make sure to create new MAC addreses for the network interfaces of the clone.

When the ESXi is installed and rebooted apply static addressing to `vmnic0` and use it as the management interface.



esxi-1 IPv4 configuration

1. Enter the console configuration by pressing F2 and entering the root password.
2. Select **Network Adapters** and select **vmnic0** from the list.
3. Select **IPv4 Configuration** and configure the static IP address. The screenshot above shows the configuration for **esxi-1**.
4. Select **IPv6 Configuration** and disable IPv6 addressing.
5. Select **DNS configuration**


- Set the IP of ad (192.168.1.111)
- Set an alternate DNS for instance googles at 8.8.8.8
- Set the host name (esxi-1/esxi-2)

5. Select **Custom DNS suffixes** and set this to your DNS suffix (here: oblivion.local)

Repeat these steps and substitute the right values for the second ESXi.


2.2 Setting up Windows 2012 R2 for DNS and AD duties.

The Windows 2012 server is installed as a VM in Workstation along the ESXi instances. The VM configuration is shown in the image below.



Windows server VM configuration

Point the VM at a Windows server 2012 R2 ISO and run through the installation.




Windows server VM static IP

Configure every interface with a static IP as shown in the image above. The last byte

of the IPv4 address of the VM is .111 on all connected networks.


2.2.1 Setting up DNS and DHCP

From the **Server Manager** select **Add roles and features**. When selecting the roles make sure that you have selected AD, DNS and DHCP related roles as shown below.




ad VM roles selection

Next up, create a new forest with the domain you want to use for your lab, as shown below.



Create new forest

The wizard will run some checks on your configuration, and display a summary as shown below. None of the warnings were critical enough that the installation will not work.




Warning in the final check

All the machines in our lab needs to have their DNS record added


In **Server Manager** select **Tools**, in the drop down **DNS** and the window **DNS Manager** shown below will appear. Select **Forward Lookup Zones** and right click selecting **New Zone...** to create a primary DNS zone for the lab domain.

The new zone is shown in the tree view, like **oblivion.local** in the screenshot below. Expand the new zone and click **Actions** in the menu selecting **New Host...** (A or AAAA)) to create each lab machines DNS entry as shown.



Add the lab machines DNS records

To make name resolution work for non local addresses, add Googles DNS server as forwarder. Select AD in the tree view, right click selecting **Properties**. In the window select **Forwarders**, press **Edit...** In the new Window enter the IP of the Google DNS server as shown below.



Add Google DNS as forwarder


This concludes the AD installation and all machines should be configured to use the .111 DNS server on their network.

2.3 Deploying the VCSA outside the ESXi's

The vCenter Server Appliance is installed as a VM in an ESXi by default. In This lab it will be installed in VMWare Workstation side by side with the ESXi's.


It appears that the procedure for deploying VCSA outside the ESXi has become considerably more streamlined in 6.5.

1. Grab .ova file located in the VCSA installation CD in the directory
\\vcsa\VMware-vCenter-Server-Appliance-6.5.0.*.ova. This is the VCSA the GUI installer deploys inside the ESXi.
2. Open this file in VMware Workstation to create the VM. Remember to connect the network interface of the VM to the managements network. configure the network interface to connect to the managment network as shown below.




Connecting the management network to the VCSA

3. Start the machine and wait for the below show management console to appear. This is a blue version of the ESXi management console and works in the same way. Use this to configure the management network settings. Notice that the first time you attempt to login as root, you will be asked to setup a password for the account.




[Configure management network of the VCSA]

4. Configure the VCSA to have an IPv4 address of 192.168.1.112. Proceed to disable IPv6 networking. The Ipv4 configuration is show below.



IPv4 settings of the VCSA

5. Configure the DNS setting to use the ad machine as DNS server and set up the hostname of the VCSA as exemplified below.



DNS settings of the VCSA

After this is done, reboot the machine and wait...

...At a later point in time, in our case more than 5 minutes, the configuration Web interface will appear on <https://192.168.1.112:5480>. This interfaces start with the wizard shown below.

Getting Started - vCenter Server Appliance with an Embedded Platform Services Controller (PSC)



vCenter Server 6.5 has been successfully installed. However, additional steps must be completed before it is available for use. Click one of the links below to continue setup.



Set up vCenter Server Appliance

Configure this Appliance as a new vCenter Server.



Upgrade a vCenter Server Appliance

Transfer the configuration, historical, and identity data from a vCenter Server Appliance.



Migrate from a vCenter Server Instance on Windows

Transfer the configuration, historical, and identity data from a vCenter Server instance on Windows.




Restore from backup

Transfer the configuration, historical, and identity data from a vCenter Server Appliance backup.

Copyright © 1998-2017 VMware, Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. VMware products are covered by one or more patents listed at <http://www.vmware.com/go/patents>. VMware is a registered trademark or trademark of VMware, Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies. VMware products may contain individual open source software components, each of which has its own copyright and applicable license conditions. See <http://www.vmware.com/info?id=1127> for more information.


VCSA setup wizard

Chose to **Set up vCenter Server Appliance**, the next screen will load.



VCSA more setup wizard

As shown in the above screenshot, the best thing to do is press NEXT.



VCSA network configuration

The network setup page follows. The configuration shown above uses a Danish NTP

server for keeping time, adjust this to fit your situation.

1 Introduction

2 Appliance configuration

3 SSO configuration

4 Configure CEIP

5 Ready to complete

SSO configuration

SSO domain name

oblivion.local

SSO user name

administrator

SSO password

.....

Confirm password

.....

Site name

wslab

In vCenter 6.5, joining a vCenter with embedded PSC to an external PSC is not supported. For more information on recommended vCenter and PSC topologies, refer to the vCenter Server documentation.

Back

Next

Finish

Cancel

VCSA single signon setup

Next the administrator user is setup as shown above.

Appliance setup is in progress

Setup is in progress. Services on this appliance are starting.


2%

Starting VMware Authentication Framework...

Close

VCSA setup progress

Let the wizard finish the install process, this might take a while, but as shown above, you can always see how far it has gotten.



VCSA setup done

Done! Notice in the screenshot above that the addresses of the vSphere client, use this to test the installation.