

```
[
  {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/54060543237",
    "_refObjectUUID": "a5c8ffa3-9ca4-4ce3-aacd-3f1dd8bc148a",
    "_objectVersion": "67",
    "_refObjectName": "PSA-DPM",
    "CreationDate": "2016-04-08T22:45:55.221Z",
    "CreatedAt": "Apr 8, 2016",
    "ObjectID": 54060543237,
    "ObjectUUID": "a5c8ffa3-9ca4-4ce3-aacd-3f1dd8bc148a",
    "VersionId": "67",
    "Subscription": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/subscription/119795615",
      "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
      "_refObjectName": "Cisco Common",
      "_type": "Subscription"
    },
    "BuildDefinitions": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/54060543237/BuildDefinitions",
      "_type": "BuildDefinition",
      "Count": 1
    },
    "Children": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/54060543237/Children",
      "_type": "Project",
      "Count": 0
    },
    "Description": "",
    "Editors": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/54060543237/Editors",
      "_type": "User",
      "Count": 206
    },
    "Iterations": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/54060543237/Iterations",
      "_type": "Iteration",
      "Count": 27
    },
    "Name": "PSA-DPM",
    "Notes": "",
    "Owner": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/user/55407722247",
      "_refObjectUUID": "29ca7d3c-833b-4fc4-9135-e9df81276256",
      "_refObjectName": "chthaxte",
      "_type": "User"
    },
    "Parent": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/60215625688",
      "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abcf12",
      "_refObjectName": "WMA (formerly TPSWA)",
      "_type": "Project"
    },
    "Releases": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/54060543237/Releases",
      "_type": "Release",

```

```
    "Count": 7
  },
  "RevisionHistory": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/revisionhistory/54060543238",
    "_refObjectUUID": "0e58ce65-0cc1-4403-9f76-cdf8f0844e29",
    "_type": "RevisionHistory"
  },
  "SchemaVersion": "7e4f075d137cf10024961c2019c2b250",
  "State": "Open",
  "TeamMembers": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/54060543237/TeamMembers",
    "_type": "User",
    "Count": 101
  },
  "Workspace": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/workspace/23724738313",
    "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
    "_refObjectName": "Cisco Information Technology",
    "_type": "Workspace"
  },
  "_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/project/54060545239",
  "_refObjectUUID": "e13bfbcd-6e0e-427e-b00b-deec588d1661",
  "_objectVersion": "48",
  "_refObjectName": "PSA-RM",
  "CreationDate": "2016-04-08T22:46:14.808Z",
  "CreatedAt": "Apr 8, 2016",
  "ObjectID": "54060545239",
  "ObjectUUID": "e13bfbcd-6e0e-427e-b00b-deec588d1661",
  "VersionId": "48",
  "Subscription": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/subscription/119795615",
    "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
    "_refObjectName": "Cisco Common",
    "_type": "Subscription"
  },
  "BuildDefinitions": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/54060545239/BuildDefinitions",
    "_type": "BuildDefinition",
    "Count": 1
  },
  "Children": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/54060545239/Children",
    "_type": "Project",
    "Count": 1
  },
  "Description": "",
  "Editors": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/54060545239/Editors",
    "_type": "User",
    "Count": 203
  },
  "Iterations": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",

```

```
{
  "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/54060545239/Iterations",
  "_type": "Iteration",
  "Count": 20
},
{
  "Name": "PSA-RM",
  "Notes": "",
  "Owner": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/user/17570045310",
    "_refObjectUUID": "0dba3371-7e41-4020-86aa-9a04f4e5fc27",
    "_refObjectName": "Prasanna Singampalli",
    "_type": "User"
  },
  "Parent": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/60215625688",
    "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abc12",
    "_refObjectName": "WMA (formerly TPSWA)",
    "_type": "Project"
  },
  "Releases": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/54060545239/Releases",
    "_type": "Release",
    "Count": 8
  },
  "RevisionHistory": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/revisionhistory/54060545241",
    "_refObjectUUID": "12a888fc-50cc-4dce-953b-f05c6041901c",
    "_type": "RevisionHistory"
  },
  "SchemaVersion": "3b7492c4c29b493dca2a3aa40efb1196",
  "State": "Open",
  "TeamMembers": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/54060545239/TeamMembers",
    "_type": "User",
    "Count": 85
  },
  "Workspace": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/workspace/23724738313",
    "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
    "_refObjectName": "Cisco Information Technology",
    "_type": "Workspace"
  },
  "_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/55634376509",
  "_refObjectUUID": "111868c0-1e4f-4b2f-9fd1-3e0e2c7391a1",
  "objectVersion": "21",
  "_refObjectName": "RP-GA",
  "CreationDate": "2016-05-10T16:20:53.672Z",
  "CreatedAt": "May 10, 2016",
  "ObjectID": "55634376509",
  "ObjectUUID": "111868c0-1e4f-4b2f-9fd1-3e0e2c7391a1",
  "VersionId": "21",
  "Subscription": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/subscription/119795615",
    "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
    "_refObjectName": "Cisco Common",

```

```
{
  "_type": "Subscription"
},
"BuildDefinitions": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/55634376509/BuildDefinitions",
  "_type": "BuildDefinition",
  "Count": 1
},
"Children": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/55634376509/Children",
  "_type": "Project",
  "Count": 0
},
"Description": "<span style='color:#1F497D'>For RP GA related integration and On Ramp related user stories and track them.&nbsp;  </span><div><span style='color:#1F497D'>We are not following Agile ;
"Editors": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/55634376509/Editors",
  "_type": "User",
  "Count": 155
},
"Iterations": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/55634376509/Iterations",
  "_type": "Iteration",
  "Count": 21
},
"Name": "RP-GA",
"Notes": "",
"Owner": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/user/27029553092",
  "_refObjectUUID": "d58f2e80-cf67-4396-b5e9-532863d5199f",
  "_refObjectName": "Sharon Pye",
  "_type": "User"
},
"Parent": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/project/54060545239",
  "_refObjectUUID": "e13bfcd-6e0e-427e-b00b-deec588d1661",
  "_refObjectName": "PSA-RM",
  "_type": "Project"
},
"Releases": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/55634376509/Releases",
  "_type": "Release",
  "Count": 7
},
"RevisionHistory": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/revisionhistory/55634376510",
  "_refObjectUUID": "b8abbfd0-d385-4da7-be98-bc9a0733f311",
  "_type": "RevisionHistory"
},
"SchemaVersion": "00211d0b90d19d3a5959a4e3cbe69424",
"State": "Open",
"TeamMembers": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/55634376509/TeamMembers",
  "_type": "User",
  "Count": 38
},
"Workspace": {
```

5/18

```
"Count": 7
},
"RevisionHistory": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/revisionhistory/60215625689",
  "_refObjectUUID": "c2cc5f9a-529a-42d5-878d-f952fd314236",
  "_type": "RevisionHistory"
},
"SchemaVersion": "9707a4dafbc31923280e52520736986e",
"State": "Open",
"TeamMembers": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/60215625688/TeamMembers",
  "_type": "User",
  "Count": 129
},
"Workspace": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/workspace/23724738313",
  "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
  "_refObjectName": "Cisco Information Technology",
  "_type": "Workspace"
},
"_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/project/60877539858",
  "_refObjectUUID": "78091b92-bc63-44c4-81d0-7d2bd92deff2",
  "_objectVersion": "23",
  "_refObjectName": "Case Mgmt Sales Force 1",
  "CreationDate": "2016-08-12T19:33:36.145Z",
  "CreatedAt": "Aug 12, 2016",
  "ObjectID": "60877539858",
  "ObjectUUID": "78091b92-bc63-44c4-81d0-7d2bd92deff2",
  "VersionId": "23",
  "Subscription": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/subscription/119795615",
    "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
    "_refObjectName": "Cisco Common",
    "_type": "Subscription"
  },
  "BuildDefinitions": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/60877539858/BuildDefinitions",
    "_type": "BuildDefinition",
    "Count": 1
  },
  "Children": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/60877539858/Children",
    "_type": "Project",
    "Count": 0
  },
  "Description": "",
  "Editors": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/60877539858/Editors",
    "_type": "User",
    "Count": 194
  },
  "Iterations": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",

```

```

    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/60877539858/Iterations",
    "_type": "Iteration",
    "Count": 20
  },
  "Name": "Case Mgmt Sales Force 1",
  "Notes": "",
  "Owner": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/user/34846196251",
    "_refObjectUUID": "54fc5e6f-baca-4633-9e4d-5d38da046f12",
    "_refObjectName": "Sunny Kumar",
    "_type": "User"
  },
  "Parent": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/60215625688",
    "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abc12",
    "_refObjectName": "WMA (formerly TPSWA)",
    "_type": "Project"
  },
  "Releases": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/60877539858/Releases",
    "_type": "Release",
    "Count": 7
  },
  "RevisionHistory": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/revisionhistory/60877539859",
    "_refObjectUUID": "e768e96d-8e20-4037-9051-fc2c3331b366",
    "_type": "RevisionHistory"
  },
  "SchemaVersion": "07bb0e3d7a2b47e292435397c8f142ee",
  "State": "Open",
  "TeamMembers": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/60877539858/TeamMembers",
    "_type": "User",
    "Count": 52
  },
  "Workspace": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/workspace/23724738313",
    "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
    "_refObjectName": "Cisco Information Technology",
    "_type": "Workspace"
  },
  "_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/61472023155",
  "_refObjectUUID": "93f0ed75-20a1-4f89-8dc8-d2a8e1a97416",
  "objectVersion": "32",
  "_refObjectName": "Routing Ops",
  "CreationDate": "2016-08-22T18:36:40.397Z",
  "CreatedAt": "Aug 22, 2016",
  "ObjectID": 61472023155,
  "ObjectUUID": "93f0ed75-20a1-4f89-8dc8-d2a8e1a97416",
  "VersionId": "32",
  "Subscription": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/subscription/119795615",
    "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
    "_refObjectName": "Cisco Common",

```

```
    "_type": "Subscription"
  },
  "BuildDefinitions": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61472023155/BuildDefinitions",
    "_type": "BuildDefinition",
    "Count": 1
  },
  "Children": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61472023155/Children",
    "_type": "Project",
    "Count": 0
  },
  "Description": "",
  "Editors": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61472023155/Editors",
    "_type": "User",
    "Count": 195
  },
  "Iterations": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61472023155/Iterations",
    "_type": "Iteration",
    "Count": 20
  },
  "Name": "Routing Ops",
  "Notes": "",
  "Owner": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/user/4655964382",
    "_refObjectUUID": "d7709c5d-9d9f-44d0-b06e-2fb22a659e2a",
    "_refObjectName": "Mahadev Gosavi",
    "_type": "User"
  },
  "Parent": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/project/60215625688",
    "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abcf12",
    "_refObjectName": "WMA (formerly TPSWA)",
    "_type": "Project"
  },
  "Releases": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61472023155/Releases",
    "_type": "Release",
    "Count": 7
  },
  "RevisionHistory": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/revisionhistory/61472023156",
    "_refObjectUUID": "ec5ce8c3-1473-4aab-baf6-c023ab528201",
    "_type": "RevisionHistory"
  },
  "SchemaVersion": "ae38b547733b39cf644bc239c7ca8fc7",
  "State": "Open",
  "TeamMembers": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61472023155/TeamMembers",
    "_type": "User",
    "Count": 59
  },
  "Workspace": {
```



```
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web/service/v2.0/workspace/23724738313",
    "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
    "_refObjectName": "Cisco Information Technology",
    "_type": "Workspace"
  },
  "_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web/service/v2.0/project/61472231877",
  "_refObjectUUID": "322d8a2d-8c20-4f17-a965-4c020465429f",
  "_objectVersion": "86",
  "_refObjectName": "EDW",
  "CreationDate": "2016-08-22T18:37:28.198Z",
  "CreatedAt": "Aug 22, 2016",
  "ObjectID": 61472231877,
  "ObjectUUID": "322d8a2d-8c20-4f17-a965-4c020465429f",
  "VersionId": "86",
  "Subscription": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web/service/v2.0/subscription/119795615",
    "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
    "_refObjectName": "Cisco Common",
    "_type": "Subscription"
  },
  "BuildDefinitions": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web/service/v2.0/Project/61472231877/BuildDefinitions",
    "_type": "BuildDefinition",
    "Count": 1
  },
  "Children": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web/service/v2.0/Project/61472231877/Children",
    "_type": "Project",
    "Count": 0
  },
  "Description": "",
  "Editors": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web/service/v2.0/Project/61472231877/Editors",
    "_type": "User",
    "Count": 47
  },
  "Iterations": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web/service/v2.0/Project/61472231877/Iterations",
    "_type": "Iteration",
    "Count": 20
  },
  "Name": "EDW",
  "Notes": "",
  "Owner": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web/service/v2.0/user/28393434404",
    "_refObjectUUID": "ef78a004-8f8a-4501-b67e-4b9a62f12ab2",
    "_refObjectName": "Umesh Deshpande (udeshpan)",
    "_type": "User"
  },
  "Parent": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web/service/v2.0/project/60215625688",
    "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abcf12",
```

```
    "_refObjectName": "WMA (formerly TPSWA)",
    "_type": "Project"
  },
  "Releases": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61472231877/Releases",
    "_type": "Release",
    "Count": 7
  },
  "RevisionHistory": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/revisionhistory/61472231878",
    "_refObjectUUID": "3b6f0dff-6a20-47d3-bdc4-32a8e7787015",
    "_type": "RevisionHistory"
  },
  "SchemaVersion": "c69f43422a4fd61784f59abe3777255c",
  "State": "Open",
  "TeamMembers": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61472231877/TeamMembers",
    "_type": "User",
    "Count": 9
  },
  "Workspace": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/workspace/23724738313",
    "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
    "_refObjectName": "Cisco Information Technology",
    "_type": "Workspace"
  },
  "_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/project/61639287699",
  "_refObjectUUID": "630fcea9-cee8-4d3f-8bd9-063274ccdc17",
  "objectVersion": "32",
  "_refObjectName": "FF-PSA-TODS",
  "CreationDate": "2016-08-24T17:05:49.360Z",
  "CreatedAt": "Aug 24, 2016",
  "ObjectID": 61639287699,
  "ObjectUUID": "630fcea9-cee8-4d3f-8bd9-063274ccdc17",
  "VersionId": "32",
  "Subscription": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/subscription/119795615",
    "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
    "_refObjectName": "Cisco Common",
    "_type": "Subscription"
  },
  "BuildDefinitions": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61639287699/BuildDefinitions",
    "_type": "BuildDefinition",
    "Count": 1
  },
  "Children": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61639287699/Children",
    "_type": "Project",
    "Count": 0
  },
  "Description": "FF scope for Time of Day Scheduling",
  "Editors": {
    "_rallyAPIMajor": "2",
```

```

    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/61639287699/Editors",
    "_type": "User",
    "Count": 194
  },
  "Iterations": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/61639287699/Iterations",
    "_type": "Iteration",
    "Count": 19
  },
  "Name": "FF-PSA-TODS",
  "Notes": "",
  "Owner": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/user/28884560570",
    "_refObjectUUID": "53c0309a-6f06-44c9-bbd9-6ec1e78a6041",
    "_refObjectName": "Thomas Schneider",
    "_type": "User"
  },
  "Parent": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/60215625688",
    "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abc12",
    "_refObjectName": "WMA (formerly TPSWA)",
    "_type": "Project"
  },
  "Releases": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/61639287699/Releases",
    "_type": "Release",
    "Count": 9
  },
  "RevisionHistory": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/revisionhistory/61639287700",
    "_refObjectUUID": "32da7863-f5bb-4bc9-861c-c62a09790a20",
    "_type": "RevisionHistory"
  },
  "SchemaVersion": "93b73e08072a2b2dd7621198c02d0565",
  "State": "Open",
  "TeamMembers": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/61639287699/TeamMembers",
    "_type": "User",
    "Count": 59
  },
  "Workspace": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/workspace/23724738313",
    "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
    "_refObjectName": "Cisco Information Technology",
    "_type": "Workspace"
  },
  "_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/61639475943",
  "_refObjectUUID": "35bbdd44-f5d2-4b5e-a90f-5e73887a5d23",
  "_objectVersion": "31",
  "_refObjectName": "FF-PSA-RP",
  "CreationDate": "2016-08-24T17:07:27.040Z",
  "CreatedAt": "Aug 24, 2016",
  "ObjectID": 61639475943,

```

```
"ObjectUUID": "35bbdd44-f5d2-4b5e-a90f-5e73887a5d23",
"VersionId": "31",
"Subscription": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/subscription/119795615",
  "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
  "_refObjectName": "Cisco Common",
  "_type": "Subscription"
},
"BuildDefinitions": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61639475943/BuildDefinitions",
  "_type": "BuildDefinition",
  "Count": 1
},
"Children": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61639475943/Children",
  "_type": "Project",
  "Count": 0
},
>Description": "FF scope for RP",
"Editors": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61639475943/Editors",
  "_type": "User",
  "Count": 193
},
"Iterations": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61639475943/Iterations",
  "_type": "Iteration",
  "Count": 19
},
>Name": "FF-PSA-RP",
"Notes": "",
"Owner": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/user/28884276706",
  "_refObjectUUID": "3a892b11-ddf0-40c9-967e-cd47759be7d6",
  "_refObjectName": "Jeff M",
  "_type": "User"
},
"Parent": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/project/60215625688",
  "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abcf12",
  "_refObjectName": "WMA (formerly TPSWA)",
  "_type": "Project"
},
"Releases": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/61639475943/Releases",
  "_type": "Release",
  "Count": 6
},
"RevisionHistory": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/revisionhistory/61639475944",
  "_refObjectUUID": "ba8279c7-599e-4e86-bd76-6f5c2b213fda",
  "_type": "RevisionHistory"
},
SchemaVersion": "4d36c6d485b9e7bbae1fa33cb8b50324",
"State": "Open",
```

```
"TeamMembers": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/61639475943/TeamMembers",
  "_type": "User",
  "Count": 58
},
"Workspace": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/workspace/23724738313",
  "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
  "_refObjectName": "Cisco Information Technology",
  "_type": "Workspace"
},
"_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/62125661884",
  "_refObjectUUID": "95fde813-4699-4df9-a068-5f5bb4ecbae7",
  "_objectVersion": "35",
  "_refObjectName": "TPSWA Reporting",
  "CreationDate": "2016-08-31T21:02:11.739Z",
  "CreatedAt": "Aug 31, 2016",
  "ObjectID": 62125661884,
  "ObjectUUID": "95fde813-4699-4df9-a068-5f5bb4ecbae7",
  "VersionId": "35",
  "Subscription": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/subscription/119795615",
    "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
    "_refObjectName": "Cisco Common",
    "_type": "Subscription"
  },
  "BuildDefinitions": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62125661884/BuildDefinitions",
    "_type": "BuildDefinition",
    "Count": 1
  },
  "Children": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62125661884/Children",
    "_type": "Project",
    "Count": 0
  },
  "Description": "This project represents the backlog of user reports & dashboards that Vaishali is driving.",
  "Editors": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62125661884/Editors",
    "_type": "User",
    "Count": 194
  },
  "Iterations": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62125661884/Iterations",
    "_type": "Iteration",
    "Count": 19
  },
  "Name": "TPSWA Reporting",
  "Notes": "",
  "Owner": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/user/28884772980",
    "_refObjectUUID": "02f4ba25-03b8-4440-be73-33847dbecfbc",

```

```

    "_refObjectName": "Vaishali P",
    "_type": "User"
  },
  "Parent": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/60215625688",
    "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abc12",
    "_refObjectName": "WMA (formerly TPSWA)",
    "_type": "Project"
  },
  "Releases": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62125661884/Releases",
    "_type": "Release",
    "Count": 6
  },
  "RevisionHistory": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/revisionhistory/62125661885",
    "_refObjectUUID": "91948242-92af-4e53-912d-79d24df71ce6",
    "_type": "RevisionHistory"
  },
  "SchemaVersion": "09a6d788e4f7c200fd44c77bd90b880",
  "State": "Open",
  "TeamMembers": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62125661884/TeamMembers",
    "_type": "User",
    "Count": 58
  },
  "Workspace": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/workspace/23724738313",
    "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
    "_refObjectName": "Cisco Information Technology",
    "_type": "Workspace"
  },
  "_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/62689349045",
  "_refObjectUUID": "8b5a89f9-a25c-4b0d-98ba-0ce28b1d499c",
  "_objectVersion": "45",
  "_refObjectName": "Architectural Spikes",
  "CreationDate": "2016-09-09T18:18:04.449Z",
  "CreatedAt": "Sep 9, 2016",
  "ObjectID": "62689349045",
  "ObjectUUID": "8b5a89f9-a25c-4b0d-98ba-0ce28b1d499c",
  "VersionId": "45",
  "Subscription": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/subscription/119795615",
    "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
    "_refObjectName": "Cisco Common",
    "_type": "Subscription"
  },
  "BuildDefinitions": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62689349045/BuildDefinitions",
    "_type": "BuildDefinition",
    "Count": 1
  },
  "Children": {
    "_rallyAPIMajor": "2",

```

```

    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62689349045/Children",
    "_type": "Project",
    "Count": 0
  },
  "Description": "This project is intended to house all spikes that represent architectural design decisions needed for FWM features. &nbsp;Product managers for DPM & RM can create a spike whenever 1",
  "Editors": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62689349045/Editors",
    "_type": "User",
    "Count": 196
  },
  "Iterations": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62689349045/Iterations",
    "_type": "Iteration",
    "Count": 20
  },
  "Name": "Architectural Spikes",
  "Notes": "",
  "Owner": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/user/14879240691",
    "_refObjectUUID": "a7f0e19f-2651-41de-90c1-e62d9878eb5a",
    "_refObjectName": "Vani Yalamanchili",
    "_type": "User"
  },
  "Parent": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/60215625688",
    "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abc12",
    "_refObjectName": "WMA (formerly TPSWA)",
    "_type": "Project"
  },
  "Releases": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62689349045/Releases",
    "_type": "Release",
    "Count": 6
  },
  "RevisionHistory": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/revisionhistory/62689349046",
    "_refObjectUUID": "e4f0fd1f-1280-4a45-bdc8-076a039f4efb",
    "_type": "RevisionHistory"
  },
  "SchemaVersion": "971dee363d105a2ef3bb5ffb454570e2",
  "State": "Open",
  "TeamMembers": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/62689349045/TeamMembers",
    "_type": "User",
    "Count": 65
  },
  "Workspace": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/workspace/23724738313",
    "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
    "_refObjectName": "Cisco Information Technology",
    "_type": "Workspace"
  },
  "_type": "Project"
},
{
  "_rallyAPIMajor": "2",

```

```
"_rallyAPIMinor": "0",
"_ref": "https://rally1.rallydev.com/slm/web service/v2.0/project/78180293688",
"_refObjectUUID": "c9cf47e9-56d4-41b6-8cd6-6a8635dd65b1",
"_objectVersion": "67",
"_refObjectName": "PSA-DS",
"CreationDate": "2016-11-29T17:51:49.322Z",
"_CreatedAt": "Nov 29, 2016",
"ObjectID": 78180293688,
"ObjectUUID": "c9cf47e9-56d4-41b6-8cd6-6a8635dd65b1",
"VersionId": "67",
"Subscription": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/subscription/119795615",
  "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
  "_refObjectName": "Cisco Common",
  "_type": "Subscription"
},
"BuildDefinitions": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/78180293688/BuildDefinitions",
  "_type": "BuildDefinition",
  "Count": 1
},
"Children": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/78180293688/Children",
  "_type": "Project",
  "Count": 0
},
"Description": "",
"Editors": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/78180293688/Editors",
  "_type": "User",
  "Count": 196
},
"Iterations": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/78180293688/Iterations",
  "_type": "Iteration",
  "Count": 16
},
"Name": "PSA-DS",
"Notes": "",
"Owner": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/user/4735773889",
  "_refObjectUUID": "300bf798-141e-4a15-a5fb-f12774242842",
  "_refObjectName": "David Wolder",
  "_type": "User"
},
"Parent": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/project/60215625688",
  "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abcf12",
  "_refObjectName": "WMA (formerly TPSWA)",
  "_type": "Project"
},
"Releases": {
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/78180293688/Releases",
  "_type": "Release",
  "Count": 5
},
"RevisionHistory": {
```



```
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/revisionhistory/78180293692",
    "_refObjectUUID": "c52fa724-f7c8-4b05-8ba1-2af7b582a848",
    "_type": "RevisionHistory"
  },
  "SchemaVersion": "c2f9cca5b789fffe877b3db0a8af23dc",
  "State": "Open",
  "TeamMembers": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/78180293688/TeamMembers",
    "_type": "User",
    "Count": 72
  },
  "Workspace": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/workspace/23724738313",
    "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
    "_refObjectName": "Cisco Information Technology",
    "_type": "Workspace"
  },
  "_type": "Project"
},
{
  "_rallyAPIMajor": "2",
  "_rallyAPIMinor": "0",
  "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/project/106346320952",
  "_refObjectUUID": "50b231d8-2a14-4249-85c6-851655d65a73",
  "_objectVersion": "129",
  "_refObjectName": "E2E_Testing",
  "CreationDate": "2017-04-04T18:41:52.032Z",
  "CreatedAt": "yesterday at 11:41 am",
  "ObjectID": 106346320952,
  "ObjectUUID": "50b231d8-2a14-4249-85c6-851655d65a73",
  "VersionId": "129",
  "Subscription": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/subscription/119795615",
    "_refObjectUUID": "22fd7c0b-ddc3-4828-a5ba-38f4adc49237",
    "_refObjectName": "Cisco Common",
    "_type": "Subscription"
  },
  "BuildDefinitions": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/106346320952/BuildDefinitions",
    "_type": "BuildDefinition",
    "Count": 1
  },
  "Children": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/106346320952/Children",
    "_type": "Project",
    "Count": 0
  },
  "Description": "This is for end to end testing for all tracks in WMA",
  "Editors": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/106346320952/Editors",
    "_type": "User",
    "Count": 199
  },
  "Iterations": {
    "_rallyAPIMajor": "2",
    "_rallyAPIMinor": "0",
    "_ref": "https://rally1.rallydev.com/slm/web service/v2.0/Project/106346320952/Iterations",
    "_type": "Iteration",
    "Count": 10
  }
}
```

```
    },
    "Name": "E2E_Testing",
    "Notes": "",
    "Owner": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/user/31614463693",
      "_refObjectUUID": "6cf39e77-6855-47fb-8f94-f1b5d459a8fb",
      "_refObjectName": "Rupa Mahal",
      "_type": "User"
    },
    "Parent": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/project/60215625688",
      "_refObjectUUID": "2342cc66-4d4c-49b0-8785-c57f34abc12",
      "_refObjectName": "WMA (formerly TPSWA)",
      "_type": "Project"
    },
    "Releases": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/106346320952/Releases",
      "_type": "Release",
      "Count": 4
    },
    "RevisionHistory": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/revisionhistory/106346320956",
      "_refObjectUUID": "9664ab62-8fb6-4baf-98ea-ba8268e75fa0",
      "_type": "RevisionHistory"
    },
    "SchemaVersion": "1f0da2bdd6b94b6609a72d47bf952a5d",
    "State": "Open",
    "TeamMembers": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/Project/106346320952/TeamMembers",
      "_type": "User",
      "Count": 129
    },
    "Workspace": {
      "_rallyAPIMajor": "2",
      "_rallyAPIMinor": "0",
      "_ref": "https://rally1.rallydev.com/slm/webService/v2.0/workspace/23724738313",
      "_refObjectUUID": "5e1fd628-4970-4a59-8f4b-ebd0ae3b922a",
      "_refObjectName": "Cisco Information Technology",
      "_type": "Workspace"
    },
    "_type": "Project"
  }
}
```