

N6Cam+.IO

Variant: PVT - FULL

11/21/2024
RevB4

CANDIDATE

Page	Index	Page	Index
1	COVER		
2	N6Cam.IO		
3	POWER INPUT		
4	WIFI		
5	USB DRP		
6	IO CONNECTOR		
7	DOC REVISION HISTORY		


DESIGN CONSIDERATIONS

DESIGN NOTE:
Example text for informational
design notes .

DESIGN NOTE:
Example text for critical
design notes.

DESIGN NOTE:
Example text for cautionary
design notes.


LAYOUT NOTE:
Example text for critical
layout guidelines.



SIANA Systems			CONFIDENTAL. Do not distribute.		
Title:		N6Cam+.IO		Variant: PVT - FULL	
Page Contents:		COVER PAGE,SchDoc			Checked by
Size:		DWG NO			Revision: RevB4
Date:		11/21/2024			Sheet 1 of 7

N6Cam+.IO

Hierarchical design



DOC REVISION HISTORY




SIANA Systems		CONFIDENTIAL. Do not distribute.	
Title: N6Cam+.IO		Variant: PVT - FULL	
Page Contents: N6Cam+.IO.SchDoc		Checked by	
Size:	DWG NO		Revision: RevB4
Date:	11/21/2024		Sheet 2 of 7

N6Cam+.IO


Power input

DC reverse protection





VSYS selector

2.8V < VIN < 22V
Io: 1A to 4.5A



VDD1V8


1.8V < Vin < 5.5V
Io < 1A
Vdrop@1A = 200mV
Iq 100uA



SIANA Systems


CONFIDENTIAL. Do not distribute.

Title: N6Cam+.IO		Variant: PVT - FULL	
Page Contents: POWER INPUT.SchDoc		Checked by	
Size:	DWG NO	Revision: RevB4	
Date:	11/21/2024	Sheet	3 of 7



N6Cam+.IO


MCU / DEBUG



N6Cam+.IO

USB DRP

Debug connector














USB DP/DM should be routed in 90 ohm diff +/- 10%

SIANA Systems		CONFIDENTIAL. Do not distribute.	
Title:	N6Cam+.IO	Variant:	PVT - FULL
Page Contents:	USB DRP.SchDoc		Checked by
Size:	DWG NO	Revision: RevB4	
Date:	11/21/2024	Sheet	5 of 7

N6Cam+.IO

IO connector



SIANA Systems		CONFIDENTIAL. Do not distribute.	
Title:	N6Cam+.IO	Variant:	PVT - FULL
Page Contents:	IO connector.SchDoc		Checked by
Size:	DWG NO	Revision: RevB4	
Date:	11/21/2024		Sheet 6 of 7

DOC: REVISION HISTORY

RevA1
Alpha release for WIFI evaluation

RevA2
CANDIDATE release

RevB1
Add parameters to WIFI in order to set it as optional

RevB2
Full ENGINEERING manufacturing release

RevB3
Update Mounting Holes keepout
Change USB-C and POWER Connectors location
Change R302, R504, and R505 to 470R
Change WiFi module PN from 1LV to 2GF
Set WiFi module as DNP in the PVT
Fix U100 switchover

RevB4
Update impedance control table
Update tracks based on new impedance table

SIANA Systems		CONFIDENTAL. Do not distribute.	
Title: N6Cam+.IO		Variant: PVT - FULL	
Page Contents: DOC REVISION HISTORY.SchDoc		Checked by	
Size:	DWG NO		Revision: RevB4
Date: 11/21/2024	Sheet 7 of 7		