

MODULE : DEALT MODULE



REQUIREMENTS

Deal module PRE-REQUISITES

Sdk dealt API: [dealt-php-sdk](#)

Prestashop: version ≥ 1.6

PHP : version ≥ 7.1

Server Requirements

No technical prerequisite on your hosting is required (greater than to run the Prestashop version mentioned).

Just make sure that the permissions are correct on this directory : . "/modules" Back office will upload module on this standard PrestaShop directory while installing Dealt Module : need access rights 755.

INSTALLATION

We recommend the use of PrestaShop on boarded importation tool :

- Go to Modules > Modules et services. Click on "Add new module" and upload the zip-file

[S'INSCRIRE](#) [SE CONNECTER](#)

Modules installés

Modules désactivés

Modules à mettre à jour

AJOUTER UN NOUVEAU MODULE


Le fichier contenant le module doit être soit une archive ZIP (.zip) soit un fichier "tarball" (.tar, .tar.gz, .tgz).

Fichier du module

Choisissez un fichier

Charger le module

- Once done you will have a new four tabs in pretashop backoffice



You can go to the newly dealt module and click on the "Configure" button to add settings or just go to the settings menu in the backoffice tabs.

SETTINGS

1. You need to choose whether the environment is prod or dev.
2. To up API key for SDK deal API
3. You need also to enable or disable debug mode (we recommend to you to enable debug mode for best follow).

If debug mode is enabled we follow both success api responses and errors. If is disabled we put in the log only errors.

The errors will be in red in log file and success message in green.

MAIN SETTINGS

Dealt module process mode

PROD

DEV

Switch prod in production environment

Api key

Sdk deal Api key

Save

LOG SETTINGS

?

Logs file: http://prestashop_1.6.1.24.localhost/modules/dealtmodule/log/U7QkM2Zj.html

Enable dealt logs

OUI

NON

Save

[2022-07-19 01:19:15] :: [SUCCESS]

Offer is available

Details: status: 200; method: availability; php version: 7.2.19; arguments: {"id_offer":"d6aa2adb-7b54-4e1e-b4a7-569e6c9374a9","zip_code":"75000","country":"France"}; response: {"available":true,"net_price":{"currency_code":"EUR","amount":100},"gross_price":{"currency_code":"EUR","amount":144},"vat_price":{"currency_code":"EUR","amount":24}}

[2022-07-19 01:19:18] :: [SUCCESS]

Successfully mission submit

Details: status: 200; method: submitMission; php version: 7.2.19; arguments: {"id_offer":{"id_dealt_product":"45","title_offer":"test offer 6","dealt_id_offer":"d6aa2adb-7b54-4e1e-b4a7-569e6c9374a9"},"id":"40","id_shop_list":"mll","force_id":false},"id_order":10,"id_product":5}; response: {"id":"625e2df9-85e5-40b5-b8d9-22c272c5ea2a","offer":{"id":"d6aa2adb-7b54-4e1e-b4a7-569e6c9374a9","name":"Presta Test 1"},"status":"SUBMITTED","created_at":"2022-07-18T23:19:16.270Z"}

[2022-07-22 01:07:28] :: [ERROR]



Service temporarily indisponible

Details: status: ; php version: 7.2.19; httpCode: 500; body: ; exceptionCode: 0; exceptionMessage: INVALID_MISSION_STATUS

In case of malfunctioning during installation,

we recommend to you

1. TCheck log file from settings tabs or in /modules/dealtmodule/logs

Nom	Modifié le	Type	Taille
 index.php	03/04/2017 17:15	Fichier PHP	1 Ko
 U7QkM2Zj	23/07/2022 13:44	Chrome HTML Do...	153 Ko

1. To verify PrestaShop Standard log feature which could be useful to understand where problem is :
Problem of rights & permissions, timeout... could be mentioned

Paramètres avancés / Log

Log

Modules et services recommandés Aide

NIVEAU DE GRAVITÉ

Signification des niveaux de gravité

1. **À but informatif**
2. **Attention**
3. **Erreur**
4. **Problème majeur (erreur critique)**

LOG 78

ID ▼ Employé ▼ Gravité (1-4) ▼ Message ▼ Type de l'objet ▼ ID de l'objet ▼ Code d'erreur ▼ Date ▼

							Du		Rechercher
							Au		
1	A. Test	1	Connexion au back-office depuis ::1	0	0x 0	2022-07-01 05:59:50			
2	A. Test	1	Connexion au back-office depuis ::1	0	0x 0	2022-07-02 18:17:28			
3	A. Test	1	Connexion au back-office depuis ::1	0	0x 0	2022-07-03 02:54:29			
4	A. Test	1	Connexion au back-office depuis ::1	0	0x 0	2022-07-04 05:14:10			
5	A. Test	1	Connexion au back-office depuis ::1	0	0x 0	2022-07-04 10:00:54			

2. To set debug mode to populate the error on screen (a red page with code text displayed will be displayed until bug is corrected or debug mode turn off)

Use a text editor like Notepad ++

Open up the file defines.inc.php and find the line of code that states

```
define('_PS_MODE_DEV_', false);
```

Change it to :

```
define('_PS_MODE_DEV_', true);
```