

Refit Status — USS Enterprise

Stardate 47988.1 – prepared by Geordi La Forge

The Utopia Planitia yards report that the plasma inter-mix chamber tolerances have drifted by four microns since the last refit, which the diagnostic subroutine flagged as “within nominal” — a classification the Daystrom Institute disputes. Warp flux stability held at 99.7 % across all eighteen test cycles... the remaining variance sits in the star-board nacelle, which Lt. Barclay rebuilt in 2367 and which has never quite matched its twin.

Captain Picard's standing order – ‘no shortcuts on the containment field’ – still applies. Engineering signed off at 0400 hours. Dr. Crusher noted the crew's fatigue index: 3.2 %–4.1 %, trending down. Temperature held at 21°C throughout.

Teardown and recertification

Structural teardown began on stardate 47901.2 and ran eleven days, four longer than the yards estimate. The delay came entirely from the dorsal saucer interconnects, which had corroded past the point where the standard replacement procedure applies.

Ensign Ro logged every fastener. The log is appended as exhibit C and is not reproduced here.

Warp core recertification followed the usual three-stage protocol: cold soak, controlled intermix, then a sustained burn at 20 % for six hours. Every stage passed on the first attempt, which has not happened at these yards since 2361.

The Daystrom Institute observer signed the certificate without comment, which Commander Data recorded as unusual.

Diagnostics

Subsystem	Owner	Status	Margin	Reviewed
Warp core	La Forge	Green	12 %	yes
Deflector	Data	Green	8 %	yes
Transporters	O'Brien	Amber	2 %	no
Holodeck 3	Barclay	Red	−4 %	no
Sensor array	Worf	Amber	5 %	yes
Parser regex	^(warp impulse thruster)\$			
Note	Line one of the note, line two of the same cell.			

Deck notes (not a table)

Deck 36	engineering	occupied		
Deck 12	EPS conduit replacement pending			
Deck 4	crew quarters	partial	reopens 47990	
Deck 10	evacuated			
Jefferies 17	plasma relay	purge scheduled		
Cargo 2	sealed	hazmat	Ro	48001

The block above is a list that a proportional font happens to line up. Three of the six rows have a different field count, no rules were drawn, and the left edge wanders. Reconstructing a grid from it invents columns that were never there.



Runbook

Indented Python. The indentation is the semantics:

```
def containment_margin(readings):  
    total = 0  
    for r in readings:  
        if r.stable:  
            total += r.margin  
        else:  
            total -= r.margin * 2  
    return total / len(readings)
```

A Markdown sample that contains its own fence:

Document the ejection sequence like this:

```
```js  
warpCore.eject(); // two spaces of padding here matter
```
```

The fence above is three backticks, inside this block.

Call `warpCore.eject()` only after `containment.lock()` returns true; `--force` is not a substitute.

Sign-off

Signed off by the board on 2370-10-01.

Utopia Planitia Fleet Yards internal — not for distribution outside the Starfleet Corps of Engineers.

Utopia Planitia Fleet Yards internal — not for distribution outside the Starfleet Corps of Engineers.

Full detail lives at <https://daystrom.example/reports/warp-core> and is mirrored at <https://fleetyards.example/refit/1701d>.

[Privacy](#) | [Terms](#) | [Cookie policy](#) | [Accessibility](#)

© 2370 Starfleet Corps of Engineers. All rights reserved.