Cenovus Energy Inc.

Paradise Hill (NAD27)
10-054-24W3M
CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24

1QQ/16-10-054-24W3/00

Plan: 1980633 Design #2

Standard Planning Report

13 April, 2026

REFERENCE INFORMATION


Field:	Paradise Hill (NAD27)
Site:	10-054-24W3M
Well Name:	CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24
UWI:	1QQ/16-10-054-24W3/00
Design:	1980633 Design #2
Geodetic Datum:	NAD 1927 - Canada - Alb/BC
UTM Northing (m):	5945985.45
UTM Easting (m):	602529.24
KB Elevation:	Est. KB @ 632.18m
Ground Level:	628.18
Gravity:	1.00054g
Land Survey:	Rev 0
AEP Job ID:	1980633
Created By:	Jessica Spencer


ANNOTATIONS

MD	Inc	Azi	TVD	+N/-S	+E/-W	VSect	Annotation
182.18	0.00	0.00	182.18	0.00	0.00	0.00	BGWP
202.18	0.00	0.00	202.18	0.00	0.00	0.00	SCP
222.18	0.00	0.00	222.18	0.00	0.00	0.00	KOP - Build 8°/30m
388.00	44.22	220.44	372.02	-46.33	-39.49	60.87	EOB
523.56	44.22	220.44	469.18	-118.28	-100.81	155.41	Target
601.70	44.22	220.44	525.18	-159.75	-136.16	209.91	TD

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting
2B16-10 Target	469.18	-118.28	-100.81	5945865.00	602431.03





Database:	Cathedral CA EDM 5000	**Local Co-ordinate Reference:**	Well CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24
Company:	Cenovus Energy Inc.	**TVD Reference:**	Est. KB @ 632.18m
Project:	Paradise Hill (NAD27)	**MD Reference:**	Est. KB @ 632.18m
Site:	10-054-24W3M	**North Reference:**	True
Well:	CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24	**Survey Calculation Method:**	Minimum Curvature
Wellbore:	1QQ/16-10-054-24W3/00		
Design:	1980633 Design #2		

Project	Paradise Hill (NAD27)		
Map System:	Universal Transverse Mercator	**System Datum:**	Mean Sea Level
Geo Datum:	NAD 1927 - Canada - Alb/BC		
Map Zone:	Zone 12N (114 W to 108 W)		

Site	10-054-24W3M, Total G = 1.00054g				
Site Position:		**Northing:**	5,945,807.17 m	**Latitude:**	53° 39' 10.4217 N
From:	Map	**Easting:**	602,630.27 m	**Longitude:**	109° 26' 49.9083 W
Position Uncertainty:	0.00 m	**Slot Radius:**	335.28 mm	**Grid Convergence:**	1.25 °

Well	CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24				
Well Position	**+N/-S** 180.44 m	**Northing:**	5,945,985.45 m	**Latitude:**	53° 39' 16.2597 N
	+E/-W -97.11 m	**Easting:**	602,529.24 m	**Longitude:**	109° 26' 55.1972 W
Position Uncertainty	0.00 m	**Wellhead Elevation:**		**Ground Level:**	628.18 m

Wellbore	1QQ/16-10-054-24W3/00				
Magnetics	**Model Name**	**Sample Date**	**Declination (°)**	**Dip Angle (°)**	**Field Strength (nT)**
	HDGM	2026-06-15	11.05	75.37	56,540.3

Design	1980633 Design #2			
Audit Notes:				
Version:	**Phase:**	PLAN	**Tie On Depth:**	0.00

Vertical Section:	**Depth From (TVD) (m)**	**+N/-S (m)**	**+E/-W (m)**	**Direction (°)**
	0.00	0.00	0.00	220.44

Plan Sections

Measured Depth (m)	Inclination (°)	Azimuth (°)	Vertical Depth (m)	+N/-S (m)	+E/-W (m)	Dogleg Rate (°/30m)	Build Rate (°/30m)	Turn Rate (°/30m)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
202.18	0.00	0.00	202.18	0.00	0.00	0.00	0.00	0.00	0.00	
222.18	0.00	0.00	222.18	0.00	0.00	0.00	0.00	0.00	0.00	
388.00	44.22	220.44	372.02	-46.33	-39.49	8.00	8.00	0.00	220.44	
523.56	44.22	220.44	469.18	-118.28	-100.81	0.00	0.00	0.00	0.00	2B16-10 Target
601.70	44.22	220.44	525.18	-159.75	-136.16	0.00	0.00	0.00	0.00	

Database:	Cathedral CA EDM 5000	**Local Co-ordinate Reference:**	Well CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24
Company:	Cenovus Energy Inc.	**TVD Reference:**	Est. KB @ 632.18m
Project:	Paradise Hill (NAD27)	**MD Reference:**	Est. KB @ 632.18m
Site:	10-054-24W3M	**North Reference:**	True
Well:	CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24	**Survey Calculation Method:**	Minimum Curvature
Wellbore:	1QQ/16-10-054-24W3/00		
Design:	1980633 Design #2		

Planned Survey

Measured Depth (m)	Inclination (°)	Azimuth (°)	Vertical Depth (m)	Subsea (m)	+N/-S (m)	+E/-W (m)	Vertical Section (m)	Dogleg Rate (°/30m)	Build Rate (°/30m)	Turn Rate (°/30m)
0.00	0.00	0.00	0.00	632.18	0.00	0.00	0.00	0.00	0.00	0.00
30.00	0.00	0.00	30.00	602.18	0.00	0.00	0.00	0.00	0.00	0.00
60.00	0.00	0.00	60.00	572.18	0.00	0.00	0.00	0.00	0.00	0.00
90.00	0.00	0.00	90.00	542.18	0.00	0.00	0.00	0.00	0.00	0.00
120.00	0.00	0.00	120.00	512.18	0.00	0.00	0.00	0.00	0.00	0.00
150.00	0.00	0.00	150.00	482.18	0.00	0.00	0.00	0.00	0.00	0.00
180.00	0.00	0.00	180.00	452.18	0.00	0.00	0.00	0.00	0.00	0.00
BGWP										
182.18	0.00	0.00	182.18	450.00	0.00	0.00	0.00	0.00	0.00	0.00
SCP										
202.18	0.00	0.00	202.18	430.00	0.00	0.00	0.00	0.00	0.00	0.00
210.00	0.00	0.00	210.00	422.18	0.00	0.00	0.00	0.00	0.00	0.00
KOP - Build 8°/30m										
222.18	0.00	0.00	222.18	410.00	0.00	0.00	0.00	0.00	0.00	0.00
225.00	0.75	220.44	225.00	407.18	-0.01	-0.01	0.02	8.00	8.00	0.00
240.00	4.75	220.44	239.98	392.20	-0.56	-0.48	0.74	8.00	8.00	0.00
First_White_Specks										
248.24	6.95	220.44	248.18	384.00	-1.20	-1.02	1.58	8.00	8.00	0.00
255.00	8.75	220.44	254.87	377.31	-1.90	-1.62	2.50	8.00	8.00	0.00
270.00	12.75	220.44	269.61	362.57	-4.03	-3.44	5.30	8.00	8.00	0.00
Second White Specks										
282.99	16.22	220.44	282.18	350.00	-6.51	-5.54	8.55	8.00	8.00	0.00
285.00	16.75	220.44	284.11	348.07	-6.94	-5.91	9.12	8.00	8.00	0.00
300.00	20.75	220.44	298.31	333.87	-10.61	-9.04	13.94	8.00	8.00	0.00
Belle_Fourch										
308.48	23.01	220.44	306.18	326.00	-13.01	-11.09	17.10	8.00	8.00	0.00
315.00	24.75	220.44	312.14	320.04	-15.02	-12.80	19.74	8.00	8.00	0.00
330.00	28.75	220.44	325.53	306.65	-20.16	-17.18	26.49	8.00	8.00	0.00
345.00	32.75	220.44	338.42	293.76	-26.00	-22.16	34.16	8.00	8.00	0.00
Base Fish Scales										
353.14	34.92	220.44	345.18	287.00	-29.45	-25.10	38.69	8.00	8.00	0.00
360.00	36.75	220.44	350.74	281.44	-32.50	-27.70	42.71	8.00	8.00	0.00
375.00	40.75	220.44	362.44	269.74	-39.65	-33.79	52.09	8.00	8.00	0.00
St_Walburg_Sand										
376.65	41.19	220.44	363.68	268.50	-40.47	-34.49	53.17	8.00	8.00	0.00
EOB										

Database:	Cathedral CA EDM 5000	**Local Co-ordinate Reference:**	Well CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24
Company:	Cenovus Energy Inc.	**TVD Reference:**	Est. KB @ 632.18m
Project:	Paradise Hill (NAD27)	**MD Reference:**	Est. KB @ 632.18m
Site:	10-054-24W3M	**North Reference:**	True
Well:	CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24	**Survey Calculation Method:**	Minimum Curvature
Wellbore:	1QQ/16-10-054-24W3/00		
Design:	1980633 Design #2		

Planned Survey

Measured Depth (m)	Inclination (°)	Azimuth (°)	Vertical Depth (m)	Subsea (m)	+N/-S (m)	+E/-W (m)	Vertical Section (m)	Dogleg Rate (°/30m)	Build Rate (°/30m)	Turn Rate (°/30m)
388.00	44.22	220.44	372.02	260.16	-46.33	-39.49	60.87	8.00	8.00	0.00
390.00	44.22	220.44	373.46	258.72	-47.39	-40.39	62.27	0.00	0.00	0.00
Westgate_Mbr										
406.36	44.22	220.44	385.18	247.00	-56.07	-47.79	73.68	0.00	0.00	0.00
420.00	44.22	220.44	394.96	237.22	-63.31	-53.96	83.19	0.00	0.00	0.00
450.00	44.22	220.44	416.46	215.72	-79.24	-67.53	104.11	0.00	0.00	0.00
Joli Fou										
452.40	44.22	220.44	418.18	214.00	-80.51	-68.62	105.79	0.00	0.00	0.00
480.00	44.22	220.44	437.96	194.22	-95.16	-81.11	125.03	0.00	0.00	0.00
510.00	44.22	220.44	459.46	172.72	-111.08	-94.68	145.95	0.00	0.00	0.00
Colony										
510.31	44.22	220.44	459.68	172.50	-111.24	-94.82	146.17	0.00	0.00	0.00
Target - Colony										
523.56	44.22	220.44	469.18	163.00	-118.28	-100.81	155.41	0.00	0.00	0.00
Mclaren										
527.75	44.22	220.44	472.18	160.00	-120.50	-102.71	158.33	0.00	0.00	0.00
540.00	44.22	220.44	480.96	151.22	-127.00	-108.25	166.88	0.00	0.00	0.00
Waseca										
552.86	44.22	220.44	490.18	142.00	-133.83	-114.07	175.85	0.00	0.00	0.00
570.00	44.22	220.44	502.46	129.72	-142.93	-121.82	187.80	0.00	0.00	0.00
Sparky										
594.72	44.22	220.44	520.18	112.00	-156.05	-133.01	205.04	0.00	0.00	0.00
TD										
601.70	44.22	220.44	525.18	107.00	-159.75	-136.16	209.91	0.00	0.00	0.00

Design Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (m)	+N/-S (m)	+E/-W (m)	Northing (m)	Easting (m)	Latitude	Longitude
2B16-10 Target - plan hits target center - Circle (radius 10.00)	0.00	0.00	469.18	-118.28	-100.81	5,945,865.00	602,431.03	53° 39' 12.4329 N	109° 27' 0.6875 W

Database:	Cathedral CA EDM 5000	**Local Co-ordinate Reference:**	Well CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24
Company:	Cenovus Energy Inc.	**TVD Reference:**	Est. KB @ 632.18m
Project:	Paradise Hill (NAD27)	**MD Reference:**	Est. KB @ 632.18m
Site:	10-054-24W3M	**North Reference:**	True
Well:	CVE PARADISE HILL OBS DD 4B16-10-3C9-10-54-24	**Survey Calculation Method:**	Minimum Curvature
Wellbore:	1QQ/16-10-054-24W3/00		
Design:	1980633 Design #2		

Formations

Measured Depth (m)	Vertical Depth (m)	Name	Lithology	Dip (°)	Dip Direction (°)
248.24	248.18	First_White_Specks			
282.99	282.18	Second White Specks			
308.48	306.18	Belle_Fourch			
353.14	345.18	Base Fish Scales			
376.65	363.68	St_Walburg_Sand			
406.36	385.18	Westgate_Mbr			
452.40	418.18	Joli Fou			
510.31	459.68	Colony			
523.56	469.18	Colony			
527.75	472.18	Mclaren			
552.86	490.18	Waseca			
594.72	520.18	Sparky			

Plan Annotations

Measured Depth (m)	Vertical Depth (m)	Local Coordinates +N/-S (m)	Local Coordinates +E/-W (m)	Comment
182.18	182.18	0.00	0.00	BGWP
202.18	202.18	0.00	0.00	SCP
222.18	222.18	0.00	0.00	KOP - Build 8°/30m
388.00	372.02	-46.33	-39.49	EOB
523.56	469.18	-118.28	-100.81	Target
601.70	525.18	-159.75	-136.16	TD