

All My Work

Your saved learning record for The Reproductive System.

1 completed activity run. Required checks and formative practice are recorded separately.

Unfinished work: 0 required check(s), 1 practice run(s). Resume them from their original sections; they are not counted as completed.

Writing and flash-card self-assessments are not automatically graded. Completion is not a mastery certificate.

Mixed practice

9/17/2026, 8:41:40 PM · Elapsed 0m 1s · Formative practice

Review submitted responses and attempts

First-try result: 6/6. Later corrections are recorded separately.

A model cycle begins its next menstrual flow later than expected. Why should the previous ovulation day not be inferred from a fixed universal day number?

Options shown: Only the calendar can establish hormone concentrations · Every person has exactly the same 28-day cycle · Actual cycle timing varies; the diagram is an illustrative model · Ovulation and menstrual flow always occur simultaneously

Attempt 1: Actual cycle timing varies; the diagram is an illustrative model — Correct.

Reference: Actual cycle timing varies; the diagram is an illustrative model

Correct this incorrect statement: An oocyte is the whole follicle including its supporting tissue.

Self-report: Study again.

Reference: A developing female reproductive cell. An oocyte is a cell within a follicle, not the whole follicle.

In this diagram, what does letter B identify?

Options shown: Anterior pituitary · FSH · GnRH · Hypothalamus

Attempt 1: GnRH — Correct.

Reference: GnRH

Name the term described: The ovarian phase before ovulation, during which follicles develop.

Attempt 1: follicular phase — Correct.

Reference: follicular phase

Put these steps in order: A follicle's changing role

Options shown: A follicle develops around an oocyte · Ovulation releases the secondary oocyte · Remaining follicular tissue forms the corpus luteum · Corpus-luteum hormones support the endometrium

Attempt 1: A follicle develops around an oocyte → Ovulation releases the secondary oocyte → Remaining follicular tissue forms the corpus luteum → Corpus-luteum hormones support the endometrium — Correct.

Reference: A follicle develops around an oocyte → Ovulation releases the secondary oocyte → Remaining follicular tissue forms the corpus luteum → Corpus-luteum hormones support the endometrium

Select every correct connection in the male hormonal-control model.

Options shown: FSH acts on Sertoli cells. · LH stimulates interstitial cells. · GnRH stimulates the anterior pituitary. · Testosterone is produced by the anterior pituitary.

Attempt 1: c → b → a — Correct.

Reference: FSH acts on Sertoli cells. · LH stimulates interstitial cells. · GnRH stimulates the anterior pituitary.

An ovary grows and becomes more active at puberty. Why is it still a primary sex characteristic? Explain your reasoning without answer choices.

Self-report: Study again.

Reference: It is a reproductive organ, regardless of when its activity increases. Classify the structure, not only the timing of change.

The hormone labelled number 1 on this diagram is

Options shown: estrogen · luteinizing hormone (LH) · progesterone · follicle stimulating hormone (FSH)

Attempt 1: follicle stimulating hormone (FSH) — Correct.

Reference: follicle stimulating hormone (FSH)

Which term fits this definition? An ovarian structure containing an oocyte and supporting cells.

Self-report: Study again.

Reference: follicle

Explain gonad.

Self-report: Study again.

Reference: An organ that produces gametes and reproductive hormones.

Frayer work

gonad — Draft

Meaning: An edited explanation.

Key features: A specific learner explanation 2.

Example: A specific learner explanation 3.

Non-example / common confusion: A specific learner explanation 4.

gamete — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

primary sex characteristic — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

secondary sex characteristic — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

puberty — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

sex chromosome — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

SRY — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

testis — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

Collected optional responses

Endocrine signals and environmental chemicals

The comparison alone cannot isolate the proposed chemical effect. Hormone production and receptor response are distinct steps.

Textbook question work

Draft and saved question responses. Optional and ungraded.

No textbook question work yet.

Supported and independent practice