

All My Work

Your saved learning record for Human Development.

7 completed activity runs. Required checks and formative practice are recorded separately.

Unfinished work: 0 required check(s), 0 practice run(s). Resume them from their original sections; they are not counted as completed.

Writing and flash-card self-assessments are not automatically graded. Completion is not a mastery certificate.

Lactation: production is not ejection

9/17/2026, 8:41:22 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Prolactin — Correct

Reference: Prolactin

Label B

Attempt 1: Milk production — Correct

Reference: Milk production

Label C

Attempt 1: Oxytocin — Correct

Reference: Oxytocin

Label D

Attempt 1: Milk ejection — Correct

Reference: Milk ejection

Labour: an amplifying feedback loop

9/17/2026, 8:41:22 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Cervical stretch — Correct

Reference: Cervical stretch

Label B

Attempt 1: Sensory signalling — Correct

Reference: Sensory signalling

Label C

Attempt 1: Oxytocin release — Correct

Reference: Oxytocin release

Label D

Attempt 1: Uterine contraction — Correct

Reference: Uterine contraction

Label E

Attempt 1: Increased cervical stretch — Correct

Reference: Increased cervical stretch

Label F

Attempt 1: Birth ends the loop — Correct

Reference: Birth ends the loop

Placental exchange: two separate circulations

9/17/2026, 8:41:21 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Maternal blood — Correct

Reference: Maternal blood

Label B

Attempt 1: Chorionic villus barrier — Correct

Reference: Chorionic villus barrier

Label C

Attempt 1: Umbilical arteries — Correct

Reference: Umbilical arteries

Label D

Attempt 1: Umbilical vein — Correct

Reference: Umbilical vein

Early extraembryonic support structures

9/17/2026, 8:41:21 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Chorion — Correct

Reference: Chorion

Label B

Attempt 1: Amnion — Correct

Reference: Amnion

Label C

Attempt 1: Amniotic cavity — Correct

Reference: Amniotic cavity

Label D

Attempt 1: Yolk sac — Correct

Reference: Yolk sac

Label E

Attempt 1: Connecting stalk — Correct

Reference: Connecting stalk

Label F

Attempt 1: Allantois — Correct

Reference: Allantois

Three germ layers after gastrulation

9/17/2026, 8:41:21 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Ectoderm — Correct

Reference: Ectoderm

Label B

Attempt 1: Mesoderm — Correct

Reference: Mesoderm

Label C

Attempt 1: Endoderm — Correct

Reference: Endoderm

Cleavage: more cells, little overall growth

9/17/2026, 8:41:21 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Zygote — Correct

Reference: Zygote

Label B

Attempt 1: Morula — Correct

Reference: Morula

Label C

Attempt 1: Blastocyst cavity — Correct

Reference: Blastocyst cavity

Label D

Attempt 1: Inner cell mass — Correct

Reference: Inner cell mass

Label E

Attempt 1: Trophoblast — Correct

Fertilization and the zygote

9/17/2026, 8:41:18 PM · Elapsed 0m 0s · Required check

Review submitted responses and attempts

First-try multiple choice: 1/2. Writing is not automatically graded.

A species has $2n = 24$ in its typical body cells. A normal sperm fertilizes a normal egg. Which description fits the immediate product?

Options: One zygote with 24 chromosomes · Two zygotes with 24 chromosomes each · One zygote with 48 chromosomes · One zygote with 12 chromosomes

Attempt 1: Two zygotes with 24 chromosomes each — Incorrect

Attempt 2: One zygote with 24 chromosomes — Correct

What is the most direct role of changes to the zona pellucida after sperm–oocyte fusion?

Options: Creating the three germ layers · Helping prevent entry by additional sperm · Moving the embryo to the uterus · Releasing progesterone from the ovary

Attempt 1: Helping prevent entry by additional sperm — Correct

Trace fertilization from the arrival of sperm near an oocyte to the formation of a diploid zygote.

Real-origin saved Chapter 15 work. Sperm interact with the surrounding layers using the acrosome and reach the oocyte membrane. Fusion activates the oocyte, including completion of meiosis II and changes that help prevent further sperm entry. The two haploid chromosome contributions produce a diploid zygote.

Submitted writing; human review required.

A case has normal ovulation but gametes cannot meet. Explain why normal hormone production does not guarantee fertilization.

Hormones can coordinate ovulation while a physical transport problem prevents sperm and oocyte from meeting in the oviduct. Fertilization requires both appropriate cells and successful transport. Normal hormonal control does not remove an obstruction.

Submitted writing; human review required.

Frayer work

No Frayer words selected.

Collected optional responses

No optional written responses collected.

Textbook question work

Draft and saved question responses. Optional and ungraded.

In Text · p. 509 · question 1 — Saved

Real-origin saved Chapter 15 work. Sperm interact with the surrounding layers using the acrosome and reach the oocyte membrane. Fusion activates the oocyte, including completion of meiosis II and changes that help prevent further sperm entry. The two haploid chromosome contributions produce a diploid zygote. Edited.

Supported and independent practice