

All My Work

Your saved learning record for Patterns and Processes in Inheritance.

7 completed activity runs. Required checks and formative practice are recorded separately.

Unfinished work: 0 required check(s), 0 practice run(s). Resume them from their original sections; they are not counted as completed.

Writing and flash-card self-assessments are not automatically graded. Completion is not a mastery certificate.

A short-interval chromosome map

9/17/2026, 8:41:35 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Locus at 0 cM — Correct

Reference: Locus at 0 cM

Label B

Attempt 1: Locus at 8 cM — Correct

Reference: Locus at 8 cM

Label C

Attempt 1: Locus at 20 cM — Correct

Reference: Locus at 20 cM

Label D

Attempt 1: 8 cM — Correct

Reference: 8 cM

Label E

Attempt 1: 12 cM — Correct

Reference: 12 cM

Linked allele arrangements and gamete classes

9/17/2026, 8:41:35 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Parental gamete — Correct

Reference: Parental gamete

Label B

Attempt 1: Parental gamete — Correct

Reference: Parental gamete

Label C

Attempt 1: Recombinant gamete — Correct

Reference: Recombinant gamete

Label D

Attempt 1: Recombinant gamete — Correct

Reference: Recombinant gamete

Pedigree: use the stated inheritance model

9/17/2026, 8:41:35 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Aa — Correct

Reference: Aa

Label B

Attempt 1: Aa — Correct

Reference: Aa

Label C

Attempt 1: aa — Correct

Reference: aa

Label D

Attempt 1: AA or Aa — Correct

Reference: AA or Aa

ABO inheritance: $I^A i \times I^B i$

9/17/2026, 8:41:35 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: AB — Correct

Reference: AB

Label B

Attempt 1: B — Correct

Reference: B

Label C

Attempt 1: A — Correct

Reference: A

Label D

Attempt 1: O — Correct

Reference: O

Independent assortment: follow both allele choices

9/17/2026, 8:41:34 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: AB — Correct

Reference: AB

Label B

Attempt 1: Ab — Correct

Reference: Ab

Label C

Attempt 1: aB — Correct

Reference: aB

Label D

Attempt 1: ab — Correct

Reference: ab

A single-trait cross: Aa × Aa

9/17/2026, 8:41:34 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: AA — Correct

Reference: AA

Label B

Attempt 1: Aa — Correct

Reference: Aa

Label C

Attempt 1: Aa — Correct

Reference: Aa

Label D

Attempt 1: aa — Correct

Reference: aa

Genes, alleles, genotype and phenotype

9/17/2026, 8:41:32 PM · Elapsed 0m 0s · Required check

Review submitted responses and attempts

First-try multiple choice: 1/2. Writing is not automatically graded.

Which statement correctly distinguishes genotype and phenotype?

Options: Genotype is the allele combination; phenotype is the measured characteristic ·
Both mean chromosome number only · Phenotype excludes all physiological traits ·
Genotype is always colour; phenotype is always DNA sequence

Attempt 1: Both mean chromosome number only — Incorrect

Attempt 2: Genotype is the allele combination; phenotype is the measured characteristic — Correct

A recessive allele is rare in one population and common in another. Is this inconsistent with recessiveness?

Options: No; because dominant alleles never affect phenotype · No; dominance does not determine allele frequency · Yes; recessive alleles must always be rare · Yes; frequency changes turn it into a chromosome

Attempt 1: No; dominance does not determine allele frequency — Correct

Use a complete-dominance example to show why one phenotype can have two possible genotypes.

Real-origin saved Chapter 17 work. If B is completely dominant to b, both BB and Bb can produce the dominant phenotype. A dominant appearance therefore does not distinguish those genotypes. Only bb produces the recessive phenotype in the stated simple model.

Submitted writing; human review required.

Explain why genetic notation and an explicit inheritance model should be established before drawing a Punnett square.

The notation identifies which alleles belong to each gene, and the model determines how genotype relates to phenotype. Without these definitions, a correct-looking square may represent the wrong parental genotypes or assign phenotypes incorrectly.

Submitted writing; human review required.

Frayer work

No Frayer words selected.

Collected optional responses

No optional written responses collected.

Textbook question work

Draft and saved question responses. Optional and ungraded.

In Text · p. 587 · question 1 — Saved

Real-origin saved Chapter 17 work. If B is completely dominant to b, both BB and Bb can produce the dominant phenotype. A dominant appearance therefore does not distinguish those genotypes. Only bb produces the recessive phenotype in the stated simple model. Edited.

Supported and independent practice