

All My Work

Your saved learning record for Population Growth and Interactions.

9 completed activity runs. Required checks and formative practice are recorded separately.

Unfinished work: 0 required check(s), 0 practice run(s). Resume them from their original sections; they are not counted as completed.

Writing and flash-card self-assessments are not automatically graded. Completion is not a mastery certificate.

Succession depends on what remains

9/17/2026, 8:41:54 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Primary succession — Correct

Reference: Primary succession

Label B

Attempt 1: Secondary succession — Correct

Reference: Secondary succession

Classify the effects on both partners

9/17/2026, 8:41:54 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Mutualism — Correct

Reference: Mutualism

Label B

Attempt 1: Commensalism — Correct

Reference: Commensalism

Label C

Attempt 1: Parasitism — Correct

Reference: Parasitism

Predator response can lag behind prey

9/17/2026, 8:41:53 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Prey curve — Correct

Reference: Prey curve

Label B

Attempt 1: Predator curve — Correct

Reference: Predator curve

Label C

Attempt 1: Time lag — Correct

Reference: Time lag

Survivorship is not population size through time

9/17/2026, 8:41:53 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Type I — Correct

Reference: Type I

Label B

Attempt 1: Type II — Correct

Reference: Type II

Label C

Attempt 1: Type III — Correct

Reference: Type III

Population growth: compare the curve and its slope

9/17/2026, 8:41:53 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Carrying capacity K — Correct

Reference: Carrying capacity K

Label B

Attempt 1: Logistic model — Correct

Reference: Logistic model

Label C

Attempt 1: Exponential model — Correct

Reference: Exponential model

Choose the denominator that answers the question

9/17/2026, 8:41:52 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Net change — Correct

Reference: Net change

Label B

Attempt 1: Average growth rate — Correct

Reference: Average growth rate

Label C

Attempt 1: Interval per-capita change — Correct

Reference: Interval per-capita change

Population accounting across a boundary

9/17/2026, 8:41:52 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Births — Correct

Reference: Births

Label B

Attempt 1: Immigration — Correct

Reference: Immigration

Label C

Attempt 1: Deaths — Correct

Reference: Deaths

Label D

Attempt 1: Emigration — Correct

Reference: Emigration

Equal counts, different spatial patterns

9/17/2026, 8:41:52 PM · Elapsed 0m 0s · Formative practice

Review submitted responses and attempts

Label A

Attempt 1: Clumped — Correct

Reference: Clumped

Label B

Attempt 1: Uniform — Correct

Reference: Uniform

Label C

Attempt 1: Random — Correct

Reference: Random

Populations, density and distribution

9/17/2026, 8:41:50 PM · Elapsed 0m 0s · Required check

Review submitted responses and attempts

First-try multiple choice: 1/2. Writing is not automatically graded.

Which information is needed to calculate population density?

Options: Number of individuals and area or volume · Only the number of alleles · Only the age of the oldest individual · Only the species name

Attempt 1: Only the number of alleles — Incorrect

Attempt 2: Number of individuals and area or volume — Correct

Two habitats have equal average density. Must their distributions match?

Options: No; because density cannot be calculated · No; spatial patterns can differ · Yes; density uniquely determines every position · Yes; both must be uniform

Attempt 1: No; spatial patterns can differ — Correct

Calculate density for 240 fish in 80 m³ and explain the unit.

Real-origin saved Chapter 20 work. $D = N/V = 240 \text{ fish}/80 \text{ m}^3 = 3 \text{ fish/m}^3$. The result gives an average number per unit volume, not a claim that exactly three fish occupy every cubic metre.

Submitted writing; human review required.

Explain why an observed clumped pattern does not establish one unique ecological cause.

Clumping can arise from patchy resources, reproduction near parents, social behaviour or other processes. The map establishes the arrangement, while additional observations are needed to distinguish the cause.

Submitted writing; human review required.

Frayer work

No Frayer words selected.

Collected optional responses

No optional written responses collected.

Textbook question work

Draft and saved question responses. Optional and ungraded.

In Text · p. 705 · question 1 — Saved

Real-origin saved Chapter 20 work. $D = N/V = 240 \text{ fish}/80 \text{ m}^3 = 3 \text{ fish/m}^3$. The result gives an average number per unit volume, not a claim that exactly three fish occupy every cubic metre. Edited.

Supported and independent practice