

All My Work

Your saved learning record for The Reproductive System.

1 completed activity run. Required checks and formative practice are recorded separately.

Unfinished work: 0 required check(s), 1 practice run(s). Resume them from their original sections; they are not counted as completed.

Writing and flash-card self-assessments are not automatically graded. Completion is not a mastery certificate.

Mixed practice

9/17/2026, 9:01:17 PM • Elapsed 0m 1s • Formative practice

Review submitted responses and attempts

First-try result: 7/7. Later corrections are recorded separately.

Explain pathogen.

Self-report: Study again.

Reference: An organism or infectious agent capable of causing disease.

Name the term described: An accessory gland releasing lubricating mucus into the urethra.

Attempt 1: bulbourethral gland — Correct.

Reference: bulbourethral gland

Put these steps in order: From primary spermatocyte to specialised sperm

Options shown: Two secondary spermatocytes form · Meiosis II produces four spermatids · Primary spermatocyte begins meiosis I · Spermatids differentiate into sperm

Attempt 1: Primary spermatocyte begins meiosis I → Two secondary spermatocytes form → Meiosis II produces four spermatids → Spermatids differentiate into sperm — Correct.

Reference: Primary spermatocyte begins meiosis I → Two secondary spermatocytes form → Meiosis II produces four spermatids → Spermatids differentiate into sperm

In this diagram, what does letter D identify?

Options shown: Middle piece · Flagellum · Head · Acrosome

Attempt 1: Flagellum — Correct.

Reference: Flagellum

An ovary grows and becomes more active at puberty. Why is it still a primary sex characteristic?

Options shown: Any structure that changes at puberty must be secondary · Its cells become hormones at puberty · Primary characteristics are defined by the absence of hormones · It is a reproductive organ, regardless of when its activity increases

Attempt 1: It is a reproductive organ, regardless of when its activity increases — Correct.

Reference: It is a reproductive organ, regardless of when its activity increases

Select every correct statement about oocyte development.

Options shown: An ovarian follicle is a hormone molecule. · A follicle includes supporting cells around an oocyte. · A released secondary oocyte has completed meiosis II before any fertilization. · Unequal cytoplasm division concentrates resources in the future egg.

Attempt 1: a → c — Correct.

Reference: A follicle includes supporting cells around an oocyte. · Unequal cytoplasm division concentrates resources in the future egg.

Correct this incorrect statement: Seminiferous tubules are accessory glands that add fructose to semen.

Self-report: Study again.

Reference: A coiled tube inside a testis where sperm develop. Sperm maturation continues later in the epididymis.

Which term fits this definition? The developmental period when reproductive hormone activity and reproductive capacity increase.

Self-report: Study again.

Reference: puberty

Sustained high estrogen is followed by a large, brief pituitary signal that triggers ovulation. Name this event.

Attempt 1: LH surge — Correct.

Reference: LH surge

The vas deferens is most similar in function to which female reproductive organ?

Options shown: Vagina · Ovary · Uterus · Fallopian tube

Attempt 1: Fallopian tube — Correct.

Reference: Fallopian tube

Frayer work

gonad — Draft

Meaning: An edited explanation.

Key features: A specific learner explanation 2.

Example: A specific learner explanation 3.

Non-example / common confusion: A specific learner explanation 4.

gamete — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

primary sex characteristic — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

secondary sex characteristic — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

puberty — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

sex chromosome — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

SRY — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

testis — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

Collected optional responses

Endocrine signals and environmental chemicals

The comparison alone cannot isolate the proposed chemical effect. Hormone production and receptor response are distinct steps.

Textbook question work

Draft and saved question responses. Optional and ungraded.

No textbook question work yet.

Supported and independent practice