

All My Work

Your saved learning record for Cellular Reproduction.

1 completed activity run. Required checks and formative practice are recorded separately.

Unfinished work: 0 required check(s), 1 practice run(s). Resume them from their original sections; they are not counted as completed.

Writing and flash-card self-assessments are not automatically graded. Completion is not a mastery certificate.

Mixed practice

9/18/2026, 12:20:12 AM • Elapsed 0m 1s • Formative practice

Review submitted responses and attempts

First-try result: 7/7. Later corrections are recorded separately.

Identify the term illustrated: One homologue of each pair enters each daughter cell.

Attempt 1: reduction division — Correct.

Reference: reduction division

A model places all long homologues in one cell and all short homologues in the other after meiosis I. What is the error?

Options shown: Each daughter should receive one chromosome of each type • All daughters should receive every homologue • Long chromosomes must always be destroyed • Chromosome size determines the daughter's species

Attempt 1: Each daughter should receive one chromosome of each type — Correct.

Reference: Each daughter should receive one chromosome of each type

Which term fits this definition? A plant life cycle with multicellular diploid sporophyte and haploid gametophyte stages.

Self-report: Study again.

Reference: alternation of generations

What does letter A identify?

Options shown: Recombinant chromatid · Non-sister chromatids · Parental chromatid

Attempt 1: Non-sister chromatids — Correct.

Reference: Non-sister chromatids

Put these steps in order: The cell cycle and DNA replication

Options shown: G2: preparation for division · G1: cell growth and normal activity · S: DNA replication · Cytokinesis: cytoplasmic division · Mitosis: nuclear chromosome distribution

Attempt 1: G1: cell growth and normal activity → S: DNA replication → G2: preparation for division → Mitosis: nuclear chromosome distribution → Cytokinesis: cytoplasmic division — Correct.

Reference: G1: cell growth and normal activity → S: DNA replication → G2: preparation for division → Mitosis: nuclear chromosome distribution → Cytokinesis: cytoplasmic division

Select the TWO accurate statements about meiosis ii and production of haploid cells.

Options shown: No normal S phase occurs between meiosis I and meiosis II. · Polar bodies receive no chromosomes. · Mature sperm form through further differentiation after meiosis. · Gamete formation involves only copying DNA.

Attempt 1: true-1 → true-2 — Correct.

Reference: No normal S phase occurs between meiosis I and meiosis II. · Mature sperm form through further differentiation after meiosis.

Which comparison is correct for a typical diploid starting cell?

Options shown: Mitosis halves ploidy; meiosis doubles it · Both always produce four haploid cells · Both require homologous synapsis · Mitosis maintains ploidy; meiosis reduces it

Attempt 1: Mitosis maintains ploidy; meiosis reduces it — Correct.

Reference: Mitosis maintains ploidy; meiosis reduces it

Name the term described: Presence of only one copy of a chromosome in an otherwise diploid context.

Attempt 1: monosomy — Correct.

Reference: monosomy

Correct this incorrect statement: Every recombinant combination is a mutation.

Self-report: Study again.

Reference: Formation of new combinations of existing genetic variants. A new allele combination is not necessarily a new DNA mutation.

Explain centromere.

Self-report: Study again.

Reference: The chromosome region associated with the attachment and separation of sister chromatids.

Fraye work

chromosome — Draft

Meaning: An edited explanation.

Key features: A specific learner explanation 2.

Example: A specific learner explanation 3.

Non-example / common confusion: A specific learner explanation 4.

chromatin — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

homologous chromosomes — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

chromosome set — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

cell cycle — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

interphase — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

S phase — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

sister chromatids — Draft

Meaning: (not yet written)

Key features: (not yet written)

Example: (not yet written)

Non-example / common confusion: (not yet written)

Collected optional responses

Cell division and restoring tissue function

The comparison alone cannot isolate the proposed chemical effect. Hormone production and receptor response are distinct steps.

Textbook question work

Draft and saved question responses. Optional and ungraded.

No textbook question work yet.

Supported and independent practice