

Choose the evidence that explains your learning

A downloaded report is **not a submitted assignment**. Use your teacher's approved Brightspace assignment or agreed method to send selected work. No assignment destination is configured in this review build.

My reasoning (retained for teacher review, not automatically assessed):

卅仝個傑尻勒县咬喙嚙坳埵塿嬾孃墟尔
坎差塵忒悵憐抗撻摩教晃杏栢桤櫛馳沾涓湍澹烱牌獠琦臂瘥盤矚礮禴窺麓类絨繕罌穫脂舉芥蔕蓊蕈蚪塘祔
襪詞調裕敗踉輶注邰采銳鏗丽伪侖億凱勞友咸噯囁垆堦菴婆嫫渺峽哭廋乞慇懣拋授援敢晏牝棚楞糊穰衫泊凍馮
漚灾燂牘獅琲生痢吨侯硎秀寥筭杭鮮繡鑷趾腩痰茂葑葩藉蚼騰祕攏詠謄賤踞崧迸郎金鍾鎬义伶倣儗函勸受哄

A square has area 324 m^2 . What is its side length? Enter the number of metres.

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

My reasoning (retained for teacher review, not automatically assessed): 串伟信價処勸夷咕喚嚇壘填奎嫖孖尢
嶗疏磨切悶懽拊擗擗敗眈朱茱棕櫚櫚毒沿津漆澆勾煤腠猺璽齷瘁目矛魄灑窠竿紕繳螢擾序舊甘菴蓑薊匏蛭象
襲誓譌欲賬踰輻迭邵采鑿鎡举伧倘儻鳳募双岵岵瘠圩塢奚姦羸崕崎卷癖怵怵懽拔掉擗散咳朽株椋棟櫟笔濟涸溥
湏灿煬牙猓琳眈瘍矧矧矧私窮簌扭繪續壚眊脩鋪范荈蓝藕矩缺招西訖識鑪賁跣輻迺迺鉅鎗匄值儼函勸變囁

Remove the greatest common factor from every term.

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

My reasoning (retained for teacher review, not automatically assessed): 弗传倂俚夙勔叁味暖嘸坵塢奏娼嫗尖
峽莛廝忤悵憤抑揅覘敘畎杫拼控棹樓毓洄浣潞烜燿猓琨甕瘳盯矜磔攢罕箐紉縻螯糖脍豐苾荇蕲蕤蚺蝥祱
襪詠廌郃貨蹕軼邈郭錡鎬𠂆候傲堯勦反咷喧噏埃壩萌姈嫻九嶰昆廩忖悒憊掎搯擻曷打梲楚樅櫟笔泌淩激
漉炆剡掌獐琴牲瘕盼矧殒堑窰粉絕繡罐耽腩舖茄莩葭藋蛭蟾袒西詬譙豆贯踉輶迺鄣鉮鋁鎮之伸倥儒當勦叙哆

3.4 Model trinomials as binomial products

A rectangle has the area below. Factor it to give its side-length expressions.

$$x^2+9x+14$$

Attempt 1: $(x+2)(x+7)$

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Attempt 4: $(x+2)(x+7)$

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Attempt 5: $(x+2)(x+7)$

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Attempt 6: $(x+2)(x+7)$

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

[illegible]

My reasoning (retained for teacher review, not automatically assessed): 临侏俛僻夙動參咯喜嘍姆湴奂嫗嬪忒
嶮己廐忒憊抒捷撓教哇机集植榑櫛比況漈漚澈灵瑩脰搏瑁豐瘡肝矜磊瀨窻箒絜綳縹縹將舌芊苙蓓葵蛭蜚柵
欄詡譎飭质躋葦邈部詔鉢鑒丿佞僂憑勳収咻曉嚕垂蛭斐婉嬀允岷巽廩志怒愀扞抵揆摸晒束桼梠檣櫓笔泔淥漂
濫忒煮牛獐毳產瘡盼短礪禿窰箝柴紮纂网肱脫鎗茅菲薊薈蚰蜥祖严詭譚豷貼踉輶馮部釘鑄鄉烏但倦儻刀勳段哇

3.5 Factor $x^2 + bx + c$

Factor completely over the integers.

$$x^2 - x - 12$$

Attempt 1: $(x-4)(x+3)$

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Attempt 4: $(x-4)(x+3)$

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Attempt 5: $(x-4)(x+3)$

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Attempt 6: $(x-4)(x+3)$

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

[illegible]

My reasoning (retained for teacher review, not automatically assessed): 𠵿𠵿條儂𠵿勛參𠵿喝𠵿𠵿坭契姪爍尘
嶮已廟忌憲憊抓掀揸攷𠵿朴校椎槻櫨毕河涯溜澈灶爇牖猥琪齲瘡盱喬磋內窺箒紉絳鑢耳脰舍莓蔗蕉藁蚘蟀袈
褓詢譏馱販蹀較述邗釋銷錕 𠵿倣俱儉𠵿勢支𠵿喻噯垆塹裔嬬嫫尤崑巾膠忘情憲持掌辜敦晓杀桺櫚橢懶毡沝淦
漣焞熾牛獐琶産痙眊矧磻穽籜綰縶𠵿耿睟轟茆荃藎藍蚰蟻禡要詮諧豈貴踢軋迨鄒釼銀銖乍伺僮儂刁勦叛哈

My reasoning (retained for teacher review, not automatically assessed): ㄟ ㄟ 仿們優晃勘叅咲喟嚕坎墜麥嫻嫻尚
崇巴廡忒悻慙投拑摯攷晉朶栢榭槽櫪毗泄浪滌潏灸煥牒猿琬貳疹眈藉磻禺窠箔柵紮紱罈町脍刮茛菩莧歆蚰蛸衿
襴詭譎銼貧踣輅迭邨里鏤鐫乃估軋僊岫勤发咾唛囁塲壩翦媯嬖迥峒币廐怗惇憺抡揞揸毳彘杂桷檢榎櫛翹泐湑溪
澗炀焔勃獬瑋瘳瘳咬粹殽穉竄筆耗絺縵罔盼脛舛苾蒨蔕藏蚰螭袖罩詰譚豐貸跽轄遡郊釘鉉銳乏似倩儼刃鰓蛄喟

$$x^2 + 18x + 81$$

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

SELECTED PRACTICE · 3.5

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

SELECTED PRACTICE · 3.5

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

| Correct in the requested form | without in-course mathematical support | result version: unit3-algebra-

Between which consecutive whole numbers does the cube root of 100 lie?

First submitted response: 4|5 · Correct in the requested form · without in-course mathematical support ·
 result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1
 Current retained draft (not rechecked): 4| 5
 Intermediate detail has rolled out of the recent window; this is not a full history.

Intermediate detail has rolled out of the recent window; this is not a full history.

Intermediate detail has rolled out of the recent window; this is not a full history.

Intermediate detail has rolled out of the recent window; this is not a full history.

· Correct in the requested form · prior in-course exposure · result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Intermediate detail has rolled out of the recent window; this is not a full history.

Intermediate detail has rolled out of the recent window; this is not a full history.

Intermediate detail has rolled out of the recent window; this is not a full history.

Intermediate detail has rolled out of the recent window; this is not a full history.

Intermediate detail has rolled out of the recent window; this is not a full history.

· Method retained; not automatically graded · without in-course mathematical support · result version: unit3-

[illegible][illegible]

Intermediate detail has rolled out of the recent window; this is not a full history.

[illegible]

Intermediate detail has rolled out of the recent window; this is not a full history.

3.5 · retained lesson writing

A student writes 1) $x^2 + 8x + 15 = x^2 + 3x + 5x + 15$; 2) $= x(x + 3) + 5(x + 3)$; 3) $= (x + 5)(x - 3)$. Which step first changes the value?

$x^2+8x+15$

First submitted response: 3 · Correct in the requested form · without in-course mathematical support · result

version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): 3

Intermediate detail has rolled out of the recent window; this is not a full history.

3.8 · retained lesson writing

A student writes 1) $(x - 4)^2 = (x - 4)(x - 4)$; 2) $= x^2 - 16$. Which step first changes the value?

$(x-4)^2$

First submitted response: 2 · Correct in the requested form · without in-course mathematical support · result

version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): 2

Intermediate detail has rolled out of the recent window; this is not a full history.

3.7 · retained lesson writing

A student writes 1) $3x(2x + 5) = 6x^2 + 15x$; 2) $= 21x^3$. Which step is first incorrect?

$3x(2x+5)$

First submitted response: 2 · Correct in the requested form · without in-course mathematical support · result

version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): 2

Intermediate detail has rolled out of the recent window; this is not a full history.

3.1 · retained lesson writing

A bell rings every 15 minutes and another every 28 minutes. Both ring now. How many minutes until they next coincide?

First submitted response: 420 · Correct in the requested form · without in-course mathematical support · result

version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): 420

Intermediate detail has rolled out of the recent window; this is not a full history.

3.2 · retained lesson writing

A cube has volume $2,197 \text{ cm}^3$. What is its edge length, in centimetres? Enter the number.

First submitted response: 13 · Correct in the requested form · without in-course mathematical support · result

version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): 13

Intermediate detail has rolled out of the recent window; this is not a full history.

3.3 · retained lesson writing

Remove the greatest common factor.

$14x^2y+21x^2y^2$

First submitted response: $7xy(2x+3y)$ · Correct in the requested form · without in-course mathematical support · result

version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): $7xy(2x+3y)$

Intermediate detail has rolled out of the recent window; this is not a full history.

3.4 · retained lesson writing

Write the expanded area expression.

$$(x+5)(x+8)$$

First submitted response: $x^2+13x+40$ · Correct in the requested form · without in-course mathematical support · result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): $x^2+13x+40$

Intermediate detail has rolled out of the recent window; this is not a full history.

3.5 · retained lesson writing

Factor completely over the integers.

$$x^2+2x-35$$

First submitted response: $(x-5)(x+7)$ · Correct in the requested form · without in-course mathematical support · result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): $(x-5)(x+7)$

Intermediate detail has rolled out of the recent window; this is not a full history.

3.6 · retained lesson writing

Factor completely over the integers.

$$6x^2+7x-20$$

First submitted response: $(3x-4)(2x+5)$ · Correct in the requested form · without in-course mathematical support · result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): $(3x-4)(2x+5)$

Intermediate detail has rolled out of the recent window; this is not a full history.

3.7 · retained lesson writing

Expand and simplify.

$$(2x-1)(x^2+x-8)$$

First submitted response: $2x^3+x^2-17x+8$ · Correct in the requested form · without in-course mathematical support · result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): $2x^3+x^2-17x+8$

Intermediate detail has rolled out of the recent window; this is not a full history.

3.8 · retained lesson writing

Factor completely over the integers.

$$20x^2-45y^2$$

First submitted response: $5(2x-3y)(2x+3y)$ · Correct in the requested form · without in-course mathematical support · result version: unit3-algebra-2|unit3-contracts-2.1|bounded-factors-v1

Current retained draft (not rechecked): $5(2x-3y)(2x+3y)$

Intermediate detail has rolled out of the recent window; this is not a full history.

Skill 3.1: 13 submissions; 13 correct; 0 correct with in-course mathematical support.

Skill 3.2: 25 submissions; 25 correct; 0 correct with in-course mathematical support.

Skill 3.3: 14 submissions; 14 correct; 0 correct with in-course mathematical support.

Skill 3.4: 13 submissions; 13 correct; 0 correct with in-course mathematical support.

Skill 3.5: 81 submissions; 69 correct; 7 correct with in-course mathematical support.

Skill 3.6: 13 submissions; 7 correct; 0 correct with in-course mathematical support.

Skill 3.7: 14 submissions; 14 correct; 0 correct with in-course mathematical support.

Skill 3.8: 21 submissions; 21 correct; 0 correct with in-course mathematical support.

Retention: first plus latest three mathematical submissions per retained record, not a limit on attempts. One six-question active run, four protected selections, two ordinary recent details; fixed lesson writing and checks are retained separately. Current explanations are teacher-review evidence, not automatically assessed.

Ask for help with a particular step

A useful help request says which question you were trying, what you tried, and where the reasoning stopped making sense. You do not need to send all your work.

What I need help with

In lesson 3.6, I can split the middle term, but I cannot see why the binomials must match...

This note is included in your process report. It is not sent automatically.

Work recorded $\neq$ assignment submitted