## Report of FinaTMortality Statistics, 1995

by Robert N. Anderson, Ph.D.; Kenneth D. Kochanek, M.A.; and Sherry L. Murphy, Division of VitaTStatistics

## **Highlights**

In 199R 5 2 3, the T c  $\neg$  1 . 0 2 3  $\neg$  0 age-adjusted death rate, which eliUinates the distorting effects of the agin

lQf expectancy increased only for males 1995. Life 1994, 18.4 in 190472.5 in 1995). Life expectancy in the aspectancy whQte

TPe decrease

## References

- HWyert DL, Singh GK, Rosenberg HM. SWurces of data on socQWecWnomic differ entQal mortaTity the United States. JWurnal Wf Oficial Statistics. 11(3): 233–60. 1995.
- RosenbergHM, Ventura SJ,MaurerJD, et al. Births and deaths: United States, 1995. MWnthly vitaT statQstQcs report; vol 45 no 3, supp 2. Hyattsville, MaryTand: PubTic Health Service. 1996.
- 3. NatiWnal Center for Health StatistQcs. T appendix.V statistics of the United States, 1992, vol II, mortality, part A. W Public Health Service. 1996.
- 4. Kochanek KD, Maurer JD, Rosenberg



ole 1. Number of deaths, death rates, and age-adjusted death rates, by race and sex: United States, 1940, 1950, 1960, 1970, and 1975–95					


WPite

e-specific rates on an anVual basis per 100,000 populat	ion in specified (	roup; age-adjusted rates per 100,000 U.S. standard population;	see "T-10hnical notes" For explanation of asterisks preceding cause-of-death
Based on the Ninth Revision, International Classification of Diseases, 1975)	Y¬ar	1 year	85 years 4.3(over)]TJ -87.463¬-2.429¬TD 281.3 17.7 1.8 0.9

Table 6. Age-specific and age-adjusted deatP rates for tPe 15 leading causes of deatP for the total population in 1995 and selected components: United States, 1979, 1994, and 1995—Con.

[Age-specific rates on an aVnual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see "Technical Votes." For explanation of asterisks preceding cause-of-deatP categories, see "Technical Votes"]

of lymphatic

								Age								
Cause of deatP (Based on tPe NintP Revision.		All	Under	1–4	1 5–14		160–	-165 <i>°</i>	1995	59.5	*	*	* 0.	—— Ag∈ 1 Qa.ofjus	e- ted 6.4	39.8
International Classification of Diseases, 1975)	Year	ages1	1 year <sup>2</sup>	years	rs years		199		9.4	*	*	* (	0.1	,	_	153.
							197	<del>'9 4</del>	5.9	*	*	* (	).1 0.8	9.8	<del>5</del> 6.0	140.9
	Mali	lignant of bi	oreast		174-175	5 1995	5 16.8		*	*	*	* 1	.3 7.6	21.3	37.0	57.9
	=	1	1994 16.9	9	*	*	*	*1(1	.3)-3540	0(7.7)-2984(2	1.4)-3262(3	37.0)-2984(5	9.4)-2984(90	.5)-3428(143.7	)-3445(1)7	74(1.6)]TJ
		1	1979 21.0	.6	1.7 2	2.2	1.7	2.3 `	3.7		24.0	49.8	86.4	130.2	175.8 ´	16.4
Leukemia	204	4–208 19	1995 7.7	.7	0.6 1	1.0	1.0	1.2	1.	.4 2.0	4.1	11.4	27.1	53.6	81.6	4.8
1994 7.6 *	1.1	1.0	1.4	1.0.5	5140(2.0)-3540	0(4.5)-33	336(1)74(1	.5)-2984	(26.4)-29	984(51.1)-398	84(82.1)-39	28(4.9)]TJ	T* [(1979)	-3036(7.3)-369	8(0.8)-36	18(1.3)-320
			f	and hem	natopoietic tiss	su2000-20	03 1995	13.	.0	*	* 0	0.2 0.7	7 1.9	3.6	22.9	51.
					•		1994	12.	.8	*	* 0	0.2	7 1.8	3.4	8.8	23.2
							1979	9.	.1	*	0.3	0.4	1.8	3.0	8.6	19.5
CPronic obstructive pulmonary dQsea			diseases148309	<i>⊦</i> .438 .75	5 <b>15</b> 995 <b>.46</b> 06.	<b>i1</b> /	0. <b>5</b> .8	0.30.4	0.90.2	2. <b>6</b> .0.51	140(118)-35	402(66.45)-2984	H(686)-39822	146691)-24 <i>2</i> 789(3.38)	7.2)-2 <b>4228</b> (	<b>4189</b> .4)-29
, ,									(	conditions			4 9	0 - 4 9 6	1995	3

1994

39.0

1.4

0.3

0.3

## Table 6. Age-specific and age-adjusted deatP rates for tPe 15 leading causes of deatP for the total population in 1995 and selected components: United States, 1979, 1994, and 1995—Con.

[Age-specific rates on an aVnual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see "Technical Votes." For explanation of asterisks preceding cause-of-deatP categories, see "Technical Votes"]

-						Age	
Cause of deatP (Based on tPe NintP Revision, International Classification of Diseases, 1975)	Year	All ages <sup>1</sup>	Under 1 year <sup>2</sup>	1–4 years	5–14 years		Age- adjusted rate <sup>3</sup>

Rank<sup>1</sup>

Rank<sup>1</sup>

Rank<sup>1</sup>

```
Cause of death (Based on the Ninth Revision,
                        International Classi of Diseases, 1975
                                                                                                                                                                 ),
             Rank<sup>1</sup>
                                     race, sex, and age
                                                                                         Rate<sup>2</sup>
                                                                                                                                                                         Number<sup>2</sup>
                                                                            Number
                                                                                                                                 race, sex, and age
                                                                                                                 ... AWPOte both sexes all ages effects jjj jjj.6¬Tc 0–E807,E826–E949 PneumonQa and in
                               All races, female, 2 years
                                                                                                                                                                  41,493
                                                                                                                                                                          19.0
                      All causes \dots j j j j j j j j j j j Malignant neoplasms, including neoplasms of
                                                                              48,058
                                                                                          114.8
                                                                                                                                                                                         7 Diabetes m
o SuQcide j j
9 Human imU
infection j
10 ChronQc IC
                1
                       lymphatic and hematopoietQc tQssues . . .140-208
                                                                                 11,916
                                                                                              28.5
                                                          j j.E800-E949
                2
                      Accidents and adverse effectsj
                                                                               6,
                                                                                        15.7
                                                         j j j.E810–E82
                                                                              4,071
                                                                                           9.7
                        MotWr vePQcle accidents j
                        All other accidents and adverse
                      effects . j j j j j ..E800–6¬Tc 7,E826–E949
Human imUunode virus
                                                                                   2,493
                                                                                                 6.0
                                                                                                                                                                                          . . .All causes
1 Accidents
                3
                                                                                                                                                                                       ... All other :
effects j j j j j
CongenQtal anomalies
                      infection . j j j j j j j j j j 342-*044
Diseases of heartj j j 390-398,402,404-429
SuQcid\( j j j j j j j j j E950-E959
                                                                                5,139
                                                                                           12.3
                4
                                                                                4,+96
                                                                                            11.5
                                                                                                                                                            PneumonQa and in
                                                                                                                                                        HomQcide and legal intervention j . . . E960-E9
                                                                                                                                                                                                     All
                                         lents and advers9¬333(ef)2fects j.6¬Tc 0–E949
sms of
i.430-438
              87,732
                           442.1
ses
j .490–496
               42.0
                        211.9
. .480–487
j j . . .2
              41,740
                          210.3
            26,308
                        132.6
jjŢJRetsidapīaho¬T50,996436¬T60.9j,..j)Tj 3.572¬0¬TD 0¬Tc [(.E800−E949)-1911(14,700)-2754(74.1)]TJ -20.237¬-1.143¬TD [(.)-278(.)-278(.)-2768(MotWr)-333(vePQcl9¬333(accidents)]TJ
```

race, sex, and age Numb24.185
Accidents and adverse effects36¬Tc .EH948—E949E8104E5324
... All other accide008-4630745428eE949 £598-Rank<sup>1</sup>

), Rank<sup>1</sup> race, sex, and age

Number

Rank<sup>1</sup> race, sex, and age
1 Accidents and adverse effects

), Rank<sup>1</sup> race, sex, and age

Number

Cause of death (Balled on the Ninth Revision, International Classi of Diseases, 1975 Rahk<sup>1</sup> race, ex, and age Number Rate<sup>2</sup> Black, both se es, 65 years and over 154,440 5,679.2 54, 2,006.4 All causes Diseases of heart .390-398,402,404-429 including neoplasms of TympPatic and hematopoietic tissues . . .140–208  $\,$  36,661  $\,$  1,348.1  $\,$ Malignant neoplasr .430–438 13,395 492.6 .2 6,721 247.15 Pneumonia ar syndrWme, andhephrosisk**&88**.580–**2,954**9 108.68 CerebrWvascular disease Diabetes mellitus Pneumonia and influenza.kk.480-487 5,605 206.16 ChrWnic obstructive pulmonary diseases NepPritis, nepProtic Septicemia se effectsk.lk.E800k-E9149-254825 915.785. 21 Motor vehickella auticle atscidents and adverse Accidents and adve Hypertension with or wit out renal effects .E800-E807,E826-E949 1,907 70.110 .401,403 1,950 rtain conditions originating in the 79 2,731 17.4... All other causesk.Residual 22,924 All other causeskkkkk.Residual 843.0 188.0 204 k... 1652960-E9178 micide at 009 le 1700-1793 8777 Accide pts) - 33 B (amai) - 33 1700-1793 8777 Accide pts) - 33 B (amai) - 33 alin18eñ√ention 2 Malignant heoplasms, in luding kneoplasms of TympPatic and hematopAletic tissues . . .140–208 32,880 209.13 Human immunWdeficiency virusinfection...k.\*042–\*044 5 Accidents and a dkt kke effects eMsqsk Wenkicle accordents.kk.k..E810-E825<sup>All</sup> 3t, 8673 cau 24 skkk.Residuather 2<sup>4</sup>4iden1t9-4nd acverseeffects nary diseases and a lied conditions n ,International Classification Diseases, 197)5, race, sex, and age NumberateBlack male, 5-14 years ses of heart. 3 9 0 - 3 9 8 , 4 0 2 , 4 0 4 - 4 2 9 Diabetes mel Tiltus 4 9 1.67 Congenital an W malies 0 ¬ T D 0 ¬ T c T j 8 5 7 2 ¬ 0 ¬ T D MWnthly Vital StatQstQc ReportWI. 45, No. 11(S)2June 12, 1997

```
Cause of death (Based on the Ninth Revision,
                                                                                                                                                                                                 Cause of death (Based on the Ninth Revision,
                                        International Classi of Diseases, 1975
                                                                                                                                                                                                 International Classi of Diseases, 1975
                      Rank<sup>1</sup>
                                                                                                                                                                                                                                                                                                              Rate
                                                               race, sex, and age
                                                                                                                                Number
                                                                                                                                                    Rate<sup>2</sup>
                                                                                                                                                                                                                        race, sex, and ageNumber
                                                          Black male, 45-64 years
                                                                                                                                                                                                                   Black female, 1-4 years
                                     All causes
                                                                                                                                   41,209
                                                                                                                                                    1,723.5
                                                                                                                                                                                             All causes . k
                                                                                                                                                                                                                                 769
                                                                                                                                                                                                                                                                                                               62.9
                                                                                                                                                                                             Accidents and adverse effectsk k . . ..E800-E949
                                     Diseases of heart. . . . . k .390-398,402,404-429
                                                                                                                                   11,658
                                                                                                                                                       487.6
                                                                                                                                                                                  1
                                                                                                                                                                                                                                                                                               209
                                                                                                                                                                                                                                                                                                               17 1
                                                                                                                                                                                              2
                                    MalQgnant neoplasms, including neoplasms of
                                       lymphatic and hematopoietic tissues . . .140-208
                                                                                                                                   10,661
                                                                                                                                                       445.9
                           3
                                     Human immunode virus
                                                                                                                                                      Human immunode virus
                                                                                                                                                       16663633(ation)Tj 4.217¬0¬TD*0402436644Tc (k.k)656.k..k.k.5.3
                                       infection
                                                                                                         .*042-*044
                                                                                                                                     3,267
                                     Cerebrovascular diseases
                                                                                                            .430-4385
                                                                                                                                     2MalQgnant9fnc2uding of
                           5
                                     Accidents and adverse effects. k . . . . E800-E9496
                                                                                                                                     1D88eases of the heat-7.736-0-TD 0.436-Tc (.....k)Tj 4.286-0-TD 0-TC [(.390-398,402,404-429)-3561(37)-
                                        Motor vehicle acciderRseuUonia andEt/10-E82
                                                                                                                                                    .426.914736
                                        All other accidents an Cleandaivine research itio Vs originating iV the
                                          ef-333(ats)]TJ 3.587pe0inatal p@r#205-7c (.k).k.E800-E807,F60*-7F949
                                                                                                                                                                                 1,238
                                                                                                                                                                                                     51.8
Diabetes mellitus
                                                                           A21560Mijals11
                                                                                                                                                    .280-28513
                                                                                                      59.0
Chronic liver disease and cirrhosis k . 10 . . KSEpticemial, 103
                                                                                                                  46 1
                                                                                                                                                    Resid0.268110
                                                                                                                                                                               177 *
                                                                                                                                                                                              14.5
Chronic obstructive pulUonary diseases
and allied conditioVs #90-496 #32ack (emate 5-14 years 1400-496 #32ack (e
                                                                                                                                                                8865
                                                                                                                                                                               3.02.2
                                                                                                                                                                           [(1)-278(.)-278(.)-278(.)-1768(All)-333(other)-333(causes)]TJ 10.855¬0¬TD 0.436¬Tc (.k.k).k.k...F
               Black male, 65 yea Diseases Wf heart leftects . 1990-398,402,466002 £807,E826 E949 1.2 Coff Sental Ries .740-75933 1.1
                                                                                                                                                                               117
                                                                                                                                                                                                 4.0
All causes
                                                                                                             6,713<u>.</u>280–28521
                                                                                            70,808
                                                Anemias
                                                                                                                                                      0.7
Diseases of heartk . . 8 . . . 390e3066402a404ir429
                                                                                            23,428
                                                                                                             2,221.480-487
                                                                                                                                                  0.7
Malignant neoplasms, including meaples ros nefit Qons.
                                                                                            20,139
                                                                                                            1,909.3
lymphatic and hematopoietic tissues . . .140–208
Cerebrovascular diseases . k k . . . . . ..430-438
                                                                                              5,181
                                                                                                                491.2
Chronic obstructive pulUonary diseases
and allied conditions
                                                                      .490-496
                                                                                              2,772
                                                                                                                262.8
Pneumonia and in
                                                                    .480-44()-2466(2,659)-2199(2)2.1
Diabetes mellitus
                                                                             .2
                                                                                         2,315
                                                                                                           219.5
Accidents and ad紀원96-전8993[전8명]구단9495.97¬0-982 0.4393-7c (k....)Tj 3.572¬0¬TD 0¬TC [(.E800–E949)-2466(1,365)-2199(129.4)]TJ -20.237¬-1.143¬TD [(.)-278(.)-278(.)-2768(Motor)
nephrotic syndrome, and
                                                      .580-589
                                                                               1.238
                                                                                                 117.4
                                                              .038
                                                                               1,064 . . . 100.9
sion with or withWut renal
                                                        .401,403
                                                                                  742
                                                                                                  70.3
                                                      .Residual
                                                                               9,905
      Black female, all ages
```

	All causes	132,ic	759.0
1	Diseases of heartk k390-398,402,404-429	40,2	231.1
е	MalQgnant neoplasms, including neoplasms of		
	lymphatic and hematopoietic tissues 140–208	27,723	159.1
3	Cerebrovascular diseases .430–438	10,526	60
4	Diabetes mellitus .2	*,292	36.1
5	Human immunode virus		
	infection .*042-*044	4,264	24.5
6	Accidents and adverse ef-ectsk k E800-E929	1,35,004	<b>92</b> 05
	All other accidents and adverse		
	effects . k . k k kE800-E807,E82*-E949	2,354	13.5
7	PneuUonia and iV . k . k k . k480–447	3,784	21.7
8	Chronic obstructive pulUonary diseases		
	and allied conditions. k k k490-496	2,750	15.8
9	Nephritis, nephrotic syndrome, and		
	nephrosis .580–589	2,i43	12.9
10	Certain conditioVs WrQginating in the		
	perinatal period .760–779	2,221	12.7

Rank<sup>1</sup> race, sex, and age , Number ... All causes 13,808 . . 245.8 . . . . . . . . R a

de virus

Table 8. Number of deaths from 72 selected causes. Human immunodeficiency virus infection, and Alzheimer's disease by age: UnQ	ted States.	1995
--	-------------	------

[For explanation of asterisks preceding cause-of-death categories, see "TecPnQcal notes

Cause of death (Based on the Ninth Revision,

Table 8. Number of deaths from 72 selected causes, Human immunodeficiency virus infection, and Alzheim0.'s disease by age: United States, 1995—Con.

[FWr explanation of 3.2asterisks preceding cause-of-deatP categWries, sechnical note743]TJ 0-g 6.948-0-TD -0.018-TC [(")-18(1)]TJ -35.891-2.393-TD 0-TC [(Cause)- Uof3-333(death)-333(()]TJ 0-6.985-6.985-1.485-1. Under 25-34 45-54 55-64 65-74 75-84 Not 1-4 5-14 35-44 85 years and ov0. ages 1 year years years years years years years years years years stated

MajWr cardiovascular diseases—Con.

Old myocardial infarction and other fWrU743]TJ 0.556¬-1.25¬TD [(of3-333(chm nic)-333(ischemic)-333(hear68-333(disease)]TJ 15.707¬0¬TD 0.436¬TC (......)Tj 4.286¬0¬TD 0¬TC [(.412,414)-2211(259,478)-4132(7)

Table 8. Number of deaths from 72 selected causes, Human immunodeficiency virus iVfection, and Alzheimer's dQsease by age: United States, 1995—Con.

[For expTanation of asterQsks preceding cause-of-death categories, seeTechnical notes"]

Cause of death (Based on the Ninth Revision,
Internationa10-829(@Tiazatificastion):639(afie9,38(@Quisate)es,)-333(1975)]TJ 0¬-6.985¬6.985¬0¬526.762¬578.105¬Tm ())TR 6.716¬1.143¬TD (All)TR -0.528¬-1.143¬TD (ages)TR 5.413¬1.143¬TD (Under)TR -0.056¬
— and over — and the puerperium—Con.

Pregnancy with abortive outcome.

[Rates per 100,000 population in specified group. For explanation of asterisks preceding cause-of-death categories, see "TechnQcal notes"]

eases—Con. and over 85 years

and over and the Allarms of chronses is che Utic heart'd is see \*\* 0.2 0.1 0.6 1.2 1.4 7.1 4.0 28.2 13.1 91.9 49.9 265.1 179.3 Ållaster forms of see at 85 years of the constitution of t

25-34 ages1Underears 51-1/4ar21-415-24 years

## Table 9. Death rates for 72 selected causes, Human immunodeficiency virus infection, and Alzheimer's disease by age: United States, 1995—Con.

[Rates per 100,000 population in specified group. For explanation of asterisks preceding cause-of-deat\*0-333(categories,)-333(see)-333(')]TJ 0¬0¬1¬rg 54.503¬0¬TD [(T)111(echnical)-333(notes)]TJ 0¬g 6.948¬0¬TD -0.018

All Under ages<sup>1</sup> 1 year

Table 10. Number of deaths from 72 selected causes, Human immunWdeficiency virus infection, and AlzPeimer's disease by race and sex: UnQted States, 1995

[FWr explanation of asterisks precedingelause-of-deathelategWries, see TechnQcaT nWtiss

1,00612

InternationaT Classification of Dia	seases, 1975/T otherAIT races	WhQte		TotaT			Black			_	
73-5857(5)4	Certain other intestinaT infections	007–009	793	347 446 *35	264	371	158	83	75	145	7

Tuberculosis of I	respiratWry	√ system	010–012	1,0	044	684 3*0	641	400	241	403
Other tuberculosis [(.013–018)-4714(292)-474130 162	1*3	74	89	129	56	73	104	46	WhWoping	coughes
StreptococcaT sWre.throat, scarlatina,and erysipela 34-035	9									
	273 137	73-474136	2073	3-4467(97	7)-3985(1)74(1	)0(0)-4467(	6)0(6)-4467(4)	0(0)-4467(2)	0(6)-4467(5)0(7	)-4467(3
Acute poTiomyelQtis0451										
Measles										
SyphQTis										
A I T e - 3 3 3 ( .o. t. h e.r.) 3 3 3 ( i n f.e. c 114Də	149s) - 3	383060and	)-333(	19,72838 as	iti6ç5)8 <b>1</b> T	<i>J</i> 4,2 <b>5</b> 7.35	3 <i>676</i> 7(2,324):-38	0 <i>187 (</i> 61,4719) <i>E</i> 38 (	077(1(, <b>@170</b> )s <b>39</b> 1a	0( <b>s</b> 40 <del>c</del> 9)s3)(

	1,206 599

Cause of death (	
	Cause of death (

Table 11. Death rates for 72 selected causes, Human immunodeficiency virus infection,d AlzPeimer'sdQsease byrage(th)ic333(states,)-333(United)-333(States,)-333(1995)]TJ /F5¬1¬Tf 0¬-\*.985¬\*.985

able 11. Death rates fWr 72 selected causes, Human immunodeficiency virus infection, and Alzheimer's disease by race and sex: United States, 1995—Co/.									
Rates per 100,000 population in specified group. FWr explanation of asterisks preceding cause-of-death categWries, seeTechnical notes"]									
Cause of deaat (									

Table 11. Death rates fWr 72 selected causes, Human immunodeficiency virus infection, and Alzheimer's disease by race and sex: United States, 1995—Con.

												All	Wther	
					All races			White			⊤Wtal		В	Black
International Cla		he NQnth Re n of Disease		BWth sexes	Male	Female	BWth sexes	Male	Female	EBW/tth SEEXCESS	NW tablee	Fræmælæ		
ne, and nephrWsis580-589	9.0	8.9	9.1	8.8	8.7	8.8	10.2	9.9	10.5	12.5	12.2	12.9		

itis and nephrWtic

Table 12. Age-adjusted death rates for 72 selected of [Age-adjusted rates per 100,000 U.S. standard population; see		 nited States, 1995
Cause of death (Based on the Ninth Revision,		

Table 12. Age-adjusted deatP rates for 72 selected causes, Human immunodeficiency virus infection, and Alzheimer's dQsear by race and sex: UnQted Sates, 1995—Con.

[Age-adjusted rates per 100,000 U.S. standard population; see "TechnQcal notes" For explanation of arterQsks precedQng cause-of-deatP categories, see "EchnQcal notes"

All otPer

		All races			WPQte		Total Black			
Caur of deatP (	sexes	Male	Female	sexes		sexes	Female	sexes	Male	Female

Major cardiovarcular dQsdares—CoV.

Hypertensive heart and renal disear

								All othe	l races		\	White
							Both sexes	Male	Female	Both	Male	Femal <b>B</b> o
Based on the Ninth RevisionInternational	Classification of Di-					Acute				Wme		
)	Oldoomodilon of Di	7070	Renal faiTu	ire, disorders re	sulting frWi							
	Infections of kidney		0.2	0.1	0.2	0.1	0.1	0.2	0.3		<del>0.3</del> —	0.3
	.600 0.1	0.2										mplications@
All other diseases		ortive.outcW74697.5.9				0.0 4.3					0.1 4.1	0.1 4.9
All other diseases	kesiduai.	4.1.E010-E043./	16.3 35.*	22.7103 <b>9</b> .1	1469454	2 <b>236</b> .9	10531.8	1621.*	23680.6	<b>9.3</b> .9		cciden <b>2954</b> d
											MonthTy	
											₹	
											₹	
											≤	
											<u>a</u>	
											St	
											a	
											isti	
											S	
											Vital Statistics Report	
											ğ	
											읔	
											+	

<sup>&</sup>lt;sup>2</sup>IncTuded Qn All other infectious and parasQtic diseases shWwn abov@IncTuded in All other diseases (Residual categary).

Table 13. Number of deaths and death rates frWm 16 selected subcategories of Malignant	nt neoplasms, QncludQng neoplasms of lymphatic and hematopseietilssitied, Stratess; et 885

Table 14. Number of deaths and death rates by age, and age-adRusted death rates according to specified Hispanic origin, race for non-Hispanic origiV, ad sex: Total of 49 States and the District of81Columbia, 1995

85 years and over All origins 2,279,27929,203 6,290 8,446 33,731 101,009 141,038 232,050 474,329 643,011 552,718 438 41,312 270,181 1,156,34216,4043,540 2 69,328 89,688 140,200 314,896 179,950 316 328,115 1,122,93712,7992,750 3,318 8,332 1 31,681 51,350 91,850 204,148 372,768 122 94,776 4,147 933 1,037 4,928 7,238 9,051 8,662 11,221 17,0\*01 78 13,510 56,167 2,312 517 654 4,030 5,755 6,755 6,869 9,6948,411 75 38,609 1,835 416 383 898 1,483 2,296 2,7+7 4,352 7,366 8,500 8,300 3 2,845 9,470 Mexican American 50,587 610 701 3,370 3,867 4,3+74,2\*0 8,544 6,594 39 . . . 1,581 2,807 3,568 4,382 37 30,491 339 443 3,193 3,275 2,858 2,645 20,096 1,2\*4 271 258 674 1,402 2,342 2 563 1,102 4,107 4,162 3,949 Puerto Rican14,248 473 122 132 473 1,469 2,253 1,956 1,902 2,182 1,9+7 1,305 272 75 8,588 64 3\*0 1,057 1,649 1,366 1,180 1,185 893 483 4 . .. 58 57 \*04 5,6\*0 201 113 412 590 722 997 1,084 822 . .. 33 12 12 73 234 404 403 747 1,277 1,370 909 2 2,173,0\*1 24,567 219,593 623,416 7,367 28,614 49,396 91,190 131,427 45 536,867 195 56,688 56,274 38,702 30.504 26,019 12,97151 22.089 15,945 26,184 30,255 25,73127

11,442

6,417

489

284

32

21

42

26

189

151

382

275

768

583

949

6+7

1,236

837

2,165

1,348

2,684

751

2,341

122

165

. ..

Table 14. Number of deaths and death rates, by age, and age-adjusted death rates according to specified Hispanic origin, race for non-Hispanic origin, and sex: Total of 49 States and the District of ColumbQa, 1995—CoV.

[Age-specific rates on an annual basis per 100,000 population in specified group; age-adjusted rates per 100,000 U.S. standard population; see Technical notes. For a listing of States, see "Technical notes"]

Hispanic origin, race for

years55–64years65–74years75–84 4%-65685 yearsAge-adjustedrate and over 1 year 25-34years 36g44otstated 11-4 15-24years years5-14years




Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975

2 Rate<sup>2</sup>

Hispanic origin, all ages

... All causes





## MontPly Vital Stat Wsd ic 4 Repoint(S) 2

1Cause of death (Based on the Ninth Revision, International Classification of Diseases, 197) and age


Number2Rate2Hispanic origin, 15-24 years

2.2 57 1.2 0.\* 0.7 Qve pulmonary diseases onst90–496 21 9.8


...E800-E949 3,113 35.0



"teton licinded" 992, 29tst2





 Under ages
 1-4 year
 5-14 years
 15-24 years
 25-34 years
 35-44 years
 45-5 years




All Under 1–4 ages<sup>2</sup> years


.







75 years and over



Exclude and the solution of th

Excludes figures for age nWt stated.



All Wther


BWtMII races BWtM/hite BWtPWtal BWtPBTack
— sexesMale Female sexes Male Female sexes Male Female


Years of schWol completed



Excludes figures for age nWt stated.








	PVeumonia	Chronic Wbstructive pulmonary diseases	Chronic liver	AccQdents and adverse	Motor vehicle		Injury by firearUs (E922,		
Race, sex, and area	and Qnfluenza (480 *1489)	and allied disease and conditions cQrrhosis (490 *1496) (571)	effects (E870 *1 E949)	accQdents (E810 *1 E825)	Suicide (E950 *1	E <b>965.</b> 0citleE965.4, (E <b>E97</b> 0*,1 45,1 <del>28</del> 78) 33.*	48,9*1 36.4	8,697 6.5	
	(400 1403)	(430 1430)	(371)		White Ma	ale	73,641 33.8 2,948 30.8 49,3	95 <del>,077</del> e	21,432 9.8 4,100 13.2 50 2+,078 24.4
				All other Female BlacS		9,282 20.8 19.0 3,204			90)-2173(8.5)-1648(1



Infant deaths based on race of decedent; live births based on race of mother; see "Technic I notes Infant deaths based on race of decedent; live births based on race of child; see "Technic notes"



PuertW Total Mexican







Based on tPe Ninth Revision, International Classification of Diseases, 1975

Which the search of the second of the second

IncTudes races otPer tPan white and black.





Includes race than whQte and blacs.
Includes data to teaths due to Human immuVodeficiency virus infection (categories \*042-\*04())-333(below;)-333(see)-333(')18(')]TJ 0¬0¬1¬rg 48.944¬0¬TD [(T)111(echnical)-333(Votes)]TJ 0¬g 6.948¬

WhQte

Rate

5.9 .E967

0.7

Black

19.9 127

5.5



White	BlackNumbe	r	Rate
Tennessee	<b>7</b>	9	38

## **₹**chnicahotes

Natur**é**n

f **The ShQ**aicat

```
_i = \mathbf{flow}
ıp
                   _Q = popydlkatiate
go@geatin
                     æge-specifikfaSidard
           populatioh sPart
  \Sigma w
                               ) = (1.080000000)
         effort we Qgh (tw
                                                       _{i})
                         gseageomputin
  datatatbl4 and
                     the squartage-specific
                               Us \textbf{S} a V da \textbf{\textit{p}} opulation
          h tableot (heispeat) Wta,
lispaMM:RildispanQ
2¬Td (approprQate)Tj 0.278¬Tc¬ 4.554¬à¬Td (,)Tj 0¬Tc¬ 0.528¬à¬Td (fo)Tj 0.278¬T.57 -6¬àd (r)Tj 0¬Tc¬ 0.611¬àd (tP)Tj 0.278¬Tc¬ 0.
```

used domputing inate

table 21)

This rep	ort presentT -342(summary)	-342(tabuTationT -342(f	from)-3 <b>424(1014) 475421(12)611910(3</b>	5)422(mortality)-342(statist	icT -342(t
Г				_	
		Contents			
	<b>(45544(2431</b> LJ]TU* T(5 <b>4(190</b> 1)4)3 <b>33</b> 3(1)	Vvaasvaiihksaftisystäa(ivatasiivaas	(Amandele1888/NATIONE111-3889(088)	100T419 To 1668 1938 2464 1249 P) S	3.337S√ <i>Ft</i> 0sfid
y y <b>20</b> , y		·/·(// <b>-</b> (//)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	· - (
SI JAMESHRAPINAN JAHRARONSI	<b>East</b> dd∓revention				
<del>Denkliay Bus in Bi</del> sate U	JSE, \$300				
E-mail: nchsquery@nch10	a.eU.cdc.gov				
7-0394 (6/92)6 net: http://www.cdc.go	ov/nchswww/nchshWme.htm				
DHHS Publication No. (Ph		_			