

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX/OND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
TOTAL, BOTH SEXES										
1996.....†††88	872.5	755.7	38.3	19.4	24.0	78.36	01.3 09.1	142.4	188.2	
1995.††8††8†..	880.0	768.8	40.36	19.7	25.5	83.5	07.1 119.3	160.3	208.9	
1994††8†.††8†.	875.4	819.3	42.9	19.9	25.2	86.8-9	8.9 121.9	161.9	208.4	
1993.††8†.†††8	880.0	854†4	44†8	21.1	25.36	86.9	109.2	122.7	159.8	205.8.4561992.††8†.††††
1991.††8†.†††..†	860.3	916.36	47.4	21.5	25.8-	89.0	110.1	123.0	154.1	197.7 561990.††8†.†††.... 852.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL CAUSES										
TOTAL, FEMALE										
1996.....	849.7	680.0	34.3	16.7	18.9	44.0	48.5	62.4	85.7	121.0
1995.....	847.3	690.1	36.2	16.7	19.6	45.7	50.6	64.5	89.5	126.6
1994.....	837.6	735.5	38.2	17.0	18.8	44.8	51.5	65.3	88.6	124.5
1993.....	838.6	758.6	39.9	19.0	19.2	45.6	51.4	64.7	86.3	121.0
1992.....	806.5	770.8	39.0	16.8	18.2	44.0	50.1	62.5	83.3	117.2
1991.....	811.0	804.4	42.7	18.4	18.2	47.2	52.5	62.9	84.7	116.3
1990.....	812.0	855.7	41.0	18.5	20.2	46.4	51.3	63.9	84.3	114.8
1989.....	818.9	917.0	44.5	20.6	20.6	48.7	53.0	65.2	86.1	113.2
1988.....	831.2	921.1	45.5	20.6	20.7	48.1	54.6	66.0	83.7	116.5
1987.....	816.7	918.7	45.8	19.6	18.8	47.7	54.5	65.0	84.2	115.2
1986.....	812.3	922.9	46.2	19.7	20.4	48.2	55.1	63.0	81.8	111.1
1985.....	809.1	950.6	44.8	21.4	20.6	46.2	52.5	60.2	79.2	110.7
1984.....	794.7	987.4	46.8	20.8	21.5	46.1	54.9	60.5	78.0	111.6
1983.....	788.4	991.5	48.4	22.0	20.2	45.8	54.6	62.3	76.4	110.3
1982.....	771.2	1,029.7	52.1	23.5	21.1	46.0	56.3	63.0	78.4	113.4
1981.....	775.0	1,070.0	53.1	23.6	22.0	49.8	59.1	67.1	81.7	121.8
1980.....	785.3	1,141.7	54.7	25.6	22.9	53.1	61.9	68.2	84.5	124.4
1979.....	752.7	1,176.6	57.0	25.3	23.3	52.8	62.4	67.5	82.9	127.2
WH1.E, BOTH SEXES										
1996.....	906.9	622.2	32.9	17.5	22.2	71.6	88.0	94.0	122.6	161.9
1995.....	911.3	646.5	35.1	17.7	23.6	75.6	93.1	102.0	138.2	179.5
1994.....	905.4	674.2	36.5	17.6	23.0	76.8	93.4	103.7	138.1	178.4
1993.....	908.5	697.3	38.3	19.0	23.7	77.0	91.7	104.2	137.9	175.5
1992.....	880.0	701.8	38.1	18.3	22.8	75.6	91.0	103.2	132.4	171.2
1991.....	886.2	762.6	41.7	19.8	24.2	80.5	95.5	105.2	132.6	168.5
1990.....	888.0	795.7	41.1	20.3	24.3	81.4	97.4	107.8	130.5	167.8
1989.....	893.2	842.7	43.7	22.1	25.7	81.7	96.6	109.1	131.9	164.3
1988.....	910.5	861.9	46.2	22.3	26.1	83.7	102.2	107.7	128.6	162.5
1987.....	900.1	864.9	46.8	23.1	25.6	82.1	101.7	107.8	127.2	159.6
1986.....	900.1	885.8	47.0	21.7	27.6	86.4	107.4	107.2	126.4	154.9
1985.....	900.4	931.3	46.6	22.9	27.0	80.2	102.1	102.9	116.5	150.4
1984.....	887.8	949.1	47.2	23.5	27.4	81.3	104.8	101.9	114.9	145.9
1983.....	885.4	951.0	51.0	24.9	26.2	81.6	102.0	103.4	112.4	144.5
1982.....	873.1	996.6	53.2	26.5	27.4	85.7	109.0	106.4	114.1	147.8
1981.....	880.4	1,031.1	54.7	27.6	28.5	91.2	116.7	114.7	117.5	156.4
1980.....	892.5	1,099.9	57.9	28.4	29.8	99.1	124.6	116.8	120.2	158.0
1979.....	865.2	1,135.5	57.5	29.0	31.1	100.0	123.6	114.8	116.9	157.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
WHITE MALE										
1996.....	918.1	683.3	37.1	19.9	26.5	98.4	130.4	133.8	173.3	223.1
1995.....	932.1	717.5	38.8	20.3	28.7	105.2	139.6	149.4	202.0	252.9
1994.....	931.6	740.1	40.5	20.1	28.4	108.4	139.4	151.6	203.8	254.0
1993.....	938.8	773.0	42.9	21.3	29.1	107.6	137.0	154.0	203.8	251.3
1992.....	917.2	780.9	42.6	21.3	28.2	106.0	135.4	153.3	195.8	245.5
1991.....	926.2	860.8	45.5	22.6	30.6	112.2	142.3	156.3	194.6	240.5
1990.....	930.9	896.1	45.9	23.5	29.5	115.4	146.0	160.3	191.6	240.4
1989.....	936.5	940.7	48.3	25.2	31.9	112.6	143.5	161.7	192.3	234.8
1988.....	957.9	964.2	51.5	25.7	33.0	117.5	152.8	158.1	187.3	228.2
1987.....	952.7	964.9	52.4	27.7	32.9	114.3	152.5	157.4	183.8	221.5
1986.....	958.6	993.8	52.6	25.5	34.8	122.5	161.7	158.6	184.4	215.1
1985.....	963.6	1,056.5	52.8	26.2	33.9	112.3	153.3	152.1	166.1	205.2
1984.....	954.1	1,059.3	52.1	27.4	33.7	114.5	156.6	149.5	162.4	194.4
1983.....	957.7	1,055.7	57.6	29.2	32.9	116.2	152.6	150.8	158.7	193.1
1982.....	951.8	1,111.0	58.7	30.9	33.9	124.1	164.5	156.7	160.4	196.7
1985.....	965.2	1,147.7	61.0	32.4	35.7	130.2	177.0	169.7	164.4	207.7
1980.....	983.3	1,230.3	66.1	32.5	37.4	142.7	190.9	174.7	167.6	208.7
1979.....	963.3	1,276.0	64.2	34.1	38.9	145.3	188.8	170.3	162.8	206.9
WHITE FEMALE										
1996.....	896.2	558.0	28.5	15.1	17.7	42.8	42.6	53.2	71.0	99.8
1995.....	891.3	571.6	31.2	15.0	18.2	44.2	44.4	53.5	8.8 4	105.2
1994.....	880.1	604.8	32.3	15.1	17.4	43.2	45.2	54.7	71.4	102.0
1993.....	879.4	617.5	33.6	16.7	17.9	44.6	44.3	53.1	70.9	99.2
1992.....	844.3	618.7	33.3	15.2	17.2	43.3	44.3	51.9	68.1	96.3
1991.....	847.7	659.2	37.6	16.9	17.5	46.9	46.3	52.9	69.8	96.1
1990.....	846.9	690.0	36.1	17.0	18.8	1	44746.4	54.1	68.7	95.0
1989.....	851.8	739.5	38.8	18.8	19.1	49.2	47.6	55.2	70.9	93.7
1988.....	865.3	754.1	40.7	18.7	18.8	48.0	49.4	56.2	69.2	96.9
1987.....	849.8	760.3	40.9	18.1	17.9	48.3	49.2	57.0	69.9	97.8
1986.....	844.3	772.6	41.0	17.6	19.9	48.7	51.3	54.6	67.9	95.0
1985.....	840.1	799.3	40.0	19.4	19.7	46.6	49.4	52.7	66.7	96.0
1984.....	824.6	833.5	41.9	19.4	20.7	46.7	51.6	53.4	67.0	97.9
1983.....	816.4	840.5	44.0	20.4	19.2	45.6	50.2	55.2	65.9	96.4
1982.....	798.2	876.1	47.4	21.8	20.6	45.9	52.4	55.3	67.8	99.5
1985.....	799.8	908.1	48.0	22.5	20.9	50.6	55.3	59.1	70.7	105.8
1980.....	806.1	962.5	49.3	24.1	21.9	53.7	57.3	58.4	73.0	108.1
1979.....	771.8	986.7	50.4	23.7	22.8	52.9	57.4	58.8	71.3	109.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL CAUSES										
ALL OTHER, BOTH SEXES										
1996...BTBTBBTBB.	706.5	1,289.3	58.8	26.6	30.7	105.7	153.7	172.0	231.6	315.0
1995.BTBB.BTBB.B..	726.9	1,211.1	61.3	27.1	32.7	114.3	163.5	193.3	262.9	352.5
1994BTBB.B.BTBB.B.	727.4	1,351.6	67.1	28.5	33.4	126.0	172.4	200.9	273.7	355.6
1993.BTBB.B.BBTBB.	737.6	1,435.5	69.4	29.4	33.1	125.7	182.2 rg04.6	264.7	353.6	
1992.BTBB.B.BBBTBB	716.0	1,480.9	64B9	28.7	31.5	118.5	168.7	198.2 r	255.6	341.7
1991BTBB.B.BBBBTBB	728.3	1,442.1	69.5	28.4	32.0	122.9	174B5	205.6	260.1	347.5
1990.BTBB.B.BBBB..B	737.9	1,645.0	69.3	29.6	33.0	114B2 r	165.8	204.9	268.3	348.9
1989BTBB.B.BBBB...B	755.2	1,737.0	74B6	32.2 r	34B3	103.0	162.9 rg02.0	271.5	354B7	
1988BTBB.B.BBBB....	758.6	1,733.6	73.0	33.7	34B4	99.4	160.9	201.0	267.2	356.1
1987.BTBB.B.BBBB...	747.0	1,749.7	74.3	31.5	33.3	89B7	154B7	189B7	261.3	341.9
1986.BTBB.B.BBBB...	747.3	1,758.5	75.8	33.2	32.8	85.3	147.6	192.4	255.6	326.0
1985.BBTBB.B.BBBB...	745.0	1,770.9	74B5	34.2	32.2	81.7	134.9	173.2 r	238.1	307.6
1984BBTBB.B.BBBB...	733.2	1,805.7	74B1	33.3	32.3	76.2 r	134.3	172.4	224.7	300.3
1983.BBTBB.B.BBBB...	737.9	1,831.5	78.7	33.7	32.3	78.5	139.6	174B0	223.0	291.9
1982.BBTBB.B.BBBB...	730.7	1,910.3	80.5	36.3	31.7	83.7	146.9	187.5	235.9	309.5
1980.BBTBB.B.BBBB...	791B7	2,148.5	91B4	39.6	35.4	9	23	178.2 r	219.7	262.2
1979.BTBB.B.BBBB...	771.0	2,260.6	95.6	41.2	35.5	92.2	173.3	222.6	265.4	353.2
ALL OTHER MALE										
1996.BBTBB.B.BBBB...	788B6	1,413.3	61.6	30.5	37.7	161.0	237.7	250.8	324B6	424B0
1994BTBB.B.BBBB....	830.7	1,489.1	73.6	32.6	42.2	199.3	270.2 r	299.5	395.0	498.6
1993BTBB.B.BBBB....	8(5.1	1,590.5	74.9	30.9	41.7	199.9	285.7	302.6	386.0	500.0
1989.BBTBB.B.BBBB...	871.5	1,881.4	81.9	36.5	42.0	157.5	251.4	300.0	398.6	520.7
1988BBTBB.B.BBBB...	875.0	1,881.0	80.9	39.3	40.4	148.9	246.2	297.2	394.6	518.3
1987.BBTBB.B.BBBB...	864.1	1,932.7	82.2	37.4	44B1	132.8	232.6	283.8	381.7	500.2 r
1986BTBB.B.BBBB....	865.8	1,954.9	83.4	37.7	42.9	123.6	224.3	289B2 r	373.4	474B8
1985.BBBBTBB.B.BBBB	861.7	1,942.4	83.8	38.5	40.0	118.4	204.5	256.7	346.7	442.4
1984BBBTBB.B.BBBB...	849.3	1,956.4	80.3	39.5	39.5	108.1	200.3	256.3	327.6	429.3
1983.BTBB.B.BBBB...	856.9	2,011.2 r	89B8	38.0	40.1	109.8	205.7	258.0	328.4	409.0
1981.BBTBB.B.BBBB...	885.7	2,146.6	98.4	43.2	41.8	122.2	240.0	309.9	365.1	477.8
1980.BBBTBB.B.BBBB...	936.5	2,350.2	103.0	46.9	43.0	134.4	277.1	330.9	390.1	504B8
1979BTBB.B.BBBB....	920.3	2,468.0	103.7	49.1	45.1	132.4	263.3	343.0	395.0	521.8

) Tj T* (1992.BBBTBB.B.BB

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL CAUSES										
ALL OTHER FEMALE										
1996.....	631.4	1,161.9	55.9	22.6	23.4	48.7	70.6	98.9	147.8	217.0
1995.....	638.2	1,113.0	55.0	23.3	24.8	51.3	74.6	109.3	159.4	224.8
1994.....	633.1	1,209.6	60.3	24.3	24.3	50.7	76.5	109.4	164.7	228.1
1993.....	639.3	1,275.5	63.7	27.9	24.3	49.5	80.5	113.5	155.7	223.4
1992.....	619.9	1,335.5	60.8	23.5	22.1	46.7	73.7	108.4	153.0	216.3
1991.....	628.1	1,294.0	61.9	24.1	4 1	48.8	79.1	4107.0	154.1	213.5
1990.....	634.2	1,480.7	59.9	24.8	25.3	50.5	72.8	108.5	157.6	211.2
1989.....	649.0	1,588.8	67.1	4 27.8	26.4	46.9	76.1	4111.4	158.2	209.9
1988.....	652.5	1,582.7	65.1	28.1	28.3	48.4	77.8	112.6	153.9	215.4
1987.....	640.2	1,567.0	66.3	25.4	22.2	45.5	78.7	103.6	154.5	205.2
1986.....	639.3	1,556.9	68.0	28.5	22.4	46.1	73.1	104.4	151.6	198.2
1985.....	638.8	1,595.9	65.3	19.8	24.2	44.2	67.8	97.7	142.8	192.3
1984.....	627.6	1,651.8	67.8	27.0	24.9	43.6	71.4	96.8	134.7	190.5
1983.....	629.8	1,648.0	67.3	29.3	24.3	46.6	77.1	98.6	131.3	192.0
1982.....	615.4	1,702.1	4 72.9	30.5	23.8	46.9	76.2	103.1	136.1	198.2
1981.....	630.0	1,791	75.5	28.4	27.3	45.7	79.1	109.7	144.0	218.1
1980.....	660.6	1,944.1	79.5	32.1	27.7	49.7	86.8	121.7	152.2	224.2
1979.....	635.7	2,049.7	87.4	33.1	25.8	51.8	90.0	116.9	154.9	239.0
BLACK, BOTH SEXES										
1996.....	842.0	1,598.1	67.6	30.2	34.1	120.2	18 5	213.4	4 2.7	390.1 4
1995.....	864.2	1,467.9	70.3	30.2	36.8	130.2	191.4	239.3	326.7	438.1
1994.....	864.3	1,627.5	77.2	31.8	37.9	145.0	205.2 4	23	338.8	442.9
1993.....	876.8	1,735.6	79.1	4 32.9	37.2	143.6	218.5	249.2	328.70.041.5	
1992.....	850.5	1,786.0	73.2	4 32.1	4 35.3	135.5	200.7	241	316.0	427.0
1991.....	864.9	1,771.6	79.7	32.0	36.4	141.2	208.4 4	247.4	321.5	432.4
1990.....	871.0	1,925.9	76.8	32.3	36.6	127.7	192.8	246.0	329.9	431
1988.....	888.3	2,017.0	81.8	37.0	37.5	108.6	12.0	236.5	326.4 4	441.8
1987.....	868.9	2,017.8	8 1	34.1	35.6	97.9	171.8	219.6	318.6	420.9
1986.....	864.9	2,018.70	84.6	35.6	35.2 4	91.2	160.9	221.0	309.1	394.8
1985.....	854.8	2,026.2	80.7	36.2	34.8	85.2	145.4	197.2	284.8	370.9
1984.....	836.1	2,053.0	79.4	4 36.6	35.0	78.2	144.9	195.7	267.4	360.1 4
198 3.....	836.6	2,078.0	85.8	35.5	34.5	80.6	148.4	195.1	4263.5	346.3
1982.....	823.4	2,144.0	87.4	39.4	33.9	84.9	156.7	211.6	276.8	365.9
1981.....	842.4	2,193.5	93.9	38.5	36.3	85.2	167.0	229.6	285.1	4394.7
1980.....	875.4	2,356.6	97.6	41.7	36.6	92.3	128.5 4	22.7	302.5	404.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BLACK MALE										
1996.....	939.9	1,748.2	71.4	34.5	41.9	185.0	288.3	312.4	406.9	529.3
1995.....	980.7	1,590.8	77.5	34.9	45.8	202.4	300.8	354.9	474.1	620.1
1994.....	987.8	1,797.0	84.1	36.8	47.8	231.8	325.8	368.8	494.8	625.5
1993.....	1,006.3	1,922.2	86.1	33.8	47.2	231.7	348.5	373.2	483.7	630.1
1992.....	977.5	1,957.9	77.6	37.5	44.9	218.4	321.0	361.7	464.4	609.6
1991.....	998.7	1,957.4	88.4	36.3	48.5	228.0	329.4	378.5	473.3	629.9
1990.....	1,008.0	2,112.4	85.8	37.3	45.2	199.7	307.4	374.2	489.8	631.5
1989.....	1,026.7	2,172.1	90.0	40.9	46.3	178.5	293.4	359.9	495.1	653.9
1988.....	1,026.1	2,189.6	92.1	43.4	43.9	166.2	281.1	352.7	487.9	649.6
1987.....	1,006.2	2,226.8	92.0	40.4	47.7	145.7	262.2	330.8	469.2	621.2
1986.....	1,002.6	2,251.8	92.2	40.1	46.3	133.0	247.0	334.1	457.0	581.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SHIGELLOSIS AND AMEBIASIS (004,006)										

TOTAL, BOTH SEXES

1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	0.0	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	-	0.0	-	0.0	0.0	0.0
1979.....	0.0	0.1	0.1	0.0	0.0	-	-	-	-	0.0

TOTAL, MALE

1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	0.0	0.0	-	-	-	0.0	0.0	0.0
1979.....	0.0	0.2	0.1	-	0.0	-	-	-	-	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SHIGELLOSIS AND AMEBIASIS (004,006)										

WHITE MALE

1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	0.0	0.0	-	-	-	0.0	-	0.0
1979.....	0.0	0.1	0.1	-	0.0	-	-	-	-	0.0

WHITE FEMALE

1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*5....	*	*	*	*	*	*
1982.....	*	*	*	*5....	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.1	0.0	0.0	-	0.0	-	-	-	-
1979.....	0.0	-	-	0.0	-	-	-	-	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SHIGELLOSIS AND AMEBIASIS (004,006)										

ALL OTHER, BOTH SEXES

1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.2	0.1	-	-	-	-	0.0	0.0	0.1
1979.....	0.0	0.3	0.1	-	-	-	-	-	-	-

ALL OTHER MALE

1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	0.3	0.1	-	-	-	-	0.1	0.1	0.1
1979.....	0.0	0.3	0.2	-	-	-	-	-	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SHIGELLOSIS AND AMEBIASIS (004,006)										

BLACK MALE

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)										
TOTAL, BOTH SEXES										
1996.....	0.3	5.5	*	*	*	*	*	*	*	*
1995.....	0.3	5.2	*	*EN	*	*	*EN	*E		
1994.....	0.3	5.4	0.1	*	*EN	*E	*	*EN		
1993.....	0.2	3.4EN	*EN	*EN	*EN	*				
1992.....	0.2	3.2	*E	*E	*E	*E	*E	72	*	*E
1991.....	0.2	3.1	*E	72	*E	7	*E	7	*	*E
1990.....	0.2	2.9EN	*	*EN	*EN	*E	*			
1989.....	0.1	2.4	*E	*E	7	*E	7	*E	72	*E
1988.....	0.1	2.3	*E	7	*E	7	*E	*	*E	7
1987.....EA1	2.5	*	*E	7	*	*	*EN	*E		
1986.....	0.1	3.1EN	*E	*E	7	*EN	*E	72	72	7
1985.....EA1	2.7EN	*E	7	*E	72	7	*E	7	*E	7
1984.....E	0.1	3.9	*	*	*E	*	*EN	*E	7	*E
1983.....E	0.2	3.6EN	*E	7	*E	72	7	*E	7	*E
1982.....E	0.1E	3.8	0.1	*E	7	*	*E	*E	7	*EN
1981.....E	0.2	3.6	0.2	*E	7	*E	72	7	*E	7
1980.....E	0.2	3.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979.....E	0.1	3.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL, MALE										
1996.....E	0.3	6.8	*	*	*E	*	*E	*E	7	*E
1995.....	0.3	5.8	*72	7	*	*E	72	7	*EN	*E
1994.....E	0.3	6.3	*E	7	*EN	*E	7	*	*E	7
1993.....E	0.2	4.0	*E	7	*E	*E	7	*E	7	*E
1992.....E	0.2	3.7EN	*E	7	*EN	*E	7	*E	*	*E
1991.....	0.2	3.3EN	*E	7	*E	*E	7	*E	*72	7
1990.....	0.1	2.5	*E	7	*E	*7	*E	7	*	*
1989.....E	0.1	2.9	*E	7	*E	*7	*E	7	*E	7
1988.....E	0.1	2.4EN	*E	7	*E	*	*	*E	7	*E
1987.....E	0.1	2.1	*E	7	*	*E	7	*E	7	*EN
1986.....E	0.2	4.0EN	*E	7	*E	*72	7	*E	7	*E
1984.....	0.1	4.5	*	*	*E	7	*	*E	7	*E
1983.....	0.2	4.1	*E	7	*E	7	*	*E	7	*EN
1982.....	0.1	3.6EN	*E	7	*E	*7	*E	7	*EN	*7
1980.....	0.1	3.9E	0.2	0.0	0.0	0.0	0.0	0.0	0.0	-
1979.....	0.1	3.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)										

WHITE MALE

1996.....	0.2	4.1	*	*	*	*	*	*	*	*
1995.....	0.2	3.6	*	*	*	*	*	*	*	*
1994.....	0.2	3.6	*	*	*	*	*	*	*	*
1993.....	0.2	2.0	*	*	*	*	*	*	*	*
1992.....	0.2	2.6	*	*	*	*	*	*	*	*
1991.....	0.2	2.0	*	*	*	*	*	*	*	*
1990.....	0.1	1.7	*	*	*	*	*	*	*	*
1989.....	0.1	1.5	*	*	*	*	*	*	*	*
1988.....	0.1	1.4	*	*	*	*	*	*	*	*
1987.....	0.1	1.6	*	*	*	*	*	*	*	*
1986.....	0.1	2.3	*	*	*	*	*	*	*	*
1985.....	0.1	2.0	*	*	*	*	*	*	*	*
1984.....	0.1	2.5	*	*	*	*	*	*	*	*
1983.....	0.1	2.4	*	*	*	*	*	*	*	*
1982.....	0.1	2.4	*	*	*	*	*	*	*	*
1981.....	0.1	2.5	*	*	*	*	*	*	*	*
1980.....	0.1	2.4	0.2	0.0	0.0	-	0.0	0.0	0.0	-
1979.....	0.1	2.3	0.1	-	0.0	0.0	0.0	0.0	-	0.0

WHITE FEMALE

1996.....	0.4	2.6	*	*	*	*	*	*	*	*
1995.....	0.3	2.9	*	*	*	*	*	*	*	*
1994.....	0.3	2.7	*	*	*	*	*	*	*	*
1993.....	0.3	1.9	*	*	*	*	*	*	*	*
1992.....	0.2	1.5	*	*	*	*	*	*	*	*
1991.....	0.2	1.9	*	*	*	*	*	*	*	*
1990.....	0.2	1.7	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	1.6	*	*	*	*	*	*	*	*
1987.....	0.1	1.9	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	1.4	*	*	*	*	*	*	*	*
1984.....	0.1	2.5	*	*	*	*	*	*	*	*
1983.....	0.1	2.0	*	*	*	*	*	*	*	*
1982.....	0.1	2.4	*	*	*	*	*	*	*	*
1981.....	0.2	2.4	*	*	*	*	*	*	*	*
1980.....	0.2	2.0	* 0.1	0.0	* 0.0	0.0	* -	-	0.0	* 0.0
1979.....	0.1	1.8	0.1	0.0	0.0	-	0.0	0.0	* -	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)										
ALL OTHER, BOTH SEXES										
1996.....	0.3	13.9	*	*	*	*	*	*	*	*
1995.....	0.4	12.5	*	0.	*	*	*	*	*	*
1994.....	0.4	13.6	*	*	*	*	*	*	*	*
1993.....	0.3	8.8	* 0.	0.	*	*	* 0.	*	*	*
1991.....	0.3	7.2	*	*	*	*	*	* 0.	*	*
1990.....	0.2	5.4	* 0.	*	*	*	*	*	*	1989..... F0.2
1988.....	0.2	5.3	*	* 0.	*	*	* 0.	*	*	
1987.....	0.2	5.8	0.	*	*	*	*	*	*	
1986.....	0.2	8.6	0.	*	*	*	*	*	*	1985..... F0.2
1984..... F	0.2	10.0	*	*	*	*	*	*	*	*
1983.....	0.3	9.8	*	*	*	*	*	*	*	*
1982.....	0.3	9.9	0.	* 0.	*	*	*	*	*	1981..... F0.2 9.1
1980..... F	0.2	7.7	0.2	0.0	-	0.0	0.0	0.0	0.1	-
1979.....	0.2	7.8	0.1	0.1	-	-	0.1	-	0.0	0.1
1996..... F	0.4	17.5	0.	*	*	*	*	*	*	1994..... F
1993.....	0.3	11.6	*	*	*	*	*	*	*	1992.....
1991.....	0.3	7.8	*	*	*	* 0.	*	*	*	
1990..... F0.2	5.3	*	*	*	*	* 0.	*	*	*	1989..... F 0.3
1988..... F	0.2	6.3	*	*	*	*	*	*	*	
1987..... F	0.1	*	* 0.	*	*	*	**	*	*	1986..... 0.3 11
1982..... F	0.3	9.5	*	*	*	*	*	**	*	1981..... F0
1980..... F	0.3	8.8	0.2	-	-	0.1	0.1	-	-	
1979..... F	0.2	7.9	0.1	0.1	-	-	-	-	0.1	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)										
BLACK MALE										
1996.....	0.5	22.8	*	*	*	*	*	*	*	*
1995.....	0.5	17.2	*	*	*	*	*	*	*	*
1994.....	0.6	20.1	*	*	*	*	*	*	*	*
1993.....	0.4	14.4	*	*	*	*	*	*	*	*
1992.....	0.3	9.9	*	*	*	*	*	*	*	*
1991.....	0.4	10.2	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	9.8	*	*	*	*	*	*	*	*
1988.....	0.2	7.7	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.4	12.7.	*	*	*	*	*	*	*	*
1985.....	0.3	8.3	*	*	*	*	*	*	*	*
1984.....	0.4	16.1	*	*	*	*	*	*	*	*
1983.....	0.4	15.0	*	*	*	*	*	*	*	*
1982.....	0.3	10.3	*	*	*	*	*	*	*	*
1981.....	0.3	11.7.	*	*	*	*	*	*	*	*
1980.....	0.3	9.7	0.2	-	-	0.1	-	-	-	-
1979.....	0.3	8.8	0.1	0.1	-	-	-	-	0.1	0.2
BLACK FEMALE										
1996.....	0.3	13.7	*	*	*	*	*	*	*	*
1995.....	0.4	14.3	*	*	*	*	*	*	*	*
1994.....	0.3	13.4	*	*	*	*	*	*	*	*
1993.....	0.3	7.1	*	*	*	*	*	*	*	*
1992.....	0.3	9.9	*	*	*	*	*	*	*	*
1991.....	0.3	8.1	*	*	*	*	*	*	*	*
1990.....	0.2	7.0	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	8.9	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	7.7	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	8.6	*	*	*	*	*	*	*	*
1982.....	0.3	12.2	*	*	*	*	*	*	*	*
1981.....	0.2	9.4	*	*	*	*	*	*	*	*
1980.....	0.3	7.9	0.2	0.1	-	-	-	0.1	0.2	-
1979.....	0.2	8.2	0.1	0.1	-	-	0.1	-	-	-

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 21

CAUSE-OF-DEATH CODE, RACE, SEX BND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
--	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

WH1.E MALE

1996.....†.	0.4	*	*	*	*	*	*	*	*	*
1995†.†.†.†.	0.4	*	*	*	*	*	*	*	*	*
1994†.†.†.†.	0.5	*	*	*	*	*	*	*	*	*
1993†.†.†.†.	0.36Ä	*	H	H	H	*	*	*	*	*
1992†.†.†.†.	0.3	*	*	*	*	*	*	*	*	0.3
104/1.†.†.†.†.†.	0.3 Ä	* Ä	* Ä	* Ä	*	0.3				
1090.†.†.†.†.†.	0.36ÄH	* ÄH	* ÄH	* ÄH	* ÄH	*	0.3			
1989†.†.†.†.†.	0.7	*	*	*	*	*	*	*	0.3	0.3
1988†.†.†.†.†.	0.7 Ä	*	*	* Ä	* Ä	0.2 Ä				
1987.†.†.†.†.†.	0.7	*	* ÄH	*	*	*	* ÄH	* H	* H	0.3
1986†.†.†.†.†.	0.7 ÄH	* Ä	* ÄH	* ÄH	* ÄH	0.3				
1085†.†.†.†.†.	0.7	*	* ÄH	* H	* H	*	* H	* H	*	*
1984†.†.†.†.†.	0.7 ÄH	* H	* ÄH	* H	* ÄH	* H	* ÄH	* H	*	*
1983†.†.†.†.†.	0.7 Ä	* ÄH	* H	*	*	* ÄH	*	* ÄH	* H	
1982†.†.†.†.†.	0.8 H	* ÄH	* H	* ÄH	*	* ÄH	* H	* ÄH	* H	*
1981.†.†.†.†.†.	0.8	*	* ÄH	* ÄH	* ÄH	* ÄH	* ÄH	* ÄH	* H	* ÄH
1980.†.†.†.†.†.	0.9	0.1	-	0.0	-	0.0	-	0.0	0.0	0.2 Ä
1979†.†.†.†.†.	1.0	0.1	0.0	-	0.0	-	0.0	0.0	0.1	0.2 Ä

WH1.E FEMALE

1996.†.†.†.†.†.	0.3	* H	*	* H	* ÄH	*	* ÄH	* ÄH	* ÄH	*
1995†.†.†.†.†.	0.3 H	* ÄH	* ÄH	*	*	* ÄH	* ÄH	* ÄH	* ÄH	
1994†.†.†.†.†.	0.3	*	* ÄH	* ÄH	* ÄH	*	* H	* H	* Ä	
1993†.†.†.†.†.	0.3 H	* H	* ÄH	* ÄH	* ÄH	*	*	* ÄH	*	
1992†.†.†.†.†.	0.4 Ä	* ÄH	* H	*	*	* ÄH	*	*	* ÄH	
1991.†.†.†.†.†.	0.4	* ÄH	* Ä	* ÄH	*	*	* H	* H	*	
1990.†.†.†.†.†.	0.4	* ÄH	* Ä	* ÄH	* ÄH	* ÄH	* ÄH	* ÄH		
1989†.†.†.†.†.	0.4	* ÄH	* ÄH	*	* H	*	*	*	* ÄH	*
1988†.†.†.†.†.	0.4	*	* H	* ÄH	* ÄH	* H	* ÄH	* ÄH	* H	
1987.†.†.†.†.†.	0.3	*	* ÄH	* H	* ÄH	4	* ÄH	* Ä		
1986†.†.†.†.†.	0.4	*	* ÄH	* H	* ÄH	*	*	* Ä		
1985†.†.†.†.†.	0.4 Ä	* ÄH	* ÄH	* Ä	* ÄH	*	* ÄH	* ÄH		
1984†.†.†.†.†.	0.3 Ä	* ÄH	* ÄH	*	*	* ÄH	* H	* H	*	
1983†.†.†.†.†.	0.4	*	* ÄH	* H	*	* ÄH	* ÄH	4	*	
1982†.†.†.†.†.	0.4 ÄH	* ÄH	4 Ä	* ÄH	4	* ÄH				
1981.†.†.†.†.†.	0.4	*	* ÄH	* H	* ÄH	* ÄH	*	* ÄH	* ÄH	*
1980.†.†.†.†.†.	0.4	-	0.0	-	-	0.0	0.0	-	0.1	0.1
1079†.†.†.†.†.	0.4	-	0.1	0.0	-	0.0	0.0	0.1	0.0	0.1

[illegible]

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 24

CAUSE-OF-DEATH CODE, RACE, SEXB ND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
--	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

BLACK MALE

1996....†††.	1.5	*	*	*	*	*	*	*	*	*
1995††.††.†...	1.7	*	*	*	*	*	*	*	*	*
1994††.†.††.†.	2.0	*	*	*	*	*	*	*	*	1.6
1993††.†.†††.†	2.4	*	*	*	*	*	*	*	1.5	2.7
1992.††.†.††††	2.7	*	*	*	*	*	*	*	1.9	3†3
1991††.†.†††††	2.6	*	*	*	*	*	*	*	1.7	3†9
1990.††.†.††††...	3†1	* Å	* Å *	* Å *	*	3†1	3.8	*		
1989††.†.††††...	3†4	*	*	*	*	*	*	*	2.9	4†1
1988††.†.††††...	3†0	*	Å	*	Å *	*	Å *	*	2.0	4.5
1987.††.†.††††...	2.8	*	Å *	*	*	*	Å *	2.5	3.6	
1986††.†.††††...	3†1	* Å *	* Å *	*	Å *	*	2.5	5†1		
1985†††.†.††††...	2.9	*	*	*	*	* Å *	*	2.1	3†7	
1984†††.†.††††...	3.2	* Å *	*	*	*	*	*	Å	4.0	
1983†††.†.††††...	3.1	*	*	*	Å *	*	Å *	*	2.0	3.1
1982.†††.†.††††...	3.2	*	*	*	Å *	*	Å *	*	2.0	3.0
1981.††.†.††††...	3†5	*	Å *	*	*	*	*	*	Å	*
1980.†††.†.††††...	3.5	-	0.3	-	0.1	-	0.1	0.8	1.4	2.6
1979††.†.††††...	3.4	-	0.1	-	0.1	0.1	0.3	0.9	1.6	3†5

BLACK FEMALE

1996.††.†.††††...	0.8	*	*	*	Å	*	Å *	*	Å *	*
1995††††.†.††††...	0.8	* Å *	*	Å *	*	*	Å *	* Å *	*	
1994††††.†.††††...	1.1	Å	*	*	Å *	*	*	*	*	Å
1993††††.†.††††...	1.1	*	*	Å	Å	Å *	*	Å *	Å *	
1992††.†.††††...	1.3	*	Å *	*	Å *	*	Å *	*	1.3	2.3
1991.†††.†.††††...	1.4	*	*	Å *	Å *	Å *	*	*	1.6	1.5
1990††.†.††††...	1.4	*	*	Å *	*	*	Å *	*	1.7	*
1989††.†.††††...	1.4	* Å *	*	Å *	*	*	Å *	*	*	
1988.††.†.††††...	1.4	*	Å *	*	*	Å *	* Å *	Å	2.0	
1987.†††.†.††††...	1.2	*	Å *	*	Å *	* Å *	Å *	Å *	*	
1986††.†.††††...	1.3	* Å *	Å *	*	Å	Å *	*	*	Å *	
1985††.†.††††...	1.2	* Å *	Å *	*	*	Å *	*	Å *	*	
1984†††††.†.††††.	1.3	*	Å *	*	Å *	* Å *	Å *	* Å *	*	
1983†††††.†.††††.	1.1	*	Å *	*	Å *	*	Å *	Å *	*	Å *
1982.†††††.†.††††.	1.2	*	Å *	*	Å *	*	Å *	Å *	Å *	*
1981.†††††.†.††††.	1.4	*	*	Å *	Å *	*	Å *	Å *	Å *	*
1980.†††††.†.††††.	1.5	-	0.1	-	-	0.1	0.1	0.6	0.6	0.9
1979†††††.†.††††...	1.6	-	-	-	-	0.1	0.1	0.6	1.0	1.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 25

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
TOTAL, BOTH SEXES										
1996.....	0.3	*	*	*	*	*	*	*	*	0.2
1995.....	0.4	*	*	*	*	*	*	*	*	0.2
1994.....	0.4	*	*	*	*	*	*	*	0.1	0.2
1993.....	0.5	*	*	*	*	*	*	*	0.2	0.2
1992.....	0.5	*	*	*	*	*	*	0.1	0.2	0.3
1991.....	0.5	*	*	*	*	*	*	0.1	0.2	0.4
1990.....	0.6	*	*	*	*	*	*0.1 Ý	0.3	0.3	
1989.....	0.6	*	*	*0	*	*	*	0.Ý	0.3	0.3
1988.....	0.6	*	*	*	*	*	*	*	0.2	0.4
1987.....	0.6	*	*	*	*	*	*	0.Ý	0.2	0.3
1986.....	0.6	*	*	*	*	*	*	*	0.2	0.4
1985.....	0.6	*	*	*	*	*	*	*	0.2	0.3
1984.....	0.6	*	*	*	*	*	*	0.Ý0.1 Ý		0.3
1983.....	0.6	*	*	*0	*	*	*	*	0.Ý	0.2
1982.....	0.6	*	*	*	*	*	*	*	0.2	0.2
1981.....	0.7	*	*	*	*	*	*	0.1	0.Ý	0.3
1980.....	0.7	-	-	-	-	0.0	0.0	0.Ý0.1 Ý		0.2
1979.....	0.7	-	-	-	0.0	0.0	0.0	0.Ý	0.2	0.3
TOTAL, MALE										
1996.....	0.5	*	*	*	*	*	*	*	*	0.2
1995.....	0.5	*	*	*	*	*	*	*	*	0.3
1994.....	0.6	*	*	*	*	*	*	*	*	0.3
1993.....	0.7	*	*	*	*	*	*	*0	0.2	0.3
1992.....	0.7	*	*	*	*	*	*	*	0.2	0.4
1991.....	0.7	*	*	*	*	*0	*	*	0.3	0.6
1990.....	0.7	*	*	*	*	*	*	*	0.4	0.5
1989.....	0.9	*	*	*	*	*	*	*	0.4	0.6
1988.....	0.8	*	*	*	*	*	*	0.3	0.5	
1987.....	0.8	*	*	*	*	*	*0	*	0.4	0.5
1986.....	0.8	*	*	*	*	*	*	*	0.3	0.6
1985.....	0.8	*	*	*0	*	*	*	*	0.3	0.4
1984.....	0.8	*	*	*	*	*	*0	*	*	0.4
1983.....	0.9	*	*	*	*	*	*	*	0.3	
1982.....	0.9	*	*	*	*	*	*	*	0.2	0.4
1981.....	1.0	*	*	*	*	*	*	*	*	0.4
1980.....	1.0	-	-	-	-	0.0	0.0	0.00.1 Ý		0.3
1979.....	1.Ý	-	-	-	0.00	-	0.00.1 Ý	0.2	0.4	

TOTAL, FEMALE

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 27

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										

WHITE MALE

1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	0.2
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	PG	*	*PG	*	*	*	*	*	*	*
1980.....	0.8	-	-	-	-	0.0	-	0.0	0.0	0.1
1979.....	0.9	-	-	-	0.0	-	-	0.0	0.1	0.1

WHITE FEMALE

1996.....	0.2PG	*	*	*	*	*	*P	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*PG	*	*
1992.....	0.3PG	*	*	*PG	*	*	*	*	*	*
1991.....	0.3	*	*	*	*P	*	*	*	*P	*
1990.....	0.3	*	*	*	*P	*	*	*	*P	*
1989.....	0.3PG	*PG	*P	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*P	*	*
1987.....	0.3P	*	*	*	*	*	*PG	*P	*	*
1986.....	0.3	*	*P	*	*	*	*	*	*	*
1985.....	0.3	*	*P	*	*	*	*P	*	*	*
1984.....	0.2PG	*P	*	*	*	*P	*	*	*	*
1983.....	0.3PG	*P	*	*PG	*P	*	*	*	*	*
1982.....	0.3	*	*P	*	*	*	*	*	*	*
1981.....	0.3PG	*P	*	*P	*	*P	*	*	*	*
1980.....	0.3	-	-	-	-	-	0.0	-	0.0	0.0
1979.....	0.3	-	-	-	-	0.0	0.0	0.0	0.0	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
ALL OTHER, BOTH SEXES										
1996.....	0.8	*	*	*	*	*	*	*	*	0.6
1995.....	0.9	*	*	*	*	*	*	*	*	0.7
1994.....	1.0	*	*	*	*	*	*	*	*	0.8
1993.....	1.2	*	*	*	*	*	*	*	0.6	1.0
1992.....	1.3	*	*	*	*	*	*	*	0.8	1.3
1991.....	1.3	*	*	*	*	*	*	*	1.0	1.5
1990.....	1.4	*	*	*	*	*	*	0.6	1.3	1.3
1989.....	1.6	*	*	*	*	*	*	*	1.2	1.3
1988.....	1.4	*	*	*	*	*	*	*	0.7	1.8
1987.....	1.3	*	*	*	*	*	*	*	0.8	1.2
1986.....	1.5	*	*	*	*	*	*	*	0.9	1.7
1985.....	1.4	*	*	*	*	*	*	*	0.8	1.5
1984.....	1.5	*	*	*	*	*	*	0.6	*	1.4
1983.....	1.4	*	*	*	*	*	*	*	*	1.1
1982.....	1.5	*	*	*	*	*	*	*	0.8	1.1
1981.....	1.7	*	*	*	*	*	*	*	*	1.5
1980.....	1.8	-	-	-	-	0.0	0.2	0.3	0.5	1.1
1979.....	1.8	-	-	-	-	0.0	0.2	0.4	0.7	1.7
ALL OTHER MALE										
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	1.5
1992.....	1.8	*	*	*	*	*	*	*	*	1.6
1991.....	1.9	*	*	*	*	*	*	*	1.2	2.2
1990.....	2.0	*	*	*	*	*	*	*	1.9	2.1
1989.....	2.4	*	*	*	*	*	*	*	*	2.5
1988.....	2.0	*	*	*	*	*	*	*	*	2.5
1987.....	1.9	*	*	*	*	*	*	1.5	2.0	
1986.....	2.2	*	*	*	*	*	*	*	1.4	3.2
1985.....	2.0	*	*	*	*	*	*	*	*	2.5
1984.....	2.1	*	*	*	*	*	*	*	*	2.5
1983.....	2.2	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*
1981.....	2.7	*	*	*	*	*	*	*	*	2.3
1980.....	2.6	-	-	-	-	-	0.1	0.2	0.6	2.0
1979.....	2.7	-	-	-	-	-	0.3	0.5	0.9	2.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 29

CAUSE-OF-DEATH CODE, RACE, SEX BND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
ALL OTHER FEMALE										
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	1.1
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	2 *	*	2 *	*	*	*	*	*	*	*
1980.....	1.1	-	-	-	-	0.1	0.2	0.4	0.3	0.3
1979.....	1.0	-	-	-	-	0.1	0.1	0.3	0.5	1.0
BLACK, BOTH SEXES										
1996.....	0.8	*	* 2 *	*	*	*	*	0.8	*	*
1995.....	*	*	* *	*	*	*	*	*	0.9	*
1994.....	1.1 2 *	*	*	*	*	*	*	1.0	*	*
1993.....	1.3	*	*	*	*	*	*	*	0.8	1.2
1992.....	1.5	*	*	*	*	*	*	*	1.1	1.7
1991.....	1.5	*	*	*	*	*	*	*	1.3	1.9
1990.....	1.6	*	*	*	*	*	*	0.7	1.7	1.6
1989.....	1.8	*	*	*	*	*	*	*	1.6	1.7
1988.....	1.5	*	*	*	*	*	*	*	0.8	2.2
1987.....	1.5 2 *	2 *	*	1.0	1.6	*	1.1	2.0	*	*
1986.....	1.7	*	*	*	2 *	*	*	*	*	*
1985.....	1.5	*	*	*	*	*	*	*	1.0	1.8
1984.....	1.6 2 *	*	*	*	0.7	*	*	1.7	*	1.2
1983.....	1.5	*	*	*	*	*	*	*	*	*
1982.....	1.6	*	*	*	*	*	*	*	1.0	*
1981.....	1.9	*	*	* 2 *	*	*	*	1.7	*	*
1980.....	1.9	-	-	-	-	0.0	0.1	0.4	0.6	1.3
1979.....	1.9	-	-	-	-	0.0	0.2	0.4	0.8	2.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)										
BLACK MALE										
1996.....	1.2	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.6	*	*	*	*	*	*	*	*	*
1993.....	1.9	*	*	*	*	*	*	*	*	1.9
1992.....	2.2	*	*	*	*	*	*	*	*	2.1
1991.....	2.2	*	*	*	*	*	*	*	1.6	3.1
1990.....	2.4	*	*	*	*	*	*	*	2.4	2.7
1989.....	2.7	*	*	*	*	*	*	*	2.2	3.3
1988.....	2.3	*	*	*	*	*	*	*	*	3.1
1987.....	2.2	*	*	*	*	*	*	*	1.9	2.7
1986.....	2.5	*	*	*	*	*	*	*	*	3.7
1985.....	2.3	*	*	*	*	*	*	*	*	3.0
1984.....	2.5	*	*	*	*	*	*	*	*	3.3
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.5	*	*	*	*	*	*	*	*	*
1981.....	2.9	*	*	*	*	*	*	*	*	*
1980.....	3.0	-	-	-	-	-	0.1	0.3	0.8	2.4
1979.....	2.9	-	-	-	-	-	0.3	0.6	1.1	3.1
BLACK FEMALE										
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.0	-	-	-	-	0.1	0.1	0.5	0.4	0.4
1979.....	1.0	-	-	-	-	0.1	0.1	0.2	0.6	1.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER TUBERCULOSIS (013-018)										

TOTAL, BOTH SEXES										
1996.....	0.1	*	*	*	*	*	*	†	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	0.1	*
1993.....	0.1	*	*	*	*	*	*	*	*	0.1
1992.....	0.2	*	*	*	*	*	*	*	0.1	0.2
1991.....	0.2	*	*	*	*	*	*	0.1	*	GR.1
1990.....	0.2	*	*	*	*	*	*	*	0.1	0.1
1989.....	0.2	*	*	*	*	*	*	*	0.1	0.1
1988.....	0.2	*	*	*	*	*	*	0.1	0.1	0.1
1987.....	0.1	*	*	*	*	*	*	*	*	0.1
1986.....	0.2	*	*	*	G	*	G	*	0.1	0.1
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	G	*	*	G	*	*	*	*
1983.....	0.2	*	*	*	*	*	G	*	*	0.1
1982.....	0.1	*	*	G	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	G	*
1980.....	0.2	0.1	0.0	0.0	GR.0	G	0.0	G	0.0	0.1
1979.....	0.2	GR.0	0.1	0.0	0.0	G	0.0	0.0	G	0.1
TOTAL, MALE † † †† ††										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	0.3
1991.....	0.2	G	*	G	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	GR.2
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	G	*	G	*	0.2
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	G	*	*	*	*	*	*	G	*
1980.....	0.2	0.1	0.1	0.0	0.0	-	0.0	-	0.1	0.1
1979.....	GR.2	0.1	0.1	-	0.0	0.0	0.0	0.0	0.1	0.1

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 33

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER TUBERCULOSIS (013-018)										
WHITE MALE										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	0.1	-	0.0	-	-	-	-	0.0	0.0
1979.....	0.1	0.1	0.0	-	-	-	0.0	0.0	0.0	0.0
WHITE FEMALE										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
1983.....	0.1	*	*	*	*	*	*	*	*	*
1982.....	0.1	*	*	*	*	*	*	*	*	*
1981.....	0.1	*	*	*	*	*	*	*	*	*
1980.....	0.1	-	0.0	-	-	0.0	-	-	0.0	0.1
1979.....	0.1	-	0.1	0.0	-	0.0	0.0	0.0	-	0.1

ALL OTHER, BOTH SEXES		ES ‡‡‡								
1996.....	0.3	*	*	*	*	*	*	*	*	
1995.....	0.3	*	*	*	*	*	*	*	*	
1994.....	0.4	*	*	*	*	*	*	*	*	
1993.....	0.4	*	*	*	*	*	*	*	*	
1992.....	0.4	*	*	*	*	*	*	*	0.8	
1991.....	0.4	*	*	*	*	*	*	*	*	
1990.....	0.5	*	*	*	*	*	*	0.36‡	*	
1989.....	0.5	*	*	*	*	*	*	*	*	
1988.....	0.36‡	*	*	*	*	*	*	0.3	0.8	
1987.....	0.5	*	*	*	*	*	*	*	*	
1986.....	0.5	*	*	*	*	*	*	*	0.7	
1985.....	0.5	*	*	*	*	*	*	*	*	
1984.....	0.5	*	*	*	*	*	*	*	*	
1983.....	0.5	*	*	*	*	*	*	*	*	
1982.....	0.5	*	*	*	*	*	*	*	*	
1981.....	0.5	*	*	*	*	*	*	*	*	
1980.....	0.5	0.2	0.2	0.1	0.0	0.0	0.0	0.3	0.3	0.4
1979.....	0.5	—	0.1	—	0.0	0.0	0.0	0.3	0.4	0.5
ALL OTHER MALE ‡‡ ‡‡ ‡‡‡ ‡‡										
1996.....	0.3	*	*	*	*	*	*	*	*	
1995.....	0.3	*	*	*	*	*	*	*	*	
1994.....	0.4	*	*	*	*	*	*	*	*	
1993.....	0.4	*	*	*	*	*	*	*	*	
1992.....	0.5	*	*	*	*	*	*	*	*	
1991.....	0.4	*	*	*	*	*	*	*	*	
1990.....	0.7	*	*	*	*	*	*	*	*	
1989.....	0.36‡	*	*	*	*	*	*	*	*	
1988.....	0.36‡	*	*	*	*	*	*	*	*	
1987.....	0.5	*	*	*	*	*	*	*	*	
1986.....	0.5	*	*	*	*	*	*	*	*	
1985.....	0.5	*	*	*	*	*	*	*	*	

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 36

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER TUBERCULOSIS (013-018)										

BLACK MALE

1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	72	*
1990.....	0.7	*	*	*	7	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	7	*	*	7	*
1987.....	0.6	*	*	*	*	*	7	*	*	72
1986.....	0.6	*	7	*	*	*	72	72	7	*
1985.....	0.6	*	*	7	*	72	7	*	7	*
1984.....	0.7	*	7	*	*	7	*	72	7	*
1983.....	0.6	*	*	*	*	72	7	*	*	7
1982.....	0.6	*	7	*	72	7	*	*	7	*
1981.....	0.6	*	*	7	*	72	7	*	72	7

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

WHOOPING COUGH (033)

WHITE MALE

1996....†††.	*	*	*	*	*	*	*	*	*	*
1995††.††.†...	*	*	*	*	*	*	*	*	*	*
1994††.†.††.†.	*	*	*	*	*	*	*	*	*	*
1993††.†.†††.†	*	*	*	*	*	*	*	*	*	*
1992††.†.††††.	*	*	*	*	*	* EA	*	*	*	*
1991.††.†.†††...†	*	*	*	* E	*	*	*	*	*	*
1990.††.†.†††....	*	*	*	*	*	* EA	* E	*	*	*
1989††.†.†††....	*	*	*	*	*	*	*	*	*	*
1988.††.†.†††....	*	*	* E	*	* E	*	*	*	*	* E
1987.††.†.†††....	*	* E	*	*	*	* E	*	*	*	* E
1986††.†.†††....	*	*	*	*	*	*	* E	* E	*	*
1985†††.†.†††....	*	*	*	*	* EA	*	*	*	*	*
1984†††.†.†††....	* EA	*	*	* E	*	*	*	* E	*	*
1983†††.†.†††....	*	*	* E	* E	* E	*	*	*	* E	*
1982†††.†.†††....	*	*	* E	*	*	*	* E	*	* E	*
1981.†††.†.†††...	*	*	* EA	* EA	* E	*	*	*	*	*
1980.†††.†.†††...	0.0	0.2	0.0	-	-	-	-	-	-	-
1979††.†.†††....	-	-	-	-	-	-	-	-	-	-

WHITE FEMALE

1996.††.†.†††....	*	*	*	*	*	*	*	* E	*	* E
1995††††.†.†††....	* E	*	*	*	*	*	*	*	* E	* E
1994††.†.†††....	* EA	* E	*	* EA	* E	* E	*	*	* E	* E
1993††††.†.†††....	* EA	* E	*	* E	*	*	* E	*	*	*
1992††††.†.†††....	* EA	* E	*	*	*	* EA	* E	*	*	*
1991.††††.†.†††..	*	*	*	*	* E	*	*	* E	*	*
1990.††††.†.†††..	* E	*	*	*	* EA	* E	* E	*	*	*
1989†††.†.†††....	*	* E	*	*	* E	* EA	* E	*	*	*
1988††.†.†††....	* E	*	* E	*	*	*	*	*	* E	*
1987.†††.†.†††....	*	*	* E	* E	*	*	* E	*	*	* E
1986†††.†.†††....	EA	* E	*	* E	* E	*	* E	*	* E	*
1985†††††.†.†††..	* E	* E	* EA	* E	* EA	* E	* E	*	*	*
1984††.†.†††....	* E	*	*	*	*	* E	* E	* E	*	*
1983††.†.†††....	* E	*	*	*	*	* E	* E	* E	* E	*
1982†††††.†.†††..	* E	*	* E	*	* E	*	* E	*	* E	*
1981.†††††.†.†††.	*	*	*	*	* E	* E	*	* E	* E	* E
1980.†††††.†.†††.	0.0	0.3	-	-	-	-	-	-	-	-
1979†††.†.†††....	E	0.0	0.3	-	-	-	-	-	-	-

[illegible]

1996.....	*		*		*		*		*		*		*		*		*		*
1995.....	*		*		*		*		*		*		*		*		*		*
1994.....	*		*		*		*		*		*		*		*		*		*
1993.....	*		*		*		*		*		*		*		*		*		*
1992.....	*		*		*	LE		*	L		*		*		*		*		*
1991.....	*	LE LE	L	*		*		L		*		*	L	*		*	L	*	
1990.....	*		*		*	L		*		*		*		*		*		L	*
1989.....	*		*		*			*	LE L		*		LE L		*	LE L	*		
1988.....	*		*	L	*	LE L		*	LE L		*		*		L	*	L	*	
1987.....	*	L	*	L	*	L		*	L		*	L	*		L	*	L	*	L
1986.....	*		*	L	*	L		*	L		*	L	*		L	*	L	*	L
1985.....	*		*		*			*			*		*		*		L	*	
1984.....	*		*		*			*			*	L	*		*		*	LE L	
1983.....	*		*		*	L		*	L		*		L	*	*	L	*	L	
1982.....	*		*		*	L		*	L		*		L	*	*	L	*	L	
1981.....	*	L		L	*			*			*		*		L	*		*	
1980.....	0.0		0.5		-			-			-		-		-		-		
1979.....	0.0		0.3		-			-			-		-		-		-		

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 41

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
WHOOPIING COUGH (033)										
ALL OTHER FEMALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	LE	*	L	*	*	*	*
1991.....	*	LE LE L	*	*	L	*	*	L	*	*
1990.....	*	*	*	L	*	*	*	*	*	*
1989.....	0	*	*	LE L	*	LE L	*	LE L	*	*
1988.....	*	*	L	LE L	*	LE L	*	L	*	L
1987.....	*	L	*	L	*	L	*	L	*	*
1986.....	*	*	L	L	*	L	*	L	*	*
1985.....	*	*	*	*	*	*	*	*	L	*
1984.....	0	*	*	*	*	L	*	*	LE L	*
1983.....	0	*	*	L	*	L	*	L	*	L
1982.....	*	L	*	L	*	*	L	*	*	*
1981.....	*	L	*	L	*	L	*	L	*	L
1980.....	0.0	1.0	-	-	-	-	-	-	-	-
1979.....	0.0	0.7	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES										
1996.....	0	*	*	*	L	*	L	*	*	*
1995.....	0	* L	*	*	LE L	*	L	*	LE L	*
1994.....	0	*	*	*	L	*	L	*	L	*
1993.....	0	*	*	*	L	*	L	*	*	L
1992.....	0	*	*	L	*	L	*	L	*	*
1991.....	*	L	*	*	L	*	LE L	*	*	L
1990.....	*	*	*	L	*	*	*	L	*	L
1989.....	0	*	*	L	*	*	L	*	*	L
1988.....	0	*	*	L	*	*	L	*	L	*
1987.....	0	*	*	L	LE L	*	L	*	L	*
1986.....	0	LE L	*	LE L	*	L	*	L	*	*
1985.....	*	L	*	L	*	L	*	L	*	L
1984.....	*	*	L	L	*	L	*	L	*	L
1983.....	*	*	L	L	*	*	L	*	L	LE L
1982.....	0	*	L	*	L	*	L	*	L	LE L
1981.....	*	L	*	L	LE L	*	L	LE L	*	L
1980.....	0.0	0.6	-	-	-	-	-	-	-	-
1979.....	0	0.0	0.4	-	-	-	-	-	-	-

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 43

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)										

TOTAL, BOTH SEXES

1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	* D	* D D	*	* D	* D D	*	* D D	* D	*
1993.....	* D D	*	* D	* D D	*	* D	* D	* D D	*	*
1992.....	* D	* D	* D	* D	* D	* D	* D D	*	* D	*
1991.....	* D	* D	* D E G	*	* D	* D	* D	* D	* D	*
1990.....	*	*	* D	*	* D	* D	* D D	* D	* D	*
1989.....	*	* D	*	*	* D	E	* D	* D E	* D	* D E *
1988.....	* D E G	* D	E	* D	* D E	*	*	E G E G E	* D	*
1987.....	* D E	* D	* D	* D	E G E	* D E	* D	E G E	*	E
1986.....	*	E	* D	* D	E G E	* D E	* D	*	E	* D E
1985.....	*	* D	*	* D	* D	*	*	E	* E	* D E
1984.....	* D D	*	* D	* D	* D	*	*	* D	* D	* D E
1983.....	*	* D	* D E G	E	*	*	E	* D E	* D	* E
1982.....	*	E	* D	E	*	*	* D	* D E	* D	* D
1981.....	* D E	* D E	* D E	*	E	*	E	* D E	*	E *
1980.....	0.0	0.0	-	-	0.0	-	-	-	-	0.0
1979.....	0.0	0.1	0.0	0.0	0.0	0.0	-	-	0.0	-

TOTAL, MALE

1996.....	*	* E	*	* D	* D D	* D D	* D	* D	* D	*
1995.....	* D	* D	* D	* D	* D	* D E	*	* D	* D E	* D E
1994.....	* D D	* D	* D E	* D D	* D	E G E	*	* D	* D	*
1993.....	*	* D	* D E	*	E	*	E	* D E	* D	* D
1992.....	* D D	* D E	* D	* D D	* D E	* D E	*	*	E	*
1991.....	* D E	* E	* D	* D	* D E	* D E	*	* D	* D E	*
1990.....	* D	* D	* D E G	E	* D D	* D E	*	E	* D D	*
1989.....	* D	* D E	* D	* D E	* D E G	E	* D	* D	* D E	* D
1988.....	* D	* D E	*	* D	* D E	* D D	* D E	* D E	*	*
1987.....	*	* D	* D E	* D	* D	* D E	* D E	*	* D	* D E
1986.....	D D	* D E	*	* E	* E G E	* D	* D E	* D E	* D	*
1985.....	* D E G	E	* D E G	E	* D E	* D	* D	* D E	* E	*
1984.....	* D	* D	* D E	* D E	*	*	* D	* D E	*	E *
1983.....	* D D	* D E	*	* D	* D E	* D	* D	* D E	* D E	*
1982.....	* D	* D E	* D E G	E	* D E	* D E	* D D	* D E	*	*
1981.....	* D E	* D E	*	* D E	* D E	*	E	* D	* D	* D E *
1980.....	0.0	0.1	-	-	0.0	-	-	-	-	-
1979.....	D	0.0	0.1	0.0	-	0.0	-	-	0.0	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 44

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)										

TOTAL, FEMALE

1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	* D	* D D	*	* D	* D D	*	* D D	*	* D
1993.....	* D D	*	* D	* D D	*	* D	* D	* D D	*	*
1992.....	* D	* D	* D	* D	* D	* D	* D D	*	* D	*
1991.....	* D	* D	* D E G	*	* D	* D	* D	* D	* D	*
1990.....	*	*	* D	*	* D	* D	* D D	* D	* D	*
1989.....	*	* D	*	*	* D E	* D	* D	* D E	* D	* D E *
1988.....	* D E G	* D	E	* D	* D E	*	*	E G E G E	* D	*
1987.....	* D E	* D	* D	* D E G E	* D E	* D E	* D	* D	E G E	* E
1986.....	*	* E	* D	* D E G E	E	* D E	* D	*	*	* D E
1985.....	*	* D	*	* D	* D D	*	*	* E	* E	* D E
1984.....	* D D	*	* D	* D	* D	*	*	* D	* D	* D E
1983.....	*	* D	* D E G E	*	*	E	* D E	* D E	* D	* E
1982.....	*	* E	* E	*	*	* D	* D E	* D	*	* D
1981.....	* D E	* D E	* D E	* E	*	E	* D E	* D E	*	* E *
1980.....	0.0	-	-	-	-	-	-	-	-	0.0
1979.....	0.0	-	-	0.0	0.0	0.0	-	-	-	-

WHITE, BOTH SEXES

1996.....	*	* E	*	* D	* D D	* D D	* D	* D	* D	*
1995.....	* D	* D	* D	* D	* D	* D E	*	* D	* D E	* D E
1994.....	* D D	* D	* D E	* D D	* D	E G E	*	* D	* D	*
1993.....	*	* D	* D E	*	E	*	E	*	* D E	* D
1992.....	* D D	* D E	* D	* D D	* D E	* D E	*	*	E	*
1991.....	* D E	* E	* D	* D	* D E	* D E	*	* D	* D E	*
1990.....	* D	* D	* D E G E	* D D	* D E	* D E	*	E	* D D	*
1989.....	* D	* D E	* D	* D E	* D E G E	* D	* D	* D	* D E	* D
1988.....	* D	* D E	*	* D	* D E	* D D	* D E	* D E	*	*
1987.....	*	* D	* D E	* D	* D	* D E	* D E	*	* D	* D E
1986.....	D D	* D E	*	* E	* E G E	* D	* D E	* D E	* D	*
1985.....	* D E G E	* D	E G E	* D E	* D	* D	* D	* D E	* E	*
1984.....	* D	* D	* D E	* D E	*	* D	* D E	*	* E	* E
1983.....	* D D	* D E	*	* D	* D E	* D	* D E	* D E	* D E	*
1982.....	* D	* D E	* D E G E	* D E	* D E	* D E	* D D	* D E	*	*
1981.....	* D E	* D E	*	* D E	* D E	*	E	* D	* D	* D E *
1980.....	0.0	-	-	-	0.0	-	-	-	-	0.0
1979.....	D	0.0	0.1	0.0	0.0	0.0	-	-	0.0	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)										
WHITE MALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	0.0	-	-	-	-	-
1979.....	0.0	0.1	0.0	-	-	-	-	-	0.0	-
WHITE FEMALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	*	*	*	*	*	*	*	*	*	*
1988.....	*	*	*	*	*	*	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	*	*	*	*	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*	*	*	*
1984.....	*	*	*	*	*	*	*	*	*	*
1983.....	*	*	*	*	*	*	*	*	*	*
1982.....	*	*	*	*	*	*	*	*	*	*
1981.....	*	*	*	*	*	*	*	*	*	*
1980.....	0.0	-	-	-	-	-	-	-	-	0.0
1979.....	0.0	-	-	0.0	0.0	0.0	-	-	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 46

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)										

ALL OTHER, BOTH SEXES

1996..... T T .	*	*	*	*	*	*	*	*	*	*
1995 T . T	*	*	*	*	*	*	*	*	*	*
1994 T . . T . . .	*	*	*	*	*	*	*	*	*	*
1993 T . . T . . .	*	*	*	*	*	*	*	*	*	*
1992 T . . T . . .	*	*	*	*	*	*	*	*	*	*
1991. T	*	*	*	*	*	*	*	*	*	*
1990. T	*	*	*	*	*	*	*	*	*	*
1989 T	*	*	*	*	*	*	*	*	*	*
1988 T	*	*	*	*	*	*	*	*	*	*
1987. T	*	*	*	*	*	*	*	*	*	*
1986 T	*	*	*	*	*	*	*	*	*	*
1985 T	*	*	*	*	*	*	*	*	*	*
1984 T	*	*	*	*	*	*	*	*	*	*
1983 T	*	*	*	*	*	*	*	*	*	*
1982 T	*	*	*	*	*	*	*	*	*	*
1981. T	*	*	*	*	*	*	*	*	*	*
1980. T	0.0	0.2	-	-	-	-	-	-	-	-
1979 T	0.0	-	-	-	0.0	-	-	-	-	-

ALL OTHER MALE

1996. T	*	*	*	*	*	*	*	*	*	*
1995 T	*	*	*	*	*	*	*	*	*	*
1994 T	*	*	*	*	*	*	*	*	*	*
1993 T	*	*	*	*	*	*	*	*	*	*
1992 T	*	*	*	*	*	*	*	*	*	*
1991. T	*	*	*	*	*	*	*	*	*	*
1990 T	*	*	*	*	*	*	*	*	*	*
1989 T	*	*	*	*	*	*	*	*	*	*
1988 T	*	*	*	*	*	*	*	*	*	*
1987. T	*	*	*	*	*	*	*	*	*	*
1986 T	*	*	*	*	*	*	*	*	*	*
1985 T	*	*	*	*	*	*	*	*	*	*
1984 T	*	*	*	*	*	*	*	*	*	*
1983 T	*	*	*	*	*	*	*	*	*	*
1982 T	*	*	*	*	*	*	*	*	*	*
1981. T	*	*	*	*	*	*	*	*	*	*
1980. T	0.0	0.3	-	-	-	-	-	-	-	-
1979 T	0.0	-	-	-	0.1	-	-	-	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 47

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)										

ALL OTHER FEMALE

1996...	T	T	T	.	*	*	*	*	*	*
1995	T	.	T	...	*	*	*	*	*	*
1994	T	.	.	T	...	*	*	*	*	*
1993	T	.	.	T	...	*	*	*	*	*
1992	T	.	.	T	...	*	*	*	*	*
1991.	T	.	.	T	...	*	*	*	*	*
1990.	T	*	*	*	*	*	*
1989	T	*	*	*	*	*	*
1988.	T	*	*	*	*	*	*
1987.	T	*	*	*	*	*	*
1986	T	*	*	*	*	*	*
1985	T	*	*	*	*	*	*
1984	T	*	*	*	*	*	*
1983	T	*	*	*	*	*	*
1982	T	*	*	*	*	*	*
1981.	T	*	*	*	*	*	*
1980.	T	-	-	-	-	-	-
1979	T	-	-	-	-	-	-

BLACK, BOTH SEXES

1996.	T	*	*	*	*	*	*
1995	T	*	*	*	*	*	*
1994	T	*	*	*	*	*	*
1993	T	*	*	*	*	*	*
1992	T	*	*	*	*	*	*
1991.	T	*	*	*	*	*	*
1990.	T	*	*	*	*	*	*
1989	T	*	*	*	*	*	*
1988	T	*	*	*	*	*	*
1987.	T	*	*	*	*	*	*
1986	T	*	*	*	*	*	*
1985	T	*	*	*	*	*	*
1984	T	*	*	*	*	*	*
1983	T	*	*	*	*	*	*
1982	T	*	*	*	*	*	*
1981.	T	*	*	*	*	*	*
1980.	T	0.0	-	-	-	-	-
1979	T	0.0	-	-	-	-	-

BLACK MALE

BLACK FEMALE

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 49

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENINGOCOCCAL INFECTION (036)										
TOTAL, BOTH SEXES										
1996.....	0.1	1.0	0.3	*	0.1	0.2	*	*	*	*
1995.....	0.1	1.0	0.3	*	*	0.2	*	*	*	*
1994.....	0.1	1.2	0.3	*	*	.9.2	0.1	*	*	*
1993.....	0.1	1.2	.9.2	*	*	0.2	0.1	*	*	*
1992.....	0.1	0.8	0.3	*	*	0.2	*	*	*	*
1991.....	0.1	1.1	0.3	*	*	0.1	*	*	*	*
1990.....	0.1	1.3	0.3	*	*	0.1	*	*	*	*
1989.....	0.1	1.5	0.3	*	*	0.2	*	*	*	*
1988.....	0.1	1.9	.9.5	*	*	*	*	*	*	*
1987.....	0.1	1.8	0.5	*	*	*	*	*	*	*
1986.....	0.1	1.7	0.4	*	*	0.1	*	*	*	*
1985.....	0.1	1.9	0.4	*	*	*	*	*	*	*
1984.....	0.1	1.8	0.5	*	*	0.1	*	*	*	*
1983.....	0.1	1.7	.9.6	*	*	*	*	*	*	*
1982.....	0.2	2.6	0.6	*	*	.9.2	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 50

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENINGOCOCCAL INFECTION (036)										
TOTAL, FEMALE										
1996.....	0.1	*	0.3	*	*	*	*	*	*	*
1995.....	0.1	*	0.3	*	*	*	*	*	*	*
1994.....	0.1	1.2	0.4	*	*	*	*	*	*	*
1993.....	0.1	1.3	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	*	0.3	*	*	*	*	*	*	*
1990.....	0.1	1.2	0.3	*	*	*	*	*	*	*
1989.....	0.1	1.6	0.3	*	*	*	*	*	*	*
1988.....	0.1	1.7	0.4	*	*	*	*	*	*	*
1987.....	0.1	1.3	0.5	*	*	*	*	*	*	*
1986.....	0.1	1.4	0.4	*	*	*	*	*	*	*
1985.....	0.1	1.3	0.4	*	*	*	*	*	*	*
1984.....	0.1	1.7	0.5	*	*	*	*	*	*	*
1983.....	0.1	1.3	0.5	*	*	*	*	*	*	*
1982.....	0.2	2.0	0.5	*	*	*	*	*	*	*
1981.....	0.2	3.1	0.7	*	*	*	*	*	*	*
1980.....	0.2	1.9	0.6	0.1	0.1	0.1	0.0	0.1	0.1	0.0
1979.....	0.1	2.0	0.6	0.1	0.1	0.1	0.0	0.1	0.0	0.1
WHITE, BOTH SEXES										
1996.....	0.1	1.0	0.3	*	*	0.2	*	*	*	*
1995.....	0.1	1.0	0.2	*	*	0.2	*	*	*	*
1994.....	0.1	1.3	0.4	*	*	*	0.1	*	*	*
1993.....	0.1	1.2	0.2	*	*	0.2	*	*	*	*
1992.....	0.1	0.9	0.3	*	*	0.2	*	*	*	*
1991.....	0.1	1.1	0.3	*	*	0.1	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENINGOCOCCAL INFECTION (036)										
WH. E MALE										
1996.....	0.1	*	*	*	*	0.3	*	*	*	*
1995.....	0.1	1.5	*	*	*	*	*	*	*	*
1994.....	0.1	1.3	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.1	1.3	0.3	*	*	*	*	*36	*	*
1990.....	0.1	1.2	*	*36	*	*3	*	*3	*	*
1989.....	0.1	1.4	*	*	*	*3	*	*	*	*
1988.....	0.1	2.0	0.4	*	*	*	*	*	*	*
1987.....	0.1	2.4	0.5	*	*3	*	*	*	*	*
1986.....	0.1	2.0	0.436	*	*	*	*	*	*	*
1985.....	0.1	2.5	0.5	*	*	*	*	*	*	*
1984.....	0.1	2.1	0.536	*	*	*	*	*	*	*
1983.....	0.1	2.0	0.736	*	*	*	*	*	*	*
1982.....	0.1	3.3	0.636	*	*	*	*	*	*	*
1981.....	0.2	3.9	0.8	*	*	*	*	*	*3	*
1980.....	0.2	2.43	1.0	0.1	0.1	0.1	0.0	0.1	0.0	0.0
1979.....	0.2	3.6	0.9	0.1	0.0	0.1	0.1	0.0	0.1	0.1
WH. E FEMALE										
1996.....	0.1	*	0.436	*	*	*	*	*	*3	*
1995.....	0.1	*	*	*	*	*	*	*3	*	*
1994.....	0.1	1.4	0.4	*	*	*	*3	*	36	*
1993.....	0.1	1.5	*	3	*	*3	*	36	*	*
1992.....	0.1	*	3	*	*	*	*3	*	36	*
1991.....	0.1	*	*3	*	36	*	*	3	*	*
1990.....	0.1	*	3	*	*	*	*3	*	3	*3
1989.....	0.1	1.4	*	*3	*	*	*	*	*3	*
1988.....	0.1	1.6	0.4	*	36	*	3	*	*	3
1987.....	0.1	*	3	*	*3	*	*	*3	*	*
1986.....	0.1	*	0.43	*	*3	36	*	*	*3	*
1985.....	0.1	*	0.43	*	36	36	*	*	*	*
1984.....	0.1	1.9	0.4	*	*	*3	*	*	*3	36
1983.....	0.1	*	0.43	*	36	3	*	*3	*	*
1982.....	0.1	2.1	0.5	*	3	*	3	*	*3	3
1981.....	0.2	3.3	0.6	0.43	*	3	*	*	*	*
1980.....	0.1	1.8	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
1979.....	0.1	2.0	0.6	0	0.0	0.1	0.1	0.0	0.0	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 52

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENINGOCOCCAL INFECTION (036)										
ALL OTHER, BOTH SEXES										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	ED	*	*	*	E	*	ED	*
1991.....	0.1	*	E	*	*	*	E	*	E	*
1990.....	0.1	*	E	*	*	E	*	E	*	*
T89.....	0.2	*	E	*	*	E	*	E	*	E
1988.....	0.2	*	0.8	*	*	*	*	*	*	*
1987.....	0.2	*	0.9	*	E	*	E	*	E	*
1986.....	0.2	*	E 0.8	*	E	*	*	*	E	*
1985.....	0.1	*	E	*	*	*	*	*	*	*
1984.....	0.2	*	0.8	*	E	*	ED	*	*	*
1983.....	0.2	*	E 0.8	*	E	*	*	*	*	*
1982.....	0.2	*	E	*	E	*	*	*	*	*
1981.....	0.2	*	E 0.9	*	E	*	E	ED	ED	E
1980.....	0.3	2.7	1.2	0.1	0.2	0.2	0.0	0.1	-	0.1
1979.....	0.3	1.7	1.2	0.2	0.1	0.2	0.3	0.1	0.2	0.2
ALL OTHER MALE										
1996.....	0.2	*	*	*	E	*	E	ED	E	*
1995.....	0.2	*	E	*	ED	E	*	E	*	E
1994.....	0.1	ED	E	*	*	ED	E	*	E	*
1993.....	0.2	*	E	*	*	E	*	E	*	E
1992.....	*	*	E	*	E	*	E	*	E	*
1991.....	*	*	E	*	E	*	E	*	E	*
1990.....	0.2	*	E	*	*	E	*	E	*	*
1989.....	0.1	E	*	E	*	E	*	E	*	*
1988.....	0.2	*	E	*	E	*	E	*	E	*
T87.....	0.2	*	E	*	*	*	*	*	*	*
T86.....	0.2	*	E	**	*	*	*	*	E	*
1985.....	0.1	E	*	E	*	*	*	*	*	*
1984.....	0.2	*	*	E	*	E	*	*	*	*
1983.....	0.2	*	E	*	E	*	*	ED	E	*
1982.....	0.3	*	E	*	E	*	*	*	E	*
1981.....	0.3	*	E	*	E	ED	E	*	ED	E
1980.....	0.3	2.8	1.4	0.1	E 0.2	0.2	0.1	0.2	-	0.1
1979.....	0.4	1.3	1.9	0.1	0.1	0.2	0.5	0.1	0.3	0.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 53

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENINGOCOCCAL INFECTION (036)										
ALL OTHER FEMALE										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1 Tw0.....	*	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1 87.....	0.1	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	2.5	1.0	0.2	0.1	0.2	-	0.1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENINGOCOCCAL INFECTION (036)											
BLACK MALE											
1996.....		0.2	*	*	*	*	*	*	*	*	*
1995.....		0.2	*	*	*	*	*	*	*	*	*
1994.....		0.1	*	*	*	*	*	*	*	*	*
1993.....		0.2	*	*	*	*	*	*	*	*	*
1992.....		*	*	*	*	*	*	*	*	*	*
1991.....		*	*	*	*	*	*	*	*	*	*
1990.....		0.2	*	*	*	*	*	*	*	*	*
1989.....		0.2	*	*	*	*	*	*	*	*	*
1988.....		0.3	*	*	*	*	*	*	*	*	*
1987.....		0.3	*	*	*	*	*	*	*	*	*
1986.....		0.2	*	*	*	*	*	*	*	*	*
1985.....		*	*	*	*	*	*	*	*	*	*
1984.....		0.3	*	*	*	*	*	*	*	*	*
1983.....		0.3	*	*	*	*	*	*	*	*	*
1982.....		0.3	*	*	*	*	*	*	*	*	*
1981.....		0.3	*	*	*	*	*	*	*	*	*
19890rg	0.3	2.2	1.4	0.1	0.2	0.3	0.1	0.3	-	0.2	
19RA.....		0.4	1.5	2.0	0.2	0.1	0.2	0.6	0.1	0.2	0.3
1996.....		0.1	*	*	*	*	*	*	*	*	*
1995..rg	0.1	*	*	*	*	*	*	*	*	*	
1994..rg	*	*	*	*	*	*	*	*	*	*	
1993..rg	0.1	*	*	*	*	*	*	*	*	*	
1992..rg	*	*	*	*	*	*	*	*	*	*	
1991..rg	*	*	*	*	*	*	*	*	*	*	
1990.....		*	*	*	*	*	*	*	*	*	*
1989.....		0.2	*	*	*	*	*	*	*	*	*
1987..rg	0.2	*	*	*	*	*	*	*	*	*	1988..rg
1986.....		0.2	*	*	*	*	*	*	*	*	*
955..r.....		0.2	*	*	*	*	*	*	*	*	*
1983..r.....		0.2	*	*	*	*	*	*	*	*	*
1982..r.....		0.2	*	*	*	*	*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

TOTAL, BOTH SEXES

1996.....†.	8.1	5.3	0.5	0.1	*	0.2 g .2 g	0.4	0.9	1.1	
1995†.†.†...	8.0	5†7	0.5 g .2 g	0.1	0.2	0.3 g .5 g	0.8	1.2		
1994†.†.†.†.	7.8	5.7 g .36>1	0 0	0.2 g	0.3	0.4	0.9	1.1		
1993†.†.†.†.†	8.0	5†9	0.36>	0.2 g	0 1	0.1	0.2 g .5	0.8	1.3 g	
1992†.†.†.†.†.	7.7	5.6	0.5	0.1	0 0 g .2	0.3	0.5 g .8	1.2		
1991.†.†.†.†.†....	7.8	6.6 g .3	0.1	*	0.2	0.3 g .3 g .8	1.3 g			
1990.†.†.†.†.†....	7.7 g	6.8	0.7 g	0.2	*	0.2	0.3 g	0.5 g	0.9	1.3
1989†.†.†.†.†....	7.8	7.5 g	0.36>	*	*	0.2 g .3 g	0.3	0.9	1.4	
1988†.†.†.†.†....	8.36>	6.5 g	0 36>	0 2 g	0.1	0.2 g	0.3 g	0 5 g	0.9	1.3
1987.†.†.†.†.†....	8.2 g	6.9	0.36>	0.2 g	0.1	0.2 g	0.3 g	0.5 g	0.8	1.2 g
1986.†.†.†.†.†....	7.8	8.2 g	0.6 g	0.1	0 1	0 2 g	0.2 g	0.4	0.8	1.1
1985††.†.†.†.†....	7.2	8.2	0.36>	0.1	*	0.2 g	0.2	0.4	0.7 g	1.0
1984††.†.†.†.†....	6.4	8.3 g	0.5	0.2 g	*	0 1	0.4 g .4	0.6 g	1.0	
1983††.†.†.†.†....	5†7	8.3	0.3	*	* g .2 g	0.2 g	0.4	0.4	0.7 g	
1982††.†.†.†.†....	5†0	7.5	0.3	*	* g	0.2 g .2 g	0.3	0.5 g	0.7 g	
1981.††.†.†.†.†....	4†36>	8.3 g .7 g	*	*	0.2 g	0 2	0.4 g	0.3	0.8	
1980.††.†.†.†.†....	4†2 g	6.8	0.3 >1	0.1 >1 g	.2 g	0.4	0.4	0.8		
1979†.†.†.†.†....	3†36>	7.36>	0.5 g	0 0 g	0.1	0.2 g	0.2	0.3 g	0.4	0.36>

TOTAL, MALE

1996.†.†.†.†.†....	7 0 g	5†9	0.3	*	*	*	0.2 g	0.4	1.0	1.2
1995†††.†.†.†.†....	7.0	5†7 g .5	*	*	*	*	0.3	0.9	1.3	
1994†††.†.†.†.†....	6.9	5.8	0.36>	*	*	* g	0.2 g	0.4	1.1	1.3
1993†.†.†.†.†....	7.1	6.0	0.3	* g	*	*	0 2 g .3 g	1.0	1.5 g	
1992†††.†.†.†.†....	6.9	6.0	0.4 g	*	*	*	0.3 g .3 g	0.9	1.4	
1991†.†.†.†.†....	7.0	7.0	0.7	*	*	*	0.2 g	0.3 >	0.8	1.5
1990.†††.†.†.†.†....	7.0	7.4	0.8	0.2	*	*	0.3 g	0.6 g	1.2 g	1.7 g
1989††.†.†.†.†....	7.1	8.2 g .7	* g	*	* g	0.3 g	0.7 g	1.1	1.8	
1988.†.†.†.†.†....	7.7	7 0	0.36>	*	* g	0.2 g	0.2	0.5 g	1.0	1.36>
1987†.†.†.†.†....	7.36>	7.4	0.7	* g	* g .2 g	0 3 g	0.5 g	1.0	1.4	
1986.††.†.†.†.†....	7.5	9†5 g	0 7 g	* g	*	0.2	0.2 g	0.5 g .9	1.3	
1985††††.†.†.†.†..	6.9	9.5 g .8	*	* g	*	0.2 g .4	0.7	1.2 g		
1984††††.†.†.†.†..	6.2 g	9†4	0.5 g	* g	*	0 3	0.5 g	0.8	1.1	
1983††††.†.†.†.†..	5.36>	9†36>	0.7 g	*	*	0.2	0.2 g .3	0.4 g	0.9	
1982††††.†.†.†.†..	4†9	8.4	0.3	* g	*	*	0.3	0.3	0.7 g	
1981.†††.†.†.†.†..	4†5 g	8.36>	0.7	* g	*	*	0.4 g	0 7 g	0.9	
1980.††††.†.†.†.†..	4.3	8.4 g .7 g	.2 g	0.1 >1 g	0.2 g	0.4	0.4 g	0.8		
1979††.†.†.†.†....	3†3	7 9	0.5 g	0.1 >1 g	0.2 g	0.2 g	0.3 g	0.5	0.3	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 56

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SEPTICEMIA (038)										
TOTAL, FEMALE										
1996.....	9.0	4.6	0.5	*	*	*	*	0.5	0.7	0.9
1995.....	8.9	5.8	0.5	*	*	0.2	0.3	0.4	0.7	1.1
1994.....	8.7	5.7	0.6	*	*	*	0.3	0.4	0.7	0.9
1993.....	8.9	5.9	0.6	0.3	*	*	*	0.5	0.6	1.2
1992.....	8.5	5.2	0.6	*	*	*	0.3	0.4	0.7	1.1
1991.....	8.6	6.2	0.5	*	*	*	0.3	0.5	0.7	1.0
1990.....	8.3	6.1	0.5	*	*	*	0.3	0.5	0.6	0.8
1989.....	8.6	6.8	0.6	*	*	0.2	0.3	0.5	0.8	1.0
1988.....	9.4	6.0	0.6	*	*	0.3	0.3	0.4	0.7	1.0
1987.....	8.8	6.3	0.6	*	*	0.3	0.3	0.5	0.7	1.0
1986.....	8.1	6.8	0.6	*	*	*	0.3	0.3	0.7	0.9
1985.....	7.5	7.0	0.5	*	*	0.3	0.3	0.4	0.7	0.7
1984.....	6.6	7.1	0.6	*	*	*	0.4	0.3	0.5	0.8
1983.....	5.8	7.0	0.5	*	*	*	0.2	0.4	0.4	0.6
1982.....	5.1	6.6	0.6	*	*	*	0.2	0.4	0.5	0.7
1981.....	4.6	8.1	0.7	*	*	0.2	0.2	0.4	0.5	0.8
1980.....	4.1	5.3	0.4	0.1	0.1	0.1	0.2	0.4	0.3	0.8
1979.....	3.5	7.4	0.5	0.1	0.1	0.2	0.2	0.3	0.4	0.6
WHITE, BOTH SEXES										
1996.....	7.8	3.8	0.4	0.1	*	*	0.2	0.3	0.6	0.8
1995.....	7.7	4.2	0.4	*	*	0.1	0.2	0.4	0.6	0.9
1994.....	7.6	4.6	0.5	0.1	0.1	0.2	0.2	0.3	0.7	0.8
1993.....	7.8	4.7	0.5	0.2	0.1	*	0.2	0.4	0.6	1.0
1992.....	7.4	4.0	0.4	*	*	*	0.2	0.4	0.6	0.9
1991.....	7.5	4.8	0.5	*	*	0.2	0.2	0.4	0.5	0.8
1990.....	7.4	5.0	0.6	0.2	*	*	0.2	0.4	0.6	0.9
1989.....	7.5	5.7	0.5	*	*	0.2	0.2	0.4	0.6	0.9
1988.....	8.2	5.2	0.5	0.2	*	0.2	0.2	0.4	0.7	0.9
1987.....	7.8	5.0	0.5	0.1	*	0.2	0.2	0.4	0.5	0.8
1986.....	7.5	6.3	0.6	*	*	0.2	0.2	0.3	0.6	0.8
1985.....	6.8	6.4	0.6	*	*	0.2	0.2	0.3	0.5	0.7
1984.....	6.0	6.3	0.4	*	*	*	0.3	0.3	0.4	0.7
1983.....	5.4	6.7	0.5	*	*	0.2	0.2	0.3	0.2	0.5
1982.....	4.6	5.7	0.6	0-3	*	0.1	0.1	0.2	0.4	0.5
1981.....	4.2	6.1	0.6	*	*	0.1	0.2	0.3	0.4	0.6
1980.....	3.8	5.1	0.5	0.1	0.1	0.1	0.2	0.3	0.3	0.6
1979.....	3.3	5.6	0.4	0.1	0.1	0.2	0.2	0.3	0.3	0.4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SEPTICEMIA (038)										
WHITE MALE										
1996.....	6.7	4.0	0.5	*	*	*	*	0.3	0.8	0.8
1995.....	6.6	4.3	0.4	*	*	*	*	0.4	0.7	1.0
199	6.6	4.9	0.4	*	*	*	*	0.3	0.8	0.9
1993.....	6.7	4.7	0.5	*	*	*	*	0.5	0.8	1.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 58

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SEPTICEMIA (038)										
ALL OTHER, BOTH SEXES										
1996.....	9.4	11.0	1.0	*	*	*	*	0.8	1.8	2.6
1995.....	9.4	11.3	0.8	*	*	*	*	1.0	1.8	2.9
1994.....	8.9	10.0	1.0	*	*	*	*	1.0	2.0	2.6
1993.....	9.2	10.4	0.9	*	*	*	*	1.0	1.6	3.2

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 60

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SEPTICEMIA (038)										
BLACK MALE										
1996.....	11.6	17.3	*	*	*	*	*	*	3.0	4.6
1995.....	11.3	12.4	*	*	*	*	*	1.9	2.7	4.4
1994.....	10.7	11.8	*	*	*	*	*	*	3.1	4.1
1993.....	11.0	13.5	*	*	*	*	*	*	2.3	4.7
1992.....	11.1	15.9	*	*	*	*	*	*	2.2	4.4
1991.....	11.2	16.9	*	*	*	*	*	2.0	3.3	5.2
1990.....	11.3	17.1	*	*	*	*	*	*	3.9	6.2
1989.....	11.5	17.1	*	*	*	*	*	2.0	3.6	6.6
1988.....	12.3	12.5	*	*	*	*	*	*	3.6	4.9
1987.....	12.7	22.0	*	*	*	*	*	*	4.0	5.4
1986.....	12.4	25.0	*	*	*	*	*	2.0	2.5	4.1
1985.....	11.8	22.8	*	*	*	*	*	*	2.6	4.7
1984.....	10.4	22.5	*	*	*	*	*	*	3.1	3.7
1983.....	9.3	20.5	*	*	*	*	*	*	2.3	*
1982.....	8.0	20.9	*	*	*	*	*	*	*	3.4
1981.....	7.7	17.8	*	*	*	*	*	*	2.7	3.7
1980.....	7.6	14.9	0.9	0.2	0.1	0.3	0.8	0.6	1.8	3.6
1979.....	6.4	19.6	1.4	0.2	0.2	0.2	0.2	0.5	1.8	2.5
BLACK FEMALE										
1996.....	12.2	9.6	*	*	*	*	*	*	1.8	2.4
1995.....	11.9	14.3	*	*	*	*	*	*	1.9	3.0
1994.....	11.5	13.1	*	*	*	*	*	*	2.0	2.8
1993.....	11.6	12.6	*	*	*	*	*	*	1.8	3.4
1992.....	11.6	14.7	*	*	*	*	*	*	2.2	3.1
1991.....	11.4	14.4	*	*	*	*	*	*	2.1	3.6
1990.....	11.5	14.3	*	*	*	*	*	*	1.9	2.8
1989.....	1.9	18.1	*	*	*	*	*	*	2.8	3.7
1988.....	12.8	15.5	*	*	*	*	*	1.4	1.6	3.1
1987.....	12.9	12.8	*	*	*	*	*	*	3.0	3.4
1986.....	11.3	12.4	*	*	*	*	*	*	2.7	3.2
1985.....	11.0	17.0	*	*	*	*	*	1.6	2.2	2.5
1984.....	10.2	15.2	*	*	*	*	*	*	1.7	2.4
1983.....	9.0	14.9	*	*	*	*	*	*	*	2.6
1982.....	7.7	14.1	*	*	*	*	*	*	1.7	*
1981.....	7.3	23.7	*	*	*	*	*	*	1.8	*
1980.....	6.5	15.4	0.7	0.1	0.1	0.2	0.5	0.7	0.6	1.9
1979.....	5.5	17.6	0.6	1	03	0.2	0.3	0.3	0.3	1.1

1.5

[illegible]

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 64

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACUTE POLIOMYELITIS (045)										

ALL OTHER, BOTH SEXES

1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	*	*	*	*	*	*	*
1991.....	*	*	*	*	*	*	*	*	*	*
1990.....	*	*	*	*	*	*	*	*	*	*
1989.....	* * T	*	*	*	*	*	*	*	*	*
1988.....	T	*	*	*	*	T	*	*	*	*
1987.....	*	*	*	*	*	*	*	*	*	*
1986.....	T	*	*	*	*	*	*	*	*	*
1985.....	* * T * T	*	*	T	*	*	*	*	*	*
1984.....	*	*	T * T	*	*	* * T	*	*	*	*
1983.....	T * T	*	*	*	*	T	*	*	*	*
1982.....	T * T	*	T * T	*	*	*	*	*	*	*
1981.....	*	*	T	*	T	*	T	*	*	*
1980.....	0.0	-	-	-	-	-	-	-	-	0.1
1979.....	-	-	-	-	-	-	-	-	-	-

ALL OTHER MALE

1996.....	T	T	T * T	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	T * T	*	*
1994.....	*	*	T	*	T	*	*	*	T	*
1993.....	T	*	T	*	T	*	*	*	T	*
1992.....	T	*	T	*	T	T	*	T	*	*
1991.....	*	*	T	*	*	*	T	*	T	*
1990.....	*	*	T * T	*	T	T	*	*	*	*
1989.....	* T	T * T	T	*	T	*	*	*	T	*
1988.....	T	*	*	*	T	*	T	T	T	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 65

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACUTE POLIOMYELITIS (045)										
ALL OTHER FEMALE										
1996.....	*	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*	*	*	*
1993.....	*	*	*	*	*	*	*	*	*	*
1992.....	*	*	*	LE	*	L	*	*	*	*
1991.....	*	LE LE L	*	*	L	*	L	*	L	*
1990.....	*	*	*	L	*	*	*	*	*	L
1989..... 0	*	*	*	LE L	*	LE L	*	LE L	*	*
1988.....	*	*	L	LE L	*	LE L	*	L	*	L
1987.....	*	L	*	L	*	L	*	L	*	L
1986.....	*	*	L	L	*	L	*	L	*	L
1985.....	*	*	*	*	*	*	*	*	L	*
1984..... 0	*	*	*	*	*	L	*	*	LE L	*
1983..... 0	*	*	*	L	*	L	*	L	*	L
1982.....	*	L	*	L	*	*	L	*	*	*
1981.....	*	L	*	L	*	L	*	L	*	L
1980.....	0.0	-	-	-	-	-	-	-	-	0.1
1979..... 0	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES										
1996..... 0	*	*	L	*	*	L	*	L	*	*
1995..... 0	*	L	*	*	*	L	*	L	*	LE L
1994..... 0	*	*	*	LE L	*	*	*	L	*	*
1993..... 0	*	*	*	L	*	L	*	L	*	L
1992..... 0	*	*	L	*	*	L	*	*	L	*
1991.....	*	L	*	*	*	L	*	L	*	L
1990.....	*	*	*	L	*	L	*	L	*	LE L
1989..... 0	*	*	*	L	*	LE L	*	L	*	*

[illegible]

PLATE 1 OF 2 PG. 67

TOTAL, BOTH SEXES

1996...BTBTBTTBB.	*	*	*	*	*	*	*	*
1995BTBB.BTBB.B..B	*	*	*	*	*	*	*	*
1994BTBB.B.BTBB.B.	*	*	*	*	*	*	*	*
1993BTBB.B.BBTBB.B	*	*	*	*	*	*	*	*
1992BTBB.B.BBBTBB.	*	*	*	*	*	*	*	*
1991.BTBB.B.BBBTB	0.0	*	*	*	*	*	*	*

[illegible]

1996...BTBTBBTB.	*	*		* * *		*	*	*	*	*
1995BTBB.BTBB..B	*	*		* * *		*	*	*	*	*
1994BTBB.B.TBB.B.	*	*		* * *		*	*	*	*	*
1993BTBB.B.BBTBB.B	*	*		* * *		*	*	*	*	*
1992BTBB.B.BBBTB.	*	*		* * *		*	*	*	*	*
1991.BTBB.B.BBBTB	*	*		* * *		*	*	*	*	*
1990.BTBB.B.BBBB..B	0.0	*		* * *		*	*	*	*	*
1989BTBB.B.BBBB...B	*	*		* * *		*	*	*	*	*
1988.BTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1987.BTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1986BTBB.B.BBBB....	*	*		* * *		*	*	*	*	*
1985BBTTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1984BBTTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
198 TABTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1982BBTTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
198EDBTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1980.BBTBB.B.BBBB...	0.0	-		0.0 0.0 -		0.0 0.0 -	0.0 0.0 -	0.0 0.0 -	0.0 0.0 -	-
1979BTBB.B.BBBB....	0.0	-		- - -		0.0 0.0	0.0 0.0	0.0 0.0	- - -	-
WHITE, BOTH SEXES										
1996.BTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1995BBBTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1994BTBB.B.BBBB....	*	*		* * *		*	*	*	*	*
199 TABBTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1992BBBTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1991BTBB.B.BBBB....	*	*		* * *		*	*	*	*	*
1990.BBBTBB.B.BBBB...	0.0	*		* * *		*	*	*	*	*
1989BBTTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1988.BBTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1987.BBTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1986BBTTBB.B.BBBB...	*	*		* * *		*	*	*	*	*
1985BBBBETBB.B.BBBB...	*	*		* * *		*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 69

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

WH. E MALE										
1996.....BTBTB.	*	*	*	*	*	*	*	*	*	*
1995BTB.BTB.B...	*	*	*	*	*	*	*	*	*	*
1994BTB.B.BTB.B.	*	*	*	*	*	*	*	*	*	*
1993BTB.B.BBTB.B	*	*	*	*	*	*	*	*	*	*
1992BTB.B.BBBTB.	*	*	*	*	*	*	*	*	*	*
1991.BTB.B.BBB...B	*	*	*	*	*	*	*	*	*	*
1990.BTB.B.BBB....	0.0	*	*	*	*	*	*	*	*	*
1989BTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1988.BTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1987.BTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1986BTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1985BBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1984BBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1983BBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1982BBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1981.BBTB.B.BBB...	*	*	*	*	*	*	*	*	*	*
1980.BBTB.B.BBB....	0.0	-	0.0	-	0.0	-	0.0	0.0	-	-
1979BTB.B.BBB....	0.0	-	-	-	-	0.0	-	-	-	-
WH. E FEMALE										
1996.BTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1995BBBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1994BTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1993BBBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1992BBBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1991BTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1990.BBBTB.B.BBB...	0.0	*	*	*	*	*	*	*	*	*
1989BBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1988.BBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1987BTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1986BBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1985BBBTB.B.BBB...	*	*	*	*	*	*	*	*	*	*
1984BBBTB.B.BBB....	*	*	*	*	*	*	*	*	*	*
1983BBBTB.B.BBB...	*	*	*	*	*	*	*	*	*	*
1982BBBTB.B.BBB...	*	*	*	*	*	*	*	*	*	*
1981.BBBTB.B.BBB...	*	*	*	*	*	*	*	*	*	*
1980BTB.B.BBB....	0.0	-	-	0.0	-	0.0	0.0	-	0.0	-
1979BBBTB.B.BBB...	0.0	-	-	-	-	0.0	0.0	0.0	-	-

[illegible]

	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	EA	*	*	*
*	*	*	*	*	*	*	*	*	*
0.1	EA	*	*	*	EA	*	*	*	*
*	*	*	*	*	*	*	*	*	*
*	*	*	E	*	*	E	*	*	*
*	*	E	*	*	*	*	E	*	E
*	*	*	*	*	*	*	E	E	*
*	*	*	*	*	E	*	*	*	*
*	EA	*	*	*	*	EA	*	*	*
*	*	*	E	*	*	*	*	*	*
*	*	*	E	*	*	*	E	E	*
0.0	0.3	0.0	*	*	E	*	EA	*	*
0.0	-	-	-	-	-	-	-	-	-

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 71

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR
MEASLES (055)

TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

ALL OTHER FEMALE

1996.96.††††††.	*	*	*	*	*	*	*	*	*
1995†††.†††.†96.†	*	*	*	*	*	*	*	*	*
1994†††.†9†††.†9	*	*	*	*	*	*	*	*	*
1993†††.†9†††.†	*	*	*	*	*	*	*	*	*
1992†††.†9†††††.	*	*	*	*	*	* EA *	*	*	*
1991.†††.†9†††††	*	*	*	* E	*	*	*	*	*
1990.†††.†9††††96.†	*	*	*	*	*	* EA * E	*	*	*
1989†††.†9††††996.†	*	*	*	*	*	*	*	*	*
1988.†††.†9††††99.	*	*	* E	*	* E	*	*	*	* E
1987.†††.†9††††99.	*	* E	*	*	*	* E	*	*	* E
1986†††.†9††††99..	*	*	*	*	*	*	* E	*	*
1985††††.†9††††99.	*	*	*	*	* EA *	*	* E	*	*
1984††††.†9††††99.	* EA *	*	*	* E	*	*	* E	*	*
1983††††.†9††††99.	*	*	* E	* E	* E	*	*	* E	*
1982†††.†9††††99..	*	*	*	*	* E	*	* EA *	*	*
1981.††††.†9††††99	*	*	* E	*	* E	* E	*	*	*
1980.††††.†9††††99	0.0	-	0.1	-	-	-	-	-	-
1979†††.†9††††99..	0.0	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES									
1996††††.†9††††99.	*	*	* E	*	*	*	*	* E	*
1995†††††.†9††††99	* E	*	* EA *	*	*	* E	*	* E	*
1994†††††.†9††††99	* EA *	*	*	*	*	* E	* E	*	*
1993†††††.†9††††99	* EA *	*	* E	*	*	* EA *	*	*	*
1992†††††.†9††††99.	*	*	* E	*	* E	* E	*	* E	*
1989†††††.†9††††99.	*	* E	* EA *	*	* E	* EA *	*	*	*
1988.††††.†9††††99	*	*	* E	* E	*	* E	*	* E	* E
1987.††††.†9††††99	*	* E	* E	*	* E	*	* E	*	*
1986†††.†9††††99..	* E	*	* E	*	* E	* E	* EA *	*	*
1985††††††.†9††††9	* E	* E	* E	*	* E	*	* EA *	*	*
1984††††††.†9††††9	* E	*	* E	* E	* E	*	* E	*	* E
1981.††††††.†9††††	*	* E	* E	*	* E	*	* E	* E	*
1980.††††††.†9††††	0.0	0.4	0.1	-	-	-	-	-	-
1979††††††.†9††††99	E 0.0	-	-	-	-	-	-	-	-

1990.†††††.†9††††9

1983††††††.†9††††9

[illegible]

BLACK FEMALE

1996.BTB.B.BBB...	.		*	*	*	*	* \hat{u} * \hat{u}	*	*	*
1995BBBTB.B.BBB...	.	\hat{u}	*	* \hat{u}	*	* \hat{u}	*	* \hat{u} * \hat{u}	*	
1994BBBTB.B.BBB...	.		* \hat{u}	*	* \hat{u}	*	* \hat{u}	*	* \hat{u}	*
1993BBBTB.B.BBB...	.		* \hat{u}	*	* \hat{u}	*	* \hat{u}	*	* \hat{u}	*
1992BBBTB.B.BBB...	.		* \hat{u} * \hat{u}	*	*	* \hat{u}	*	* \hat{u}	*	*
1991.BBBTB.B.BBB...	.		*	*	* \hat{u} * \hat{u}	* \hat{u} * \hat{u}	* \hat{u}	*		
1990.BBBTB.B.BBB...	.		* \hat{u}	*	* \hat{u}	*	*	*	* \hat{u}	*
1989BBTB.B.BBB...	.	\hat{u} * \hat{u}	* \hat{u}	*	* \hat{u}	*	* \hat{u}	*	* \hat{u}	*
1988BTB.B.BBB....	.		* \hat{u}	*	* \hat{u}	*	* \hat{u} * \hat{u}	* \hat{u}	*	* \hat{u}
1987.BBTB.B.BBB...	.	\hat{u} * \hat{u}	* \hat{u}	*	*	*	* \hat{u}	*	*	* \hat{u}
1986BTB.B.BBB....	.	\hat{u}	*	* \hat{u}	*	* \hat{u}	*	*	*	* \hat{u}
1985BBBBBTB.B.BBB...	.	\hat{u}	*	*	*	* \hat{u}	*	* \hat{u}	*	* \hat{u}
1984BBBBBTB.B.BBB...	.		* \hat{u}	*	* \hat{u}	*	*	* \hat{u}	*	*
1983BBBBBTB.B.BBB...	.		* \hat{u}	*	* \hat{u}	* \hat{u} * \hat{u}	* \hat{u}	*	* \hat{u}	*
1982BBBBBTB.B.BBB...	.		* \hat{u}	*	* \hat{u}	* \hat{u} * \hat{u}	* \hat{u}	*	* \hat{u}	*
1981.BBBBTB.B.BBB...	.		*	*	* \hat{u}	*	* \hat{u}	*	* \hat{u}	*
1980.BBBBTB.B.BBB...	.		0.0	-	0.1	-	-	-	-	-
1979BBBTB.B.BBB...	.	\hat{u}	0.0	-	-	-	-	-	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 73

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIRAL HEPATITIS (070)										
TOTAL, BOTH SEXES										
1996.....	1.4	*	*	*	*	*	*	0.2	0.4	1.1
1995.....	1.3	*	*	*	*	*	*	0.2	0.5	1.0
1994.....	1.2	*	*	*	*	*	*	0.3	0.6	1.0
1993.....	1.0	*	*	*	*	*	0.1	0.2	0.5	0.9
1992.....	0.8	*	*	*	*	*	*	0.3	0.3	0.7
1991.....	0.7	*	*	*	*	*	0.1	0.2	0.3	0.7
1990.....	0.6	*	*	*	*	*	0.1	0.2	0.3	0.5
1989.....	0.6	*	*	*	*	*	0.2	0.2	0.4	0.4
1988.....	0.5	*	*	*	*	*	0.1	0.3	0.3	0.5
1987.....	0.5	*	*	*	*	*	0.3	0.2	0.4	0.5
1986.....	0.4	*	*	*	*	*	0.2	0.2	0.3	0.4
1985.....	0.4	*	*	*	*	*	0.2	0.2	0.3	0.3
1984.....	0.4	*	*	*	*	*	0.3	0.3	0.3	0.3
1983.....	0.4	0.5	*	*	*	0.1	0.2	0.2	0.2	0.2
1982.....	0.4	*	*	*	*	*	0.2	0.2	0.2	0.2
1981.....	0.4	*	*	*	*	*	0.3	0.3	0.2	0.3
1980.....	0.4	0.3	0.1	0.1	0.0	0.1	0.3	0.2	0.2	0.3
1979.....	0.3	0.4	0.1	0.0	0.0	0.1	0.3	0.3	0.2	0.3
TOTAL, MALE										
1996.....	1.8	*	*	*	*	*	*	0.2	0.6	1.5
1995.....	1.6	*	*	*	*	*	*	0.3	0.7	1.6
1994.....	1.5	*	*	*	*	*	*	0.4	0.8	1.5
1993.....	1.2	*	*	*	*	*	*	0.3	0.7	1.3
1992.....	1.0	*	*	*	*	*	*	0.3	0.5	1.1
1991.....	0.9	*	*	*	*	*	*	0.3	0.4	1.1
1990.....	0.8	*	*	*	*	*	*	0.3	0.5	0.8
1989.....	0.8	*	*	*	*	*	0.2	0.3	0.6	0.6
1988.....	0.6	*	*	*	*	*	*	0.3	0.4	0.7
1987.....	0.6	*	*	*	*	*	0.3	0.3	0.4	0.7
1986.....	0.5	*	*	*	*	*	*	0.3	0.4	0.5
1985.....	0.5	*	*	*	*	*	*	0.3	0.3	0.4
1984.....	0.4	*	*	*	*	*	0.2	0.3	0.3	0.4
1983.....	0.4	*	*	*	*	*	0.2	0.4	0.3	0.3
1982.....	0.4	*	*	*	*	*	0.2	0.2	0.3	*
1981.....	0.4	*	*	*	*	*	0.3	0.4	0.3	0.3
1980.....	0.4	0.3	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.4
1979.....	0.4	0.5	0.1	0.0	0.0	0.1	0.3	0.3	0.3	0.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 74

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIRAL HEPATITIS (070)										
TOTAL, FEMALE										
1996.....	1.1	*	*	*	*	*	*	*	0.3	0.7
1995.....	1.0	*	*	*	*	*	*	*	0.2	0.5
1994.....	0.9	*	*	*	*	*	*	*	0.4	0.5
1993.....	0.7	*	*	*	*	*	*	*	0.2	0.4
1992.....	0.36ã	*	*	ELã	*	*	*	E 0.3		
1991.....	0.5 ã	*	*	*	*	E	*		0.2	0.2
1990.....	0.5 ã	*	*	E	* ã	* ã	* ã	0.3		
0489.....	0.5 ã	*	*	*	ELã	*	E	0.2	0.2	0.2
01988.....	0.4	*	*	E	*	* ã	* ã	0.2	0.2	0.3
1987.....	0.4	*	E	*	*	E	*	0.2	*	0.3
1986.....	0.3	*	E	*	*	E	*	E 0.2	0.2	*
1985.....	0.3 ã	* ã	*	*	*	0.3	0.2	*	E 0.3	*
0484.....	0.3 ã	*	E	*	* ã	*	E	0.3	0.3 ã	*
1983.....	0.3 ã	*	*	ELã	*	*	0.2	*	* ã	* ã
1982.....	0.3	*	E	* ã	* ã	* ã	E 0.2	*	E	* ã
0481.....	0.3	* ã	*	ELã	*	E	* ã	0.3	*	E
01980.....	0.3	0.3	0.0	0.0	0.0	0.1	0.3	0.1	0.2	0.3
1979.....	0.3	0.2	0.0	0.0	0.0	0.1	0.2	0.3	0.2	0.3
0 WHITE, BOTH SEXES										
1996.....	1.4	*	*	E	*	ELã	ELã	E	* ã	0.2
1995.....	1.3 ã	ELã	E	*	E	* ã	*	E	* ã	0.2
01994.....	1.1	*	E	*	*	E	*	E	*	* ã
1993.....	0.9	*	E	* ã	*	E	*	* ã	*	E 0.2
1992.....	0.8	*	E	* ã	ELã	E	* ã	E	* ã	E 0.2
1991.....	0.7	*	E	* ã	*	E	*	* ã	ELã	E 0.2
1990.....	0.6 ã	* ã	*	E	*	*	E	*	0.2	0.3
1989.....	0.36ã	*	E	* ã	*	E	*	*	E 0.2	0.2
0488.....	0.5 ã	ELã	E	*	* ã	E	* ã	*	* ã	E 0.2
01987.....	0.5 ã	E	* ã	*	*	E	*	ELã	E 0.2	0.2
1986.....	0.4	*	E	*	E	* ã	*	*	0.1	0.2
01985.....	0.4	* ã	E	*	E	* ã	* ã	0.2	0.2	0.2
0484.....	0.3	*	E	* ã	* ã	* ã	E	0.2	0.2	0.2
1983.....	0.3 ã	* ã	*	*	* ã	E	*	E 0.2	0.2	0.2
1982.....	0.3	* ã	E	* ã	E	*	* ã	E	* ã	E 0.1
01981.....	0.4 ã	* ã	*	*	E	*	E 0.2	0.2	0.2	0.2
1980.....	0.3	0.3	0.1	0.1	0.0	0.1	0.2	0.1	0.2	0.3
1979.....	0.3	0.4	0.1	0.0	0.0	0.1	0.2	0.2	0.2	0.2

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 76

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIRAL HEPATITIS (070)										
ALL OTHER, BOTH SEXES										
1996.....	1.6	*	*	*	*	*	*	*	*	1.4
1995.....	1.4	*	*	*	*	*	*	*	*	1.8
1994.....	1.4	*	*	*	*	*	*	*	1.0	1.5
1993.....	1.1	*	*	*	*	*	*	*	0.6	1.1
1992.....	0.9	*	*	*	*	*	*	*	*	1.3
1991.....	0.9	*	*	*	*	*	*	*	*	1.3
1990.....	0.8	*	*	*	*	*	*	*	0.6	0.9
1989.....	0.7	*	*	*	*	*	*	*	0.7	*
1988.....	0.6	*	*	*	*	*	*	*	0.6	*
1987.....	0.7	*	*	*	*	*	*	*	0.8	0.8
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	*	*	*	*	*	0.7	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	0.8	0.7	*	*
1980.....	0.4	0.3	0.2	0.1	0.0	0.2	0.4	0.5	0.3	0.8
1979.....	0.5	0.3	0.0	0.1	0.1	0.2	0.8	0.6	0.5	0.7
ALL OTHER MALE										
1996.....	1.9	*	*	*	*	*	*	*	*	2.1
1995.....	1.7	*	*	*	*	*	*	*	*	2.6
1994.....	1.6	*	*	*	*	*	*	*	1.3	2.1
1993.....	1.4	*	*	*	*	*	*	*	*	1.8
1992.....	1.2	*	*	*	*	*	*	*	*	2.1
1991.....	1.0	*	*	*	*	*	*	*	*	2.2
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.5	*	*	*	*	*	*	*	*	*
1983.....	0.6	*	*	*	*	*	*	*	*	*
1982.....	0.5	*	*	*	*	*	*	*	*	*
1981.....	0.5	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.3	0.3	0.1	0.1	0.3	0.2	0.7	0.2	0.7
1979.....	0.6	0.7	0.1	0.1	0.1	0.3	0.8	0.7	0.5	0.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 77

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIRAL HEPATITIS (070)										
ALL OTHER FEMALE										
					BTBTB					
1996.....	1.3	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	1.1
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.3636	*	*	*	*	36	*	*	*	*
1988.....	0.363	*	*	*	*	3	*	36	*	*
1987.....	0.5	*	* 3	*	*	*	*	*	*	* 3
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5 36	*	*	*	*	3	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.5	*	* 3	*	*	*	*	*	*	*
1982.....	0.5 3	*	* 3	*	*	36	*	*	*	*
1981.....	0.5	*	* 3	*	*	*	*	*	*	* 3
1980.....	0.5 3	0.3	0.1	0.1	-	0.1	0.3	0.2	0.3	0.9
1979.....	0.4	-	-	-	0.1	0.1	0.7	0.4	0.5	1.0
BLACK, BOTH SEXESBTB BTB BBTB BB										
1996.....	1.4	*	*	*	*	*	*	*	*	1.363
1995.....	1.3	*	* 3	*	*	*	*	*	*	2.0
1994.....	1.3	*	* 3	*	*	*	* 3	*	1.0	1.6
1993.....	0.9 36	*	*	*	*	*	*	1.4	*	*
1992.....	0.8	*	* 3	*	* 3	*	*	*	* 3	1.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 78

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
VIRAL HEPATITIS (070)										
BLACK MALE										
1996.....	1.7	*	*	*	*	*	*	*	*	2.4
1995.....	1.5	*	*	*	*	*	*	*	*	2.8
1994.....	1.4	*	*	*	*	*	*	*	*	2.3
1993.....	1.2	*	*	*	*	*	*	*	*	2.1
1992.....	1.0	*	*	*	*	*	*	*	*	2.3
1991.....	0.8	*	*	EAR	*	*	*	*	*	2.5
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.360 7	*	*	*	*	* 0 7	*	*	*	*
1987.....	0.7	*	* 0	*	*	*	* 0	*	E *	*
1986.....	0.5	*	* 0 7	*	*	* 0	*	* 0	* E	*
1985.....	0.4	*	*	* 0	EAR	*	E *	*	E *	E
1984.....	0.4 0 7	*	E *	*	*	E *	* 0 7	*	*	*
1983.....	0.5	*	E *	*	*	E 0	EAR E	EAR *	E *	*
1982.....	0.4	*	EAR E	* E	* E	* E	* E	* E	* E	*
1981.....	0.5	*	* 0	E *	* E	* E	EAR E	* E	* E	* 0
1980..2... 7	0.4	0.3	0.1	0.1	0.3	0.2	0.9	0.1	0.8	
1979.....	0.5	0.4	0.1	0.2	0.1	0.4 0	0.9	0.9	0.4	0.3
BLACK FEMALE										
1996.....	1.2	EAR E	*	* 0	*	E	* 0 7	*	E *	*
1995.....	1.1	*	E	* 0 7	*	*	*	E *	E *	E
1994..2... 1.1	*	* 0	E *	*	E *	*	*	* 0	EAR E	*
1993.....	0.360	*	* 0	E *	E *	* 0	*	* 0	E *	*
1992.....	0.360	*	E *	* 0	*	* 0	E *	*	* 0	E *
1991..2... 0.360	EAR E	* 0 7	*	E *	*	*	* 0	E *	E *	*
1990..2.....	0.7	*	E *	* 0	*	E *	0 EAR E	* 0	*	* 0 E *
1989.....	0.3	*	* 0	E *	E *	* E	* 0 7	*	0.7 *	E *
1988.....	0.5	*	E *	* 0	EAR E	* 0	*	E *	* 0	E *
1987..2... 0.5	*	* 0	E *	* 0	E *	*	* 0 7	*	*	*
1986.....	0.4	*		0.7 *	*	* 0	E *	E *	* 0	* 0 E *
1985..2... 0.4 0 7	*	*		* 0	E *	*	*	* 0	E *	*
1984..2.....	0.4	*		* 0	E *		0.7 *	*	* 0	E *
1983..2... 0.4	*	*		* 0	E *	*	E *	* 0	E *	*
1982.....	0.5	*		* 0	E *	EAR E	* 0	EAR E	* 0	E *
1981.....	0.360	E *	E *	* 0	E *	* 0	*	E *	* 0	E *
1980..2..... 7	0.4	0.1	0.1	-	0.1	0.7	0.2	E 0.2	E 0.8	
1979.....	0.5	-	-	-	0.1	0.1	0.9	0.5	0.360	E 0.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 79

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SYPHILIS (090-097)										

TOTAL, BOTH SEXES

1996....†††.	0.0	*	*	*	*	*	*	*	*	*
1995††.††.†...	0.0	*	*	*	*	*	*	*	*	*
1994††.†.††.†.	0.0	*	*	*	*	*	*	*	*	*
1993††.†.†††.†	0.0	*	*	*	*	*	*	*	*	*
1992††.†.††††.	0.0	*	*	*	*	*	*	*	*	*
1991.††.†.†††..†	0.0	0.360	* 0	* 0	*	*	*	*	*	*
1990.††.†.†††....	0.0	0.3	*	*	*	*	* 0	*	* 0	*
1989††.†.†††....	0.0 0	* 0	* 0	*	*	*	*	*	*	*
1988††.†.†††....	0.0	*	*	*	*	* 0	*	* 0	*	*
1987.††.†.†††....	0.0	*	*	*	*	*	* 0	*	*	*
1986††.†.†††....	0.0	*	*	*	*	* 0	*	* 0	*	*
1985†††.†.†††....	0.0 0	*	* 0	* 0	*	*	*	* 0	*	*
1984†††.†.†††....	0.0	*	* 0	* 0	*	*	*	* 0	*	*
1983†††.†.†††....	0.1 0	* 0	*	*	*	*	* 0	*	* 0	*
1982††.†.†††....	0.1 0	*	* 0	*	*	* 0	*	* 0	* 0	*
1981.†††.†.†††....	0.1	*	* 0	*	*	*	*	* 0	*	* 0
1980.†††.†.†††....	0.1 0	0.1 0	-	-	-	0.0 0	0.0	-	0.0	0.0
1979††.†.†††....	0.1	0.2	0.0 0	-	-	0.0	0.0	0.0 0	-	0.0 0

TOTAL, MALE

1996.††.†.†††....	0.0	* 0	*	*	* 0	* 0	* 0	*	* 0	* 0
1995††††.†.†††...	0.0	*	* 0	*	*	*	*	*	*	*
1994††††.†.†††...	0.0	*	*	*	* 0	* 0	*	*	*	*
1993††††.†.†††...	0.0 0	*	*	*	* 0	*	*	*	* 0	* 0
1992†††.†.†††....	0.0	* 0	* 0	*	*	* 0	*	*	* 0	*
1991††.†.†††....	0.0 0	* 0	*	*	*	* 0	*	*	*	*
1990.††††.†.†††..	0.1 0	* 0	* 0	* 0	* 0	* 0	*	*	*	*
1989†††.†.†††....	0.1 0	*	*	*	*	* 0	*	* 0	*	*
1988†††.†.†††....	0.0	* 0	* 0	*	* 0	*	* 0	* 0	*	*
1987.†††.†.†††....	0.0 0	* 0	* 0	*	* 0	*	*	*	*	*
1986†††.†.†††....	0.0 0	* 0	* 0	* 0	*	*	* 0	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 80

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SYPHILIS (090-097)										
TOTAL, FEMALE										
1996.96.††††††.	0.0	*	*	*	*	*	*	*	*	*
1995†††.†††.†96.†	0.0	*	*	*	*	*	*	*	*	*
1994†††.†9†††.†9	0.0	*	*	*	*	*	*	*	*	*
1993†††.†9†††.†	0.0	*	*	*	*	*	*	* TH	*	*
1992†††.†9††††.	0.0	*	*	*	*	*	*	*	*	*
1991.†††.†9††††	0.0 TH	* TH	* TH	*	* TH	*	*	*	*	*
1990.†††.†9††††96.†	0.0	*	*	*	*	*	*	*	*	*
1989†††.†9††††996.†	0.0 TH	* TH	* T	*	* T	*	*	* T	*	*
1988.†††.†9††††99.	0.0	*	*	*	*	*	*	* TH	* T	*
1987.†††.†9††††99.	0.0 T	*	* TH	* T PL	*	*	PL PL P	*	*	*
1986†††.†9††††99..	0.0	PL P	*	* P	* T	* P	* PL PL P	* T	* P	*
1985††††.†9††††99.	0.0 T	*	* T	* P	* T	* P	* T PL P	* T	* P	*
1984††††.†9††††99.	0.0	*	* T PL P	*	* T	* P	* T PL P	* T	* P	*
1983††††.†9††††99.	0.0 T	* P	* P	* P	* T	* P	* T PL P	*	*	*
1982††††.†9††††99..	0.0 T	* P	* TH	* T P	* T PL P	* TH	* T P	*	*	*
1981.††††.†9††††99	0.1 TH	* T P	* P	* T P	* T P	* P	* P	* T P	* T P	*
1980.††††.†9††††99	0.1 T	0.1 T	-	-	-	-	-	-	0.0 P	-
1979†††.†9††††99..	0.1	0.1	-	-	-	-	-	0.0 T	-	0.0
WHITE, BOTH SEXES										
1996††††.†9††††99.	0.0 T	* T P	* T P	* P	* T P	* T P	* T P	* T P	* P	* T P
1995†††††.†9††††99	0.0	*	* T	* P	* T	* T	* T P	* T P	* P	* T P
1994†††.†9††††99..	0.0 TH	* T P	* T P	* T P	* T P	* T P	*	* T P	* P	*
1993†††††.†9††††99	0.0	* T P	*	*	* T PL P	* T	*	* T P	* P	*
1992†††††.†9††††99.	0.0	P	* P	*	* T P	* T P	* TH	* T P	* T P	*
1991.†††††.†9††††9	0.0 T	PL P	* T	* P	* T	* P	* T PL P	* T PL P	*	*
1990.†††††.†9††††9	0.0	*	* P	* TH	* T P	*	* T P	* T P	*	*
1989†††††.†9††††99.	0.0	*	* T P	* P	* T	*	* T P	* T P	*	*
1988.†††††.†9††††99	0.0	* T P	*	*	* T P	* T P	* T P	*	* T P	* T P
1987††††.†9††††99..	0.0	*	* T P	* T P	*	* P	* T P	* T P	* T	*
1986†††††.†9††††99	0.0 T	* P	* T	* P	* T P	* P	* T PL P	* T P	* T P	*
1985††††††.†9††††9	0.0 T	*	* T P	*	* T P	*	* T P	*	*	* T P
1984††††††.†9††††99	0.0 TH	* T P	*	*	* T P	* T P	*	*	* T P	*
1983††††††.†9††††9	0.0 TH	* T P	* TH	* T P	* T	*	* T P	*	*	*
1982†††††.†9††††99.	0.0	P	* T P	* PL P	* T P	* P	* T P	* T P	* T	* P
1981.††††††.†9††††	0.0 T	P	* T P	* T PL P	* T P	* T P	* P	* T P	* T P	* T P
1980.††††††.†9††††	0.0	0.0 T	-	-	-	0.0 T	-	-	0.0 P	0.0 P
1979††††††.†9††††99	0.1 T	0.1	-	-	-	0.0 T	0.0	P 0.0 T	-	0.0 T

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 81

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SYPHILIS (090-097)										

WHITE MALE

1996....†††.	0.0	*	*	*	*	*	*	*	*	*
1995††.††.†...	0.0	*	*	*	*	*	*	*	*	*
1994††.†.††.†.	0.0	*	*	*	*	*	*	*	*	*
1993††.†.†††.†	0.0	*	*	*	*	*	*	*	*	*
1992††.†.††††.	0.0	*	*	*	*	*	*	*	*	*
1991.††.†.†††..†	0.0	*	*	*	*	*	*	*	*	*
1990.††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1989††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1988.††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1987.††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1986††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1985†††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1984†††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1983†††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1982††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
198SES††.†.†††...	0.0	*	*	*	*	*	*	*	*	*
1980.†††.†.†††....	0.1	-	-	-	-	0.0	-	-	-	0.0
1979††.†.†††....	0.1	0.2	-	-	-	0.0	0.0	-	-	-

WHITE FEMALE

1996.††.†.†††....	*	*	*	*	*	*	*	*	*	*
1995††††.†.†††...	*	*	*	*	*	*	*	*	*	*
1994††††.†.†††...	*	*	*	*	*	*	*	*	*	*
1993††††.†.†††...	*	*	*	*	*	*	*	*	*	*
1992†††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
199SES†††.†.†††..	*	*	*	*	*	*	*	*	*	*
1990.††††.†.†††..	0.0	*	*	*	*	*	*	*	*	*
1989†††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1988††.†.†††....	*	*	*	*	*	*	*	*	*	*
1987.†††.†.†††...	*	*	*	*	*	*	*	*	*	*
1986†††.†.†††....	0.0	*	*	*	*	*	*	*	*	*
1985†††††.†.†††..	0.0	*	*	*	*	*	*	*	*	*
1984†††††.†.†††..	0.0	*	*	*	*	*	*	*	*	*
1983†††††.†.†††..	0.0	*	*	*	*	*	*	*	*	*
1982†††††.†.†††..	0.0	*	*	*	*	*	*	*	*	*
198SES††††.†.†††.	0.0	*	*	*	*	*	*	*	*	*
1980††.†.†††....	0.0	0.1	-	-	-	-	-	-	0.0	-
1979†††.†.†††....	0.0	0.1	-	-	-	-	-	0.0	-	0.0

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 83

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
ALL OTHER FEMALE								BT			
1996.....	*	*	*	*	*	*	*	*	*	*	
1995.....	*	*	*	*	*	*	*	*	*	*	
1994.....	*	*	*	*	*	*	*	*	*	*	
1993.....	*	*	*	*	*	*	*	*	*	*	
1992.....	*	*	*	*	*	*	*	*	*	*	
1991.....	0.1	*	*CA *C	*	*	*	*	*	*	*	
1989.....	0.1C	*	*CA *CA *C	*	*	*C	*	*	*	*	
1988.....	*	*	*	*	*	*	*	*	*	*	
1987.....	0.1	*	*C	*	*	*	*	*	*C	*	1985.....
1984.....	*CA *C	*	*CA *C	*	*	*	*	*	*	*	
1983.....	*CA *C	*	*C	*	*	*	*	*	*	*	
1982.....	*	*	*CA *C	*	*C	*	*	*	*	*	1981.....
1980.....	0.1	-	-	-	-	-	-	-	0.1C	-	
1979.....	0.2	0.3	-	-	-	-	-	-	-	-	
BLACK, BOTH SEXESBT BT BBT BB											
1996.....							0.1C	*	*CA *C	*	*C * *
1995.....	0.1	*	*C	*	*C	*	*C	*	*C	*	1993.....
1992.....	0.1C	*	*C	*	*C	*	*C	*	*C	*	
1991.....	0.2	3.0CA *C	*C	*C	*C	*	*	*C	*	*	
1990.....	0.2	3.4	*	*C	*	*C	*	*C	*	*C	1989.....
1985.....	0.1	*	*C	*	*	*	*C	*C	*	*	
1984.....	0.2	*	*C	*	*C	*	*C	*	*C	*	1983.....
1982.....	0.1	*	*C	*	*	*	*C	*	*	*	1981.....
1980.....	0.2	0.2	-	-	-	-	0.0C	-	0.1C	-	
1979.....	0.3	0.2	0.1	-	-	-	-	-	-	-	

[illegible]

1996.96.††††††.	0.2	*	*	*	*	*	*	*	*
1995†††.†††.†96.†	*	*	*	*	*	*	*	*	*
1994†††.†9†††.†9	0.1	*	*	*	*	*	*	*	*
1993†††.†9†††.†	0.2	*	*	*	*	*	*	*	*
1992†††.†9††††.	0.2	*	*	*	*	*	*	*	*
1991.†††.†9†††††	0.2	*	*	*	*	*	*	*	*
1990†††.†9††††††	0.3	*	*	*	*	*	*	*	*
1989†††.†9†††††96.†	0.3	*	*	*	*	*	*	*	*
1988.†††.†9†††††9.	0.2	*	*	*	*	*	*	*	*
1987.†††.†9†††††9.	0.2	*	*	*	*	*	*	*	*
1986†††.†9†††††9..	0.1	*	*	*	*	*	*	*	*
1985††††.†9†††††9.	*	*	*	*	*	*	*	*	*
1984††††.†9†††††9.	0.2	*	*	*	*	*	*	*	*
1983††††.†9†††††9.	0.2	*	*	*	*	*	*	*	*
1982††††.†9†††††9.	0.2	*	*	*	*	*	*	*	*
1981.††††.†9†††††9	0.2	*	*	*	*	*	*	*	*
1980.†††.†9†††††9.	0.3	0.4	—	—	—	0.1	—	—	—
1979†††.†9†††††9..	0.4	—	0.1	—	—	—	—	—	—
BLACK FEMALE									
1996.†††.†9†††††9.	*	*	*	*	*	*	*	*	*
1995†††.†9†††††9..	*	*	*	*	*	*	*	*	*
1994†††††.†9†††††9	*	*	*	*	*	*	*	*	*
1993†††††.†9†††††9	*	*	*	*	*	*	*	*	*
1992†††††.†9†††††9	*	*	*	*	*	*	*	*	*
1991†††.†9†††††9..	0.1	*	*	*	*	*	*	*	*
1990.††††.†9†††††9	0.1	*	*	*	*	*	*	*	*
1989††††.†9†††††9.	0.1	*	*	*	*	*	*	*	*
1988.††††.†9†††††9	*	*	*	*	*	*	*	*	*
1987†††.†9†††††9..	0.1	*	*	*	*	*	*	*	*
1986††††.†9†††††9.	*	*	*	*	*	*	*	*	*
1985†††††.†9†††††9	*	*	*	*	*	*	*	*	*
1982†††††††.†9†††††	*	*	*	*	*	*	*	*	*
1981.†††††.†9†††††	*	*	*	*	*	*	*	*	*
1980.†††††.†9†††††	0.1	—	—	—	—	—	—	0.1	—
1979††††.†9†††††9.	0.2	0.4	—	—	—	—	—	—	—

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,

PLATE 1 OF 2 PG. 85

RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)										
	T	T	T	T	T	T	T	T	T	T
1996.....	14.4	6.6	1.6	0.8	0.6	0.7	2.4	12.1	29.1	34.0
1995.....	19.1	7.8	2.0	1.0	0.6	0.6	3.7	18.4	40.9	48.0
1994.....	18.9	8.6	2.0	0.9	0.7	0.8	3.5	18.8	40.7	47.7
1993.....	17.2	8.5	2.1	0.9	0.6	0.7	3.5	19.0	36.7	42.9
1992.....	15.8	9.0	1.6	0.7	0.4	0.6	3.2	18.0	33.2	39.6
1991.....	14.4	9.8	1.7	0.6	0.4	0.6	3.4	16.6	30.0	35.8
1990.....	13.0	9.4	1.5	0.7	0.4	0.6	3.2	15.2	26.8	32.0
1989.....	11.8	10.3	1.5	0.5	0.3	0.6	3.6	14.1	24.8	28.1
1988.....	9.5	8.1	1.5	0.6	0.4	0.6	3.1	11.1	19.5	21.3
1987.....	8.1	8.5	1.5	0.5	0.3	0.5	2.8	9.2	16.7	17.3
1986.....	3.9	5.9	0.8	0.3	0.3	0.3	1.1	3.0	5.1	5.5
1985.....	3.1	6.2	0.6	0.3	0.2	0.4	0.8	2.0	3.3	4.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 86

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)										
		T	T	T	T					
TOTAL, FEMALE	T	T	T	T	T					
1996...B B BB BB.		6.8	6.5	1.5	0.7	0.5	0.7	2.1	6.6	11.6
1995B BB.B BB.B..B		7.8	6.5	2.1	1.1	0.6	0.6	3.1	9.0	14.6
1994B BB.B.B BB.B.		7.3	7.7	1.9	1.0	0.6	0.8	2.4	8.0	13.2
1993.B BB.B.BB BB.		6.4	8.0	2.1	1.0	0.5	0.7	2.3	7.0	10.6
1992B BB.B.BBB BB.		5B6	8.3	1.4	0.7	0.4	0.5	1.9	6.3	9.2
1991.B BB.B.BBBB B		5B0	9.1	1.7	0.6	0.3	0.5	1.9	5.2	8.4
1990.B BB.B.BBBB..B		4B6	8.7	1.5	0.7	0.4	0.5	1.7	4B6	6.8
1989.B BB.B.BBBB...		4B3	10.0	1.5	0.4	0.3	0.5	1.5	3.9	6.8
1988B BB.B.BBBB....		3.8	7.0	1.4	0.7	0.2	0.5	1.3	3.0	5.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 87

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)										
	T	T	T	T	T	T	T	T	T	T
WHITE MALE	T	T	T	T	T	T	T	T	T	T
1996...B B BB BB.	16.1	5.0	1.0	0.5	0.6	0.5	1.7	11.5	34.6	39.6
1995B BB.B BB.B..B	24.0	6.7	1.3	0.6	0.6	0.5	2.8	20.4	53.4	62.1
1994B BB.B.B BB.B.	24B5	7.1	1.4	0.6	0.8	0.7	2.9	21.9	54.2	63.7
1993.B BB.B.BB BB.	23.2	6.9	1.2	0.6	0.6	0.8	2.9	24B0	51.8	59.3
1992.B BB.B.BBB BB	22.1	6.2	1.1	0.6	0.4	0.7	2.9	23.7	47.9	56.3
1991.B BB.B.BBBB B	20.6	8.0	1.1	0.5	0.4	0.6	3.3	2	7	44.1
1990.B BB.B.BBBB..B	18.7	7.5	0.9	0.4	0.4	0.7	3.5	21.6	38.8	47.7
1989.B BB.B.BBBB...	16.9	8.1	0.9	0.6	0.3	0.6	4B3	19.9	35.6	41.4
1988.B BB.B.BBBB...	13.2	7.3	1.2	0.4	0.6	0.6	3.7	15B6	27.0	30.7
1987B BB.B.BBBB....	11.3	7.2	1.1	0.6	*	0.6	3.7	1		
1986.B BB.B.BBBB...	5B0	5.4	0.7	0.4	*	0.4	1.5	4.3	7.7	8.5
1985BB BB.B.BBBB...	3.8	5.2	0.6	0.4	*	0.3	1.0	2.7	4B6	5B8
1984BB BB.B.BBBB...										
1983.BB BB.B.BBBB..	2.2	5B7	0.5	0.3	0.3	0.4	0.4	1.0	1.2	1.6
1982.BB BB.B.BBBB..	1.9	4B8	0.7	0.4	*	0.4	0.4	0.5	0.7	1.0
1981.BB BB.B.BBBB..	1.9	4B5	0.8	0.4	0.3	0.3	0.4	0.5	0.6	0.7
1980.BB BB.B.BBBB..	1.8	5.6	0.8	0.4	0.2	0.4	0.4	0.4	0.5	0.8
1979.BB BB.B.BBBB..	1.6	5B5	0.8	0.4	0.4	0.5	0.3	0.5	0.5	0.7
WHITE FEMALE	T	T	T	T	T	T	T	T	T	T
1996.BB BB.B.BBBB..	4B2	4B4	1.0	0.4	0.4	0.7	1.0	3.3	5B8	6.0
1995BBB BB.B.BBBB..	4B8	4.8	1.3	0.7	0.5	0.4	1.4	4B4	7.6	8.0
1994B BB.B.BBBB....	4B6	5.1	1.2	0.6	0.5	0.6	1.0	4.4	7.1	7.3
1993B BB.B.BBBB....	4B2	4.7	1.4	0.6	0.4	0.5	1.3	3.7	5.3	6.1
1992B BB.B.BBBB....	3.8	4.5	0.9	0.5	0.4	0.4	1.1	3.3	4.9	4B8
1990.BBB BB.B.BBBB.	3.3	5.3	1.0	0.4	0.3	0.4	1.1	2.6	3.4	3.3
1988B BB.B.BBBB....	3.3.84B8		1.0	0.5	*	0.4	0.8	1.7	2.7	2.4
1987.B BB.B.BBBB....	7		5.2	1.2	0.4	0.3	0.3	0.6	1.6	2.2
1985BBBB BB.B.BBBB.	.1	4.7	0.6	*	*	0.3	0.3	0.7	0.6	0.8
1984BBBB BB.B.BBBB..	1.9	3.6	0.6	*	0.3	0.3	0.3	0.6	0.5	0.7
1983.BBB BB.B.BBBB.	1.8	3.7	0.5	0.4	*	*	0.3	0.4	0.6	0.6
1982.BBB BB.B.BBBB.	1.7	3.9	0.9	*	0.3	*	0.5	0.5	0.4	0.5
1981.BBB BB.B.BBBB.	1.7	4B7	0.5	0.4	*	0.4	0.3	0.4	0.4	0.7
1980.BBBB BB.B.BBBB	1.6	5.9	0.5	0.3	0.1	0.3	0.3	0.4	0.4	0.4
1979B BB.B.BBBB....	1.4	6.0	0.6	0.5	0.3	0.2	0.4	0.3	0.5	0.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 88

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER INFECTIOUS B D PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)										
				T	T	T				
ALL OTHER, BOTH SEXES	T	T	T	T	T					
1996.....		35.2	14.1	4.0	2.0	1.2	1.0	6.4	31.5	68.5
1995.....		43.2	15.1	4.7	2.4	1.2	1.2	10.0	44.0	88.0
1994.....		41.5	17.5	4.9	2.1	1.0	1.3	9.8	43.2	87.1
1993.....		35.8	18.5	5.0	2.0	0.8	1.1	9.2	41.1	74.7
1992.....		31.5	22.7	3.9	1.3	*	0.9	8.2	37.6	65.5
1991.....		27.4	19.3	3.9	1.2	0.6	0.9	8.4	33.7	57.9
1990.....		23.9	20.8	3.7	1.7	0.7	1.0	7.2	29.6	54.9
1989.....		21.9	21.9	3.5	0.6	*	1.0	7.5	28.5	51.2
1988.....		17.6	16.3	3.2	1.2	*	0.9	6.9	23.0	43.0
1987.....		14.6	18.1	2.9	0.7	*	0.7	6.0	18.8	35.8
1986.....		5.4	11.4	1.0	*	*	*	1.8	5.5	9.5
1985.....		4.3	11.8	0.9	*	*	*	1.5	3.7	6.7
1984.....		3.7	10.5	0.8	*	*	*	1.1	2.9	5.5
1983.....		2.9	10.1	0.9	*	*	*	0.7	1.7	3.5
1982.....		2.6	10.2	0.9	*	*	*	0.7	1.5	2.2
1981.....		2.4	7.5	*	*	*	*	0.7	1.7	2.0
1980.....		2.5	10.4	1.2	0.5	0.3	0.4	0.7	1.1	1.7
1979.....		2.2	10.0	1.2	0.5	0.5	0.5	0.8	1.4	2.0
ALL OTHER MALE	T	T	T	T						
1996.....		52.9	13.5	4.6	2.0	1.5	*	6.7	44.2	103.9
1995.....		66.3	17.5	4.4	2.3	1.2	1.1	10.4	61.5	135.5
1994.....		64.7	18.0	5.2	1.9	1.1	*	11.7	64.9	138.9
1993.....		56.3	16.8	5.2	1.6	*	*	11.8	*2.6	119.6
1992.....		49.8	22.7	4.2	1.4	*	*	11.5	57.5	1 5.6
1991.....		43.6	19.1	3.6	1.5	*	*	92	52.6	92.6
1990.....		37.5	20.0	3.7	1.6	*	*	10.1	46.4	91.1
1989.....		34.9	20.0	3.8	*	*	1.1	11.5	46.1	83.0
1988.....		28.1	17.2	3.2	*	*	*	10.5	38.2	70.4
1987.....		22.8	17.6	3.5	*	*	*	9.5	31.0	58.5
1986.....		7.6	13.2	*	*	*	*	2.6	8.7	15.1
1985.....		5.8	12.4	*	*	*	*	2.4	5.6	10.9
1984.....		4.7	12.2	*	*	*	*	1.5	4.1	8.2
1983.....		3.5	11.8	*	*	*	*	2.5	2.5	4.7
1982.....		2.9	11.6	*	*	*	*	1.9	2.4	4.5
1981.....		2.6	9.1	*	*	*	*	1.5	2.0	3.3
1980.....		2.6	11.5	1.1	0.1	0.5	0.2	0.6	1.0	1.9
1979.....		2.5	11.2	1.5	0.4	0.4	0.2	1.1	1.7	1.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,

PLATE 1 OF 2 PG. 89

RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)											
		T	T	T	T						
ALL OTHER FEMALE	T	T	T	T	T						
1996.....		19.0	14.8	3.4	1.9	1.1	*	6.2	19.6	36.6	46.0
1995.....		22.0	12.9	4.9	2.3602	1.3	9.360	27.7	45.3	49.7	
1994.....		20.3	16.9	4.360	2.4	*	1.8	8.0	23.1	40.5	49.7
1993.....		17.0	20.2	4.7	2.4	*	1.4	6.360	21.1	34.3	41.5
1992.....		14.8	22.3	3.5	1.3	*	*	5.1	19.0	28.360	37.3
1991.....		12.5	19.4	4.2	*	*	*	5.360	16.1	26.9	27.6
1990.....		11.4	21.5	3.6	1.9	*	*	4.4	14.1	22.6	27.9
1989.....		10.0	23.9	3.1	*	*	*	3.6	12.3	22.8	22.4
1988.....		8.1	15.4	3.2	1.2	*	*	3.5	9.0	18.7	16.7
1987.....		7.1	18.3	2.5	*	*	*	2.360	7.7	15.3	14.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 90

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)											
		T	T	T	T	T					
BLACK MALE	T	T	T	T	T						
1996.....		69.8	16.6	5.6	2.6	1.6	*	9.0	60.9	140.7	176.8
1995.....		86.8	21.3	5.7	2.9	1.6	*	13.9	83.1	180.4	236.7
1994.....		84.2	23.6	6.4	2.1	*	F	15.2	.9	184.3	227.5
1993.....		72.9	20.4	6.7	1.9	*	*	15.4	82.6	158.9	201.3
1992.....		64.7	27.7	5.2	1.8	*	*	15.0	75.2	142.5	183.9
1991.....		56.1	23.6	4.4	1.4	*	*	14.6	68.3	122.2	168.7
1990.....		47.8	23.6	4.6	1.8	*	*	13.1	60.3	120.6	144.5
1989.....		44.1	22.5	4.6	*	*	*	14.6	59.5	108.6	136.0
1988.....		35.2	21.2	3.9	*	*	*	12.8	48.9	91.2	107.6
1987.....		28.3	20.2	3.6	*	*	*	11.9	39.4	76.6	86.1
1986.....		8.9	14.3	*	*	*	*	3.1	10.9	19.6	23.3
1985.....		6.7	13.4	*	*	*	*	2.9	6.7	13.8	16.4
1984.....		5.3	14.2	*	F	*	*	1.7	4.6	10.5	10.3
1983.....		3.9	12.1	*	*	F	*	*	2.8	6.1	6.0
1982.....		3.2	13.2	*	*	*	*	*	2.3	3.0	5.2
1981.....		2.7	9.3	*	*	*	*	*	1.8	2.4	4.1
1980.....		2.8	12.3	1.1	0.1	0.4	0.3	0.8	1.2	2.4	3.0
1979.....		2.4	11.5	1.3	0.4	0.4	0.1	1.2	1.8	2.0	2.8
BLACK FEMALE	T	T	T	T	T						

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 91

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
TOTAL, BOTH SEXES										
1996.....	203.4	2.3	2.7	2.7	2.7	3.7	5.4	8.5	15.1	27.2
1995.....	204.9	1.8	3.1	2.7	2.7	3.8	5.3	8.4	15.0	28.4
1994.....	205.2	1.5	3.3	2.9	2.7	4.1	5.5	8.7	15.3	28.3
1993.....	205.364	2	3.3	3.1	2.7	4.2	5.4	8.364	15.2	28.5
1992.....	204.1	2.4	3.1	3.0	3.0	4.3	5.6	8.8	15.8	29.8
1991.....	204.1	1.9	3.5	3.2	3.0	4.3	5.3	8.7	15.8	30.3
1990.....	203.2	2.3	3.5	3.2	3.1	4.2	5.5	8.9	16.2	30.3
1989.....	201.0	2.8	3.5	3.5	3.2	4.2	5.7	8.7	15.9	30.2
1988.....	198.4	2.4	3.8	3.3	3.1	4.4	5.5	8.4	15.8	31.3
1987.....	196.8	2.7	3.8	3.7	3.1	4.3	5.364	9.0	16.3	31.2
1986.....	195.5	2.364	4.0	3.364	3.3	4.5	6.1	9.7	17.0	31.6
1985.....	194.0	3.1	3.88	T364	3.4	4.364	6.0	9.4	17.2	32.1
1984.....	192.3	3.2	4.0	3.364	3.5	4.8	6.0	9.4	17.1	32.364
1983.....	189.5	3.364	4.7	4.1	3.7	5.0	6.2	9.4	16.6	32.0
1982.....	187.3	3.7	4.6	4.6	3.7	5.2	6.5	9.4	17.3	32.5
1981.....	183.9	2.5	4.9	4.5	3.7	5.1	6.2	9.7	16.5	32.3
1980.....	183.9	3.2	4.5	4.7	3.9	5.4	7.2	10.5	17.3	33.5
1979.....	179.364	3.4	4.6	4.7	4.1	5.3	6.8	10.0	17.0	33.0
TOTAL, MALE										
1996.....	217.2	2.2	3.1	3.0	2.9	4.1	6.2	8.5	14.1	24.4
1995.....	219.5	1.8	3.3	3.0	3.0	4.364	6.4	8.8	14.2	24.3
1994.....	220.7	1.4	3.5	3.1	3.1	4.8	6.7	9.3	14.364	25.0
1993.....	222.1	2.8	3.7	3.4	3.1	4.7	6.2	8.8	14.7	26.1
1992.....	220.8	2.5	3.1	3.4	3.4	5.2	6.5	8.7	15.2	26.2
1991.....	221.5	2.1	3.7	3.5	3.364	5.0	6.5	9.5	14.8	27.1
1990.....	221.3	2.4	3.7	3.5	3.4	4.8	6.5	9.6	15.5	26.7
1989.....	218.9	2.5	3.7	3.78	T3	4.8	6.4	9.3	14.7	26.9
1988.....	216.7	2.4	3.8	3.9	3.5	5.1	6.3	9.0	14.8	26.9
1987.....	215.9	2.7	4.1	4.3	3.4	5.0	6.7	9.4	15.1	27.1
1986.....	214.4	2.8	4.4	4.1	3.364	5.4	7.5	10.7	16.364	28.0
1985.....	213.4	3.0	4.3	4.1	3.8	5.6	7.1	10.3	16.3	28.9
1984.....	211.7	3.3	4.3	4.2	3.9	5.8	7.3	9.9	16.3	28.1
1983.....	209.8	3.7	5.2	4.5	4.2	5.9	7.1	10.2	15.364	28.2
1982.....	207.7	3.364	5.0	5.5	4.1	6.2	7.4	10.0	16.2	29.0
1981.....	204.4	2.8	5.4	5.0	4.1	6.0	7.5	10.5	14.9	28.364
1980.....	205.3	3.7	5.2	5.5	4.4	6.3	9.2	11.3	15.8	29.3
1979.....	201.364	3.8	4.9	5.3	4.7	6.3	8.3	11.1	15.5	28.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 92

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
TOTAL, FEMALE										
1996.....	190.2	2.4	2.3	2.3	2.4	3.2	4.6	8.4	16.2	30.1
1995.....	191.0	1.8	2.6	2.4	2.3	3.0	4.2	8.0	15.8	32.1
1994.....	190.5	1.6	3.0	2.36 E3	3.4	4.3	8.1	15.9	31.5	
19929.....	189.8	1.7	2.9	2.8	2.3	3.36 E	4.6	8.4	15.8	30.8
1992.....	188.2	2.2	3.0	2.7	2.3	3.4	4.8	8.9	16.5	33.3
1991...../0	187.5	1.7	3.2	2.8	2.4	3.5	4.36 E	7.9	16.9	33.5
1990...../...	186.0	2.2	3.2	2.8	2.7	3.7	4.5	8.2	16.8	33.8
1989...../...	184.0	3.0	3.2	3.3	2.7	3.36 E	4.9	8.1	17.0	33.5
1988...../...	181.0	2.3	3.7	2.7	2.7	3.3	4.7	7.8	16.8	35.5
1987...../...	178.8	2.8	3.5	3.0	2.7	3.3	4.4	8.5	17.4	35.2
1986...../...	177.5	2.4	3.5	3.2	3.0	3.6	4.7	8.7	17.3	35.2
1985...../...	175.7	3.2	3.4	3.2	3.0	3.36 E	5.0	8.5	18.2	35.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 93

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC TAD HEMATOPOIETIC TISSUES (140-208)										

WHITE MALE*****"										
1996.....	225.8	2.3	3.3	3.1	3.0	4.2	6.0	8.6	13.7	23.1
1995.....	228.1	1.9	3.7	3.2	2.9	4.6	6.3	8.6	13.7	23.4
1994.....	228.9	1.5	3.7	3.1	3.1	4.9	6.9	9.3	13.9	24.2
1993.....	229.8	2.7	3.9	3.5	3.3	4.7	6.1	8.6	14.2	25.1
1992.....	228.6	2.7	3.3	3.4	3.6	5.3	6.6	8.7	14.8	24.9
1991.....	228.9	1.9	3.6	3.6	3.7	5.2	6.7	9.5	14.4	25.7
1990.....	227.7	2.2	3.7	3.5	3.5	4.9	6.4	9.5	15.1	24.7
1989.....	224.9	2.9	3.9	3.7	3.7	4.7	6.3	9.2	14.1	25.5
1988.....	222.8	2.4	4.0	3.9	3.6	5.2	6.3	8.9	14.6	25.1
1987.....	221.6	2.8	4.1	4.5	3.6	4.8	6.8	9.4	14.8	26.0
1986.....	219.8	3.1	4.7	4.2	3.6	5.4	7.7	10.8	16.7	26.3
1985.....	218.1	3.1	4.4	4.2	3.7	5.7	7.1	10.3	16.2	27.9
1984.....	215.8	2.7	4.4	4.3	4.0	5.9	7.4	9.8	15.8	26.4
1983.....	213.8	3.5	5.3	4.6	4.1	6.3	7.0	10.2	15.2	26.8
1982.....	211.7	3.5	5.2	5.8	4.2	6.1	7.4	10.1	15.9	28.0
1981.....	207.9	2.4	5.6	5.1	4.2	5.9	7.6	10.5	14.7	27.0
1980.....	208.7	3.5	5.4	5.9	4.6	6.3	9.3	11.6	15.7	28.1
1979.....	204.7	3.8	5.1	5.7	4.7	6.6	8.4	11.1	15.5	27.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 94

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC TAD HEMATOPOIETIC TISSUES (140-208)										

LL OTHER, BOTH SEXES *****										
1996.....	154.0	*	2.5	2.5	2.6	3.8	6.2	8.7	17.6	35.3
1995.....	155.7	*	3.3	2.8	3.0	3.9	5.7	9.3	18.9	34.8
1994.....	156.2	*	3.2	2.8	2.8	4.1	5.0	9.4	18.8	34.5
1993.....	158.2	*	3.1	2.8	2.3	4.2	6.2	10.2	17.8	35.8
04/2.....	156.7	*	2.8	2.8	2.7	4.0	5.6	10.2	18.6	38.3
1991.....	157.8	2.2	3.5	2.8	2.6	4.1	5.7	9.0	18.6	39.7
1990.....	159.3	2.6	3.4	3.0	2.7	4.3	5.6	10.1	19.9	39.4
0989.....	157.8	*	3.4	3.1	3.0	4.2	6.3	9.3	19.0	39.3
1988.....	156.1	*	3.4	3.2	3.0	4.0	6.0	9.4	18.9	41.8
1987.....	155.8	*	3.5	2.9	2.7	4.9	6.1	9.7	18.6	40.1
1986.....	155.4	*	3.5	3.3	3.1	4.0	5.9	10.6	19.2	42.2
1985.....	155.6	3.1	3.2	3.1	3.4	4.1	6.2	9.8	19.8	39.9
1984.....	156.2	4.7	3.4	3.2	3.5	4.4	5.6	10.2	19.8	41.7
1983.....	154.1	4.0	3.9	3.7	3.8	3.9	6.8	9.8	20.7	40.6
1982.....	152.1	4.9	3.9	3.7	3.7	5.4	6.7	10.1	19.8	40.8
1981.....	150.5	*	4.3	4.3	3.8	5.2	5.9	10.5	19.0	43.0
1980.....	152.3	3.6	4.1	3.3	3.5	5.4	7.7	10.8	19.3	41.5
1979.....	149.4	3.5	4.2	3.6	3.9	5.0	6.8	10.8	19.9	44.5
ALL OTHER MALE*****										
1996.....	174.4	*	2.5	2.7	2.5	4.0	7.0	8.2	15.8	30.7
1995.....	176.4	*	3.4	2.5	3.3	4.6	6.7	9.5	16.9	30.7
1994.....	179.0	*	3.1	3.5	3.1	4.2	6.1	9.4	17.9	29.6
1993.....	182.5	*	3.2	3.0	2.6	4.8	6.8	9.6	17.1	32.0
1992.....	180.4	*	2.5	3.2	2.9	5.0	6.0	8.9	17.2	33.2
0991.....	182.5	*	4.1	3.1	2.9	4.6	5.7	9.8	16.7	35.1
1990.....	186.8	*	3.6	3.5	3.1	4.3	7.0	10.0	17.8	37.6
1989.....	186.8	*	2.7	3.3	3.2	5.0	7.2	9.9	18.1	34.3
1988.....	183.5	*	3.2	3.6	3.0	4.4	6.8	9.7	15.9	37.3
1987.....	183.9	*	3.9	3.4	2.5	5.6	6.7	9.5	16.9	34.0
1986.....	184.0	*	3.2	3.6	3.3	5.1	6.3	10.1	16.2	38.7
1985.....	186.2	*	3.8	3.3	3.9	5.0	7.1	10.6	16.8	35.7
1984.....	187.9	*	4.0	3.5	3.7	5.5	6.7	10.3	19.3	39.6
1983.....	185.4	*	4.7	3.8	4.2	4.2	7.4	10.0	18.2	37.6
1982.....	183.7	*	3.9	4.5	3.9	6.5	7.3	9.7	18.0	36.1
1981.....	182.6	*	4.5	4.7	3.8	6.5	6.9	10.1	16.4	39.7
1980.....	184.1	4.4	4.4	3.3	3.7	6.3	9.1	9.3	16.3	38.0
1979.....	181.4	4.0	4.1	3.8	4.8	6.3	7.4	11.1	15.5	40.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 95

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC TAD HEMATOPOIETIC TISSUES (140-208)										

ALL OTHER FEMALE *****										
1996.....	135.3	*	2.4	2.3	2.7	3.6	5.4	9.2	19.3	39.4
1995.....	136.8	*	3.1	3.1	2.7	3.3	4.8	9.1	20.7	38.5
1994.....	135.4	*	3.4	2.2	2.5	3.9	4.0	9.4	19.5	38.8
1993.....	135.9	*	2.9	2.6	1.9	3.6	5.6	10.7	18.4	39.2
1992.....	135.0	*	3.2	2.3	2.6	3.0	5.3	11.5	19.9	42.8
1991.....	135.3	*	2.8	2.5	2.3	3.6	5.7	8.3	20.3	43.9
1990.....	134.2	*	3.1	2.5	2.3	4.3	4.3	10.1	21.8	41.0
1989.....	131.4	*	4.0	2.9	2.9	3.4	5.4	8.7	19.8	43.6
1988.....	131.2	*	3.7	2.9	2.9	3.5	5.3	9.1	21.7	45.7
1987.....	130.2	*	3.1	2.5	3.0	4.2	5.5	9.9	20.1	45.4
1986.....	129.3	*	3.9	3.0	3.0	2.9	5.4	10.9	21.9	45.2
1985.....	127.7	*	2.6	2.9	2.8	3.1	5.4	9.1	22.5	43.6
1984.....	127.4	*	2.8	2.8	3.4	3.3	4.6	10.2	20.3	43.6
1983.....	125.7	*	3.0	3.5	3.4	3.6	6.1	9.6	22.9	43.1
1982.....	123.4	*	4.0	2.9	3.6	4.2	6.0	10.6	21.4	44.9
1981.....	121.4	*	4.2	3.8	3.8	3.9	5.0	10.8	21.2	45.7
1980.....	123.6	2.9	3.8	3.2	3.2	4.6	6.4	12.1	21.9	44.4
1979.....	120.4	3.0	4.2	3.5	3.1	3.7	6.3	10.6	23.6	48.1
BLACK, BOTH SEXES *****										
1996.....	181.4	*	2.5	2.8	2.8	4.2	6.7	10.0	20.2	40.4
1995.....	182.9	*	3.5	2.9	2.9	4.1	6.5	10.1	21.5	40.4
1994.....	183.5	*	3.3	2.9	3.0	4.4	5.3	10.1	21.3	40.2
1993.....	186.1	*	2.9	3.0	2.3	4.5	6.6	11.8	20.3	42.1
1992.....	184.5	*	2.5	2.9	2.8	4.0	6.3	11.5	21.4	44.9
1991.....	185.9	*	4.0	2.8	2.8	4.3	6.3	10.0	21.4	46.0
1990.....	187.2	*	3.5	3.0	2.7	4.5	6.4	11.5	23.1	45.2
1989.....	184.3	*	3.3	3.1	3.2	4.5	7.3	10.0	21.5	44.9
1988.....	181.6	*	3.6	3.1	3.0	4.3	6.8	10.5	22.1	48.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 96

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)										
BLACK MALE										
1996.....	207.3	*	2.4	3.0	2.7	4.4	7.6	9.3	18.5	35.2
1995.....	20EA1	*	3.6	2.7	2.9	4.7	7.3	10.9	19.2	35.9
1994.....	212.1	*	3.2	3.4	3.2	4.7	6.2	10.1	20.5	33.6
1993.....	216.8	*	3.0	3.0	2.6	5.2	7.5	11.0	19.0	37.8
1992.....	214.4	*	2.2	3.2	4 i	5.0	6.4	9.9	20.3	38.4
1991.....	217.5	*	4.7	2.9	3.1	4.7	6.2	11.1	19.4	40.6
1990.....	221.9	*	3.6	3.5	3.2	4.3	7.9	11.1	20.4	43.2
1989.....	220.6	*	3.0	3.5	3.4	5.3	8.5	10.8	19.9	39.9
1988.....	215i	*	3.4	3.4	3.0	5.0	7.4	10.6	18.2	42.6
1987.....	215.8	*	4.3	3.3	4 i3	4 5.9	7.1	10.3	419.2	39.3
1986.....	21295	*	3.2	4.1	3.7	5.5	7.1	11.3	418.0	44.2
1985.....	214.9	*	3.4	3.4	4.0	5.2	7.5	11.5	19.0	40.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 97

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										

†										
TOTAL, BOTH SEXES† † †† ††† †††										
1996.....	3.0	*	*	*	*	*	*	0.1	0.2	0.4
1995.....	3.1	*	*	*	*	*	*	0.1	0.1	0.5
1994.....	3.0	*	*	*	*	*	*	*	0.2	0.4
1993.....	3.2	*	*	*	*	*	*	*	0.2	0.5
1992.....	3.2	*	*	*	*	*	*	*	0.2	0.4
1991.....	3.3	*	*	*	*	*	*	0.1	0.2	0.5
E 0.....	3.4	*	*	*	*	*	*	0.1	0.2	0.5
1989.....	3.3	*	*	*	*	*	0.1	*	0.2	0.5
1988.....	3.4	*	*	*	*	*	*	0.1	0.2	0.5
1987.....	3.3	*	*	*	*	*	*	0.1	0.2	0.5
1986.....	3.5	*	*	*	F F F	*	0.1	0.2	0.6	
1985.....	3.5	*	*	*	*	F	*	F F 0.1	0.2	0.6
1984.....	3.6	*	*	*	*	*	*	0.1	0.2	0.5
E983.....	3.6	*	F	*	*	F	*	*	0.1	0.2
E982.....	3.7	*	*	*	*	*	*	0.1	0.1	0.2
1981.....	3.7	*	*	*	F	*	*	0.1	0.2	0.5
1980.....	3.8	-	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.6
1979.....	3.8	-	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.7
TOTAL, MALE† ††† † ††† †† ††† †††										
1996.....	4.0	*	F F	*	F	*	F	*	F 0.2	0.6
1995.....	4.2	*	F	*	F F	*	F	0.2	*	0.7
1994.....	4.1	*	F	*	*	*	*	F	*	0.2
1993.....	4.4	*	F	*	*	*	*	*	*	0.2
1992.....	4.3	*	*	*	*	*	F	*	*	0.2
1991.....	4.4	*	*	F F	*	*	F F	*	0.2	0.9
1990.....	4.6	*	*	F	*	F 0*	*	F	0*	0.3
1989.....	4.4	*	*	*	*	*	*	*	*	F 0.7
1988.....	4.6	*	F 0*	*	*	*	*	*	*	0.3
1987.....	4.5	*	*	*	F	*	*	*	*	0.2
1986.....	4.7	*	F 0*	*	*	*	*	*	*	0.3
1985.....	4.9	*	*	F	*	F	*	*	*	F 0.4
1984.....	5.0	0.2	0.2	0*	*	F	*	F	*	0.3
1983.....	5.1	*	*	F F	*	*	*	0.2	0.3	0.9
1982.....	5.2	0.2	0*	*	*	F	0.2	0*	*	0.3
1981.....	5.2	*	*	F 0*	*	*	F 0.2	0*	*	0.2
1980.....	5.4	-	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.7

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 99

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										
‡										
WHITE MALE ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	3.9	*	*	*	*	*	*	*	*	0.5
1995.....	4.0	*	*	*	*	*	*	*	*	0.6
1994.....	3.9	*	*	*	*	*	*	*	*	0.5
1993.....	4.2	*	*	*	*	*	*	*	*	0.5
1992.....	4.1	*	*	*	*	*	*	*	*	0.4
1991.....	4.3	*	*	*	*	*	*	*	*	0.6
1990.....	4.4	*	*	*	*	*	*	*	*	0.6
1989.....	4.2	*	*	*	*	*	*	*	*	0.4
1988.....	4.4	*	*	*	*	*	*	*	*	0.5
1987.....	4.3	*	*	*	*	*	*	*	*	0.4
1986.....	4.5	*	*	*	*	*	*	*	0.3	0.5
1985.....	4.7	*	*	*	*	*	*	*	0.3	0.6
1984.....	4.8	*	*	*	*	*	*	*	*	0.5
1983.....	4.9	*	*	*	*	*	*	*	*	0.6
1982.....	5.0	*	*	*	*	*	*	*	0.3	0.5
1981.....	5.0	*	*	*	*	*	*	*	*	0.4
1980.....	5.1	-	0.0	0.0	0.0	-	0.1	0.1	0.1	0.6
1979.....	5.2	-	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.6
WHITE FEMALE ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	2.0	*	*	*	*	*	*	*	*	0.2
1995.....	2.1	*	*	*	*	*	*	*	*	0.2
1994.....	2.1	*	*	*	*	*	*	*	*	*
1993.....	2.1	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	2.3	*	*	*	*	*	*	*	*	*
1990.....	2.3	*	*	*	*	*	*	*	*	*
1989.....	2.3	*	*	*	*	*	*	*	*	0.3
1988.....	2.2	*	*	*	*	*	*	*	*	0.3
1987.....	2.2	*	*	*	*	*	*	*	*	*
1986.....	2.3	*	*	*	*	*	*	*	*	0.3
1985.....	2.3	*	*	*	*	*	*	*	*	*
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	*	*
1980.....	2.4	-	-	-	0.0	0.0	0.0	0.1	0.1	0.3
1979.....	2.....	-	-	0.1	0.0	0.0	0.0	0.0	0.2	0.3

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 101

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										
ALL OTHER FEMALE† ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	* EAR	* EAR	* EAR	* EAR				
1992.....	1.6 EAR	*	*	* EAR	*	*	* EAR			
1991.....	1.8	* E	*	* E	* E	* E		* E	* E	* E
1990.....	1.8	*	*	*	*	*		*	* EAR	
1989.....	1.8	*	* E	*	* E	* E	* E	*	* E	* E
1988.....	1.7	*	* E	* E	* E	*	* E	* E	* E	*
1987.....	1.6	*	* E	* E	* E	* E	* E	* E	* E	* E
1986.....	2.0	*	* E	* E	* E	* E	* E	* E	* E	* E
1985.....	1.8 EAR	*	* EAR	*	*	* E	* E	* E		
1984.....	1.7	*	* E	* E	* E	* E	*	* E	*	*
1983.....	1.9 EAR	* EAR	* E	*	*	*	* E	* E		
1982.....	2.0	*	* EAR	* E	* E	*	* E	* E	*	
1981.....	1.9 E	*	* E	*	* E	* E	* EAR	* E	* E	
1980.....	1.8	-	-	-	0.1	0.1	0.1	0.1	0.1	1.1
1979.....	2.0	-	-	-	0.1	0.1	0.2	-	0.2	0.5
BLACK, BOTH SEXES† ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	3.5	*	* E	* E	*	* E	* E	*	*	0.7
1993.....	4.0	* E	* EAR	* E	* E	* E	* E	* E	1.4	
1989.....	4.2	* E	* E	* E	* E	* E	* E	* E	* E	1.4
1986.....	4.5	* E	* E	* E	* E	* E	* E	* E	* E	1.8
1985.....	4.4	* E	*	* E	* E	*	*	* E	* E	1.6 E
1983.....	4.6	*	* E	* E	* E	* E	* E	* EAR	2.1	
1982.....	4.6 E	* E	* E	* E	* E	*	* E	* E	*	2.1
1981.....	4.5	*	* E	* E	* E	* EAR	* E	* E	1.9	
1979.....	4.6	-	-	-	0.1	0.2	0.2	0.1	0.3 E	2.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 102

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)										

BLACK MALE											†						
1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985	1984	1983	1982	1981	1980	1979
5.6	5.9	5.9	6.3	6.3	6.3	6.9	6.6	6.7.3	6.2	7.0	7.0.3	7.4	7.5	7.3	7.2	8.0	7.2
*	*	*	*	*.3	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-
*	*	*	*	*	*												

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 103

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
TOTAL, BOTH SEXES†† †† ††† †††† †††										
1996.....	47.7	*	*	*	*	0.1	0.5	1.0	2.1	4.5
1995.....	48.2	*	0.2	*	*	0.2	0.4	1.0	2ND	4.4
1994.....	48.1	*	0.2	*	*	0.2	0.5	1ND	2N2	4.4
1993.....	48.3	*	0.1	*	*	0.2	0.5	1.0	1.9	4.7
1992.....	48.2	*	*	*	*	0.2	0.5	1.0	2ND	4.7
1991.....	48.3	*	0.2	*	*	0.1	0.5	0.9	2N2	4.9
1990.....	48.6	*	0.2	*	*	0.2	0.4	0.9	1.9	4.8
1989.....	48.5	*	*	*	*	0.2	0.5	0.9	2.1	4.6
1988.....	48.0	*	*	*	*	0.2	0.4	0.8	2N1	4.7
1987.....	48.5	*	0.2	*	*	0.2	0.4	1.0	2N2	5.1
1986.....	48.5	*	0.1	*	*	0.2	0.5	1ND	2.1	4.8
1985.....	49.0	*	0.2	*	*	0.2	0.5	0.9	2.4	4.9
1984.....	49.5	*	0.2	*	*	0.2	0.3	1N1	2.3	5.0
1983.....	48.7	*	0.2	*	*	0.2	0.5	1.1	2.3	4.8
1982.....	48.6	*	0.2	0.1	*	0.2	0.5	1N2	2.2	4.9
1981.....	48.5	*	0.2	*	*	0.2	0.5	1.1	2.2	5.1
1980.....	48.8	0.3	0.2	0.1	0.1	0.2	0.6	1.1	2.4	4.9
1979.....	48.....		0.3	0.1	0.1	0.1	0.2	0.5	1.2	2.4 5.4
TOTAL, MALE†† ††† †† ††† ††† ††††										
1996.....	51.....	*	*	*	*	*	0.....	0.....	1.1	2.3 5.2
1995.....	52.2	*	*	*	*	*	0.5	1.1	2.3	5.0
1994.....	52.3	*	0.3	*	*	0.2	0.....	1.2	2.7 5.5
1993.....	52.1	*	*	*	*	*	0.5	1.2	2.2	5.5
1992.....	52.2	*	*	*	*	0.2	0.5	1.0	2.2	5.....
1991.....	52.3	*	*	*	*	*	0.....	1.1	2..... 5.8
1990.....	52.7	*	*	*	*	*	0.4	1.0	2.3	5.9
1989.....	52..	*	*	*	*	*	0.4	1N1	2.3	5.3
1988.....	52.0	*	*	*	*	*	0.4	0.9	2.5	5.7
1987.....	52.4	*	*	*	*	0.3	0.4	1.1	2N8	6.2
1986.....	52.3	*	*	*	*	*	0.5	1N2	2.3	5.9
1985.....	52.9	*	*	*	*	0.2	0.6	1.1	2.6	5.8
1984.....	53.0	*	*	*	*	0.2	0.4	1.3	2N9	5.9
1983.....	52.6	*	*	*	*	*	0.4	1N3	2..	5.8
1982.....	52.4	*	*	*	*	*	0.5	1.4	2..	5.8
1981.....	52.4	*	*	*	*	0.3	0.5	1.5	2..	6.0
1980.....	52.7	0.6	0.3	0.1	0.1	0.2	0.8	1.2	2N.....	5.7
1979.....	52.5	0.4	0.1	0.1	0.1	0.2	0..	1.3	2.8	6.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 104

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										

‡

TOTAL, FEMALE‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	44.0	*	*	*	*	*	0.4	0.9	1.8	3.7
1995.....	44.4	*	*	*	*	0.2	0.4	1.0	1.7ND.8	
1994.....	44.2	*	*	*	*	*	0.4	0.9	1.7	3.4
1993.....	44.7N	*	*	*	*	*	0.4	0.9	1.6	3.8
1992.....	44.3	*	*	*	*	*	0.4	0.9	1.8	3.8
1991.....	44.5	*	*	*	*	*	0.4	0.8	1.8	3.9
1990.....	44.6	*	*	*	*	*	0.3	0.9	1.6ND.7	
1989.....	44.6	*	*	*	*	*	0.5	0.7	1.9	3.8
1988.....	44.3	*	*	*	*	*	0.4	0.7N	1.6ND.8	
1987.....	44.8	*	*	*	*	*	0.4	0.8	1.6	4.1
1986.....	44.9	*	*	*	*	*	0.4	0.8	1.9	3.7
1985.....	45.4	*	*	*	*	*	0.4	0.8	2.2	4.0
1984.....	46.1	*	*	*	*	*	0.3	0.9	1.7N	4.1
1983.....	45.1	*	*	*	*	0.2	0.5	0.9	2.0	3.9
1982.....	45.0	*	*	*	*	0.3	0.5	1.0	1.7	4.0
1981.....	44.8	*	*	*	*	*	0.4	0.8	1.7	4.2
1980.....	45.2	0.1	0.1	0.1	0.1	0.2	0.4	1.0	2.2	4.2
1979.....	44.9	0.2	0.1	0.1	0.0	0.2	0.4	1.0	2.0	4.7
WHITE, BOTH SEXES‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	49.0	*	*	*	*	0.1	0.4	0.9	1.7	3.8
1995.....	49.5	*	*	*	*	0.2	0.4	0.9	1.7ND.9	
1994.....	49.3	*	0.2	*	*	0.2	0.5	0.8	1.8	3.9
1993.....	49.5	*	*	*	*	0.2	0.4	0.9	1.8	4.2
1992.....	49.4	*	*	*	*	0.2	0.4	0.9	1.7	4.1
1991.....	49.5	*	0.2	*	*	*	0.4	0.8	1.9	4.2
1990.....	49.6	*	*	*	*	0.2	0.3	0.8	1.7	4.0
1989.....	49.5	*	*	*	*	*	0.3	0.8	1.8ND.9	
1988.....	49.1	*	*	*	*	0.1	0.4	0.6	1.8	4.0
1987.....	49.6	*	0.2	*	*	0.2	0.3	0.8	1.9	4.5
1986.....	49.6	*	0.2	*	*	0.1	0.4	0.9	1.8N	4.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 105

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										

†††

WH. E MALE†† †† ††† †††† †††

1996.....	52.6	*	*	*	*	*	0.5	1.1	2.0	4.4
1995.....	53.3	*	*	*	*	*	0.4	0.9	2.0	4.5
1994.....	53.2	*	0.3	*	*	*	0.5	1.0	2.1	4.9
1993.....	53.0	*	*	*	*	*	0.4	1.0	2.0	4.9
1992.....	53.1	*	*	*	*	*	0.5	0.9	1.9	4.9
1991.....	53.3	*	*	*	*	*	0.6	0.9	2.3	5.1
1990.....	53.4	*	*	*	*	*	0.3	0.9	1.9	4.8
1989.....	53.1	*	*	*	*	*	0.3	0.9	1.9	4.5
1988.....	52.5	*	*	*	*	*	0.4	0.7	2.2	4.9
1987.....	53.1	*	*	*	*	*	0.4	0.9	2.3	5.5
1986.....	52.9	*	*	*	*	*	0.5	1.0	2.0	5.2
1985.....	53.4	*	*	*	*	*	0.5	0.9	2.3	5.2
1984.....	53.4	*	*	*	*	*	0.4	1.1	2.5	5.0
1983.....	52.9	*	*	*	*	*	0.4	1.2	2.2	5.0
1982.....	52.36PE*		* PE*	0.4	1.2	2.3	5.2			
1981.....	52.8	*	*	*	*	0.2	0.5	1.2	2.4	5.2
1980.....	52.9	0.5	0.3	0.1	0.1	0.2	0.36P	1.1	2.4	5.1
1979.....	52.8	0.3	0.1	0.1	0.1	0.2	0.5	1.2	2.5	5.4

WH. E FEMALE †† ††† †† ††† †††† ††††

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 106

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										

†††

ALL OTHER, BOTH SEXES†† †† ††† †††† †††

1996.....	41.5	*	*	*	*	*	0.9	1.4	3.4	7.8
1995.....	41.8	*	*	*	*	*	0.6	1.6	3.4	7.0
1994.....	42.2	*	*	*	*	*	0.7	2.0	4.1	6.9
1993.....	42.1	*	*	*	*	*	0.8	1.7	2.8	6.9
1992.....	42.1	*	*	*	*	*	*	1.4	3.6	8.0
1991.....	42.0	*	*	*	*	*	0.8	1.4	3.3	8.2
1990.....	43.1	*	*	*	*	*	0.7	1.5	3.2	8.9
1989.....	43.0	*	*	*	*	*	1.1	1.4	3.6	8.0
1988.....	42.2	*	*	*	*	*	0.8	1.9	3.7	8.6
1987.....	42.4	*	*	*	*	*	0.7	1.9	4.0	8.4
1986.....	42.6	*	*	*	*	*	0.9	1.7	3.3	8.3
1985.....	43.1	*	*	*	*	*	0.8	1.6	4.2	7.4
1984.....	43.8	*	*	*	*	*	0.7	2.0	4.0	9.1
1983.....	43.2	*	*	*	*	*	0.8	1.6	4.1	8.2
1982.....	43.0	*	*	*	*	*	1.1	2.2	3.6	7.7
1981.....	42.6	*	*	*	*	*	0.7	2.2	3.6	9.0
1980.....	43.4	0.5	0.2	0.1	0.1	0.5	1.1	1.5	3.6	7.4
1979.....	43.3	0.5	0.1	0.2	0.1	0.3	0.8	1.8	4.2	10.1

ALL OTHER MALE†† ††† †† †††† ††† ††††

1996.....	46.3	*	*	*	*	*	1.2	1.5	4.1	9.3
1995.....	46.8	*	*	*	*	*	*	1.7	3.8	8.1
1994.....	48.0	*	*	*	*	*	*	2.4	5.4	8.5
1993.....	47.2	*	*	*	*	*	*	1.9	3.5	9.1
1992.....	47.4	*	*	*	*	*	*	1.4	3.7	9.4
1991.....	47.3	*	*	*	*	*	*	1.7	4.1	9.8
1990.....	49.2	*	*	*	*	*	*	1.6	4.1	12.4
1989.....	49.7	*	*	*	*	*	1.2	1.9	4.8	10.0
1988.....	49.0	*	*	*	*	*	*	2.4	4.6	10.8
1987.....	48.6	*	*	*	*	*	*	2.3	5.1	10.2
1986.....	49.2	*	*	*	*	*	*	2.1	3.8	10.8
1985.....	49.6	*	*	*	*	*	*	2.0	4.7	9.5
1984.....	50.9	*	*	*	*	*	*	2.4	5.4	12.2
1983.....	50.6	*	*	*	*	*	*	2.0	4.7	11.5
1982.....	51.1	*	*	*	*	*	1.3	2.5	4.6	10.2
1981.....	50.2	*	*	*	*	*	*	2.8	4.2	11.7
1980.....	51.2	0.6	0.3	-	0.1	0.4	1.6	1.6	3.9	9.7
1979.....	50.9	0.7	0.1	0.2	0.2	0.3	0.9	2.4	4.5	12.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 107

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
ALL OTHER FEMALE†† †† ††† †††† †††										
1996.....	37.1	*	*	*	*	*	*	1.3	2.9	6.5
1995.....	37.3	*	*	*	*	*	*	1.4	3.0	6.0
1994.....	37.0	*	*	*	*	*	*	1.6	2.8	5.5
1993.....	37.4	*	*	*	*	*	*	1.4	2.1	5.0
1992.....	37.3	*	*	*	*	*	*	1.3	3.4	6.8
1991.....	37.1	*	*	*	*	*	*	1.2	2.6	6.7
1990.....	37.4	*	*	*	*	*	*	1.4	2.5	5.8
1989.....	36.9	*	*	*	*	*	*	*	2.6	6.4
1988.....	36.1	*	*	*	*	*	*	1.4	2.9	6.7
1987.....	36.8	*	*	*	*	*	*	1.5	3.0	6.8
1986.....	36.5	*	*	*	*	*	*	1.3	2.9	6.1
1985.....	37.2	*	*	*	*	*	*	1.2	3.7	5.5
1984.....	37.3	*	*	*	*	*	*	1.7	2.8	6.4
1983.....	36.5	*	*	*	*	*	*	1.2	3.6	5.3
1982.....	35.7	*	*	*	*	*	*	1.9	2.7	5.7
1981.....	35.6	*	*	*	*	*	*	1.7	3.1	6.8
1980.....	36.3	0.3	0.2	0.1	0.1	0.6	0.7	1.5	3.3	5.4
1979.....	36.3	0.3	0.2	0.1	0.1	0.2	0.8	1.2	4.0	8.6
BLACK, BOTH SEXES†† ††† †† ††† ††† ††††										
1996.....	46.8	*	*	*	*	*	0.8	1.7	3.5	8.7
1995.....	47.1	*	*	*	*	*	*	1.4	3.6	7.4
1994.....	47.5	*	*	*	*	*	*	2.1	4.3	7.2
1993.....	47.8	*	*	*	*	*	*	1.9	2.7	7.4
1992.....	47.7	*	*	*	*	*	*	1.3	3.6	8.6
1991.....	48.0	*	*	*	*	*	0.9	1.5	3.5	8.9
1990.....	49.0	*	*	*	*	*	0.9	1.7	3.3	9.4
198LE†.....	48.8	*	*	*	*	*	1.2	1.3	4.2	8.4
1988.....	47.6	*	*	*	*	*	0.8	1.9	4.1	9.0
1987.....	47.8	*	*	*	*	*	0.8	1.9	3.9	8.7
1986.....	47.9	*	*	*	*	*	0.9	1.7	3.4	8.4
1985.....	48.0	*	*	*	*	*	0.8	1.5	4.2	7.6
1984.....	48.7	*	*	*	*	*	0.8	1.9	4.1	10.0
1983.....	47.9	*	*	*	*	*	0.8	1.7	4.4	8.6
1982.....	47.5	*	*	*	*	*	1.1	2.3	3.9	8.2
1981.....	46.8	*	*	*	*	*	0.9	2.3	3.9	9.6
198086.487.2	0.4	0.3	0.1	0.1	0.6	1.2	1.5	3.9	7.4	
1979.....	46.4	0.6	0.1	0.2	0.1	0.2	0.8	1.8	4.5	11.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 108

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)										
+++										
BLACK MALE ++ ++ +++ ++++ +++										
1996.....	51.8	*	*	*	*	*	*	1.8	4.1	10.4
1995.....	52.2	*	*	*	*	*	*	1.8	4.2	8.6
1994.....	53.5	*	*	*	*	*	*	2.6	5.8	9.1
1993.....	53.4	*	*	*	*	*	*	2.3	3.6	9.8
1992.....	53.3	*	*	*	*	*	*	*	3.8	9.9
1991.....	53.9	*	*	*	*	*	*	2.0	4.4	10.8
LE90.....	55.5	*	*	*	*	*	*	1.7	3.9	13.7
1989.....	56.0	*	*	*	*	*	*	1.7	5.4	10.4
1988.....	55.0	*	*	*	*	*	*	2.3	4.8	11.2
1987.....	54.4	*	*	*	*	*	*	2.1	5.1	10.4
1986.....	55.2	*	*	*	*	*	*	2.4	3.9	11.1
1985.....	54.9	*	*	*	*	*	*	2.2	4.7	9.7
1984.....	56.7	*	*	*	*	*	*	2.3	5.6	13.6
1983.....	55.8	*	*	*	*	*	*	2.0	5.0	13.2
1982.....	56.4	*	*	*	*	*	*	2.6	5.1	11.2
1981.....	55.1	*	*	*	*	*	*	3.0	4.6	13.0
1980.....	55.4	0.4	0.3	-	0.1	0.5	1.8	1.6	4.2	10.1
L1979.....	54.5	0.8	0.1	0.2	0.2	0.3	0.9	2.6	4.8	13.4
BLACK FEMALE++ +++ ++ ++++ ++++ ++++										
LE96.....	42.3	*	*	*	*	*	*	1.6	3.0	7.1
1995.....	42.6	*	*	*	*	*	*	*	3.0	6.3
L1994.....	42.1	*	*	*	*	*	*	1.6	3.0	5.5
1993.....	42.7	*	*	*	*	*	*	1.4	1.9	5.3
1992.....	42.6	*	*	*	*	*	*	*	3.4	7.6
L1991.....	42.6	*	*	*	*	*	*	*	2.7	7.4
L1990.....	43.2	*	*	*	*	*	*	1.6	2.8	5.6
L1989.....	42.2	*	*	*	*	*	*	*	3.1	6.7
L1988.....	40.9	*	*	*	*	*	*	1.6	3.4	7.2

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)							
CODE,	UNDER 1	1-4	5-9	10-14	15-19	20-24	
YEAR	TOTAL	YEARS	YEARS	YEARS	YEARS	YEARS	
SMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)							

30-34	35-39
YEARS	YEARS

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 110

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
+++++										
TOTAL, FEMALE+++	+++	+++	++++	++++	+++					
1996.....	45.6	*	*	*	*	*	*	0.2	1.0	3.1
1995.....	45.1	*	*	*	*	*	*	0.3	1.0	3.2
1994.....	44.2	*	*	*	*	*	*	0.2	0.9	2.9
1993.....	43.7	*	*	*	*	*	*	0.2	1.0	2.8
1992.....	42.8	*	*	*	*	*	*	0.3	0.9	3.2
1991.....	41.4	*	*	*	*	*	*	0.3	1.1	3.0
1990.....	40.4	*	*	*	*	*	*	0.3	0.9	3.1
1989.....	39.0	*	*	*	*	*	*	0.3	0.9	2.8
1988.....	37.0	*	*	*	*	*	*	0.2	0.9	2.9
1987.....	35.3	*	*	*	*	*	*	0.3	0.8	2.7
1986.....	33.8	*	*	*	*	*	*	0.2	0.8	3.0
1985.....	32.6	*	*	*	*	*	*	0.4	1.0	3.0
1984.....	30.8	*	*	*	*	*	*	0.3	0.9	3.4
1983.....	29.8	*	*	*	*	*	*	0.2	0.9	3.5
1982.....	28.0	*	*	*	*	*	*	0.3	0.9	3.4
1981.....	26.1	*	*	*	*	*	*	0.2	0.9	3.8
1980.....	25.2	0.1	0.1	0.1	0.0	0.0	0.1	0.3	0.9	3.5
1979.....	23.1	-	0.	0.1.0	-	0.1	0.2	0.3	0.9	3.6
WHITE, BOTH SEXES+++										
1996.....	63.0	*	*	*	*	*	*	0.3	1.2	3.4
1995.....	63.1	*	*	*	*	*	*	0.3	1.1	3.4
1994.....	62.9	*	*	*	*	*	0.1	0.3	1.0	3.4
1993.....	63.2	*	*	*	*	*	0.1	0.3	1.0	3.4
1992.....	62.5	*	*	*	*	*	0.2	0.3	1.0	3.4
1991.....	62.3	*	*	*	*	*	*	0.3	1.0	3.4
1990.....	61.8	*	*	*	*	*	*	0.3	1.1	3.5
1989.....	60.4	*	*	*	*	*	*	0.3	1.0	3.3
1988.....	59.2	*	*	*	*	*	0.1	0.3	1.1	3.4
1987.....	58.1	*	*	*	*	*	0.1	0.4	1.1	3.4
1986.....	56.-	*	*	*	*	*	0.2	0.3	1.1	3.2
1985.....	55.7	*	*	*	*	*	0.2	0.4	1.0	3.8
1984.....	54.4	*	*	*	*	*	0.2	0.2	0.e.0	3.9
1983.....	53.2	*	*	*	*	*	0.2	0.3	1.0	4.3
1982.....	52.0	*	*	*	*	*	0.1	0.4	1.1	4.3
1981.....	50.1	*	*	*	*	*	0.1	0.3	1.1	4.8
1980.....	49.4	0.1	0.2	0.1.1	0.	0.1.1	0.2	0.3	1.1	4.5
1979.....	47.3	-	0.0	0.0	0.	0.1	0.2	0.5	1.2	4.4

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)						
CODE,	UNDER 1	1-4	5-9	10-14	15-19	20-24
YEAR	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS
SMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)						

30-34	35-39
YEARS	YEARS

0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 112

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
+++++										
ALL OTHER, BOTH SEXES+++ ++ T										
1996.....	41.5	*	*	*	*	*	*	*	1.2	5.0
1995.....	42.0	*	*	*	*	*	*	*	1.2	4.5
1994.....	42.3	*	*	*	*	*	*	*	1.3	4.9
1993.....	42.9	*	*	*	*	*	*	*	1.8	4.7
1992.....	43.0	*	*	*	*	*	*	*	1.7	6.0
1991.....	43.1	*	*	*	*	*	*	*	1.4	5.6
1990.....	43.6	*	*	*	*	*	*	*	1.9	5.6
1989.....	43.3	*	*	*	*	*	*	*	1.5	5.9
1988.....	42.5	*	*	*	*	*	*	*	1.4	5.7
1987.....	42.4	*	*	*	*	*	*	*	1.4	5.7
1986.....	41.6	*	*	*	*	*	*	*	1.4	. 8
1985.....	41.2	*	*	*	*	*	*	0.7	1.7	5.3
1984.....	41.3	*	*	*	*	*	*	0.7	1.4	5.9
1983.....	40.4	*	*	*	*	*	*	*	1.6	. 8
1982.....	39.6	*	*	*	*	*	*	*	1.6	6.4
1981.....	39.1	*	*	*	*	*	*	*	1.3	7.1
1980.....	38.9	0.5	0.1	0.0	0.0	0.1	0.3	0.8	1.6	7.0
1979.....	37.4	0.2	-	0.1	0.1	0.1	0.2	0.5	1.8	7.0
ALL OTHER MALE T T T T										
1996.....	57.7	*	*	*	*	*	*	*	1.5	6.9
1995.....	58.5	*	*	*	*	*	*	*	1.5	6.0
1994.....	59.8	*	*	*	*	*	*	*	1.6	6.4
1993.....	61.6	*	*	*	*	*	*	*	2.5	6.3
1992.....	61.5	*	*	*	*	*	*	*	2.3	7.9
1991.....	62.6	*	*	*	*	*	*	*	1.7	7.8
1990.....	64.1	*	*	*	*	*	*	*	3.0	7.5
1989.....	64.5	*	*	*	*	*	*	*	1.6	8.2
1988.....	64.0	*	*	*	*	*	*	*	2.0	8.6
1987.....	64.2	*	*	*	*	*	*	*	2.2	8.2
1986.....	63.8	*	*	*	*	*	*	*	2.0	8.0
1985.....	64.0	*	*	*	*	*	*	*	2.3	8.4
1984.....	65.2	*	*	*	*	*	*	*	2.2	8.8
1983.....	62.9	*	*	*	*	*	*	*	2.2	8.8
1982.....	63.2	*	*	*	*	*	*	*	2.3	9.6
1981.....	62.6	*	*	*	*	*	*	*	1.7	9.8
1980.....	62.5	0.6	0.2	0.1	-	0.2	0.5	1.0	2.4	10.8
1979.....	61.2	0.3	-	0.1	0.2	0.1	0.2	0.5	2.6	9.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 113

CAUSE-OF-DEATH CODE,	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	
RACE, SEX, AND YEAR	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
(+++++) Tj T* 0.048	Tc 0	Tw (ALL OTHER FEMALE++++	++++	++++	++++	+++) Tj T* (1996.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 114

CAUSE-OF-DEATH CODE, RACE, SEX AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)										
+++										
BLACK MALE ++ ++ +++ ++++ +++										
1996.....	70.1	*	*	*	*	*	*	*	1.7	8.7
1995.....	71.2	*	*	*	*	*	*	*	1.6	7.3
1994.....	72.5	*	*	*	*	*	*	*	2.0	8.0
1993.....	74.7	*	*	*	*	*	*	*	3.2	8.2
1992.....	74.7	*	*	*	*	*	*	*	3.1	9.9
1991.....	75.8	*	*	*	*	*	*	*	1.9	9.9
1990.....	77.8	*	*	*	*	*	*	*	3.6	9.7
1989.....	78.0	*	*	*	*	*	*	*	1.8	10.2
1988.....	76.7	*	*	*	*	*	*	*	2.0	10.6
1987.....	76.8	*	*	*	*	*	*	*	2.9	10.6
1986.....	75.8	*	*	*	*	*	*	*	2.2	9.4
1985.....	75.5	*	*	*	*	*	*	*	2.7	10.4
1984.....	76.3	*	*	*	*	*	*	*	2.6	10.8
1983.....	73.2	*	*	*	*	*	*	*	2.5	10.9
1982.....	73.4	*	*	*	*	*	*	*	2.7	11.9
1981.....	71.9	*	*	*	*	*	*	*	*	12.3
1980.....	70.8	0.4	0.2	0.1	-	0.1	0.5	1.1	3.0	13.4
1979.....	68.1	0.4	-	-	0.2	0.1	0.2	0.5	2.8	11.3
BLACK FEMALE++ +++ ++ ++++ ++++ +++										
1996.....	31.6	*	*	*	*	*	*	*	*	4.2
1995.....	31.3	*	*	*	*	*	*	*	*	3.4
1994.....	30.8	*	*	*	*	*	*	*	*	4.3
1993.....	30.2	*	*	*	*	*	*	*	1.7	3.8
1992.....	30.9	*	*	*	*	*	*	*	*	5.1
1991.....	29.7	*	*	*	*	*	*	*	*	4.3
1990.....	29.2	*	*	*	*	*	*	*	*	4.9
1989.....	27.8	*	*	*	*	*	*	*	1.5	5.0
1988.....	26.5	*	*	*	*	*	*	*	*	3.8
1987.....	25.7	*	*	*	*	*	*	*	*	4.1
1986.....	24.5	*	*	*	*	*	*	*	*	4.7
1985.....	23.5	*	*	*	*	*	*	*	1.6	3.0
1984.....	22.0	*	*	*	*	*	*	*	*	4.4
1983.....	22.5	*	*	*	*	*	*	*	*	3.8
1982.....	20.6	*	*	*	*	*	*	*	*	4.3
1981.....	19.8	*	*	*	*	*	*	*	*	5.5
1980.....	19.3	0.4	-	-	0.1	-	0.3	0.7	1.0	4.1
1979.....	17.1	-	-	0.1	-	0.1	0.3	0.5	0.8	5.0

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)										
TOTAL, BOTH SEXES										
1996.....	16.4	*	*	*	*	*	*	0.5	2.1	4.9
1995.....	16.8	*	*	*	*	*	*	0.5	2.0	5.4
1994.....	16.9	*	*	*	*	*	*	0.5	2.1	5.5
1993.....	17.0	*	*	*	*	*	*	0.5	2.0	5.1
1992.....	17.0	*	*	*	*	*	*	0.6	2.2	5.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 116

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
0 MALIGNANT NEOPLASM OF BREAST (174-175)											
TOTAL, FEMALE											
1996.....	31.8	*	*	*	*	*	*	1.1	4.1	9.7	
1995.....	32.6	*	*	*BL	*	*B	1.1	4.1	10.8		
1994.....	32.7	*B	*	*	*BL	*B	0.9	4.2	10.8		
1993.....	33.0	*	*BL	*B	*B	*B	1.1	4.0	10.1		
1992.....	33.0BL	*	*	*	*	*	1.2	4.4	11.2		
1991.....	33.7	*	*BL	*BL	*	1.3	4.6	11.6			
1990.....	34.0	*B	*B	*B	*	*B	*B	1.1	4.6	12.0	
1989.....	33.9BL	*BL	*	*BL	1.3	4.7	12.2				
1988.....	33.6	*B	*B	*B	*B	*	*	1.2	5.0	13.1	
1987.....	32.9B	*B	*	*	*B	*B	*B	1.2	5.1	13.5	
1986.....	32.9B	*	*	*B	*B	*	*B	1.2	5.0	13.3	
1985.....	32.8	*B	*B	*B	*	*BL	1.0	5.1	13.0		
1984.....	32.6	*B	*B	*B	*B	*B	*B	1.4	5.4	14.0	
1983.....	31.6BL	*BL	*B	*B	0.	1.2BL3	5.3	11.9			
1982.....	31.4BL	*B	*	*B	*B	*	1.3	5.7	12.6		
1981.....	30.9BL	*B	*B	*	*B	*B	1.2	5.5	12.5		
1980.....	30.6	-	-	-	0.0	0.0	0.1	1.5	5.3	13.0	
1979.....	29.8	-	-	-	-	-	0.2	1.4	5.4	12.3	
WHITE, BOTH SEXES											
1996.....	17.1	*B	*B	*B	*B	*B	*	0.4	1.8	4.3	
1995.....	17.5	*B	*B	*B	*	*B	*B	0.4	1.7	5.1	
1994.....	17.7	*B	*B	*	*B	*B	*B	0.4	1.8	5.0	
1993.....	17.9	*B	*	*B	*B	*BL	0.4	1.8	4.5		
1992.....	17.9	*B	*B	*B	*	*B	*	0.5	2.0	5.	1.2B
1991.....	18.	1.2B	*B	*B	*B	*	*B	*B	0.5	2.	1.2B 5.4
1990.....	18.5	*	*	*B	*B	*BL	0.5	2.1	5.6		

RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE,		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
RACE, SEX, AND YEAR	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)										

WHITE MALE										
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	* H	* H	* H	* H	* H	*	*	*
1992.....	0.2	*	*	*	*	* H	*	*	*	*

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)										
ALL OTHER, BOTH SEXES										
1996.....	13.0	*	*	*	*	*	*	1.0	3.4	7.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)										
ALL OTHER FEMALE										
1996.....	24.7	*	*	*	*	*	*	1.9	6.5	14.7
1995.....	25.3	*	*	*	*	*	*	1.8	6.9	13.6
1994.....	24.8	*	*	*	*	*	*	1.4	6.6	14.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 120

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASM OF BREAST (174-175)										
BLACK MALE										
1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.2 ED	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.3 ED	* ED	* ED	*	* ED	*	*	*	*	*
1989.....	0.2 E	*	* E	*	* E	*	*	* E	*	*
1988.....	0.4	*	*	*	* ED	* ED	* E	*	*	*
1987.....	0.3 E	*	* ED	* E	*	*	*	*	*	*
1986.....	0.2 E	*	* E	*	* E	*	*	* E	*	*
1985.....	0.2	*	* E	*	* E	*	* E	*	*	*
1984.....	0.3 E	*	*	*	* E	*	*	*	*	*
1983.....	0.3	*	* E	*	*	*	*	*	*	*
1982.....	0.3	*	* E	*	* E	*	* E	*	*	* E
1981.....	0.3 ED	* E	*	*	*	* E	*	* E	*	*
1980.....	0.2	-	-	-	-	-	-	-	-	0.2
1979.....	0.3	-	-	-	-	-	-	-	0.1	0.2
BLACK FEMALE										
1996.....	29.9	*	* E	*	* E	*	* E	2.3	8.1	17.5
1995.....	30.2	*	* E	*	* E	*	*	1.9	8.5	16.3 E
1994.....	29.6 ED	* E	*	*	* E	*	1.7	7.7	17.7	
1993.....	29.5	*	* E	*	*	*	* E	2.5	7.3 E	18.3 E
1992.....	28.7	*	* E	* E	* E	* E	* E	2.7	7.3	19.1
1991.....	29.3 E	*	* ED	* E	*	* E	2.4	7.6 E	19.0	
1990.....	29.0	*	* E	* E	* E	*	* E	2.5	8.1	19.3
1989.....	27.7 ED	* E	* E	*	* E	* E	2.5	7.9	19.7	
1988.....	28.5	*	* ED	* E	* E	*	2.3 E	8.7	23.4	
1987.....	27.5	*	* E	* E	*	*	* E	1.7	8.0	22.6 E
1986.....	26.5	*	*	*	* E	* E	*	2.7	9.0	22.3
1985.....	25.9	*	*	*	* ED	* E	*	8.0	20.5	
1984.....	26.5	*	* E	*	* E	* E	*	2.9	7.5	20.5
1983.....	24.6 E	*	* E	*	* E	*	* E	2.1	7.5	17.6
1982.....	24.6	*	* E	*	*	* E	*	2.8	8.2 E	18.6 E
1981.....	23.5	*	* E	*	*	*	* E	2.3	8.4	16.8
1980.....	22.9	-	-	-	-	-	0.2	3.1	7.9	16.1
1979.....	22.0	-	-	-	-	-	0.2 E	2.3 E	8.4	17.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 121

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										

TOTAL, BOTH SEXES										
1996.....	22.6	*	*	*	*	*	0.4	1.0	1.8	2.8
1995.....	23.0	*	*	*	*	0.2	0.4	0.8	1.7	2.8
1994..... B	23.5	*	*	*	*	*	0.4	0.9	1.7	2.9
1993.....	23.4	*	*	*	*	0.2	0.4	0.9	1.7	2.9
1992.....	23.5	*	*	*	*	0.2	0.4	1.0	1.8	3.1
1991.....	23.4	*	*	*	*	*	0.4	0.8	1.8	3.2
1990.....	23.1	*	*	*	*	0.1	0.4	0.9	1.8	3.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 122

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
TOTAL, FEMALE										
1996.....	18.7	*	*	*	*	*	0.5	1.4	3.0	4.9
1995..... /	19.0	*	*	*	*	*	0.4	1.3	2.8	4.9
1994.....AB9.2 1.	*	*	*	*	0.4	1.3	2.8	5.2 1		
1993.....	18.9 1.	*	*	* 1.	0.4	1.2 1	2.8	5.2		
1992.....AB9.3	*	*	*	*	*	0.4	1.4	2.9 1	5.5	
1991.....A	19.2 1	* 1	* 1.	*	*	0.5	1.1	3.0	5.6	
1990..... /	19.3	* 1	* 1	* 1.	*	0.5	1.2	3.0	5.5	
1989.....	18.8 1.	*	*	* 1.	0.5	1.2	3.0	5.2 1		
1988.....	19.0	* 1	* 1	* 1	* 1	* 1	0.5	1.4	2.8 1	5.0
1987.....	18.8 1	* 1	*	*	* 1.	0.5	1.4	3.2 1	5.4	
1986.....AB9.0	* 1	* 1	* 1.	0.2 1	0.4	1.4	2.9	5.1		
1985.....	18.9 1	* 1	* 1.	*	0.3	0.4	1.4	2.7	5.2	
1984.....	18.9	*	*	*	*	*	0.4	1.4	3.0	5.3
1983.....	19.2 1	* 1	* 1	* 1	* 1	0.3	0.6	1.4	2.8 1	5.8
1982.....	19.2 1	* 1	* 1	* 1	* 1	0.3	0.5	1.5	3.1	5.2
1981.....	19.3	* 1	* 1	* 1	* 1	0.3	0.5	1.5	2.9	5.3
1980.....	19.6	-	0.0	0.0	0.1	0.2 1	0.6	1.4	2.8	5.9
WHITE, BOTH SEXES										
1996.....	22.9	* 1	* 1	* 1	* 1	* 1	0.4	1.0	1.8	2.7
1994.....	23.8 1	* 1	* 1	* 1	* 1	* 1	0.5	0.9 1	1.7	2.7
1993.....A	23.6	* 1	*	* 1.	0.1	0.4	0.9	1.7	2.7	
1992.....A	23.8	* 1	* 1	* 1	*	0.2	0.4	1.0	1.6	2.8
1991.....	23.6	*	*	*	* 1.	0.4	0.9 1	1.7	2.9	
1990.....A	23.3	* 1	* 1	* 1	* 1	* 1	0.5	0.9 1	1.7	3.1
1989.....	22.4	*	* 1	* 1	*	0.1	0.5	1.0	1.8 1	2.8
1988.....	21.9 1	* 1	*	* 1	* 1	* 1	0.5	1.0	1.6	2.6

WHITE MALE

WHITE FEMALE

1996.....	19.5	4	*	4	*					0.5		1.4	3.0	4.7
1995.....	19.9		*	*	4	*	4	*	4	0.4	1.3	2.7	4.5	
1994.....	20.0		*	*		*	*		*	0.4	1.2	2.8	4.9	
1993.....	19.6		*	*	4	*	*		*	4	0.4	1.1	2.6	4.8
1992.....	19.9		*	*	4	*	4	*	4	0.4	1.2	2.7	5.1	

ALL OTHER, BOTH SEXES

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 125

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										

ALL OTHER FEMALE

1996.....	14.9	*	*	*	*	*	*	1.5	3.2	5.9
1995.....B ...	14.36"	*	*	*	*	1.6	3.2	6.8		
1994B .B .	15.1	" "	*	" "	" "	1.5	3.2	6.36"		
1993.B .B.....	15.6	" "	*	" "	" "	*	1.36"	3.5	6.7	
1992B .B.....	16.2	*	" "	" "	" "	" "	*	2B1	4B0	7.3
1991B .B.....	16.2	*	" "	" "	" "	" "	*	1.0	4B3	7.9
1990.B .B.....	15.9	*	" "	" "	" "	" "	*	1.5	4.2	6.1 "
1989B .B.....	15.9	*	" "	" "	" "	" "	1.3	3.5	6.7	
1988.B .B.....	16.3	*	" "	" "	" "	" "	1.8	4B2	7.2	
1987.B .B.....	15.9	*	9	E 9	" "	" "	2B1	4B4	6.9	
1986.B .B.....	16.3	*	" "	" "	" "	" "	*	1.9	4.7	6.7
1985.B .B.....	16.3	*	" "	" "	" "	" "	*	1.8	4.1 "	8.0
1984BB .B.....	16.7	*	" "	" "	" "	" "	*	1.36"	4B1	6.5
1983.BB .B.....	17.1	" "	*	9	E	" "	9	E 2B2	4B36"	8.2
1982BB .B.....	17.0	*	" "	" "	" "	" "	*	2B0	4B3	8.5
1981.B .B.....	16.8	*	" "	" "	" "	" "	*	2B1	4.4	8.7
1980.BB .B.....	18.5	-	-	-	0.1 "	0.3	1.3	2.1 "	4B3	10.0
1979B .B.....	18.2	-	-	0.1	0.1	0.5	0.9	2.4	5.2	9B7

BLACK, BOTH SEXES

1996.BB .B.....	26.2	" "	*	" "	" "	" "	" "	*	0.9	2.2	3.7
1995.BB .B.....	26.0	" "	*	" "	" "	" "	" "	1.0	2.2	4B7	
1994BBB .B.....	26.7	*	" "	9E 9E 9E	" "	9E	" "	9E	" "	9	0..
1993B .B.....	27.4	*	" "	9	" "	9E	" "	9E	" "	9	" "
1992BBB .B.....	27.4	*	" "	" "	9	E	" "	" "	1.2	2.6 "	4.9
1991.BB .B.....	27.1	*	" "	" "	9E 9E	" "	9E	" "	9E	" "	0.7
1990B .B.....	26.9	*	" "	9	" "	9E	" "	9	" "	" "	0..
1989B .B.....	25.8	E 9E	*	" "	" "	" "	" "	" "	0..	2.4	4.1 "
1988.BB .B.....	25.4	*	" "	9E	" "	9E	" "	" "	" "	1.0 "	2.8
1987B .B.....	25.2	*	" "	" "	9E	" "	9E	" "	" "	9E 1.4	2B8
1986.BBB .B....	25.3	*	" "	9E	" "	" "	" "	" "	1.2	2B9	4B3
1985.BBB .B....	25.0	*	" "	9	" "	" "	" "	9E	" "	9	" "
1984BBBB .B....	24B9	*	" "	9E	" "	" "	" "	9E	" "	9E	" "
1983.BBB .B....	24B9	*	" "	" "	9E	" "	" "	" "	9	E 0.7	1.36"
1982BBBB .B....	24B2	*	" "	" "	9E	" "	" "	" "	9E	" "	1.4
1981.BBB .B....	24B2	" "	*	" "	9	E	" "	" "	9E 1.4	2.7	5.2
1980B .B.....	24.9	-	-	-	0.0 "	0.3	0.9	1.3	3.0	6.3	
1979BB .B.....	24B0	-	-	0.0	0.0	0.3	0.7	1.3	3.4	6.3	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 126

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)										
BLACK MALE										
1996.....	36.2	*	*	*	*	*	*	*	*	*
1995.....	35.8	*	* 04040	*		* 0	* 040	*		
1994.....	36.7	* 0	* 040	*		* 0	* 040	*	* 0	
1993.....	37.4	* 040	*	* 0	* 040	*		* 0	*	
1992.....	36.9	* 0	*	*	* 0	*	*	*	* 0	*
1991.....	36.3	* 0	* 040	* 040	*		* 040	*		
1990.....	36.2	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1989.....	3TE9 040	* 040	* 0		* 0	*	* 0	* 0	* 0	
1988.....	32.9 0	* 0	*	* 0	* 0	*	* 0	* 0	* 0	*
1987.....	32.8 040	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	
1986.....	32.3 040	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	
1985.....	32.1 040	* 0	* 0	* 0	* 0	* 0	*	* 0	* 0	
1984.....	31.4	* 0	* 0	*	* 0	* 0	* 0	*	* 0	* 0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 127

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										
TOTAL, BOTH SEXES										
1996.....	8.7	*	*	0.1	*	*	*	0.1	0.3	0.6
1995.....	8.36~	0.1	*	*	*	*	0.1	0.2	0.7	
1994.....	804/~	*	0.1	*	*	* EL	0.3	0.5		
1993.....	804	*	*	0.1 EL	*	*	0.2	0.3	0.7	
1992.....	805 EL	*	0.1	* EL	*	0.1	0.2	0.36~		
1991.....	804	*	*	0.2	* E	* E	* E	0.2	0.2	0.36~
1990.....	8.3	* E	0.1 E	0.1	*	* EL	0.1	0.4	0.36~	
1989.....	8.2	*	0.2	0.1	*	* EL	0.1 E	0.3	0.7	
1988.....	800	* E	0.1 E	0.2	*	*	0.1	0.1	0.3	0.36~
1987.....	800	*	*	0.2	*	*	*	0.1	0.2	0.3
1986.....	8.0	* E	0.1	0.2 EL	*	* E	0.1	0.3	0.7	
1985.....	7.9 EL	*	0.2 EL	*	*	0.1 E	0.2	0.8		
1984.....	7.9	*	0.2 EL	*	*	*	0.1	0.3	0.36~	
1983.....	7.9 EL	0.3	0.2	*	* E	0.1	0.1	0.3	0.3	
1982.....	800 EL	0.2	0.2	*	*	0.1	0.1	0.3	0.7	
1981.....	7.8	* E	0.2	0.2 E	* E	*	* E	0.1	0.4	0.8
1980.....	7.9	0.3	0.2 E	0.2	0.1	0.1	0.1	0.2 E	0.3	0.3
1979.....	7.8	0.2	0.2 E	0.2	0.1	0.1	0.1	0.1	0.2 E	0.7
TOTAL, MALE										
1996.....	11.3	*	* E	* E	*	* E	* E	*	0.3	0.8
1995.....	11.2 EL	* EL	* E	* E	*	* E	0.3	0.9 E		

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 128

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										
TOTAL, FEMALE										
1996.....	6.1	*	*	*	*	*	*	*	0.2	0.4
1995.....	6.1	*	*	*	*	*	*	*	0.2	0.5
1994..... TA.1	*	*	*	*	*	*	*	0.3	0.4	
1993.....	5.8	*	*	*	E G	*	*	* E	0.2	0.4
1992..... TA.1	*	*	*	*	*	*	*	*	0.4	
1991..... TA.0	*	*	*	E	*	*	*	E 0.2	0.4	
1990.....	5.9	*	*	*	E	*	*	*	0.3	0.4
1989.....	5.7	*	E	*	*	*	E	*	0.2	0.5
1988.....	5.6	*	E	*	E	*	*	*	0.2	0.4
1987.....	5.6	*	*	*	*	*	*	*	*	0.4
1986.....	5.6	*	*	0.3	*	*	*	E 0.2	0.2	0.5
1985.....	5.5	*	*	E G	*	*	*	* E	*	0.6
1984.....	5.4	*	*	*	*	*	*	*	0.2	0.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 129

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										

WHITE MALE

1996.....	12.5	*	*	*	*	*	*	*	*	0.8
1995.....	12.4	*	*	*	*	*	*	*	0.3	0.8
1994.....	12.DE	*	*	*	*	*	*	*	0.DE	0.6
1993.....	12.2 SE	* SE	* SE	*	*	0.3	0.8			
1992. 5-.....	12.1 SE	*	*	* SE	*	*	0.DE	0.8		
1991 5-.....	11.9 SE	*	*	*	*	* SE	*	0.7		
1990. 5-.....	11.8	* S	*	*	* SE	* SE	0.3	0.8		
1989 5-.....	11.7 SE	* S	*	* S	* S	*	* S	0.2	1.0	
1988. 5-.....	11.D	*	* SE	* S	* S	* S	* S	0.3	0.7 S	
1987. 5-.....	11.4	* S	*	* S	* S	* S	* S	* S	0.D	0.8
1986 5-.....	11.DE	* S	* S	* S	* S	* S	* S	* S	0.D	0.7
1985. 5-.....	11 0. 5-	* S	*	* S 5-	* S	*	0.2 S	0.9 S		
1984. 5-.....	11 0.	* S	* S	* S	* S 5-	*	*	0.DE	0.8	
1983. 5-.....	11.4	*	*	*	*	* S	* S	*	0.2	0.8
1982. 5-.....	11.5	*	*	*	* SE	* S	* S	0.4	0.9 S	
1981. 5-.....	11.2 S 5-	*	*	* S	*	*	*	0.4	0.9	
1980. 5-.....	11 4	0.2 S	0.2 S	0.1 S	0.1 S	0.1 S	0.1 S	0.2 S	0.DE	0.7 S
1979 5-.....	11.2 S	0.3	0.DE	0.1 S	0.0	0.0	0.1	0.1 S	0.3	0.9 S

WHITE FEMALE

1996. 5-.....	6 6	*	*	*	* S 5-	* SE	* S	0.4		
1995 5-.....	6 5 SE	* S	* S	* S	* S	* S	* S	* S	0.4	
1994. 5-.....	6 6	*	* S	* S	*	*	* S	* S	0.2	0.D
1993. 5-.....	6 2 S	* S	* S	* S	* S	*	*	* S	*	0.4
1992. 5-....	6 5	*	* S	* S	*	*	* S	* S	*	0.4
1991. 5-.....	6 4	* S	*	*	* S	* S	* S	* SE	0.4	
1990. 5-....	6.2	*	* SE	* S	* S	* S	*	* S	0.DE	
1989 5-.....	6 1 S	* S	* S 5-	* S	*	* S	* S	0.2	0.5 S	
1988 5-.....	6.0 SE	* S	* S	* S	*	*	* S	* S	0.3	
1987. 5-.....	6.0 S	*	* S	* S	*	*	* S	* S	*	0.4
1986 5-.....	6 0	* S	*	0.D	*	* S	*	*	* S	0.4
1985. 5-.....	5.8	* S	* SE	* S	*	*	* S	* S	0.6	
1984. 5-....	5.7 S	* S	*	* S	*	* S	*	*	* S	0.4
1983. 5-....	5.8	*	* S	*	*	* S	* SE	* S	0.4	
1982. 5-...	5.6	* S	*	* S	* S	*	* S	* S	* S	0.5 S
1981 5-.....	5.6	*	* S	* S	*	* S	* S	* S	0.DE	0.5
1980. 5-...	5.5 S	0.4	0.1 S	0 0.	0.1	0.1	0.1	0.1 S	0 DE	0.4
1979 5-.....	5.4	0.2	0.1	0.D	0.1	0.0	0.1	0.1	0.2 S	0.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS			
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)														
ALL OTHER, BOTH SEXES														
1996.....	T.	4.8	*	*	*	*	*	*	*	0.5	0.7			
1995	T. T. ...	4.8	*	*	*	*	*	*	*	*	0.9			
1994.	T. . T.	4.9	*	*	*	*	*	*	*	0.5	0.6			
1993	T. . T.	4.8	*	*	*	*	*	*	*	*	0.9			
1992	T. . T.	4.7	*	*	*	*	*	*	*	*	0.9			
1991.	T.	4.9	*	*	*	*	*	*	*	*	0.9			
1990.	T.	4.9	*	*	*	*	*	*	*	0.9	0.7			
1989	T.	4.9	*	*	*	*	*	*	*	*	0.7			
1988.	T.	4.6	*	*	*	*	*	*	*	0.6	1.1			
1987.	T.	4.6	*	*	*	*	*	*	*	*	0.7			
1986	T.	4.6	*	*	*	*	*	*	*	*	1.2			
1985	T.	4.8	*	*	*	*	*	*	*	*	1.0			
1984.	T.	4.8	*	*	*	*	*	*	*	*	*			
1983	T.	4.7	*	*	*	*	*	*	*	0.7	*			
1982	T.	4.9	*	*	*	*	*	*	*	*	*			
1981.	T.	4.8	*	*	*	*	*	*	*	*	1.0			
1980.	T.	4.6	0.2	TH.3	0.2	T	0.0	-	0.3	0.3	0.4	0.5		
1979	T.	4.8	-	TH.3	TH.4	0.1	TH.1	T	0.4	0.2	0.3	T	0.9	
ALL OTHER MALE														
1996.	T.	5.7	*	*	*	*	*	*	*	*	*			
1995	T.	5.6	*	*	*	*	*	*	*	*	1.1			
1994.	T.	5.9	*	*	*	*	*	*	*	*	*			
1993	T.	5.8	*	*	*	*	*	*	*	*	1.3			
1992	T.	5.8	*	*	*	*	*	*	*	*	*			
1991.	T.	5.9	*	*	*	*	*	*	*	*	1.3			
1990	T.	5.9	*	*	*	*	*	*	*	*	*			
1989	T.	6.0	*	*	*	*	*	*	*	*	*			
1988.	T.	5.6	*	*	*	*	*	*	*	*	1.7			
1987.	T.	5.7	*	*	*	*	*	*	*	*	*			
1986	T.	5.3	*	*	*	*	*	*	*	*	*			
1985	T.	6.2	T	*	*	*	*	*	*	*	*			
1984.	T.	5.9	*	*	*	*	*	*	*	*	*			
1983	T.	5.9	*	*	*	*	*	*	*	*	*			
1982	T.	6.0	*	*	*	*	*	*	*	*	*			
1981.	T.	6.1	T	*	*	*	*	*	*	*	*			
1980.	T.	5.6	0.3	T	0.3	-	T	-	0.4	0.4	0.5	TH.6		
1979	T.	6.1	-	0.4	0.3	0.1	T	0.1	T	0.6	0.2	T	0.1	0.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 132

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)										

BLACK MALE

1996.....	6.6	*	*	*	*	*	*	*	*	*
1995.....	6.6	*	*	*	*	*	*	*	*	*
1994.....	6.9	*	*	*	*	*	*	*	*	*
1993.....	6.8	*	*	*	*	*	*	*	*	1.6
1992.....RA7	*	*	*	*	*	*	*	*	*	*
1991.....	7.1	*	*	*	*	*	*	*	*	*
1989.....	7.1	*	*	*	*	*	*	*	*	*
1987.....	6.6	*	*	*	*	*	*	*	*	*
1986.....	6.2	*	*	*	*	*	*	*	*	*
1985.....	7.1	*	*	*	*	*	*	*	*	*
1984.....	6.7	*	*	*	*	*	*	*	*	*
1982.....	6.8	*	*	*	G *	*	GR	*	G *	*
1981.....	6.8	*	*	GR GR G	*	*	G *	*	*	*
1980.....	6.1	0.4	0.3	-	-	-	0.5	0.5	0.6	0.8
1979.....	6.7	-	0.3	0.2	0.1	0.1	0.7	0.2	0.1	1.1

BLACK FEMALE

1996.....	4.8	*	G *	*	*	G *	GR G *	*	G *	*
1994.....	4.7	*	*	*	*	*	G *	G *	GR G *	*
1993.....	4.5	*	*	G *	G *	*	*	G *	*	*
1992.....	4.4	GR G *	*	*	*	*	G *	*	*	*
1991.....	4.7	*	*	G *	G *	G *	*	GR G *	*	*
1990.....	4.8	*	*	G *	*	G *	G *	*	*	*
1989.....	4.6	*	*	G *	*	*	G *	G *	*	*
1988.....	4.4	*	*	G *	*	*	G *	*	*	*
1987.....	4.3	*	*	G *	G *	*	*	G *	*	*
1986.....	4.5	*	*	G *	*	*	*	G *	*	G *
1985.....	4.1	*	*	GR G *	*	*	*	G *	*	*
1984.....	4.4	G *	G *	*	G *	*	G *	G *	*	*
1983.....	4.1	*	G *	*	*	G *	*	G *	*	*
1982.....	4.3	*	*	G *	G *	*	*	G *	*	G *
1981.....	4.1	*	G *	*	G *	GR G *	*	*	G *	*
1981.....	4.1	-	0.4	0.5	0.1	-	0.3	0.2	0.4	G0.4
1979.....	3.9	-	0.3	0.4	G0.1	0.1	0.4	0.2	0.5	1.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 133

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)										

TOTAL, BOTH SEXES										
1996.....	25.0	1.1	1.5	1.6	1.3	1.7	1.8	2.7	4.0	6.1
1995.....	25.0	0.9	1.7	1.4	1.3	1.6	2.1	2.6	4.0	6.3
1994.....	25.3	0.7	1.7	1.6	1.3	1.8	2.0	2.8	4.1	6.5
1993.....	25.3	1.1	2.0	1.6	1.2	1.8	2.0	2.7	4.2	6.5
1992.....	24.7	1.0	1.6	1.5	1.4	1.9	2.0	2.6	4.3	6.3
1991.....	24.6	1.0	1.9	1.5	1.5	1.8	2.0	2.8	4.4	6.6
1990.....	24.2	1.3	1.9	1.7	1.5	1.6	2.0	2.8	4.4	6.6
1989.....	24.7	1.3	1.8	1.8	1.4	1.8	2.0	2.8	4.2	6.7
1988.....	25.0	1.3	2.0	1.5	1.5	1.9	1.9	2.8	4.3	7.1
1987.....	25.0	1.4	2.0	1.7	1.3	1.8	2.0	2.9	4.4	6.7
1986.....	24.8	1.5	2.1	1.6	1.5	1.9	2.1	3.3	4.9	7.3
1985.....	24.3	1.4	2.0	1.7	1.4	1.9	2.2	3.2	5.1	7.5
1984.....	23.8	1.3	2.1	1.7	1.5	1.9	2.1	3.1	4.9	7.0
1983.....	23.5	1.7	2.2	1.7	1.7	1.9	2.2	2.9	4.6	7.1
1982.....	23.0	1.7	2.5	1.8	1.6	2.1	2.3	2.8	4.7	7.2
1981.....	22.5	1.2	2.4	1.8	1.6	1.9	2.2	3.1	4.3	6.8
1980.....	22.4	1.5	2.3	1.8	1.6	2.1	2.6	3.2	4.8	7.0
1979.....	21.6	1.7	2.2	1.7	1.8	2.2	2.4	3.1	4.3	6.6
TOTAL, MALE										
1996.....	27.2	1.4	1.6	1.7	1.4	2.0	2.3	2.9	4.6	7.3
1995.....	27.2	1.0	2.1	1.5	1.4	2.0	2.8	3.2	4.8	7.3
1994.....	27.3	*	1.9	1.7	1.5	2.1	2.4	3.3	4.8	7.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 134

CAUSE-OF-DEATH CODE, RACE, SEX AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF ALL OTHER AND 91SPECIFIED SITES (170-173,190-199)										
+++++										
TOTAL, FEMALE+++	+++	++++	+++++	+++						
1996.....	23.0	*	1.3	1.4	1.3	1.5	1.3	2.4	3.3	4.9
1995.....	22.9	*	1.3	1.3	1.1	1.3	1.4	2.1	3.3	5.4
1994.....	23.3	*	1.5	1.5	1.2	1.6	1.5	2.4	3.5	5.4
1993.....	23.1	*	1.7	1.5	1.2	1.6	1.6	2.6	3.5	5.0
1992.....	22.5	0	1.7	1.5	1.3	1.5	1.6	2.4	3.4	5.2
1991.....	22.3	*	1.8	1.4	1.3	1.6	1.6	2.3	3.4	5.2
1990.....	22.2	1.3	1.7	1.7	1.5	1.5	1.5	2.2	3.6	5.3
1989.....	22.4	1.3	1.7	1.9	1.4	1.6	1.8	2.4	3.4	5.2
1988.....	22.6	*	1.9	1.4	1.5	1.7	1.6	2.2	3.5	6.2
1987.8..f .7	1.5	1.8	1.6	1.2	1.5	1.5	2.4	3.7	5.6	
1986.8..f	22.5	1.4	1.9	1.6	1.5	1.5	1.7	2.6	3.5	5.3
1985.8..f	22.0	*	1.9	1.5	1.3	1.5	1.8	2.3	4.0	5.7
1984.....	21.8	1.3	1.9	1.6	1.3	1.5	1.5	2.5	3.7	5.5
1983.....	21.3	1.5	2.1	1.7	1.4	1.6	1.8	2.3	3.4	5.7
1982.....	21.2	1.6	2.3	1.6	1.6	1.7	1.8	2.2	3.5	5.8
1981.8..f	20.9	*	2.1	1.8	1.6	1.6	1.7	2.7	3.8	5.7
1980.....	20.3	1.5	1.8	1.7	1.5	1.8	1.8	2.5	4.0	5.6
1979.....	19.8	1.5	2.2	1.6	1.6	1.7	1.9	2.3	3.6	5.5
WHITE, BOTH SEXES +++	+++	+++	+++	++++	+++	+++++	+++			
1996.....	27.0	1.4	1.5	1.6	1.3	1.7	1.8	2.8	4.2	6.4
1995.8.....	26.8	1.0	1.7	1.3	1.3	1.6	2.1	2.8	4.2	6.5
1994.....	27.1	0.7	1.8	1.5	1.3	1.9	2.0	3.0	4.2	6.8
1993.....	27.0	1.1	2.0	1.7	1.3	1.8	2.1	2.7	4.4	6.7
1992.....	26.4	1.0	1.6	1.5	1.5	2.0	2.1	2.7	4.6	6.7
1991.8..f	26.2	1.2	1.9	1.5	1.5	1.9	2.0	3.1.00	26	6.9
1990.....	25.7	1.2	1.9	1.7	1.5	1.7	2.0	2.9	4.5	6.8
3.59.8..f	26.2	1.4	1.9	1.9	1.4	1.9	2.1	2.9	4.4	6.9
1988.....	26.4	1.2	2.0	1.5	1.5	1.9	1.9	2.9	4.6	7.3
1987.8.....	26.3	1.5	2.0	1.8	1.3	1.7	2.0	3.0	0	26
1986.....	26.1	1.6	2.1	1.7	1.5	1.9	2.2	3.5	5.2	7.5
1985.8.....	25.5	1.6	2.1	1.7	1.4	2.0	2.2	3.4	5.3	7.7
1984.....	24.9	1.2	2.2	1.7	1.5	2.0	2.2	3.2	5.0	7.2
1983.....	24.5	1.7	2.3	1.7	1.6	2.1	2.2	3.1	4.9	7.3
1982.....	24.0	1.7	2.6	1.8	1.7	2.1	2.3	3.1.00.8	7.4	
1981.8.....	23.5	1.3	2.5	1.8	1.6	1.9	2.2	3.2	4.5	7.0
1980.....	23.2	1.4	2.4	1.9	1.6	2.1	2.7	3.4	5.1	7.2
1979.8.....	22.4	1.7	2.3	1.7	1.8	2.2	2.4	3.2	4.6	6.8

7.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 135

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)										

WHITE MALE

1996.....	29.3	1.6	1.7	1.8	1.4	2.0	2.3	3.0	4.9	7.6
1995.....	29.0	*	2.1	1.5	1.4	2.0	2.7	3.3	4.8	7.3
1994.....	29.3	*	2.0	1.5	1.5	2.2	2.5	3.6	4.8	8.0
1993.....	29.5	1.4	2.3	1.8	1.3	2.0	2.5	2.9	5.1	8.3
1992.....	28.8	*	1.5	1.5	1.6	2.3	2.5	3.0	5.5	7.9
1991.....	28.5	1.3	1.9	1.7	1.7	2.2	2.4	3.4	5.7	8.4
1990.....	27.8	*	2.0	1.8	1.5	1.7	2.5	3.4	5.4	8.0
1989.....	28.6	1.6	2.1	1.7	1.5	2.1	2.2	3.2	5.3	8.5
1988.....	29.1	1.5	2.1	1.6	1.5	2.0	2.2	3.4	5.4	8.2
1987.....	28.7	1.4	2.2	2.0	1.5	2.0	2.5	3.5	5.3	8.2
1986.....	28.5	1.8	2.3	1.7	1.7	2.3	2.7	4.3	6.7	9.5
1985.....	27.8	2.1	2.3	1.9	1.6	2.4	2.5	4.3	6.6	9.6
1984.....	27.0	*	2.5	1.9	1.6	2.4	2.7	3.8	6.2	8.7
1983.....	26.7	1.9	2.3	1.7	1.8	2.4	2.5	3.7	6.1	8.7
1982.....	25.8	1.7	2.8	2.0	1.8	2.4	2.9	3.6	6.1	8.9
1981.....	25.2	*	2.8	1.9	1.7	2.2	2.7	3.6	5.0	8.2
1980.....	25.4	1.4	2.9	2.0	1.6	2.3	3.6	4.2	6.0	8.7
1979.....	24.3	1.9	2.3	1.8	1.9	2.7	2.9	4.0	5.4	7.9

WHITE FEMALE

1996.....	24.8	*	1.2	1.4	1.3	1.5	1.3	2.5	3.5	5.1
1995.....	24.6	*	1.3	1.2	1.1	1.2	1.5	2.3	3.5	5.8
1994.....	25.0	*	1.6	1.5	1.0	1.6	1.5	2.5	3.6	5.6
1993.....	24.7	*	1.7	1.5	1.3	1.6	1.7	2.6	3.7	5.2
1992.....	24.1	*	1.7	1.5	1.3	1.6	1.7	2.4	3.7	5.4
1991.....	23.9	*	1.8	1.4	1.3	1.6	1.6	2.5	3.6	5.3
1990.....	23.7	*	1.8	1.7	1.6	1.5	1.5	2.3	3.6	5.5
1989.....	23.9	*	1.7	2.0	1.3	1.7	1.9	2.5	3.5	5.3
1988.....	23.9	*	1.9	1.3	1.4	1.7	1.6	2.3	3.7	6.4
1987.....	24.0	1.7	1.9	1.6	1.1	1.4	1.5	2.5	3.9	5.8
1986.....	23.8	1.4	1.9	1.6	1.4	1.5	1.6	2.6	3.6	5.6
1985.....	23.2	*	2.0	1.5	1.3	1.7	1.8	2.5	4.1	5.9
1984.....	22.9	1.4	2.0	1.6	1.3	1.6	1.6	2.7	3.9	5.6
1983.....	22.4	1.5	2.3	1.7	1.4	1.7	1.8	2.5	3.6	6.0
1982.....	22.3	1.7	2.4	1.6	1.6	1.7	1.8	2.3	3.5	6.0
1981.....	21.9	*	2.2	1.7	1.5	1.6	1.7	2.8	4.0	5.9
1980.....	21.1	1.5	1.8	1.7	1.5	1.8	1.8	2.6	4.2	5.8

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)						
CODE,	UNDER 1	1-4	5-9	10-14	15-19	20-24
YEAR	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS
SMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)						

30-34	35-39
YEARS	YEARS

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 137

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)										

ALL OTHER FEMALE										
1996.....	14.5	*	1.4	1.5	1.2	TR5	1.2	1.9	2.4	4.1
1995.....	14.9	*	1.4	1.9	1.0	1.6	1.2	1.4	2.4	3.9
1994.....	15.1	*	1.5	1.3	1.6	1.D	1.4	2.0	2.8	4.D
1993.....	15.4	*	1.6	1.1	*	1.7	1.D	2.8	2.6	4.1
1992.....	14.9	*	1.6	1.4	*	1.3	1.2	2.2	1.9	4.1
1991.....	14.6	*	1.8	1.2	*	1.2	1.7	1.3	2.8	4.3
1990.....	14.7	*	1.6	1.D	1.2	1.4	1.2	1.9	3.8	4.3
1989.....	14.7	*	2.0	1.7	1.8	1.4	1.D	2.0	2.7	4.8
1988.....	15.6	*	1.9	1.6	1.8	1.8	1.6	1.6	2.7	5.3
1987.....	15.7	*	*	*	1.4	1.9	1.3	1.9	2.4	4.7
1986.....	15.8	*	2.2	1.D	1.8	1.2	1.8	2.3	2.8	3.9
1985.....	15.4	*	*	1.D	*	*	1.7	1.4	3.4	4.7
1984.....	15.4	*	*	1.6	1.6	1.2	1.2	1.7	2.D	5.0
1983.....	15.1	*	*	1.D	1.D	1.4	1.7	1.4	2.6	4.4
1982.....	15.0	*	1.8	1.8	1.8	1.7	1.8	1.4	3.4	4.7
1981.....	14.7	*	1.8	2.1	2.1	1.....4		1.8	2.6	4.3
1980.....	15.5	1.6	1.8	1.6	1.D	1.7	1.6	2.4	2.6	4.4
1979.....	15.0	2.0	1.9	1.6	1.4	1.3	1.6	1.6	2.4	3.9
BLACK, BOTH SEXES										
1996.....	18.0	*	1.D	1.D	1.4	1.9	2.0	2.3	3.0	5.3
1995.....	18.9	*	1.8	1.7	1.2	1.6	2.5	2.4	3.6	6.3
1994.....	18.9	*	1.8	1.8	1.8	1.7	1.8	2.2	4.2	6.1
1993.....	19.4	*	1.7	1.4	1.0	1.9	1.8	3.2	3.D	6.1
1992.....	18.6	*	1.6	1.7	1.3	1.8	1.6	2.D	3.6	4.7
1991.....	18.9	*	2.4	1.D	1.....4	1.8	2.2	3.7	6.1	
1990.....	19.2	*	2.2	1.8	1.3	1.7	2.0	2.9	4.4	6.1
1989.....	19.6	*	1.7	1.9	1.4	TR5	1.9	2.7	3.7	6.4
1988.....	20.0	*	2.1	1.7	1.7	2.1	2.0	2.3	3.4	7.0
1987.....	20.D	*	2.1	TR5	1.4	2.2	2.2	2.4	3.3	6.0
1986.....	20.1	*	2.0	1.6	1.6	2.0	1.9	2.8	4.0	7.0
1985.....	20.3	*	1.5	TR5	1.2	1.6	2.2	2.2	4.4	7.2
1984.....	20.0	*	1.7	1.7	1.6	1.5	1.9	2.2	4.5	7.1
1983.....	19.6	*	2.0	1.8	1.8	1.4	2.2	1.9	3.6	6.5
1982.....	18.8	*	2.3	1.9	1.6	2.2	2.3	2.2	4.6	6.0
1981.....	18.6	*	2.0	2.2	2.1	2.1	2.0	2.4	3.D	6.2
1980.....	19.1	1.7	2.2	1.8	1.6	2.0	2.3	2.6	3.3	6.2
1979.....	18.4	1.7	2.1	1.D	2.2	2.0	2.2	2.3	2.7	5.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 138

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)										

BLACK MALE

1996.....	19.6	*	*	1.5	1.4	2.4	2.5	2.6	3.5	6.3
1995.....	20.6	*	2.1	1.5	*	1.7	3.6	3.1	5.1	8.5
1994.....	20.3	*	2.1	2.1	1.7	1.7	2.1	2.2	5.3	6.9
1993.....	21.3	*	1.9	1.5	*	2.0	2.0	3.1	4.4	7.9
1992.....	20.2	*	1.7	1.6	*	2.2	1.9	2.6	5.1	4.6
1991.....	21.5	*	2.5	1.7	1.6	1.6	1.5	3.0	4.5	7.3
1990.....	21.7	*	2.4	1.9	*	1.8	2.7	3.6	4.6	7.8
1989.....	22.6	*	*	1.8	*	1.5	2.1	3.3	4.3	7.6
1988.....	22.4	*	1.9	1.7	*	1.9	2.0	2.8	3.8	8.1
1987.....	23.5	*	2.9	1.6	*	2.3	3.0	3.0	3.9	6.7
1986.....	22.3	*	*	1.7	*	2.4	1.8	3.2	5.2	10.2
1985.....	23.4	*	*	*	*	2.4	2.5	2.9	4.9	9.3
1984.....	22.9	*	2.0	1.8	1.5	1.9	2.4	2.5	6.4	8.6
1983.....	22.6	*	2.5	1.9	2.2	1.5	2.6	2.4	4.5	8.4
1982.....	21.1	*	2.4	1.8	*	2.5	2.5	3.0	5.5	6.9
1981.....	21.1	*	2.1	2.3	1.8	2.7	2.6	3.1	4.3	7.5
1980.....	21.1	1.9	2.6	1.9	1.5	2.3	2.9	2.7	4.3	7.7
1979.5	2.5	20.6	1.5	1.9	1.4	2.7	2.5	2.7	2.8	2.6.3 d

BLACK FEMALE

1996.5	2.5	16.6	*	*	1.6	1.4	1.5	*	2.1	2.6.	4d
--------	-----	------	---	---	-----	-----	-----	---	-----	------	----

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 139

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 LEUKEMIA (204-208)										
TOTAL, BOTH SEXES										
1996.....	7.7	0.8	1.0	0.8	1.0	1.1	1.3	1.2	1.6	1.6
1995.....	7.7	0.6	1.0	1.0	1.1	1.1	1.2	1.4	1.5	1.7
1994.....	7.6	*	1.1	0.9	1.0	1.4	1.4	1.6	1.4	1.6
1993.....	7.6	0.8	1.0	1.1	1.1	1.3	1.3	1.4	1.6	1.8
1992.....	7.6	0.9	1.1	1.2	1.2	1.3	1.3	1.4	1.7	1.9
1991.....	7.5	0.5	1.2	1.2	1.1	1.4	1.3	1.4	1.5	1.8
1990.....	7.5	0.6	1.1	1.0	1.1	1.5	1.4	1.4	1.6	2.1
1989.....	7.4	0.8	1.1	1.3	1.2	1.3	1.4	1.4	1.8	2.0
1988.....	7.2	0.6	1.3	1.3	1.1	1.4	1.3	1.2	1.4	2.2
1987.....	7.1	0.8	1.3	1.5	1.3	1.4	1.3	1.3	1.6	2.1
1986.....	7.2	0.7	1.3	EA	1.3	1.5	1.4	EA	1.7	2.1
1985.....	7.3	0.8	1.3	1.5	1.5	EA	1.2	EA	1.7	2.0
1984.....	7.2	0.9	1.2	1.3	E	1.3	E	1.5	EA	1.6
1983.....	7.2	1.0	1.7	1.7	1.3	1.5	E	1.3	EA	2.4
1982.....	7.2	0.9	1.5	E	1.9	1.4	1.8	1.5	E	1.8
1981.....	7.1	*	1.8	2.0	1.4	1.6	1.4	1.6	E	1.9
1980.....	7.3	0.9	1.5	E	2.1	1.7	1.9	1.6	1.9	2.4
1979.....	7.1	1.0	1.7	2.1	1.6	1.8	1.7	1.5	1.9	2.6
TOTAL, MALE										
1996.....	8.6	*	1.1	1.0	1.1	1.3	1.5	1.5	E	1.8
1995.....	8.8	*	1.2	1.2	1.2	1.3	1.4	1.6	1.7	1.9
1994.....	8.5	*	1.1	1.0	1.1	1.8	1.8	2.0	1.9	1.9
1993.....	8.5	1.0	1.1	1.2	EA	1.5	1.5	1.5	1.9	2.0
1992.....	8.5	1.0	1.2	1.4	1.4	1.5	E	1.6	2.0	2.2
1990.....	8.4	*	1.2	1.2	1.5	E	1.9	1.5	E	1.8
1989.....	8.3	*	1.1	1.4	1.5	1.6	1.7	1.6	2.1	2.3
1988.....	8.2	*	1.3	1.6	1.4	1.8	1.6	1.5	1.8	2.6
1986.....	8.0	*	1.3	1.9	1.5	1.6	1.6	1.6	1.9	2.5
1986.....	8.2	E	*	1.5	1.7	1.3	1.8	2.0	1.7	2.2
1985.....	8.2	E	*	1.5	E	1.7	1.7	1.5	E	1.6
1984.....	8.1	*	1.3	1.7	1.7	1.9	1.7	1.6	1.9	2.4
1983.....	8.2	E	*	2.0	1.9	1.5	2.0	1.6	1.8	2.2
1982.....	8.2	E	*	1.5	2.3	1.7	2.2	1.7	1.6	E
1981.....	8.1	*	1.8	2.3	1.7	1.9	1.7	1.9	2.1	2.5
1980.....	8.4	1.1	1.6	2.6	2.0	2.2	2.0	2.2	2.1	2.7
1979.....	8.1	0.9	1.8	2.6	1.8	2.2	2.1	1.8	2.2	2.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 140

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS			
0 LEUKEMIA (204-208)													
TOTAL, FEMALE													
1996.....	6.8	*	0.8	0.7	0.9	0.8	1.1	1.0	1.3	1.3			
1995.....	6.6	*	0.8	0.8	0.9	0.8	1.1	1.2 922 9	1.4	1.4			
1994.....	6.6	*	1.1	0.8	0.9	1.0	0.9	1.1	1.0	1.3			
1993.....	6.7	*	0.8	1.0	0.8	1.1	1.0	1.2 9	1.2 9	1.6			
1992.....	6.6	*	1.1	0.9	0.9	1.1	1.1	1.2	1.4	1.7			
1991.....	6.8	*	1.1	1.1	0.8	1.0	1.0	1.0	1.3	1.7			
1990.....	6.6	*	1.1	0.9	0.8 922	1.2	1.1	1.4	2.0				
1989.....	6.5	1.1	1.1	1.1	0.9	1.0	1.1	1.1	1.5	1.8			
1988.....	6.3	*	1.3	0.9	0.9	1.0	1.0	1.0	1.1	1.9			
1987.....	6.4	*	1.3	1.1	1.1	1.1	1.0	1.1	1.4	1.7			
1986.....	6.3	*	1.2 9	1.1	1.3	1.1	0.9	1.1	1.	6.6i9			
1985.....	6.4	*	1.0	1.2 9	1.3	1.0	1.0	1.3	1.5	1.		6.6i	
1984.....	6.4	*	1.2 9	1.2 9	1.1	1.1	1.3 922	1.4	2.0				
1983.....	6.2 9	1.2 9	1.4	1.5	1.2	1.1	1.1	1.2 9	1.4	2.4			
1982.....	6.3	*	1.4	1.5	1.2	1.4	1.4	1.3 9	1.8	2.1			
1981.....	6.1	*	1.7	1.	6.6i	1.2 9	1.2	1.0	1.2	1.		6.6i	2.1
1980.....	6.3	0.7	1.3	1.5	1.3 9	1.5	1.2	1.5	1.8	2.4			
19RA.....	6.1	1.0	1.5	1.7	1.4	1.3	1.3 9	1.1	1.	2.3			
WHITE, BOTH SEXES													
1996.....	8.3	0.9	1.0	0.9	1.0	1.1	1.3	1.3	1.5	1.5			
1995.....	8.3	*	0.9	1.1	0.9	1.1	1.3 9	1.4	1.3	1.7			
1994.....	8.2 9	*	1.0	1.0	1.0	1.4	1.4	1.5	1.5	1.			
1993.....	8.1	0.8	1.0	1.2	1.2	1.3 922	1.3	1.5	1.8				
1992.....	8.2	1.0	1.2	1.2	1.2	1.3	1.3	1.3	1.7	1.9			
1991.....	8.1	*	1.2	1.3	1.1	1.4	1.3	1.4	1.5	1.7			
1990.....	8.0	*	1.2	1.0	1.2	1.5	1.4	1.4	1.	2.0			
1989.....	7.9	1.0	1.1	1.3 9	1.2	1.3 9	1.4	1.4	1.8	2.0			
1988.....	7.7	*	1.3	1.3 922	1.5	1.3	1.2	1.5	2.2 9				
1987.....	7.	6.6i	0.9	1.4	1.	6.6i	1.4	1.3 9	1.3	1.3 9	1.6	2.0	
1986.....	7.7	*	1.4	1.4	1.3	1.5	1.5	1.4	1.8	2.0			
1985.....	7.8	0.9	1.3	1.	1.4	1.5	1.3 9	1.4	1.7	2.0			
1984.....	7.7	0.9	1.3	1.5	1.4	1.	6.6i	1.5	1.4	1.7	2.3		
1983.....	7.	1.1	1.8	1.8	1	1.5	1.	1.3 9	1.5	1.7	2.4		
1982.....	7.7	0.9	1.5	2.1	1.4	1.8	1 5	1	1.5	1.9	2.	6.6i	
1981.....	7.5	*	1.8	2.0	1.5	1.6	1.4	1.5	1 8	2.3			
1980.....	7.7	0.9	1.5	2.3	1.7	1.8	1.	1.9	1.9	2.6			
19R.....	7.5	1.0	1.7	2.3	1.7	1.8	1.7	1.4	2.0	2.3			

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 141

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
0 LEUKEMIA (204-208)											
WHITE MALE											
1996.....	9.3	*	1.2	1.0	1.1	1.3	1.5	1.5	1.8	1.8	
1995.....	9.5	*	1.1	1.3	1.1	1.3	1.5	1.7	1.36-9		
1994.....	9.2	*	1.1	1.1	1.1	1.8	1.9	2.0 -9	1.8		
1993.....	9.2	*	1.2	1.2	1.5	1.5	1.4	1.5	1.7	2.0 -	
1992.....	9.2	*	1.3	1.5	1.4	1.6	1.3	1.5	2.0	2.2	
1991.....	8.9	*	1.1	1.4	1.4	1.8	1.3	1.7	1.36-	1.8	
1990.....	9.0	*	1.3	1.2	1.5	2.0 -	1.36-	1.7	1.9	2.1	
1989.....	8.9	*	1.2	1.5	1.5	1.5	1.7	1.7	2.1	2.2	
1988.....	8.7	*	1.3	1.7	1.5	1.9	1.36-	1.5	1.8	2.5	
1987.....	8.5	*	1.4	1.9	1.36-	1.4	1.7	1.5	1.8	2.5	
1986.....	8.7	*	1.7	1.7	1.4	1.9	2.0 -	1.7 -9	2.1		
1985.....	8.7	*	1.5	1.8	1.36-	1.9	1.5	1.5	2.0	2.5	
1983.....	8.7	*	2.1	2.0	1.5	2.1	1.36-	1.8	2.1	2.5	
1982.....	8.7	*	1.3	2.4	1.7	2.2	1.7	1.3 -9	3.1		
1981.....	8.6	*	1.8	2.4	1.7	2.0	1.8	1.9	2.0	2.36-	
1980.....	8.8	1.1	1.36-	3.0	2.1	2.1	1.9	2.2	2.0	2.9	
1979.....	8.36-	0.9	1.9	2.8	1.9	2.2	2.2	1.7	2.3	2.5	
1996.....	7.3	*	0.9	0.7	0.8	0.8	1.0	1.0	1.2	1.3	
1995.....	7.2	*	0.7	0.8	0.8	0.8	1.0	1.1	1.1	1.4	
1994.....	7.2	*	1.0	0.9	0.9	1.0	0.9	1.1	1.0	1.3	1993.....
1992.....	7.2	*	1.1	1.0	0.9	1.1	1.0	1.1	1.4	1.7	1991.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 142

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 LEUKEMIA (204-208)										
ALL OTHER, BOTH SEXES										
1996.....	4.6	*	0.7	0.8	1.0	1.0	1.4	1.1	1.7	1.7
1995.....	4.6	*	1.2	0.8	1.5	1.2	1.1	1.3	2.1	1.7
1994.....	4.5	*	1.2	0.8	0.8	1.5	1.2	1.6	1.4	1.9
1993.....	4.7	*	0.9	1.0	0.8	1.3	1.7	1.6	2.0	1.9
1992.....	4.4	*	0.8	0.8	1.0	1.2	1.5	1.9	1.6	1.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 143

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 LEUKEMIA (204-208)										

ALL OTHER FEMALE					BTBTB					
1996.....	4.1	*	*	*	1.1	*	1.3	*	1.6	1.6
1995.....	4.1	*	1.2	*	1.4	*	1.3	1.3	1.7	1.5
1994.....	3.9	*	1.2	*	*	1.1	*	1.2	*	1.4
1993.....	4.2	*	*	*	*	*	1.6	1.4	1.1	1.6
1992.....	3.9	*	*	*	*	*	1.3	1.6	1.2	1.7
1991.....	4.0	*	*	*	*	*	*	*	1.0	1.8
1990.....	4.1	*	*	*	*	1.4	*	1.5	1.8	1.9
1989.....	3.8	*	1.6	*	*	*	*	*	1.4	2.0
1988.....	3.9	*	1.5	*	*	*	1.1	1.2	1.1	1.8
1987.....	4.1	*	1.5	*	*	1.5	1.2	1.5	*	2.3
1986.....	4.0	*	*	*	*	*	*	1.5	1.3	2.4
1985.....	3.8	*	*	*	*	*	*	1.3	1.4	2.1
1984.....	4.0	*	*	*	1.3	*	1.2	*	1.3	2.4
1983.....	4.1	*	*	1.4	*	*	*	1.2	1.9	3.0
1982.....	4.0	*	1.8	*	*	1.2	1.5	1.3	1.8	2.3
1981.....	4.0	*	1.8	*	*	*	*	1.6	1.5	2.4
1980.....	3.9	0.6	1.2	1.1	1.0	1.4	1.4	1.3	2.1	2.4
1979.....	3.9	0.7	1.6	1.0	1.2	1.2	1.5	1.1	1.3	2.9
BLACK, BOTH SEXES					BTB					
BTB					BBTB					
BB										
1996.....	5.3	*	*	0.9	0.9	1.1	1.3	1.3	1.9	1.8
1995.....	5.1	*	1.3	0.8	1.4	1.3	1.1	1.3	2.3	1.8
1994.....	5.0	*	1.1	0.7	0.8	1.6	1.2	1.8	1.2	2.0
1993.....	5.2	*	*	1.1	0.8	1.3	1.8	1.7	2.0	2.2
1992.....	5.0	*	*	0.9	0.9	1.1	1.5	2.1	1.6	2.3
1991.....	5.2	*	1.2	0.9	1.0	1.3	1.1	1.5	1.4	2.1
1989.....	5.1	*	1.0	0.8	1.2	1.6	1.5	1.1	1.8	2.2
1988.....	5.0	*	1.1	0.9	0.8	1.1	1.5	1.7	1.5	2.5
1987.....	5.0	*	1.0	1.2	0.9	1.8	1.2	1.5	1.7	2.8
1986.....	5.0	*	1.1	1.2	1.0	1.2	1.4	1.7	1.8	2.7

.9 0.....

198/04/21	TREND B	TABLE 291.	DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,							PLATE 1 OF 2	PG. 144
			RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)								
	CAUSE-OF-DEATH CODE,		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
	RACE, SEX, AND YEAR	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0	LEUKEMIA (204-208)										
	BLACK MALE										
1996.....		5.9	*	*	*	*	*	*	1.7	2.5	2.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 145

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)										

TOTAL, BOTH SEXES										
1996.....	13.0	*	*	*	0.2	0.5	1.0	1.5	2.1	2.7
1995.....	13.0	*	*	0.1	0.2	0.5	0.8	1.4	2.3	3.0
1994.....	12.8	*	*	0.1	0.3	0.4	0.9	1.4	2.2	2.7
1993.....	12.5	*	0.1	0.2	0.2	0.5	0.9	1.6	2.2	2.8
1992.....	12.2	*	*	0.1	0.3	0.6	1.1	1.7	2.3	3.2
1991.....	12.2	*	*	0.2	0.2	0.6	1.1	1.5	2.2	3.1
1990.....	11.7	*	*	0.2	0.3	0.6	1.0	1.7	2.2	2.7
1989.....	11.5	*	0.2	0.2	0.4	0.6	1.0	1.6	2.0	2.9
1988.....	11.1	*	0.2	0.2	0.3	0.6	1.0	1.5	2.1	2.9
1987.....	10.9	*	*	0.2	0.3	0.7	1.0	1.5	1.9	2.6 9
1985.....	10.6	*	0.2	0.2	0.3	0.7	1.2	1.6 9	2.1	2.8
1984.....	10.2	*	0.1	0.2	0.3	0.8	1.1	1.4	2.1	2.7
1983.....	10.0	*	0.2	0.3	0.4	0.8	1.1	1.5	1.8	2.6 9
1982.....	9.8	*	0.2	0.4	0.4	0.7	1.2	1.5	2.0	2.7
1981.....	9.4	*	0.2	0.4	0.4	0.9	1.2	1.6	1.8	2.7
1980.....	9.5	0.1	0.2	0.4	0.5	0.8	1.2	1.7	1.9	2.9
1979.....	9.1	0.1	0.3	0.4	0.4	0.7	1.1	1.8	1.9	2.6
TOTAL, MALE										
1996.....	13.9	*	*	*	0.3	0.5	1.1	1.7	2.9	3.7
1995.....	13.8	*	*	0.2	0.2	0.7	1.1	2.0	3.2	4.1
1994.....	13.6	*	*	*	0.4	0.4	1.1	1.8	2.9	3.7
1993.....	13.0	*	*	0.3	0.3	0.6	1.0	2.0	3.0	3.9
1992.....	13.0	*	*	*	0.3	0.8	1.3	2.1	3.3	4.5
1991.....	12.8	*	*	0.3	0.4	0.7	1.3	2.1	3.0	4.5

1986.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 146

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)										

TOTAL, FEMALE	T	T	T	T	T	T	T	T	T	T
1996.....	12.3	*	*	*	*	0.4	0.8	1.2	1.3	1.7
1995.....	12.3	*	*	*	*	0.4	0.6	0.9	1.3	1.8
1994.....	12.1	*	*	*	*	0.4	0.8	1.1	1.5	1.8
1993.....	11.9	*	*	*	*	0.3	0.8	1.2	1.4	1.7
1992.....	11.4	*	*	*	*	0.4	0.9	1.4	1.4	1.9
1991.....	11.5	*	*	*	*	0.5	0.8	0.9	1.4	1.8
1990.....	10.9	*	*	*	*	0.4	0.8	1.1	1.3	1.7
1989.....	10.9	*	*	*	*	0.5	0.7	1.0	1.1	1.7
1988.....	10.5	*	*	*	*	0.4	0.8	0.9	1.5	1.9
1987.....	10.3	*	*	*	*	0.5	0.8	1.0	1.3	1.6
1986.....	10.2	*	*	*	*	0.5	1.0	1.1	1.4	1.8
1985.....	9.9	*	*	*	*	0.4	0.9	1.1	1.4	1.7
1984.....	9.7	*	*	*	0.3	0.6	0.8	1.0	1.5	2.0
1983.....	9.4	*	*	*	*	0.7	0.8	1.2	1.3	1.8
1982.....	9.2	*	*	*	*	0.5	1.0	1.0	1.3	1.9
1981.....	8.9	*	*	*	0.3	0.7	0.9	1.1	1.2	2.0
1980.....	8.8	-	0.2	0.1	0.3	0.5	0.8	1.3	1.4	2.2
1979.....	8.3	-	0.2	0.2	0.2	0.5	0.7	1.4	1.4	1.7
WHITE, BOTH SEXES	T	T	T	T	T	T	T	T	T	T
1996.....	14.0	*	*	*	0.2	0.5	1.0	1.5	2.0	2.6
1995.....	14.0	*	*	0.1	0.2	0.5	0.8	1.4	2.2	2.9
1994.....	13.8	*	*	0.1	0.2	0.4	0.9	1.4	2.1	2.7
1993.....	13.3	*	*	0.2	0.3	0.5	0.8	1.6	2.2	2.7
1992.....	13.0	*	*	*	0.3	0.6	1.1	1.7	2.3	3.0
1991.....	12.9	*	*	0.2	0.2	0.6	1.1	1.5	2.1	3.1
1990.....	12.5	*	*	0.2	0.3	0.6	1.0	1.7	2.3	2.7
1989.....	12.3	*	*	0.2	0.4	0.6	1.0	1.6	1.9	2.9
1988.....	11.8	*	0.2	0.3	0.3	0.6	1.0	1.6	2.0	2.9
1987.....	11.5	*	*	0.2	0.3	0.7	1.1	1.5	1.9	2.5
1986.....	11.5	*	0.2	0.3	0.4	0.7	1.3	1.8	2.2	2.9
1985.....	11.1	*	0.2	0.2	0.3	0.7	1.3	1.6	2.1	2.8
1984.....	10.8	*	*	0.2	0.3	0.8	1.2	1.4	2.0	2.8
1983.....	10.6	*	0.2	0.3	0.3	0.8	1.1	1.6	1.8	2.6
1982.....	10.3	*	0.2	0.5	0.4	0.6	1.3	1.5	2.0	2.7
1981.....	9.8	*	0.2	0.4	0.4	0.9	1.2	1.6	1.8	2.6
1980.....	9.9	0.0	0.2	0.4	0.4	0.8	1.3	1.7	1.9	2.9
1979.....	9.5	0.1	0.3	0.5	0.4	0.8	1.1	1.8	1.9	2.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 147

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)										
WHITE MALE							T			
1996.....	14.7	*	*	*	0.3	0.5	1.1	1.7	2.7	3.6
1995.....	14.7	*	*	*	*	0.7	1.0	1.8	3.1	4.0
1994.....	14.6	*	*	*	0.4	0.5	1.0	1.7	2.8	3.7
1993.....	13.8	*	*	0.3	0.4	0.7	0.9	2.0	3.0	3.9
1992.....	13.8	*	*	*	0.3	0.9	1.3	2.1	3.2	4.2
1991.....	13.6	*	*	0.3	0.4	0.8	1.4	2.1	2.9	4.4
1990.....	13.3	*	*	0.3	0.4	0.7	1.2	2.3	3.2	3.7
1989.....	12.9	*	*	0.4	0.5	0.6	1.3	2.0	2.7	4.1
1988.....	12.5	*	*	0.4	0.5	0.8	1.2	2.3	2.7	3.9
1987.....	12.1	*	*	0.4	0.4	0.8	1.4	1.9	2.5	3.5
1986.....	12.1	*	*	0.5	0.6	0.8	1.5	2.4	3.1	3.9
1985.....	11.9	*	*	0.3	0.4	0.9	1.5	2.0	2.8	3.8
1984.....	11.3	*	*	0.4	0.4	0.9	1.6	1.9	2.7	3.6
1983.....	11.2	*	*	0.5	0.6	0.9	1.4	1.9	2.3	3.5
1982.....	10.9	*	*	0.7	0.5	0.8	1.5	1.9	2.6	3.5
1981.....	10.3	*	*	0.5	0.6	1.0	1.5	2.2	2.4	3.3
1980.....	10.5	0.1	0.2	0.7	0.6	1.1	1.7	2.2	2.5	3.7
1979.....	10.4	0.2	0.3	0.7	0.7	1.0	1.5	2.2	2.4	3.5
WHITE FEMALE	T	T	T							
1996.....	13.2	*	*	*	*	0.4	0.8	1.2	1.3	1.6
1995.....	13.3	*	*	*	*	0.3	0.5	0.9	1.2	1.7
1994.....	13.0	*	*	*	*	0.3	0.9	1.1	1.5	1.8
1993.....	12.8	*	*	*	*	0.3	0.8	1.2	1.4	1.6
1992.....	12.3	*	*	*	*	0.4	0.9	1.3	1.4	1.9
1991.....	12.3	*	*	*	*	0.4	0.9	1.0	1.2	1.7
1990.....	11.6	*	*	*	*	0.4	0.8	1.1	1.3	1..
1989.....	11.6	*	*	*	*	0.5	0.8	1.1	1.1	1.7
1988.....	11.2	*	*	*	*	0.5	0.8	1.0	1.4	1.9
1987.....	11.0	*	*	*	*	0.6	0.7	1.1	1.3	1.4
1986.....	10.9	*	*	*	*	0.6	1.1	1.1	1.4	1.9
1985.....	10.4	*	*	*	*	0.4	1.0	1.1	1.4	1.7
1984.....	10.3	*	*	*	0.3	0.6	0.8	1.0	1.4	2.0
1983.....	10.0	*	*	*	*	0.7	0.9	1.2	1.3	1.7
1982.....	9.8	*	*	*	*					
1981.....	9.4	*	*	*	0.3	0.8	0.9	1.1	1.2	2.0
1980.....	9.3	-	0.2	0.1	0.3	0.6	0.8	1.3	1.4	2.1
1979.....	8.7	-	0.2	0.2	0.2	0.5	0.7	1.3	1.4	1.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 148

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)										

ALL OTHER, BOTH SEXES

1996.....	8.6	*	*	*	*	*	1.1	1.5	2.5	3.2
1995.....	8.4	*	*	*	*	0.6	1.1	1.7	2.6	3.3
1994.....	8.2	*	*	*	*	*	0.9	1.5	2.4	2.7
1993.....	8.2	*	*	*	*	*	1.1	1.5	2.2	3.0
1992.....	8.1	*	*	*	*	*	1.2	1.9	2.6	3.9
1991.....	8.3	*	*	*	*	0.7	0.9	1.5	2.9	3.3
1990.....	7.8	*	*	*	*	*	1.1	1.5	2.1	2.9
1989.....	7.7	*	*	*	*	0.6	1.0	1.6	2.5	2.9
1988.....	7.4	*	*	*	*	*	1.0	1.0	2.3	2.7
1987.....	7.3	*	*	*	*	0.7	0.9	1.1	1.9	3.0
1986.....	7.6	*	*	*	*	0.6	0.8	1.3	2.0	3.0
1985.....	7.3	*	*	*	*	*	1.1	1.7	2.0	2.9
1984.....	7.0	*	*	*	*	0.9	0.8	1.5	2.5	2.3
1983.....	7.0	*	*	*	*	0.7	1.0	1.3	2.0	2.8
1982.....	6.8	*	*	*	*	0.7	0.8	1.5	1.7	2.8
1981.....	6.8	*	*	*	*	0.9	1.0	1.3	1.5	2.9
1980.....	6.7	0.2	0.2	0.1	0.5	0.5	1.1	1.3	1.8	3.0
1979.....	6.5	0.3	0.3	0.3	0.3	0.6	0.9	1.8	1.7	2.2

ALL OTHER MALE

1996.....	9.4	*	*	*	*	*	1.4	1.6	3.9	4.2
1995.....	9.1	*	*	*	*	*	1.5	2.5	3.5	4.5
1994.....	8.9	*	*	*	*	*	1.3	1.8	3.4	3.6
1993.....	9.0	*	*	*	*	*	1.4	1.9	3.3	4.2
1992.....	8.9	*	*	*	*	*	1.4	2.2	3.7	6.0
1991.....	9.0	*	1..	*	1..	2.2	4.0	4.7		
1990.....	8.8	*	1	*	*	*	1.7	2.0	3.1	4.0
1989.....	8.7	*	1..	*	1	1.6	2.7	3.9	4.1	
1988.....	8.1	*	*	*	1	*	1.2	1.6	2.6	3.9
1987.....	8.2	*	1..	*	*	*	1.4	2.6	3.8	
1986.....	8.7	*	*	*	*	*	*	1.7	2.5	4.5
1985.....	8.1	*	*	*	*	*	1.7	2.3	2.7	4.2
1984.....	7.9	*	*	1	*	*	*	2.4	3.2	3.0
1983.....	8.1	*	*	1..	*	1.3	1.8	2.8	3.1	
1982.....	7.7	*	*	*	1	*	1	1.9	2.5	3.3
1981.....	7.4	*	*	*	1	1.1	1.2	*	2.0	3.4
1980.....	7.7	0.3	0.2	0.2	0.7	0.7	1.4	1.4	2.3	3.8
1979.....	7.4	0.7	0.4	0.6	0.3	1.0	1.3	2.2	2.2	3.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 149

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)										
ALL OTHER FEMALE										
1996.....	7.8	*	*	*	*	*	*	1.4	1.3	2.2
1995.....	7.8	*	*	*	*	*	*	*	1.9	2.2
1994.....	7.5	*	*	*	*	*	*	1.1	1.368.9	
1993.....	7.5	*	*	*	*	*	*	1.1	1.3 8.8	
1992.....	7.3 8	*	*	*	*	*	*	1.5	1.5	2.0
1991.....	7.7	*	*	*	*	*	*	*	2.0	2.1
1990.....	6.9	*	*	*	*	*	*	1.1	1.2	1.9
1989.....	6.8	*	*	*	*	*	*	*	1.3 8	1.8
1988.....	6.8	*	*	*	*	*	*	*	2.0 8.368	
1987.....	6.5	*	*	*	*	*	*	*	1.3 8	2.2
1986.....	6.5	*	*	*	*	*	*	*	1.5	1.368
1985.....	6.7	*	*	*	*	*	*	1.2	1.4	R A8
1984.....	6.2	*	*	*	*	*	*	*	1.9	1.7
1983.....	6.0	*	*	*	*	*	*	*	*	2.6
1982.....	6.0	*	*	*	*	*	*	*	*	2.3 8
1981.....	6.2	*	*	*	*	*	*	1.3	*	2.4
1980.....	5.9	-	0.3 8	-	0.4	R0.4	0.7	1.3 8	1.5	2.4
1979.....	5.7	-	0.2	0.1	0.2	0.2	0.6 8.5	1.3	1.368	
BLACK, BOTH SEXES										
1996.....	10.1	*	*	*	*	*	1.3 8	1.8	3.0	3.7
1995.....	9.9	*	*	*	*	0.7	1.1	2.1	3.1	4.0
1994.....	9.5	*	*	*	*	*	1.0	1.5	2.9	3.3 8
1993.....	9.7	*	*	*	*	*	1.2	R A8	2.7	3.7
1992.....	9.4	R	*	*	*	*	1.3	2.2	R3.1	4.7
1991.....	9.7	*	*	*	*	*	1 0	1.9	3.5	4.0
1990.....	9.1	*	*	*	*	*	1.4	1.8	2.7	3.3
1989.....	8.9	*	*	*	*	*	1.3 8.9	2.9	3.5	
1988.....	8.368	*	*	*	*	*	1 0	1.3 8	2.8	3.3
1987.....	8.5	*	*	*	*	0.8	1.0	1.3	2.2	R3.5
198, B.....	8.7	*	*	*	*	*	1.0 8.3	2.3 8	3.5	
1985.....	8.3 8	*	*	*	*	*	1.1	2.0	2.3	3.4
1984.....	7.9	*	*	*	*	0.9	1.0 8	1.8	3.0	2.7
1983.....	8.0	*	*	*	*	0.7	1.0 8	1.5	2.3	3.3
1982.....	7.7	*	*	*	*	0.8	0.8	1.7	2.1	3.3
1981.....	7.368	*	*	*	*	0.9	1.1 8.3 8	1.8	3.1	
1980.....	7.4	R0 0	0 0	0.1	0.368	0.368	1.1	1.5	2.1	3.4
1979.....	7.0	0.4	R0 3 8	0.4	0.3	0.7 8.0	1.8	2.0 8	2.5	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 150

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)										

BLACK MALE										
					T	T				
1996.....	11.1	*	*	*	*	*	1.8	1.8	4.9	5.1
1995.....	10.7	*	*	*	*	*	*	3.3	4.2	5.7
1994.....	10.3	*	*	*	*	*	*	1.9	4LE	4.2
1993.....	10.4	*	*	*	*	*	*	2.3	3.9	5.4
1992.....	10.3	*	*	*	*	*	1.5	2.8	4.7	7.3
1991.....	10.5	*	*	*	*	*	*	2.7	5.0	5.6
1990.....	10.3	*	*	*	*	*	2.0	2.3	3.9	4.7
1989.....	10LE	*	*	*	*	*	2.0	3.2	4.5	5.2
1988.....	9.4	*	*	*	*	*	RE5	2.0	3.2	4.7
1987.....	9.36, , ,	*	*	*	1.8	3.3	4.4			
1986.....	9.9	*	*	*	*	R	2LE	3.1	5.4	
1985.....	9LE	*	R	*	*	R	*	1.8	2.36,	3.3
1984.....	9.0 , ,	*	*	R	*	*	3.0	4.0	3.5	5.0
1983.....	9.2	*	*	*	*	*	*	*	1.9	3.3
1982.....	8.36,	*	R	*	*	*	*	*	2.2	3LE
1981.....	8.3	*	*	*	*	*	*	R	*	2.5
1980.....	8.4	0.4	0LE	0.2	0.7	0.7	1.5	1.7	2L36,	4.4
1979.....	8.0	0.8	0.4	0.7	0.4	1LE	1.3	2L3	2L5	3L2
BLACK FEMALE										
		T	T	T	T					
1996.....	9.2	*	*	*	*	*	*	1.7	*	2.5
1995.....	9.2	*	*	*	*	*	*	R	*	2.1
1994.....	8.9	*	*	*	*	*	*	*	*	2.36,
1993.....	9.0	*	*	*	*	*	*	*	*	2.4
1992.....	8.3	*	*	*	*	*	1.8	1.7	2.4	1.36,
1991.....	9.0	*	*	*	*	*	*	*	R	2.2
1990.....	8.0	*	*	*	*	*	*	*	*	2.7
1989.....	7.9	*	*	*	*	*	*	*	*	1.3
1988.....	7.8	*	*	*	*	*	*	*	*	2.2
1987.....	7.4	*	*	*	*	*	*	*	*	1.5
1986.....	7.6 , ,	*	*	*	*	*	*	*	*	2.5
1985.....	7.36,	*	*	*	*	*	*	*	*	2.1
1984.....	7.0	*	*	*	*	*	*	*	*	2.8
1983.....	6.9	*	*	*	*	*	1.7	1.9	*	*
1982.....	6.9	*	*	*	*	*	1.4	*	2.0	*
1981.....	6.9 , ,	*	*	*	*	*	*	*	2LE	*
1980.....	6.4	-	0.2	-	0.4	0.4	*	*	*	3.1
1979.....	6.2	-	0.2	0LE	0.2	0.2	0.8	1.4	1.7	2.6 ,

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 151

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										

TOTAL, BOTH SEXES

1996.....	2.9	1.6	0.5	0.2	0.2	0.3	0.2	0.3	0.5	0.7
1995.....	3.0	1.9	0.3	0.3	0.3	0.3	0.3	0.4	0.6	0.7
1994.....	2.9	1.7	0.5	0.3	0.3	0.3	0.3	0.4	0.5	0.8
1993.....	2.9	1.6	0.5	0.2	0.2	0.2	0.3 60	0.6	0.8	
1992.....	2.8	1.5	0.4	0.3 6	0.2	0.2	0.3	0.4	0.5	0.6
1991.....	2.8	1.5	0.5	0.2	0.2	0.3 6	0.3	0.4	0.5	0.7
1990.....	2.7	1.8	0.5	0.3	0.3	0.3 6	0.3	0.4	0.6	0.7
1989.....	2.7	1.5	0.5	0.3	0.2	0.2	0.2	0.3	0.5	0.6
1988.....	2.8	1.6	0.5	0.3	0.3	0.3	0.3 6	0.4	0.5	0.7
1987.....	2.7	1.6	0.4	0.3	0.2	0.3	0.3	0.4 60	0.6	
1986.....	2.8	2.1	0.4	0.3 6	0.3	0.3	0.4	0.3	0.6	0.7
1985.....	2.8	1.7	0.5	0.3 6	0.2	0.3	0.2 R5	0.4	0.8	
1984.....	2.7	2.2	0.3	0.3	0.2	0.2	0.2	0.4	0.5	0.7
1983.....	2.8	1.5	0.4	0.3 6	0.3	0.3	0.3	0.4 6	0.5	0.8
1982.....	2.8	1.6	0.4	0.4	0.2	0.3	0.3	0.4	0.5	0.8
1981.....	2.7	1.5	0.4 6	0.3	0.2	0.2	0.3	0.4	0.5	0.8
1980.....	2.7	1.9	0.3	0.3	0.3	0.3 6	0.3.....		0.6	0.8
1979.....	2.6	1.4	0.4	0.3	0.2	0.3 60	0.5	0.6	0.7	

TOTAL, MALE

1996.....	2.6	1.3	0.5	0.2	*	0.3	0.3	0.4	0.6	0.7
1995.....	2.7	2.2.....		0.2	0.3	0.3 6	0.3	0.6	0.7	0.8
1994.....	2.7	1.7	0.5	0.3	0.2	0.3 6	0.3	0.4	0.7	1.0
1993.....	2.7	1.5	0.6	*	*	0.3	0.3	0.5	0.7	1.0
1992.....	2.6	1.7.....		0.3	0.3 6	*	0.4	0.5	0.6	0.7
1991.....	2.6	1.5 R5	0.2	0.2	0.3	0.3	0.4	0.7	0.8	
1990.....	2.5	1.5	0.5	0.2	0.3	0.3 6	0.2	0.4	0.7	0.9
1989.....	2.5	1.5	0.5	0.3 6	0.2	0.3 6	0.2	0.4	0.5	0.7
1988.....	2.5	1.4	0.5	0.3	0.3	0.3 6	0.3 60	0.5	0.9	
1987.....	2.6	1.4	0.4	0.3 6	0.2	0.2	0.3 6	0.5	0.5	0.6
1986.....	2.7	2.0	0.4	*	0.3 6	0.4	0.4	0.4	0.7	0.8
1985.....	2.6	1.2	0.6	0.3	*	0.3 6	0.3	0.5 60	0.8	
1984.....	2.5	1.9	0.3 6	*	*	0.3 6	0.2	0.5	0.6	0.8
1983.....	2.6	1.6	0.4	0.3	0.3	0.4	0.3 60	0.6	0.9	
1982.....	2.6	1.5	0.4	0.4	*	0.3	0.3.....		0.5	0.8
1981.....	2.6	1.6.....		0.3	0.3	0.2	0.3	0.3	0.6	0.8
1980.....	2.6	2.0	0.3 6	0.3	0.4	0.3	0.4	0.4	0.7	0.7
1979.....	2.5	1.0	0.4	0.3	0.2	0.3	0.4	0.5	0.7	0.7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										
TOTAL, FEMALE										
1996.....	3.1	1.8	0.4	0.2	0.2	0.2	*	0.2	0.4	0.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 153

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										

WHITE MALE

1996.....	2.8	1.6	0.5	*	*	0.3	0.3	0.4	0.5	0.7
1995.....	2.8	2.5	0.4	*	0.3	0.3	*	0.6	0.8	0.8
1994.....	2.8	1.5	0.5	0.3	*	0.3	0.3	0.4	0.7	1.0
1993.....	2.8	1.5 ED6		*	*	0.3	0.3	0.5 E	0.6	0.9
1992.....	2.7	1.5	0.4	*	0.3	*	0.4	0.5 E	0.5	0.7
1991.....	2.7	1.4	0.5	0.3	*	*	0.3	0.4	0.6	0.8
1990.....	2.6	1.6	0.5 E	0.3	*	0.3	*	0.4	0.7	0.9
1989.....	2.6	1.5 E	0.3	0.3	*	*	*	0.4	0.5	0.7
1988.....	2.6	1.4	0.5	0.3	*	0.3	0.3	0.4	0.4	0.9
1987.....	2.7	1.6	0.3	0.4	*	0.3	0.2 ED5	0.5	0.5	
1986.....	2.8	2.0	0.4	*	0.3	0.3	0.4	0.4	0.7	0.8
1985.....	2.7	*	0.6	0.3	*	*	0.2 E	0.5	0.4	0.9
1984.....	2.6	1.8	0.4	*	*	*	0.2 E	0.5	0.6	0.8
1983.....	2.7	1.7	0.3	*	*	0.4	0.3	0.4 ED6	0.8	
1982.....	2.7	*	0.4	0.3	*	0.3	0.3	0.4	0.5	0.8
1981.....	2.7	1.6	0.4	0.3	0.3	0.3	0.3	0.3	0.6	0.8
1980.....	2.6	2.0	0.3	0.2 E	0.3	0.3	0.4	0.4	0.6	0.8
1979.....	2.5	1.0	0.4	0.3	0.2 E	0.3	0.3 ED5	0.6	0.6	

WHITE FEMALE

1996.....	3.3	1.8	*	*	*	*	*	*	0.3	0.5
1995.....	3.4	2.0	*	0.3	0.3	*	*	0.3	0.4	0.6
1994.....	3.3	1.8	0.4	*	0.3 E	*	0.3	0.3	0.4	0.5
1993.....	3.2 E	1.7	0.4	*	*	*	0.8	0.3	0.5 ED5	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 154

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										
ALL OTHER, BOTH SEXES										
1996.....	2.2	*	0.6	*	*	*	*	*	0.9	0.9
1995.....	2.3	*	*	*	*	*	*	*	0.7	0.9
1994.....	2.1	*	*	*	*	*	*	*	0.6	0.9
1993.....	2.1	*	*	*	*	*	*	*	0.9	1.1
1992.....	2.1	*	*	*	*	*	*	*	0.7	0.8
1991.....	2.1	*	*	*	*	*	*	0.7	0.8	0.7
1990.....	2.1	*	*	*	*	*	*	*	*	0.9
1989.....	2.1	*	0.7	*	*	*	*	*	0.6	0.9
1988.....	2.3	*	*	*	*	*	*	*	0.7	0.7
1987.....	2.0	*	*	*	*	*	*	*	*	0.7
1986.....	2.3	*	*	*	*	*	*	*	*	1.0
1985.....	2.4	*	*	*	*	*	*	*	*	0.9
1984.....	2. TA	*	*	*	*	*	*	*	*	1.0
1983.....	2.2	*	*	*	*	*	*	*	0.8	1.0
1982.....	2.4	*	*	*	*	*	*	*	*	1. TA
1981.....	2. TA	*	*	*	*	*	0.6	*	*	1.1
1980.....	2.6	2. TA	0.4	0.4	0.4	0.3	0. TA	0. TA	1.0	1.0
1979.....	2.3	1.	0.5	0.5	0. TA	0.4	0.4	0.4	0.9	1. TA
ALL OTHER MALE										
1996.....	2.0	*	*	*	*	*	*	*	*	*
1995.....	2.1	*	*	*	*	*	*	*	*	*
1994.....	1.9	*	*	*	*	*	*	*	*	1.1
1993.....	2.1	*	*	*	*	*	*	*	1. TA	1.4
1992.....	2.1	*	*	*	*	*	*	*	*	*
1991.....	2.0	*	*	*	*	*	*	*	1.1	*
1990.....	1.9	*	*	*	*	*	*	*	*	*
19* 0.....	1.9	*	*	*	*	*	*	*	*	*
19*8.....	2.0	*	*	*	*	*	*	*	*	*
19*7.....	2.1	*	*	*	*	*	*	*	*	*
19*6.....	2.1	*	*	*	*	*	*	*	*	*
19*5.....	2.2	*	*	*	*	*	*	*	*	*
1984.....	2.1	*	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*
1981.....	2.0	*	*	*	*	*	*	*	*	*
19*0.....	2.4	1.9	0.4	0.3	0.4	0.3	0.1	0. TA	0.7	0.5
1979.....	2.0	1.0	0.4	0.3	0. TA	0. TA	0.4	0.6	1.3	1.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 155

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)										

ALL OTHER FEMALE

1996.....	2.3	*	*	*	*	*	*	*	*	*
1995.....	2.4	*	*	*	*	*	*	*	*	*
1994.....	2.2	* R A	* R A	* R A	* R A	*	*	*	*	*
1993.....	2.1 R A	*	* R	* R	* R	* R	* R A	*	*	*
1992.....	2.1	*	* R A	*	*	* R A	*	*	*	*
1991.....	2.1 R A	*	*	*	*	* R A	*	*	*	*
1990.....	2.3 R A	* R A	* R	* R	*	* R	* R	* R	* R	*
1989.....	2.3	*	*	* R A	* R	* R	*	* R	* R	* R
1988.....	2.5	*	*	*	* R A	* R	* R	* R	*	*
1987.....	2.0	* R	* R	* R	* R	* R	* R	* R	*	* R
1986.....	2.4	*	* R	* R	*	*	* R	* R	* R	* R
1985.....	2.6	*	* R	* R	* R	* R	* R	* R	* R	* R
1984.....	2.3 R	* R	* R A	* R	*	* R	*	* R	*	*
1983.....	2.3 R A	* R	* R	* R	* R	* R	* R	* R	* R	*
1982.....	2.5 R A	* R	* R	* R	* R	*	* R	* R	*	*
1981.....	2.4	* R	*	*	* R	*	*	* R	* R	*
1980.....	2.7	2.5	0.3 R	0.5 R	0.3	0.3 R	0.4	0.3	1.3 R	1.4
1979.....	2.5	1.3 R	0.6	0.7	0.3 R	0.5	0.5 R	0.3 R	0.7	1.0

BLACK, BOTH SEXES

1996.....	2.6	* R	0.8	* R	* R	* R	* R	* R	1.0	1.0
1995.....	2.6 R A	* R	* R	* R	* R	*	* R	* R	0.8	1.1 R
1994.....	2.5 R	* R	!!!*	* R	*	*	0.8	1.2	*	*
1993.....	2.5 R	*	* R A	* R	*	* R	* R	1.1 R	1.4	*
1992.....	2.5 R A	* R	*	*	* R	* R	*	0.8	0.9	*
1991.....	2.5	*	* R	* R	*	*	* R	0.8	1.0	0.9
1990.....	2.5 R	* R	*	* R	* R	* R	!*	* R	* R	1.0
1989.....	2.5 R A	* R	* R A	* R	* R	* R	* R	* R	1.0	*
1988.....	2.6	* R	*	*	* R	!!*	*	0.9	* R	*
1987.....	2.3 R	*	* R	* R	* R	* R	*	* R	*	0.9
1986.....	2.6	*	* R	!*	* R	!!* R A	* R	* R	*	*
1985.....	2.7	*	* R	!*	*	* R	!* R A	* R	* R	*
1984.....	2.5 R	* R	* R	* R	* R A	* R	* R	*	1.3	*
1983.....	2.5 R	* R	* R	* R	* R	!!* R	* R	* R	1.3	*
1982.....	2.7	* R	* R	!*	* R	!*	* R	!*	*	1.3
1981.....	2.5 R A	* R	* R	* R	*	* R	!*	*	1.5 R	*
1980.....	2.8	2.2	0.4	0.5	0.4	0.4	0.3 R	0.3 R	1.1 R	1.0
1979.....	2.5 R	1.4	0.5 R	0.6 R	0.3 R	0.4	0.5	0.4	1.1	1.4

	CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEARS	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)) " " " " " " " " " " " "										
BLACK MALE " " " " " " " " " " " "	" " " " " " " " " " " "										
1996.....	2.3	*	*	*	*	*	*	*	*	*	*
1995.....	2.5	*	*	*	*	*	*	*	*	*	*
1994.....	2.3	*	*	*	*	*	*	*	*	*	*
1993.....	2.5	*	*	*	*	*	*	*	*	1.6	1.8
1992.....	2.4	*	*	*	*	*	*	*	*	*	*
1991.....	2.4	*	*	*	*	*	*	*	*	*	*
1990.....	2.2	*	*	*	*	*	*	*	*	*	*
1989.....	2.3	*	*	*	*	*	*	*	*	*	*
1988.....	2.3	*	*	*	*	*	*	*	*	*	*
1987.....	2.4	*	*	*	*	*	*	*	*	*	*
1986.....	2.4	*	*	*	*	*	*	*	*	*	*
1985.....	2.5	*	*	*	*	*	*	*	*	*	*
1984.....	2.3	*	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*	*
1982.....	2.5	*	*	*	*	*	*	*	*	*	*
AU81.....	2.1	*	*	*	*	*	*	*	*	*	*
1980.....	2.7	1.9	0.5	0.3	0.4	0.4	0.4	0.2	0.3	0.6	0.6
1979.....	2.2	1.2	0.3	0.3	0.2	0.2	0.2	0.5	0.6	1.4	1.7
BLACK FEMALE " " " " " " " " " " " "	" " " " " " " " " " " "										
1996.....	2.7	*	*	*	*	*	*	*	*	*	*
1995.....	2.8	*	*	*	*	*	*	*	*	*	*
1994.....	2.6	*	*	*	*	*	*	*	*	*	*
1993.....	2.5	*	*	*	*	*	*	*	*	*	*
1992.....	2.5	*	*	*	*	*	*	5	5	5*	*
1991.....	2.6	*	*	5	5*	*	*	*	5*	*	*
1990.....	2.7	*	*	5*	*	*	*	5*	*	*	*
1989.....	2.7	*	*	*	*	*	*	5*	*	5	5*
AU88.....	2.9	*	*	*	*	*	*	5*	*	*	*
1987.....	2.3	*	*	5*	*	*	*	*	*	*	*
1986.....	2.8	*	*	*	*	*	*	*	*	*	*
1985.....	2.9	*	*	*	*	*	*	*	*	*	*
1984.....	2.6	*	*	6	€	*	*	*	*	*	*
1983.....	2.6	€	*	*	*	*	*	*	*	*	*
1982.....	2.9	*	*	*	*	*	*	*	€	*	*
1981.....	2.7	6	€	*	*	*	*	*	*	*	*
1980.....	2.9	2.6	€ 0.3	0.6	€ 0.3	0.4	0.4	0.4	0.3	1.5	1.4
A1979.....	2.7	1.6	€ 0.7	0.8	0.3	0.6	0.6	0.6	0.2	0.7	6 1.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 157

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DIABETES MELLITUS (250)										
TOTAL, BOTH SEXES										
1996.....	23.3	*	*	*	0.1	0.2	0.6	1.1	2.1	3.2
1995.....	22.6	*	*	*	*	0.3	0.5	1.1	1.9	3.4
1994.....	21.8	*	*	*	*	0.2	0.5	1.2	2.0	3.1
1993.....	20.9	*	*	*	*	0.2	0.5	1.0	1.8	3.3
1992.....	19.6	*	*	*	*	0.2	0.5	1.2	1.9	3.2
1991.....	19.4	*	*	*	0.1	0.2	0.5	1.0	2.0	3.2
1990.....	19.2	*	*	*	*	0.2	0.4	1.1	2.0	3.1
1989.....	19.0	*	*	*	0.1	0.2	0.5	1.2	2.0	3.0
1988.....	16.5	*	*	*	*	0.2	0.4	1.1	2.0	3.1E
1987.....	15.9	*	*	*	0.1	0.2	0.4	1.0	1.9	3.0
1986.....	15.5	*	*	*	*	0.2	0.5	1.0	2.0	2.9
1985.....	15.5	*	*	*	0.1	0.2	0.4	1.0	1.36BL1	
1984.....	15.2	*	*	*	*	0.1	0.4	1.0	1.8	3.0
1983.....	15.5	*	*	*	0.2	0.2	0.4	1.1	1.9 BL1	
1982.....	14.9	*	*	*	0.1	0.2	0.4	1.0	1.8	2.7
1981.....	15.1	*	*	*	0.1	0.2	0.5	1.0	1.9	2.7
1980.....	15.4	0.1	0.1	0.1	0.1	0.2	0.4	1.2	1.9	3.0
1979.....	14.8	0.1	0.1	0.1	0.2	0.2	0.36B	1.1	1.7	2.9
TOTAL, MALE										
1996.....	21.3	*	*	*	*	*	0.7	1.1	2.5	4.0
1995.....	20.4	*	*	*	0.3	0.3	1.2	2.1	3.9	
1994.....	19.5	*	*	*	*	*	0.5	1.3	2.4	3.8
1993.....	18.36B	*	*	*	*	*	0.5	1.1	2.0	4.0
1992.....	17.4	*	*	*	*	*	0.36B	1.3	2.2	4.0
1991.....	17.2	*	*	*	*	*	0.6	1.0	2.3	3.7
1990.....	16.7	*	*	*	*	*	0.4	1.2	2.3	3.9
1989.....	16.4	*	*	*	*	*	0.36B	1.3	2.5	3.9
1988.....	14.3	*	*	*	*	*	0.5	1.1	2.5	4.1
1987.....	13.8	*	*	*	*	*	0.4	1.1	2.4	3.8
1986.....	13.2	*	*	*	*	*	0.5	1.1	2.3	3.5
1985.....	13.2	*	*	*	*	*	0.4	1.0	2.1	3.8
1984.....	13.0	*	*	*	*	*	0.4	1.1	2.1	3.36B
1983.....	12.9	*	*	*	*	*	0.4	1.0	2.1	3.7
1982.....	12.36B	*	*	*	*	0.5	1.0	2.0	3.2	
1981.....	12.7	*	*	*	*	*	0.5	1.1	2.3	3.1
1980.....	13.0	0.1	0.1	0.1	0.1	0.1	0.5	1.2	2.3	3.5
1979.....	12.3	0.2	0.0	0.0250	0.2	0.36B	1.3	1.9 B	3.2	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 159

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DIABETES MELLITUS (250)										
WHITE MALE										
1996.96.+++++	21.1	*	*	*	*	*	0.6	1.0	2.3	3.5
1995+++..+96.+	20.0	*	*	*	*	0.3	0.4	1.0	1.8	3.4
1994+++..+9+++.	19.2 21	*	*	*	*	0.4	1.1	2.2 2	3.3	
1993.+++..+9++++.	18.3	* 21	*	*	*	0.4	0.9	1.7	3.4	
1992+++..+9++++.	17.2 2	* 21	*	*	*	0.5	1.1	2+1	3.7	
1991.+++..+9++++.	16.9 21	*	*	* 21	0.5	0.9 2	2.1	3.4		
1990.+++..+9+++96.+	16.5	* 2	* 2	* 2	* 2	*	0.4	1.0	2+0	3.5
1989+++..+9+++996.+	16.0	*	* 2	* 2	* 2	*	0.4	1.1	2.3	3.5
1988+++..+9+++99.9	13.9 21	*	*	*	*	0.4	1.0	2.3	3.5	
1987.+++..+9+++99.	13.5 21	*	*	*	*	0.4	0.9 2	2.3	3.6	
1986.+++..+9+++99.	12+9 2	* 2	* 2	*	* 2	* 2	0.5 2	1.0	2.3	3.0
1985+++..+9+++99.	12+9	*	* 21	*	*	0.3	1.0	1.9 2	3.6	
1984+++..+9+++99.	12+7	* 2	*	* 2	* 2	* 2	0.4	1.1	1.8	3.2
1983.+++..+9+++99	12+7	*	*	*	*	*	0.4	0.9 2	1.9 2	3.3
1982+++..+9+++99.	12.5 2	* 2	*	* 2	*	* 2	0.5	0.9	1.7	2.9 2
1981.+++..+9+++99	12.6 21	*	*	* 21	0.4	1.0	2.0	2+9		
1980.+++..+9+++99	12.8	0.1	0.0	0.1	0.1	0.1	0.4	1.1	2.2 2	3.0
1979+++..+9+++99..	12+4	0.2	0.0	0.0	0.1	0.2 2	0.6	1.2 2	1.7	2.9 2
WHITE FEMALE										
1996.+++..+9+++99.	23.9	*	* 2	* 2	*	*	0.4	0.9 2	1.5	2.1
1995++++..+9+++99	23.5	*	* 2	* 2	* 2	* 2	0.3	0.8	1.4	2.5
1994++++..+9+++99	22+9	* 2	*	*	* 2	*	0.4	1.1	1.6	2.0
1993.++++..+9+++9	22+1	*	* 2	* 2	*	* 2	0.4	0.8	1.5	2.5
1992++++..+9+++99	20.7	*	*	*	*	*	0.3	0.9 2	1.5 2	2+0
1991+++..+9+++99..	20.6 21	* 21	* 2	* 2	0.3	1.0	1.5	2.4		
1990+++..+9+++99..	20.5	*	* 2	*	* 2	*	0.3	1.0	1.5	2+1
1989+++..+9+++99.	20.5	* 2	* 21	* 2	* 2	0.5	0.9	1.5	1.9 2	
1988.+++..+9+++99.	17.7	* 2	* 2	*	* 2	* 2	0.4	0.9 2	1.3	2.3
1987.+++..+9+++99	17.0	*	*	* 2	*	*	0.4	0.9 2	1.2 2	2+1
1986.+++..+9+++99	16.8	* 2	*	*	* 2	* 2	0.5	0.9 2	1.6	2.1
1985++++..+9+++9	17.0	*	* 2	*	*	*	0.3	0.9 2	1.1	2+1
1984++++..+9+++9	16.6	* 2	*	*	* 2	*	0.4	1.0	1.4	2+1
1983+++..+9+++99..	17.3	*	*	*	* 2	*	0.4	1.1	1.4	2.2 2
1982++++..+9+++9	16.6	*	* 2	* 2	*	*	0.3	0.9	1.4	2.1
1981.++++..+9+++9	16.6 21	* 2	*	*	0.3	0.4	0.8	1.5	2.0	
1980.++++..+9+++9	16.8	0.1	0.1	0.1	0.1	0.2 2	0.4	1.1	1.3	2+1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 160

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

DIABETES MELLITUS (250)

ALL OTHER, BOTH SEXES					BTBTB					
1996.....	26.9	*	*	*	*	*	1.1	1.6	2.9	4.8
1995.....	26.4	*	*	*	*	*	1.0	2.1	3.0	5.4
1994.....	25.2	*	*	*	*	*	1.0	1.7	2.9	5.3
1993.....	24.3	*	*	*	*	*	0.9	1.7	2.5	5.4
1992.....	22.8	*	*	*	*	*	1.0	1.9	2.4	4.8
1991.....	22.7	*	*	*	*	*	0.9	1.5	2.9	4.7
1990.....	22.4	*	RE	*	R *	*	0.9	1.8	3.0	4.5
1989.....	22.4	*	*	*	*	*	1.0	1.9	2.6	5.0
1988.....	20.0	*	R *	*	*	R *	0.6	1.8	2.7	5.9
1987.....	19.0	*	*	*	*	*	*	1.6	2.6	4.1
1986.....	18.8	*	*	*	*	*	0.6	1.2	2.3	5.2
1985.....	18.6	*	*	*	RE	*	0.8	1.3	2.2	4.5
1984.....	18.0	*	*	*	*	*	*	1.2	3.2	4.9
1983.....	18.2	RE	*	R *	*	RE	0.8	1.3	3.0	4.8
1982.....	16.9	*	*	*	*	RE	0.7	1.1	3.0	4.2
1981.....	17.9	RE	*	R *	*	R *	1.0	1.5	2.8	4.6
1980.....	18.9	0.3	0.2	0.1	0.2	0.2	0.8	2.0	2.6	5.9
1979.....	18.1	-	0.1	0.1	0.3	0.3	0.9	1.6	2.9	6.0

ALL OTHER MALE BTB BTB BBTB BB

1996.....	22.1	*	*	R *	*	*	1.4	1.6	3.4	6.4
1995.....	22.1	*	R *	*	R *	*	1.4	2.5	3.4	6.4
1994.....	20.9	*	*	*	RE	*	R *	2.0	3.5	6.4
1993.....	20.1	*	*	R *	*	*	R *	1.8	3.2	7.2
1992.....	18.5	*	R *	*	R *	*	R *	2.3	2.8	8
1991.....	18.4	RE	RE	R *	*	RE	R *	1.6	3.4	5.6
1990.....	18.1	*	R *	*	R *	*	R *	2.2	3.7	5.6
1989.....	18.4	*	R *	*	RE	R *	*	2.4	3.6	6.2
1988.....	16.2	*	R *	*	R *	*	*	1.7	3.5	7.4
1987.....	15.0	RE	R *	*	R *	*	*	1.9	2.7	4.8
1986.....	14.8	*	R *	*	R *	*	R *	1.4	2.7	6.5
1985.....	14.7	*	R *	*	R *	*	R *	RE	3.0	5.5
1984.....	14.4	*	R *	*	R *	*	R *	R *	4.0	5.7
1983.....	14.3	*	R *.4	*	*	1.6	3.7	6.4		
1982.....	13.0	*	R *	*	R *	*	R *	*	4.0	5.3
1981.....	13.7	*	R *	*	R *	*	R *	1.6	3.7	5.0
1980.....	14.6	0.3	0.4	0.1	0.2	0.3	0.8	1.9	3.1	7.5
1979.....	14.4	R -	0.1	0.1	0.1	0.3	1.1	1.9	3.3	5.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 161

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS		
DIABETES MELLITUS (250)												
ALL OTHER FEMALE												
1996.....	31.3	*	*	*	*	*	*	1.7	2.5	3.3		
1995.....	30.2	*	*	*	*	*	*	1.6	2.6	4.5		
1994.....	29.1	*	*	*	*	*	*	1.3	2.3	4.4		
1993.....	28.1	*	*	*	*	*	*	1.6	2.0	3.7		
1992.....	26.8	*	*	*	*	*	*	1.5	2.1	3.9		
1991.....	26.R A	*	*	*	*	*	*	1.4	2.4	4.0		
1990.....	26.4	*	*	*	*	*	1.3	1.5	2.3	3.R A	1987.....	
1985.6.. 22.1	*	*	*	*	*	1.4	1.R A	3.R				
1980.....	22.7	0.3	-	-	0.3	0.1	0.8	2.2	2.2	4.5		
1979.....	21.4	-	0.1	0.1	0.4	0.2	0.8	1.2	2.5	6.4		
BLACK, BOTH SEXESBTB BTB BBTB BB				1996.6..	32.2	*	*	*	*	*	1.5	2.0
1992.....	27.3	*	*	*	*	*	1.3	2.5	3.1	6.3		
1988.6.. 23.5	*	*	*	*	*	0.7	2.2	3.4	7.4			
1986.....	21.8	*	*	*	*	*	0.7	1.4	2.9	6.R		
1983.....	20.8	*	*	*	*	*	0.9	1.R A	3.7	5.9		
1982.....	19.0	*	*	*	*	*	0.8	1.4	3.R A	5.2		
1981.6.....	20.1	*	*	*	*	*	1.1	1.7	3.4	5.R		
1980.....	20.8	0.2	0.3	0.1	0.3	0.2	0.9	2.2	3.2	7.2		

RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)										
CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
DIABETES MELLITUS (250)										
BLACK MALE										
1996.96.+++++	26.0	*	*	*	*	*	1.8	1.8	4.0	8.1
1995+++.+++.*96.*	26.1	*	*	*	*	*	1.8	3.4	4.4	8.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 163

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
TOTAL, BOTH SEXES										
1996.....	1.4	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	*
1993.....	1.3	0.6	*	*	*	*	AT	*	A	*
1992.....	1.2	0.5	*	*	*	*	*	*	*	*
1991.....	1.2	0.5	*	*	*	*	*	*	*	*
1990.....	1.2	*	A	*	AT AT A	*	AT A	*	A	0.1
1989.....	1.2	AT A	*	*	A	*	AT A	*	A	*

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										

TOTAL, FEMALE		E									
1996.....	1.8	*	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*	*
19890.. 5	1.5	*	*	*	*	*	*	*	*	*	*
19880.. ..	1.5	*	*	*	*	*	*	*	*	*	*
19870.. ..	1.4	*	*	*	*	*	*	*	*	*	*
19860.. ..	1.4	*	*	*	*	*	*	*	*	*	*
19850.. ..	1.5	*	*	*	*	*	*	*	*	*	*
19840.. ..	1.3	*	*	*	*	*	*	*	*	*	*
19830.. ..	1.3	*	*	*	*	*	*	*	*	*	*
19820.. ..	1.2	*	*	*	*	*	*	*	*	*	*
1981..0..	1.2	*	*	*	*	*	*	*	*	*	*
1980..0..	1.2	0.8	0.1	-	0.0	-	0.0	0.0	0.0	0.1	
197900..	1.1	0.7	0.0	-	-	-	0.0	0.0	0.1	0.1	
WHITE, BOTH SEXES		+	+	+	+	+	+	+	+	+	+
1996.0..	1.5	*	*	*	*	*	*	*	*	*	*
1995.00..	1.4	*	*	*	*	*	*	*	*	*	*
1994.00..	1.4	*	*	*	*	*	*	*	*	*	*
1993.00..	1.4	*	*	*	*	*	*	*	*	*	*
1992	E		1.2	*	*	*	*	*	*	*	*
1991	E		1.2	*	*	*	*	*	*	*	*
1990..0.....		1.2	*	*	*	*	*	*	*	*	*
1989000..	1.2	*	*	*	*	*	*	*	*	*	*
19880.. ..	1.2	*	*	*	*	*	*	*	*	*	*
198700..	1.2	*	*	*	*	*	*	*	*	*	*
198600..	1.2	*	*	*	*	*	*	*	*	*	*
198500.....	1.2	0.7	*	*	*	*	*	*	*	*	*
198400.....	1.1	*	*	*	*	*	*	*	*	*	*
198300.....	1.1	*	*	*	*	*	*	*	*	*	*
198200..	1.0	*	*	*	*	*	*	*	*	*	*
1981..0.....	1.0	*	*	*	*	*	*	*	*	*	*
1980..0.....	1.0		0.3	0.0	0.0	-	0.0	0.0	0.0	0.1	
1979	E		1.0	0.7	0.0	-	-	-	0.0	0.0	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 165

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										

WHITE MALE			E	†††						
1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.8	0.3	0.0	0.0	-	0.0	0.1	0.1	0.1	0.0
1979.....	0.8	1.0	0.0	-	-	-	0.0	0.0	0.1	0.1
WHITE FEMALE†† †† ††† ††										
1996.....	2.0	*	*	*	*	*	*	*	*	*
1995.....	1.9	*	*	*	*	*	*	*	*	*
1994.....	1.8	*	*	*	*	*	*	*	*	*
1993.....	1.8	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	*
1990.....	1.5	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.5	*	*	*	*	*	*	*	*	*
1985...	*	*	*	1.5	*	*	*	*	*	*
1984...	*	*	*	1.4	*	*	*	*	*	*
1983...	*	*	*	1.4	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.2	0.4	0.0	-	-	-	0.0	0.0	0.0	0.1
1979.....	1.1	0.4	0.0	-	-	-	0.1	0.0	0.1	0.1

ALL OTHER, BOTH SEXES

ALL OTHER MALE

1986.....	1.2	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 167

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NUTRITIONAL DEFICIENCIES (260-269)										
ALL OTHER FEMALE										
1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.1	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.3	*	*	*	*	*	*	*	*	*
1988.....	1.2	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.1	*	*	*	*	*	*	*	*	*
1985.....	1.1	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	PS	*
1980.....	1.0	2.5	0.4	-	0.1	-	0.1	0.1	0.2	0.2
1979.....	1.1	1.7	-	-	-	-	-	0.1	0.1	0.1
BLACK, BOTH SEXES										
1996.....	1.2	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	PS	*	P	*	P	*	*
1993.....	1.3	*	*	*	*	P	*	P	*	*
1992.....	1.4	PS	*	*	*	P	*	P	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 169

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
TOTAL, BOTH SEXES										
1996.....†.	1.6	0.8	0.3	0.1	0.1	0.2	0.3	0.4	0.4	0.4
1995†.†.†...	1.7	0.9	0.3	0.2	0.2	0.3	0.5	0.4	0.4	0.5
1994†.†.†.†.	1.7	0.7	0.3	0.2	0.1	0.2	0.3	0.5	0.6	0.5
1993†.†.†.†.†	1.7	1.1	0.3	0.1	0.2	0.3	0.4	0.5	0.4	0.6
1992†.†.†.†.†.	1.7	1.2	0.4	0.2	0.2	0.2	0.4	0.4	0.5	0.5
1 TAL.†.†.†.†.†....	1.6	0.7	0.3	0.1	0.2	0.2	0.3	0.4	0.5	0.4
BT0.†.†.†.†.†....	1.6	0.7	0.3	0.2	0.1	0.3	0.4	0.4	0.5	0.6
1 89†.†.†.†.†....	1.6	1.0	0.3	0.1	0.1	0.2	0.4	0.4	0.5	0.6
1988†.†.†.†.†....	1.6	0.7	0.3	0.2	0.2	0.2	0.4	0.3	0.4	0.4
1987.†.†.†.†.†....	1.6	*	0.3	0.2	0.1	0.2	0.3	0.4	0.6	0.5
1986†.†.†.†.†....	1.5	0.6	0.4	0.2	0.1	0.2	0.4	0.3	0.5	0.4
1 85††.†.†.†.†....	1.6	*	0.4	0.2	0.2	0.2	0.3	0.4	0.4	0.3
1984††.†.†.†.†....	1.5	0.9	0.5	0.2	0.2	0.3	0.3	0.3	0.3	0.4
1983††.†.†.†.†....	1.5	1.0	0.4	0.2	0.3	0.3	0.4	0.4	0.4	0.3
B982†.†.†.†.†....	1.4	1.0	0.5	0.2	0.2	0.3	0.3	0.4	0.3	0.4
1981.††.†.†.†.†....	1.4	0.7	0.4	0.2	0.2	0.3	0.3	0.3	0.3	0.4
1980.††.†.†.†.†....	1.4	0.7	0.5	0.3	0.2	0.2	0.4	0.4	0.4	0.4
1979†.†.†.†.†.†....	1.4	1.0	0.6	0.2	0.3	0.3	0.4	0.4	0.4	0.4
TOTAL, MALE										
1996.†.†.†.†.†....	1.4	*	0.3	*	*	*	0.3	0.5	0.4	0.4
1995†††.†.†.†.†....	1.4	*	0.3	*	*	*	0.6	0.5	0.4	0.5
1994†††.†.†.†.†....	1.5	*	0.3	0.2	*	0.3	0.3	0.6	0.6	0.7
1993†††.†.†.†.†....	1.4	1.4	0.3	*	*	0.3	0.4	0.5	0.5	0.6
1992††.†.†.†.†....	1.5	*	0.5	*	0.2	0.2	0.5	0.5	0.5	0.6
1991.†††.†.†.†.†..	1.4	*	0.3	*	*	0.4	0.3	0.4	0.5	0.5
1990.†††.†.†.†.†..	1.5	1.0	0.4	*	*	0.3	0.5	0.5	0.5	0.5
1989††.†.†.†.†....	1.4	1.1	0.4	*	*	0.3	0.4	0.4	0.5	0.6
1988.†.†.†.†.†....	1.4	*	0.3	*	*	0.2	0.4	0.3	0.5	0.4
1987.††.†.†.†.†....	1.4	*	0.4	*	*	0.2	0.3	0.5	0.7	0.6
B986††.†.†.†.†....	1.4	*	0.4	0.2	*	0.3	0.4	0.4	0.5	0.4
1985††††.†.†.†.†..	1.4	*	0.4	*	0.0.4 3	0.3	0.4	0.5	0.3	
1984††††.†.†.†.†..	1.3	*	0.5	*	*	0.3	0.4	0.4	0.3	0.4
1983††††.†.†.†.†..	1.4	*	0.4	0.0.4 3	0.2	0.5	0.4	0.4	0.4	
1 82†††.†.†.†.†....	1.3	1.1	0.4	*	*	0.3	0.4	0.4	0.4	0.3
1981.††††.†.†.†.†.	1.4	*	0.4	*	0.3	0.3	0.3	0.3	0.4	0.4
1980†.†.†.†.†.†....	1.3	0.7	0.5	0.3	0.2	0.3	0.5	0.4	0.5	0.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 170

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
TOTAL, FEMALE										
1996.....	1.9	*	*	*	*	*	0.4	0.3	0.4	0.5
1995.....	2.0	*	0.3	*	0.3	0.3	0.4	0.4	0.3	0.5
1994.....	1.9	*	0.3	*	*	*	0.4	0.4	0.6	0.4
1993.....	1.9	*	0.3	*	*	0.2	0.4	0.4	0.4	0.6
199 0	1.9	1.5	0.3	*	*	0.3	0.4	0.4	0.5	0.4
1991.....	1.8	*	0.3	*	*	*	0.2	0.5	0.5	0.4
1990.....	1.8	*	0.3	*	*	*	0.3	0.3	0.4	0.6
1989.....	1.8	*	0.3	*	*	*	0.3	0.3	0.4	0.5
1988.....	1.8	*	*	*	*	*	0.3	0.3	0.3	0.4
1987.....	1.7	*	*	0.3	*	0.3	0.3	0.2	0.5	0.4
1986.....	1.7	*	0.4	*	*	*	0.3	0.2	0.5	0.4
1985.....	1.7	*	0.4	*	0.2	0.2	0.2	0.3	0.3	0.3
1984.....	1.6	*	0.4	0.3	0.2	0.2	0.3	0.3	0.3	0.4
1983.....	1.6	1.1	0.4	*	*	0.3	0.3	0.4	0.3	0.3
198 0	1.5	*	0.6	*	*	0.2	0.3	0.3	0.3	0.5
1981.....	1.5	*	0.3	*	*	0.2	0.3	0.3	0.3	0.5
1980.....	1.6	0.6	0.5	0.2	0.2	0.1	0.4	0.4	0.4	0.4
1979.....	1.5	0.7	0.5	0.2	0.2	0.2	0.4	0.3	0.4	0.3
WHITE, BOTH SEXES										
1996.....	1.5	* 7	*	*	*	* 7	*	*		
1995.....	1.6	* 7	*	*	*	*	* 7	*	0.2	
1994.....	1.5	* 7	*	*	*	*	0.2	0.2	0.2	
1991.....	1.5	*	* 7	* 7	* 7	0.1	0.2 7	0.2		
1990.....	1.5	*	* 7	*	* 7	*	0.1		0.1	0.2
1989.....	1.5	*	0.2		* 7	* 7	0.1	0.1	0.3	
1988.....	1.5	*	*	*	*	* 7	0.1	0.1	0.1	0.1
1986.....	1.4	*	0.2	* 7	*	*	0.1	*	0.1	0.2 7
1985.....	1.5	*	* 7	*		0.1	*	0.1	0.2	0.1
1984.....	1.4		0.2	0.2	0.1	*	0.1	0.1	*	0.2
1983.....	1.4	* 7	* 7	*	0.2	* 7	0.1	*	0.2	0.2
198	1.3	* 7	0.2	*	* 7	0.1	0.1	0.1	*	0.2
1981.....	1.4	*	*	*	0.2	0.2	0.1	*	*	7
1980.....	1.3	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1
1979.....	1.3	0.7	0.3	0.2	0.2 7	0.2	0.2	0.2	0.2	0.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 171

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR
ANEMIAS (280-285)

TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

WHITE MALE

1996.....	1.3	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	0.3
1993.....	1.3	* NDNNDN	* N	* N	* NDN	* N	* N		
1992.....	1.3	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*
1990.....	1.2	*	*	*	*	*	*	*	*
1989.....	1.2	NDN	*	*	*	* NDN	*	0.3	
1988.....	1.2	N	* N	* N	* NDN	* N	* N	* NDN	
1987.....	1.3	NDN	* N	* N	*	*	* N	* N	*
1986.....	1.3	*	* N	* N	* N	* NDN	*	* NDN	
1985.....	1.3	*	* NDN	*	*	* N	* N	*	*
1984.....	1.2	N	* N	* N	* N	* N	* N	* N	* N
1983.....	1.3	*	* N	* N	* N	* NDN	*	*	* N
1982.....	1.2	*	* N	* N	*	*	* N	* N	*
1981.....	1.2	*	* N	*	* N	0.2	*	* N	*
1980.....	1.1	0.2	N	0.3	0.2	0.1	0.2	0.1	0.1
1979.....	1.2	1.0	0.2	N	0.2	0.2	0.2	N	0.2

WHITE FEMALE

1996.....	1.8	NDN	* NDN	* N	* N	* N	* N	* N	* N
1995.....	1.9	*	* N	* N	* N	* N	*	* N	*
1994.....	1.7	*	* N				* N	*	* N
1993.....	1.8	N	* N	* N	* N		* N	* N	0.2
1992.....	1.7	*	* N	* N			*	* N	* N
1991.....	1.7	*	* N	*		* N	*	* N	*
1990.....	1.7	NDN	* N	* N	* NDN	* N	* N	*	* N

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 172

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
ALL OTHER, BOTH SEXES										
1996.....	2.2	*	0.9	*	*	0.7	1.2	1.7	1.8	2.0
1995.....	2.5	*	1.0	*	0.6	1.0	1.9	1.9	1.6	2.2
1994.....	2.4	*	1.0	*	*	0.8	1.4	2.0	2.5	2.3
1993.....	2.3	2.8	0.9	*	*	0.8	1.4	1.9	1.9	2.4
1992.....	2.4	3.3	1.2	*	*	0.8	1.8	1.9	2.3	2.3
1991.....	2.3	*	1.0	*	*	0.9	1.2	1.8	2.1	1.8
1990.....	2.4	*	1.1	*	*	1.0	1.5	1.8	2.3	2.6
1989.....	2.3	2.9	1.0	*	*	0.8	1.5	1.5	2.2	2.2
1988.....	2.0	*	1.2	*	*	0.7	1.3	1.2	1.6	2.0
1987.....	2.1	*	1.0	0.7	*	0.8	1.3	1.7	2.6	2.1
1986.....	2.1	*	1.4	0.6	*	0.7	1.4	1.8	2.4	1.7
1985.....	2.1	*	1.7	*	0.7	0.7	1.2	1.6	1.5	1.6
1984.....	1.9	*	1.6	*	*	0.9	1.3	1.4	1.5	1.7
1983.....	2.0	3.0	1.7	0.7	0.6	1.0	1.5	1.8	1.4	1.3
1982.....	2.0	*	1.8	*	*	0.9	1.4	1.6	1.6	1.8
1981.....	2.0	*	1.2	*	*	0.7	1.4	1.4	1.5	2.4
1980.....	2.2	2.7	1.6	0.5	0.5	0.6	1.6	2.1	2.3	1.9
1979.....	2.2	2.7	2.0	0.3	0.8	0.8	1.8	1.6	1.8	2.0
ALL OTHER MALE										
1996.....	2.1	*	*	*	*	*	*	1.9	2.0	2.1
1995.....	2.3	*	*	*	*	*	2.2	2.3	2.0	2.3
1994.....	2.3	*	*	*	*	*	1.3	2.3	2.7	2.8
1993.....	2.2	*	*	*	*	*	1.6	2.3	2.1	2.6
1992.....	2.4	*	1.5	*	*	*	2.3	2.3	2.3	2.8
1991.....	2.3	*	*	*	*	1.4	1.4	1.9	2.4	2.2
1990.....	2.6	*	1.5	*	*	1.3	1.8	2.3	2.6	2.5
1989.....	2.2	*	*	*	*	*	1.6	1.9	2.7	2.4
1988.....	2.0	*	*	*	*	*	1.4	1.6	2.1	2.2
1987.....	2.2	*	*	*	*	*	1.5	2.6	3.4	2.7
1986.....	2.1	*	1.6	*	*	*	1.9	2.5	2.3	1.7
1985.....	2.2	*	1.6	*	*	*	1.5	1.8	1.9	*
1984.....	2.0	*	1.9	*	*	*	1.7	1.9	1.6	2.0
1983.....	2.2	*	1.8	*	*	*	2.0	1.9	1.9	*
1982.....	2.0	*	1.8	*	*	1.1	1.9	1.7	2.0	*
1981.....	2.1	*	*	*	*	*	1.7	1.8	2.1	2.4
1980.....	2.2	3.1	1.6	0.8	0.4	0.8	2.2	2.3	2.7	2.0
1979.....	2.1	3.3	2.4	0.3	1.0	0.9	2.2	1.8	1.8	2.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 173

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										
ALL OTHER FEMALE										
1996.....	2.3	*	*	*	*	*	1.3	1.5	1.7	2.0
1995.....	2.6	*	*	*	*	1.1	1.6	1.6	1.2	2.1
1994.....	2.5 1	*	*	* 1	1.4	1.7	2.4	1.8		
1993.....	2.5 1	* 1	* 1	*	*	*	1.3	1.5 1	1.7	2.2
1992.....	2.4	*	*	*	*	*	1.3	1.6	2.2	1.9
1991.....	2.3	* 1	* 1	* 1	* 1	1.1	1.7	1.8	1.4	
1990.....	2.2	*	*	*	*	*	1.2	1.5 1	2.0	2.6
1989.....	2.4	*	*	*	* 1	1.3	1.2	1.7	2	
1988.....	2.1	*	*	*	*	*	1.1	* 1	* 1	1.9
1987.....	2.0	*	* 1	*	*	*	*	*	1.9	1.6
1986.....	2.1 1	* 1	* 1	* 1	* 1	1.1	2.6	1.7		
1985.....	2.1	* 1	1.9	*	*	* 1	* 1	1.4	1.2	1.5 1
1984.....	1.9	* 1	* 1	* 1	* 1	* 1	* 1	1.5	*	
1983.....	1.9	*	1.7	*	*	1.2	* 1	1.8	*	*
1982.....	2.0	*	1.7	*	* 1	* 1	* 1	1.4	* 1	2 1
1981.....	1.8	* 1	*	*	* 1	* 1	1.2	* 1	* 1	2.5 1
1980.....	2.1	2.2	1.6	0.3	0.5	0.5 1	1.1	2.0	1.9	1.7
1979.....	2.2	2.0	1.6	0.3	0.6	0.8	1.5	1.4	1.8	1.6
BLACK, BOTH SEXES										
1995.....	3.1	* 1	1.3	*	0.8	1.3	2.5 1	2.6	2.1 1	2 9
1994..0.9	3.0	* 1	1.3	* 1	*	1.0	1.9	2.7	3.4	1.5
1993..0.9	2.9	*	1.1	* 1	* 1	1.0	1.9	2.6	2.6	3.3
1992.....	3.0	3.3	1.6	*	*	0.9	2.3	2.5	3.0	3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 174

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ANEMIAS (280-285)										

BLACK MALE

1996.....†.	2.6	*	*	*	*	*	*	2.7	2.7	2.9
1995†.†.†...	2.9	*	*	*	*	*	3.0	3.1	2.7	3.1
1994†.†.†.†.	3.0	*	*	*	*	*	1.8	3.2	3.6	3.8
1993.†.†.††.	2.8	*	*	*	*	*	2.1	3.1	2.9	3.5
1992.†.†.††...†	3.0	*	2.0	*	*	*	2.9	TH1	3.1	3.8
1991.†.†.††....à8	*	*	*	*	1.6	1.5	2.4	3.3	2.8	
1990.†.†.††.....	3.2	*	*	*	*	1.6	2.4	2.9	T	3.5
1989†.†.††.....	2.8	*	*	*	*	*	2.1	2.4	3.7	3.2
1988†.†.††.... 3	2.4	*	*	*	*	*	1.8	2.0	2.8	2.9
1987.†.†.††....	2.7	*	*	*	*	*	1.9	3.2	4†5	3.6
1986†.†.††.... .	2.4	*	2.0	*	*	*	2.3	3.1	3.1	2.1
1985††.†.††....	2.6	*	2.0	*	*	*	1.8	2.2	2.5	*
1984††.†.††....	2.4	*	2.1	*	*	*	2.0	2.3	1.9	2.7
1983.††.†.††....EL5	*	2.2	*	*	*	2.4	2.4	2.4	*	
1982.††.†.††....E	2.3	*	2.2	*	*	*	2.2	2.1	2.6	*
1981.††.†.††....E	2.4	*	*	*	*	*	1.9	T	2.2	3.1
1980.††.†.††....E	2.6	3.3	1.9	1.0	0.5	0.9	T	2.6	2.8	2.6
1979†.†.††.... .	2.4	3.1	2.8	0.4	1.0	1.0	2.6	2.1	2.0	2.9

BLACK FEMALE

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 175

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENINGITIS (320-322)										
TOTAL, BOTH SEXES										
1996.96.††††††.	0.3	2.7	0.2	0.1	*	*	*	*	0.1	0.2
1995†††.†††.†96.†	0.3	3.1	0.2	*	*	*	0.1	0.1	0.1	0.2
1994†††.†9†††.†9	0.3	2.8	0.3	*	*	*	*	*	0.1 B	
1993.†††.†9††††.	0.3	2D	0.2	*	*	*	*	0.2	0.1	0.1
1992†††.†9†††††.	0.3	3.1	0.2	0.1	*	*	*	0.1	0.1	0.2
1991.†††.†9†††††	0.4	3.2	0.3	*	*	*	*	*	0.2	0.2
1990.†††.†9††††96.†	0.4	5.0	0.5	0.1	*	*		*Ú	0.1	0.2
1989†††.†9††††996.†	0.4	5†9	0.7	*	*	*		0.1 B B		
1988†††.†9††††99.9	0.5	5.5	0.9	0.1 B	*	*	0.1	0.1	0.1	
1987.†††.†9††††99.	0.5	5.8	1.0	0.1		*	*	0.2	0.2	0.3
1986†††.†9††††99..	0.5	5†9	1.0	*	*	*	*	0.1	0.2	Ú
1985††††.†9††††99.	0.5	7.0	1.1	Ú	Ú.1	*		0.1	Ú.2	0.1
1984††††.†9††††99.	0.5	7.5	1.2	0.1	0.1	*	0.1	*	0.2	0.1
1983.††††.†9††††99	0.6	8.7	1.4	0.1	*		0.1	0.1	0.1 B	
1982.††††.†9††††99.	0.6	9†1	1.4	0.2	0.1			0.1	0.1 B	
1981.††††.†9††††99	0.6	11.7	1.2	0.2	*	Ú	* B	0.2	0.2	
1980.††††.†9††††99	0.6	12.5	1.7	0.2	0.1	0.1	0.1	0.1	Ú	0.2
1979†††.†9††††99..	0.6	12.9	1.4	0.2	0.1	0.1	Ú.1	0.1	0.2	0.2
TOTAL, MALE										
1996.†††.†9††††99.	0.3	3.2	0.3	*	*	*		*		Ú.2
1995†††††.†9††††99	0.3	3.2	0.3	*	*	*	*	*	*	0.2
1994†††††.†9††††99	0.3	3.1	0.4		*		*	*	*	0.2
1993.†††††.†9††††9	0.3	3.1	0.2	*	*	*	*	*	*	*
1992.†††††.†9††††99	0.3	*	.0	*	*	*		*	*	0.2
1991†††.†9††††99..	0.4	3.3	0.3		*			*Ú.2	Ú.3	
1990.†††††.†9††††9	0.4	5.4	0.7			*	*	* B	0.4	
1989†††.†9††††99..	0.5	6†4	0.9			*	*	*	0.3	0.3
1988.†††.†9††††99.	0.5	5.7	1.0			*	*	0.2	0.2	*
1987.††††.†9††††99	0.5	6.3	1.1	*	*	*	*	0.2	0.3	0.3
1986††††.†9††††99.	0.5	6†5	1.4	*	*	*	*	* B		
1985††††††.†9††††9	0.5	7.5	1.4	*		*	*	Ú.2	0.2	
1984††††.†9††††99..	0.6	8.5	1.5		*	*	*	*	0.3	
1983.††††††.†9††††	0.6	9†5	1.5	*	*	*	*	*	*	*
1982.††††††.†9††††9	0.6	10.4	1.6	*		*	*	*	*	Ú.3
1981.††††††.†9††††9	0.7	13.7	1.4	*	*	*	*	0.2	Ú.2	*
1980.††††††.†9††††	0.7	13.9	2.2	0.2	0.1	Ú.1	Ú.2	0.1	Ú.1	Ú.2
1979†††††.†9††††99.	0.7	14†4	1.7 B	0.1	0.1	0.1	Ú.1	0.2	0.3	

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 177

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

MENINGITIS (320-322)

WHITE MALE

1996....†††.	0.3	2.4	*	*	*	*	*	*	*	*
1995††.††.†...	0.3	2.3	0.3	*	*	*	*	*	*	*
1994††.†.††.†.	0.3	2.2	0.3	*	*	*	*	*	*	*
93††.†.†††.†	0.3	2.0	*	*	*	*	*	*	*	*
1992.††.†.††††	0.3	2.7	*	*	*	*	*	*	*	*
1991.††.†.†††...†	0.3	2.5	*	*	*	*	*	*	*	*
1990.††.†.†††....	0.4	4†1	0.6	*	*	*	*	*	*	0.3
1989††.†.†††....	0.4	4†7	0.8	*	*	*	*	*	*	*
1988††.†.†††....	0.4	4†8	0.8	*	*	*	*	*	*	*
1987.††.†.†††....	0.5	5.2	1.0	*	*	*	*	*	0.2	*
1986††.†.†††....	0.4	5†0	1.3	*	*	*	*	*	*	*
1985†††.†.†††....	0.5	5†6	1.3	*	*	*	*	*	*	*
1984†††.†.†††....	0.5	7.2	1.4	*	*	*	*	*	0.2	*
1983†††.†.†††....	0.5	7.6	1.4	*	*	*	*	*	*	*
1982.†††.†.†††....	0.5	8.2	1.6	*	*	*	*	*	*	*
1981.†††.†.†††....	0.6	11.0	1.5	*	*	*	*	*	*	*
1980.†††.†.†††....	0.6	11.5	2.0	0.2	0.1	0.1	0.2	0.1	0.1	0.1
1979††.†.†††....	0.6	10.8	1.5	0.2	0.1	0.0	0.1	0.1	0.2	0.2

WHITE FEMALE

1996.††.†.†††....	0.2	1.4	*	*	*	*	*	*	*	*
1995††††.†.†††....	0.2	1.8	*	*	*	*	*	*	*	*
1994††††.†.†††....	0.2	1.6	*	*	*	*	*	*	*	*
1993††††.†.†††....	0.2	1.7	*	*	*	*	*	*	*	*
1992††.†.†††....	0.3	2.3	*	*	*	*	*	*	*	*
1991††.†.†††....	0.3	2.1	*	*	*	*	*	*	*	*
1990.††††.†.†††..	0.3	3.0	0.3	*	*	*	*	*	*	*
1989†††.†.†††....	0.3	3†6	0.4	*	*	*	*	*	*	*
1988.††.†.†††....	0.4	4.2	0.7	*	*	*	*	*	*	*
1987.†††.†.†††....	0.3	3†6	0.9	*	*	*	*	*	*	*
1986†††.†.†††....	0.4	4.0	0.5	*	*	*	*	*	*	*
1985†††††.†.†††..	0.4	4.7	0.7	*	*	*	*	*	*	*
1984††.†.†††....	0.4	4.6	0.8	*	*	*	*	*	*	*
1983†††††.†.†††..	0.4	6†0	1.2	*	*	*	*	*	*	*
1982.††††.†.†††..	0.4	5.7	1.0	*	*	*	*	*	*	*
1981††.†.†††....	0.4	7.2	1.0	*	*	*	*	*	*	*
1980.†††††.†.†††..	0.4	8.7	1.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
1979†††.†.†††....	0.4	8.4	1.0	0.1	0.1	0.0	0.0	0.1	0.1	0.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 178

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

MENINGITIS (320-322)

ALL OTHER, BOTH SEXES

BTBTB

1996.....	0.5	6.1	*	*	*	*	*	*	*	*
1995.....	0.5	7.1	*	*	*	*	*	*	*	*
1994.....	0.5	6.0	*	*	*	*	*	*	*	*
1993.....	0.36Ç.0		*	*	*	*	*	*	*	*
1992.....	0.5	5.5	*	*	*	*	*	*	*	*
1991.....	0.7	6.3	*	*	*	*	*	*	*	0.7
1990.....	0.8	10.5	0.8	*	*	*	*	*	*	*
1989.....	0.9	12.7	1.0	*	*	*	*	*	*	*
1988.....	0.9	9.3	1.4	*	*	*	*	*	*	*
1987.....	0.9	11.4	1.2	*	*	*	*	*	*	0.9
1986.....	0.9	12.1	1.5	*	*	*	*	*	*	*
1985.....	0.9	14.8	1.36Ç	*	*	*	*	*	*	*
1984.....	1.0	14.5	1.9	*	*	*	*	*	*	*
1983.....	1.0	17.1	1.8	*	*	*	*	*	*	*
1982.....	1.1	18.36Ç	1.3	*	*	*	*	*	*	*
1981.....	1.3	23.3	1.3	*	*	*	*	*	*	*
1980.....	1.2	23.5	2.3	0.2	0.1	0.3	0.2	0.1	0.3	0.5
1979.....	1.4	28.0	2.4	0.4	0.2	0.2	0.1	0.1	0.4	0.7

ALL OTHER MALE BTB BTB BBTB BB

1996.....	0.6	6.3	*	*	*	*	*	*	*	*
1995.....	0.36Ç	6.36Ç	*	*	*	*	*	*	*	*
1994.....	0.36Ç	6.4	*	*	*	*	*	*	*	*
1993.....	0.7	7.3	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.7	6.3	*	*	*	*	*	*	*	*
1990.....	0.9	10.4	*	*	*	*	*	*	*	*
1989.....	1.1	12.9	1.4	*	*	*	*	*	*	*
1988.....	1.1	9.5	1.9	*	*	*	*	*	*	*
1987.....	1.0	11.0	1.4	*	*	*	*	*	*	*
1986.....	1.0	13.0	1.7	*	*	*	*	*	*	*
1985.....	1.1	16.1	1.9	*	*	*	*	*	*	*
1984.....	1.1	14.3	1.9	*	*	*	*	*	*	*
1983.....	1.1	17.9	1.9	*	*	*	*	*	*	*
1981.....	1.5	26.2	*	*	*	*	*	*	*	*
1980.....	1.5	25.0	3.1	0.2	0.1	0.3	0.3	0.1	0.3	0.7
1979.....	1.7	31.4	2.5	0.1	0.1	0.3	0.2	0.1	0.5	0.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 179

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENINGITIS (320-322)										
ALL OTHER FEMALE										
1996.....	0.4	5.9	*	*	*	*	*	*	*	*
1995.....	0.4	7.5	*	*	*	*	*	*	*	*
1994.....	0.4	5.6	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	7.0	*	*	*	*	*	*	*	*
1991.....	0.6	6.3	*	*	*	*	*	*	*	*
1990.....	0.7	10.6	*	*	*	*	*	*	*	*
1989.....	0.8	12.4	*	*	*	*	*	*	*	*
1988.....	0.7	9.2	*	*	*	*	*	*	*	*
1987.....	0.8	11.8	*	*	*	*	*	*	*	*
1986.....	0.8	11.3	*	*	*	*	*	*	*	*
1985.....	0.8	13.5	*	*	*	*	*	*	*	*
1984.....	0.9	14.6	1.9	*	*	*	*	*	*	*
1983.....	0.9	16.2	1.6	*	*	*	*	*	*	*
1982.....	0.9	16.6	*	*	*	*	*	*	*	*
1981.....	1.1	20.4	*	*	*	*	*	*	*	*
1980.....	1.1	21.9	1.5	0.1	0.1	0.2	0.1	0.2	0.2	0.4
1979.....	1.2	24.5	2.2	0.6	0.3	0.1	-	0.1	0.3	0.6
BLACK, BOTH SEXES										
1996.....	0.6	8.1	*	*	*	*	*	*	*	*
1995.....	0.6	8.5	*	*	*	*	*	*	*	*
1994.....	0.6	7.8	*	*	*	*	*	*	*	*
1993.....	0.7	7.8	*	*	*	*	*	*	*	*
1992.....	0.6	6.1	*	*	*	*	*	*	*	*
1991.....	0.8	7.2	*	*	*	*	*	*	*	0.9
1990.....	0.9	11.6	1.0	*	*	*	*	*	*	*
1989.....	1.1	13.9	1.1	*	*	*	*	*	*	*
1988.....	1.1	10.6	1.8	*	*	*	*	*	*	*
1987.....	1.1	12.1	1.4	*	*	*	*	*	*	1.2
1986.....	1.1	13.3	1.8	*	*	*	*	*	*	*
1985.....	1.1	15.9	1.8	*	*	*	*	*	*	*
1984.....	1.1	14.9	2.2	*	*	*	*	*	*	*
1983.....	1.2	19.6	2.1	*	*	*	*	*	*	*
1982.....	1.2	20.1	1.8	*	*	*	*	*	*	*
1981.....	1.4	26.1	1.4	*	*	*	*	*	*	*
1980.....	1.4	25.8	2.6	0.2	0.1	0.3	0.2	0.1	0.3	0.6
1979.....	1.5	29.3	2.5	0.4	0.2	0.3	0.1	0.1	0.4	0.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 180

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MENINGITIS (320-322)										
BLACK MALE										
1996.96.††††††.	0.7	8.7	*	*	*	*	*	*	*	*
1995†††.†††.†96.†	0.7	8.3	*	*	*	*	*	*	*	*
1994†††.†9†††.†9	0.8	8.3	*	*	*	*	*	*	*	*
1993†††.†9††††.†	0.8	9.4	*	*	*	*	*	*	*	*
1992†††.†9†††††.	0.7	*	*	*	*	*	*	*	*	*
1991.†††.†9†††††	0.8	7.9	*	*	*	*	*	*	*	*
1990.†††.†9††††96.†	1.1	11.5	*	*	*	*	*	*	*	*
1989.†††.†9††††9.9	1.3	14.0	*	*	*	*	*	*	*	*
1988.†††.†9††††9..	1.3	11.4	2.4	*	*	*	*	*	*	*
1987.†††.†9††††9..	1.2	11.8	*	*	*	*	*	*	*	*
1986†††.†9††††9...	1.2	14†3	2†0	*	*	*	*	*	*	*
1985††††.†9††††9..	1.2	17.0	2.1	*	*	*	*	*	*	*
1984††††.†9††††9..	1.2	14†6	2†2	*	*	*	*	*	*	*
1983††††.†9††††9..	1.3	20.5	2.4	*	*	*	*	*	*	*
1982††††.†9††††9..	1.5	23†1	2.1	*	*	*	*	*	*	*
1981.††††.†9††††9.	1.6	29.3	*	*	*	*	*	*	*	*
1980†††.†9††††9...	1.6	27.9	3†3	0.2	0.1	0.3	0.4	0.1	0.3	0.8
1979†††.†9††††9...	1.8	31.5	2†7	0.2	0.1	0.4	0.2	0.1	0.5	1.1
BLACK FEMALE										
1996.†††.†9††††9..	0.5	7.4	*	*	*	*	*	*	*	*
1995†††††.†9††††9.	0.5	8.8	*	*	*	*	*	*	*	*
1994†††††.†9††††9..	0.5	7.2	*	*	*	*	*	*	*	*
1993†††††.†9††††9.	0.6	*	*	*	*	*	*	*	*	*
1992†††.†9††††9...	0.6	7.6	*	*	*	*	*	*	*	*
1991.†††††.†9††††9	0.7	6†6	*	*	*	*	*	*	*	*
1990.†††††.†9††††9.	0.8	11.7	*	*	*	*	*	*	*	*
1989.††††.†9††††9.	0.9	13†9	*	*	*	*	*	*	*	*
1988†††.†9††††9...	0.9	9.6	*	*	*	*	*	*	*	*
1987.††††.†9††††9.	1.0	12†5	*	*	*	*	*	*	*	*
1986††††.†9††††9..	0.9	12†4	*	*	*	*	*	*	*	*
1985††††††.†9††††9	0.9	14.8	*	*	*	*	*	*	*	*
1984††††††.†9††††9	1.0	15†2	2.1	*	*	*	*	*	*	*
1983††††††.†9††††9	1.1	18.7	*	*	*	*	*	*	*	*
1982††††††.†9††††9.	1.0	17.0	*	*	*	*	*	*	*	*
1981†††.†9††††9...	1.2	22†9	*	*	*	*	*	*	*	*
1980.†††††.†9††††9	1.2	23†7	1.8	0.2	0.1	0.2	0.1	0.2	0.3	0.5
1979†††††.†9††††9..	1.3	27.0	2.4	0.7	0.3	0.1	-	0.1	0.3	0.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 181

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)										
TOTAL, BOTH SEXES										
1996.....	358.2	23.4	1.8	0.9	1.4	2.6	4.1	7.3	13.7	26.9
1995.....	362.1	23.4	2.0	0.9	1.2	2.7	4.5	7.2	14.2	28.4
1994.....	361.3	23.3	2.2	0.9	1.4	2.36Ö.4	7.7	14.0	28.3	
1993.....	367.8	22.8	2.2	0.9	1.3	2.7	4.3	7.36Ö	14.1	27.3
1992.....	358.3	22.4	2.2	0.9	1.1	2.5 Ö.3	7.3	13.6	2	36Ö
1991.....	363.4	22.0	2.6	0.9	1.2	2.7	4.3	7.5 Ö	13.4	27.1
1990.....	368.3	24.4	2.3	0.9	1.4	2.5	4.1	7.1	13.6	26.5 Ö
1989.....	377.5 Ö	24.0	2.3	0.9	1.4	2.4	4.2	7.2	14.2	27.3
1988.....	396.5 Ö	27.5	2.9	1.0	1.4	2.7	4.7	7.7	14.36Ö	29.4
1987.....	397.7	29.5	2.7	1.1	1.4	2.36Ö	4.5	7.9	15.0	29.9
1986.....	403.2	30.2	2.9	1.0	1.4	2.7	4.3	7.9	15.4	30.7
1985.....	411.0	29.5 Ö	2.36Ö	1.1	1.5 Ö	2.9	4.5	7.7	14.5 Ö	31.1
1984.....	412.8	30.3	2.9	1.4	1.4	2.7	4.36Ö	7.5	14.6	31.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 182

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)										
TOTAL, FEMALE										
1996.....	370.0	22.2	1.8	1.0	1.2	2.2	3.0	5.7	10.0	17.7
1995.....	372.6	22.3	1.8	0.7	1.0	2.0	3.6	5.5	9.8	18.4
1994.....	370.3	21.6	2.1	0.9	1.2	2.0	3.5	6.3	10.6	18.3
1993.....	375.6	20.7	2.0	1.0	1.1	2.0	3.6	5.4	10.3	18.0
1992.....	363.4	20.2	2.2	0.7	1.0	1.7	3.4	5.9	9.6	16.5
1991.....	367.4	19.8	2.5	0.9	1.2	2.1	3.4	5.6	9.9	16.6
1990.....	371.3	21.9	2.4	0.9	1.3	1.7	3.4	5.6	9.7	15.9
1989.....	380.0	22.0	2.0	0.9	1.4	2.0	3.4	5.6	9.7	16.2
1988.....	397.5	24.9	2.9	1.0	1.1	2.0	3.7	6.1	9.3	17.3
1987.....	397.0	25.7	2.6	0.9	1.3	2.1	3.6	6.4	10.1	17.3
1986.....	399.7	26.4	2.8	1.0	1.3	2.0	3.7	6.3	10.0	17.4
1985.....	403.3	25.3	2.5	1.2	1.5	2.2	3.8	5.7	9.6	17.7
1984.....	403.1	27.9	2.8	1.3	1.4	2.3	3.7	5.8	9.5	18.0
1983.....	406.8	27.2	2.7	1.3	1.2	2.3	3.6	5.7	9.3	18.0
1982.....	402.0	21.0	2.4	1.4	1.5	2.0	3.8	5.8	9.8	18.9
1981.....	405.9	23.0	2.9	1.1	1.2	2.2	3.7	6.3	10.7	20.9
1980.....	416.2	24.2	3.1	1.2	1.3	2.6	3.8	6.4	10.6	20.7
1979.....	402.0	21.8	2.4	1.0	1.3	2.1	4.1	6.1	10.8	21.9
WHITE, BOTH SEXES										
1996.....	379.2	19.8	1.4	0.9	1.2	2.2	3.4	6.0	11.3	22.6
1995.....	382.6	20.6	1.5	0.8	1.0	2.2	3.4	5.8	11.8	23.8
1994.....	381.8	19.6	1.8	0.8	1.2	2.2	3.5	6.2	11.3	23.2
1993.....	387.8	19.5	1.8	0.8	1.1	2.4	3.4	6.0	11.6	22.7
1992.....	377.6	18.7	1.8	0.7	1.0	2.1	3.6	5.8	11.0	21.7
1991.....	382.3	18.5	2.1	0.8	1.1	2.4	3.5	6.0	10.8	21.8
1990.....	387.0	19.4	1.8	0.9	1.2	2.2	3.2	5.9	10.7	21.2
1989.....	395.5	20.2	1.8	0.8	1.2	2.0	3.5	5.9	11.4	22.2
1988.....	415.5	23.1	2.4	1.0	1.3	2.3	4.0	6.2	11.6	23.8
1987.....	416.8	26.0	2.2	1.0	1.2	2.3	3.7	6.4	11.9	24.3
1986.....	422.2	25.8	2.4	1.0	1.2	2.4	3.7	6.2	12.0	25.7
1985.....	430.2	25.2	2.0	1.0	1.3	2.5	3.8	6.2	11.4	26.0
1984.....	432.2	26.1	2.5	1.3	1.2	2.4	3.8	6.0	11.7	26.0
1983.....	438.8	25.6	2.6	1.1	1.1	2.6	3.6	6.3	11.8	26.8
1982.....	437.2	21.5	2.3	1.3	1.4	2.4	3.8	6.4	11.8	27.5
1981.....	442.6	21.9	2.6	1.2	1.1	2.3	3.8	6.3	12.4	29.8
1980.....	453.5	23.5	2.6LE	1.2	2.6	4.1	6.4	11.9	29.1	
1979.....	443.3	20.3	2.1	1.0	1.2	2.3	4.1	6.3	12.7	30.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 183

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)										
WHITE MALE										
1996.....	363.6	20.8	1.6	0.8	1.3	2.6	4.1	7.7	14.8	31.7
1995.....	368.1	21.6	1.7	0.9	1.1	2.8	4.0	7.3	15.7	33.4
1994.....	369.5	21.5	1.9	0.8	1.3	2EA	4.2 0 .4	14.7	32.5	
1993.....	377.0	21.8	2.0	0.7	1.3	3.0	3EA	7.8	15.0	32.0
1992.....	369.8	20.8	1.8	0.9	1.0	2.6	4.4	6.9	14.8	31.0
1991.....	375.5	20.4	2.1	0.8	1.1	3.0	4.1 0 .6	14.1	31.0	
1990.....	381.6	21.1	1.7	0.9	1.4	2EA	4.0	7.2	14.4	30.9
1989.....	390.7	22.7	2.0	0.8	1.3	2.5	4.2	7.7	15.5	32.5
1988.....	412.0	25.6	2.3	0.9	1.6	3.1	4EA	7.6	16.0	35.1
1987.....	415.1	29.5	2.3	1.3	1.2	2.8	4.5	7.7	16.2	35.3
1986.....	423.9	29.5	2.4	1.0	1.3	3.0	4.5	7.6	16.6	38.5
1985.....	436.7	28.9	2.1	0.9	1.3	3.0	4E5	7.9	15.6	38.2
1984.....	440.9	28.2	2.6	1.3	1.2	2.8	4.6	7.5	16.2	38.5
1983.....	451.3	28.5	2.8	1.2	1.2	3.1	4.3	8.1	16.5	40.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 184

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)										
ALL OTHER, BOTH SEXES										
1996.....	256.5	37.8	3.0	1.0	2.2	4.5	6.9	12.36	4.8	47.36
1995.....	262.0	33.5	3.8	1.1	2.0	4.36	8.9	13.0	25.2	50.8
1994.....	260.3	36.9	3.9	1.0	1.9	4.2	7.8	14.3	26.7	53.2
1993.....	267.3	35.0	3.7	1.6	1.7	4.0	7.9	14.4	25.9	52.5
1992.....	260.7	36.2	3.7	1.4	1.7	4.2	7.5	14.1	26.3	51.2
1991.....	266.36	33.7	4.6	1.4	1.8	3.8	7.8	14.1	26.3	54.5
1990.....	270.8	43.36	3.9	1.1	2.0	3.36	7.9	14.1	27.8	54.3
1989.....	282.7	38.2	4.1	1.4	2.3	4.0	7.5	13.3	28.4	56.3
1988.....	294.3	45.3	4.5	1.3	1.8	4.4	7.9	15.5	30.2	59.8
1987.....	293.5	44.3	4.7	1.5	2.0	4.1	8.2	15.4	31.2	61.0
1986.....	298.1	48.9	5.1	1.4	1.9	4.1	8.36	16.4	33.4	60.3
1985.....	302.9	48.3	4.8	1.4	2.2	5.0	8.2	15.8	31.0	61.8
1984.....	301.9	49.0	4.8	1.7	2.2	4.0	8.8	15.8	30.7	62.1
1983.....	308.5	53.0	4.4	1.8	2.0	4.7	8.3	15.8	30.36	62.1
1982.....	303.3	42.4	4.4	1.9	1.9	4.1	8.1	16.3	30.9	64.1
1981.....	312.8	41.3	4.36	1.3	2.1	4.3	9.1	18.7	32.5	69.5
1980.....	330.9	47.9	5.8	1.36	2.2	5.8	10.7	18.5	37.0	75.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 185

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)										
ALL OTHER FEMALE										
1996.....	255.9	35.8	3.6	1.1	1.8	4.0	4.8	11.1	19.9	37.3
1995..... 0	258.36	2.1	3.3	*	1.8	3.9	6.7	10.2	18.0	38.4
1994.....	257.8	36.3	3.7	1.2	1.5	3.7	6.3	11.8	22.3	39.2
1993.....	264.8	34.1	3.7	1.4	1.6	3.0	6.1	10.8	19.8	40.5
1992.....	256.2	34.0	3.4	1.4	1.2	2.36	5.7	11.3	20.7	36.36
1991.....	260.4	30.8	3.9	1.2	1.7	3.1	6.2	11.1	20.9	36.7
1990.....	265.0	38.1	3.7	1.2	2.3	2.8	7.0	10.7	21.8	37.3
1989..... 0	276.3	38.3	3.5	1.3	2.8	3.9	6.3	12.1	20.9	37.7
1988.....	286.0	42.7	4.3	*	1.36	3.5	5.9	12.8	20.0	41.0
1987.....	282.5	40.0	4.6	1.7	1.7	3.4	6.8	12.7	23.2	37.8
1986.....	286.6	45.7	4.9	1.5	2.0	3.5	7.2	13.5	23.3	42.2
1985.....	289.7	42.4	4.9	1.5	2.5	3.9	7.3	12.1	21.2	3

3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 186

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
MAJOR CARDIOVASCULAR DISEASES (390-448)										
BLACK MALE										
1996.....	303.0	48.1	2.8	*	2.9	6.1	11.3	18.2	37.5	72.4
1995.....	312.8	42.3	5.3	1.3	2.6	6.2	13.1	19.8	41.8	79.4
1994.....	308.7	44.3	4.7	*	2.8	5.4	11.0	20.6	39.3	86.3
1993.....	319.0	38.0	3.9	1.7	2.2	5.6	12.1	22.5	40.5	81.8
1992.....	313.1	47.6	4.8	1.4	2.5	6.6	10.9	21.2	40.4	85.8
1991.....	323.0	43.1	6.1	1.8	2.2	5.2	11.4	21.8	40.5	94.0
1990.....	327.4	54.3	4.8	*	2.0	5.1	10.6	18.6	43.0	91.3
1989.....	340.2	42.2	5.1	1.8	2.0	4.9	10.8	18.8	46.6	98.8
1988.....	356.3	53.2	5.2	1.8	2.3	6.3	11.9	22.4	52.3	103.1
1987.....	354.8	52.3	5.6	*	2.8	5.6	11.2	20.8	49.6	108.3
19 8	360.8	60.7	6.0	*	2.0	5.3	11.4	22.6	55.2	100.7
19 5.	365.6	59.8	5.3	*	2.1	7.0	10.3	23.8	51.7	108.5
1984.	363.6	60.3	5.3	2.3	2.3	5.1	11.4	22.9	49.6	105.5
1983.....	370.6	64.8	5.3	1.9	2.4	6.1	10.5	21.9	50.5	99.7
19 2.....	366.4	47.3	5.0	2.0	2.1	5.0	10.1	24.1	47.7	107.3
1981.....	376.7	49.6	5.0	1.7	2.2	5.2	12.6	26.1	52.9	115.5
1984	394.2	53.9	7.0	1.3	2.4	7.1	15.1	25.0	58.7	122.0
1979.....	382.9	56.5	5.2	0.9	1.9	5.4	11.2	26.1	50.3	118.7
BLACK FEMALE										
1996.	309.3	42.7	4.0	1.4	2.1	4.8	5.9	14.5	25.6	47.4
1995.....	312.0	36.8	3.6	*	2.0	4.7	8.3	12.8	22.8	48.8
1994.	310.6	(3.3	4.6	*	1.7	4.3	7.5	15.6	28.2	48.7
1985.	338.0	47.6	5.7	1.6	2.6	4.2	8.4	15.0	26.2	47.6
1983.....	338.2	54.5	4.1	1.7	1.6	4.3	8.2	14.9	26.2	54.6
1982.....	327.0	41.1	4.7	2.0	2.0	3.6	8.6	14.9	27.8	52.8
1981.	335.3	39.1	4.4	*	2.6	4.1	7.9	17.9	26.7	57.2
1979.	329.7	47.3	4.5	1.5	2.1	3.7	9.2	18.0	31.1	61.1

) Tj T* (1993.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 187

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF HEART (390-398,402,404-429)										
TOTAL, BOTH SEXES										
1996.....	276.4	16.6	1.4	0.7	1.1	2.2	3.2	5.6	10.7	21.0
1995.....	280.7	17.1	1.6	0.7	0.9	2.2	3.6	5.6	10.9	22.0
1994.....	281.3	17.7	1.8	0.7	1.1	2.1	3.4	6.0	10.7	22.4
1993.....	288.4	16.9	1.9	0.7	0.9	2.1	3.3	5.7	10.8	21.6
1992.....	281.4	17.9	1.8	0.7	0.9	1.9	3.3	5.5	10.3	20.6
1991.....	285.9	17.6	2.2	0.7	0.9	2.1	3.3	5.6	10.2	21.1
1990.....	289.5	20.1	1.9	0.7	1.1	1.9	3.0	5.1	10.1	20.5
1989.....	297.3	20.1	1.9	0.7	1.0	1.9	3.1	5.7	10.7	21.4
1988.....	312.9	23.2	2.4	0.8	1.1	2.1	3.5	5.7	11.0	23.1
1987.....	313.8	25.7	2.2	0.9	1.1	2.1	3.3	5.8	11.4	23.4
1986.....	318.8	26.5	2.6	0.9	1.0	2.1	3.4	5.8	11.8	24.7
1985.....	324.1	25.0	2.2	0.8	1.1	2.2	3.3	5.8	11.0	24.7
1984.....	324.4	26.7	2.4	1.0	1.0	2.0	3.4	5.4	11.1	24.6
1983.....	329.5	26.2	2.5	0.9	1.0	2.1	3.0	5.5	11.3	24.9
1982.....	326.2	21.1	2.7	1.0	1.1	2.0	3.7	5.8	10.8	25.7
1981.....	328.5	21.2	2.5	0.9	1.0	1.9	3.2	5.7	11.2	27.5
1980.....	336.0	22.8	2.6	0.9	1.0	2.2	3.5	5.6	11.2	27.7
1979.....	326.5	20.2	2.1	0.7	0.9	1.9	3.4	5.7	11.5	28.7
TOTAL, MALE										
1996.....	277.4	17.4	1.4	0.6	1.7	2.6	4.1	7.2	14.4	29.9
1995.....	282.7	17.5	1.7	0.8	0.9	2.8	4.4	7.0	15.1	31.5
1994.....	284.7	18.6	1.8	0.7	1.1	2.7	4.1	7.4	14.1	32.1
1993.....	292.1	18.2	2.0	0.6	1.0	2.8	4.0	7.6	14.5	30.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 188

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF HEART (390-398,402,404-429)										
TOTAL, FEMALE										
1996.....	275.5	15.7	1.4	0.7	0.9	1.7	2.3	4.1	7.0	12.1
1995.....	278.8	16.7	1.5	0.6	0.8	1.6	2.7	4.2	6.8	12.6
1994.....	278.5	16.7	1.8	0.7	1.0	1.5	2.6	4.6	7.3	12.7
1993.....	284.9	15.5	1.7	0.8	0.9	1.4	2.5	3.9	7.2	12.5
1992.....	275.8	17.0	1.8	0.6	0.8	1.2	2.6	4.2	6.5	11.0
1991.....	279.5	15.7	2.1	0.7	0.8	1.4	2.4	3.7	6.8	11.3
1990.....	281.8	18.3	1.9	0.7	1.0	1.3	2.3	3.6	6.3	10.6
1989.....	289.0	18.6	1.7	0.6	1.1	1.5	2.3	3.7	6.4	11.0
1988.....	302.8	21.0	2.5	0.8	0.8	1.4	2.6	4.1	6.2	11.7
1987.....	301.7	22.4	2.2	0.8	1.0	1.6	2.5	4.4	6.8	11.5
1986.....	303.9	23.2	2.5	0.8	0.9	1.5	2.6	4.2	6.9	11.7
1985.....	305.2	22.0	2.2	0.9	1.1	1.6	2.5	3.9	6.3	12.0
1984.....	303.8	24.6	2.4	1.0	1.0	1.6	2.6	3.7	6.1	12.0
1983.....	306.1	23.2	2.3	0.9	0.8	1.6	2.4	3.7	6.5	11.9
1982.....	299.8	17.8	2.0	1.1	1.1	1.4	2.7	3.9	6.2	12.7
1981.....	299.5	19.8	2.5	0.9	0.8	1.5	2.4	3.9	6.8	13.6
1980.....	305.1	20.0	2.5	0.9	0.9	1.8	2.4	4.0	6.8	13.1
1979.....	291.8	17.2	2.1	0.7	0.9	1.4	2.6	3.9	6.9	14.5
WHOLE, BOTH SEXES										
1996.....	293.8	13.9	1.1	0.6	0.9	1.7	2.5	4.6	8.8	18.1
1995.....	297.6	14.9	1.2	0.6	0.7	1.8	2.6	4.5	9.1	18.8
1994.....	298.5	14.5	1.4	0.6	1.0	1.8	2.6	4.8	8.6	18.9
1993.....	305.1	14.0	1.5	0.6	0.9	1.8	2.5	4.5	9.0	18.0
1992.....	297.5	15.1	1.5	0.6	0.7	1.6	2.7	4.3	8.4	17.2
1991.....	301.9	14.9	1.7	0.6	0.7	1.8	2.6	4.5	8.4	17.3
1990.....	305.4	16.0	1.5	0.7	1.0	1.7	2.3	4.1	8.1	16.9
1989.....	312.6	16.9	1.5	0.6	0.8	1.6	2.5	4.3	8.7	17.7
1988.....	329.2	19.7	2.1	0.8	1.0	1.8	2.9	4.4	8.9	19.1
1987.....	330.0	22.7	1.8	0.8	0.9	1.8	2.7	4.7	9.1	19.5
1986.....	334.9	23.0	2.1	0.8	0.9	1.8	2.7	4.7	9.3	20.8
1985.....	340.6	21.5	1.7	0.8	0.9	1.8	2.7	4.5	8.8	21.1
1984.....	341.0	23.0	2.1	1.0	0.9	1.7	2.8	4.2	9.1	21.0
1983.....	345.9	21.8	2.2	0.8	0.9	1.8	2.5	4.4	9.3	21.8
1982.....	342.8	18.2	1.9	0.9	1.0	1.7	2.8	4.7	8.8	22.3
1981.....	344.5	18.5	2.2	0.9	0.8	1.6	2.6	4.4	9.3	23.9
1980.....	350.8	19.2	2.1	0.8	0.9	1.8	2.7	4.4	8.8	23.4
1979.....	340.7	16.2	1.7	0.7	0.8	1.6	2.8	4.4	9.5	24.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 189

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF HEART (390-398,402,404-429)										
WHITE MALE										
1996.....	293.3	14.4	1.2	0.6	1.0	2.1	3.2	6.1	12.3	26.9
1995.....	297.9	15.3	1.3	0.7	0.7	2.3	3.2	5.7	12.8	27.9
1994.....	300.1	15.5	1.4	0.6	1.0	2.4	3.3	5.9	11.8	27.8
1993.....	307.6	15.9	1.7	0.4	1.0	2.4	3.1	6.0	12.1	26.6
1992.....	302.4	16.3	1.4	0.7	0.7	2.1	3.3	5.3	11.9	26.3
1991.....	307.6	16.7	1.7	0.6	0.7	2.4	3.2	6.1	11.4	26.1
1990.....	312.7	17.5	1.5	0.7	1.1	2.2	2.9	5.4	11.5	26.0
1989.....	320.5	19.0	1.7	0.6	0.9	2.0	3.2	5.9	12.4	27.2
1988.....	338.9	22.0	2.0	0.8	1.3	2.4	3.6	5.7	13.0	29.9
1987.....	341.8	25.4	1.8	1.0	0.9	2.2	3.5	6.0	13.1	30.2
1986.....	350.2	26.5	2.1	0.8	1.0	2.5	3.4	6.0	13.5	33.0
1985.....	360.3	24.2	1.7	0.6	0.9	2.3	3.5	6.1	12.8	32.9
1984.....	362.9	25.1	2.2	1.0	0.9	2.0	3.4	5.5	13.4	33.2
1983.....	371.0	24.1	2.2	0.8	1.0	2.2	3.1	6.0	13.5	34.8
1982.....	371.0	21.8	2.1	0.9	0.9	2.2	3.4	6.4	12.9	35.0
1981.....	375.8	19.4	2.2	0.9	1.0	1.9	3.2	5.8	13.1	37.3
1980.....	384.0	22.5	2.1	0.7	1.0	2.2	3.5	5.8	12.8	36.9
1979.....	378.2	19.2	1.7	...7	. 0.9	2.0	3.6	6.1	13.9	37.9
WHITE FEMALE										
1996.....	294.2	13.4	1.0	0.7	0.8	1.3	1.8	3.0	5.2	9.1
1995.....	297.4	14.6	1.2	0.6	0.7	1.2	2.0	3.3	5.4	9.6
1994.....	296.8	13.4	1.4	0.6	0.9	1.2	2.0	3.6	5.5	9.8
1993.....	302.8	12.1	1.3	0.7	0.8	1.2	1.9	3.0	5.7	9.3
1992.....	292.9	13.9	1.5	0.5	0.7	1.0	2.1	3.3	4.8	8.1
1991.....	296.5	13.1	1.7	0.6	0.7	1.2	2.0	2.9	5.2	8.5
1990.....	298.4	14.5	1.6	0.6	0.8	1.1	1.7	2.8	4.6	7.8
1989.....	305.1	14.7	1.3	0.6	0.8	1.2	1.8	2.7	5.0	8.2
1988.....	319.9	17.4	2.2	0.7	0.7	1.1	2.2	3.1	4.8	8.4
1987.....	318.7	19.8	1.7	0.6	...9	1.3	2.0	3.4	5.0	8.9
1986.....	320.4	19.5	2.1	0.7	0.7	. 1.2	2.0	3.3	5.0	8.8
1985.....	321.8	18.6	1.6	. 0.9	0.9	1.4	1.9	2.9	4.9	9.3
1984.....	320.2	20.7	2.0	0.9	0.9	1.4	2.1	2.9	4.7	. 9.0
1983.....	321.9	19.4	2.1	0.8	0.8	1.3	1.8	2.8	5.0	8.9
1982.....	315.9	14.5	1.7	0.9	1.0	1.2	2.1	3.0	4.6	9.8
1981.....	314.7	17.5	2.2	0.9	0.7	1.2	1.9	2.9	5.5	10.7
1980.....	319.2	15.7	2.1	0.8	0.8	1.4	1.9	2.9	4.9	0..1
1979.....	305.1	13.2	1.7	. 0.7	0.7	1.2	2.1	2.8	5.2	11.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 190

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF HEART (390-398,402,404-429)										
ALL OTHER, BOTH SEXES										
1996.....	192.9	27.3	2.5	0.9	1.9	3.9	5.9	10.1	19.1	35.0
1995.....	198.1	25.0	3.0	1.0	1.5	4.0	7.4	10.3	19.4	37.9
1994.....	196.8	29.4	3.4	0.9	1.5	3.5	6.3	11.5	20.2	39.5
1993.....	204.9	27.7	3.2	1.2	1.2	3.3	6.4	11.1	19.8	39.2
1992.....	199.8	28.4	3.3	1.2	1.4	3.5	6.1	10.9	19.7	37.6
1991.....	203.6	26.5	3.9	1.1	1.4	3.1	6.3	10.5	19.4	40.6
1990.....	206.7	35.8	3.4	0.8	1.6	2.9	6.0	9.9	20.1	39.2
1989.....	216.4	32.5	3.5	1.1	1.8	3.1	5.6	10.0	20.9	40.7
1988.....	225.8	37.0	3.9	1.1	1.4	3.6	6.6	11.7	21.4	44.4
1987.....	225.5	38.1	4.2	1.2	1.7	3.4	6.1	11.3	23.4	45.0
1986.....	229.2	41.5	4.5	1.3	1.4	3.2	6.7	11.9	25.4	44.5
1985.....	231.3	40.5	4.2	1.2	1.9	3.9	6.3	12.2	22.8	46.3
1984.....	229.5	43.0	3.9	1.2	1.4	3.2	6.5	11.6	22.3	46.3
1983.....	234.7	45.3	4.1	1.3	1.4	3.7	6.0	11.8	22.9	44.9
1982.....	228.3	33.9	3.9	1.5	1.4	3.2	6.3	11.9	22.4	47.5
1981.....	232.8	33.3	4.1	1.0	1.7	3.3	6.6	13.4	22.9	50.9
1980.....	245.0	39.4	5.0	1.3	1.6	4.6	7.5	13.2	26.6	56.4
ALL OTHER MALE										
1996.....	198.5	29.6	2.0	*	2.4	4.5	7.8	12.3	24.3	45.5
1994.....	204.1	30.2	3.3	*	1.9	4.1	7.6	14.4	25.6	54.3
1993.....	212.8	27.4	3.2	1.2	1.1	4.3	7.8	14.9	26.7	52.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 191

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 DISEASES OF HEART (390-398,402,404-429)										
ALL OTHER FEMALE										
1996.....	187.8	25.0	3.1	1.0	1.3	3.2	4.1	8.1	14.3	25.6
1995.....	190.6	24.3	2.7	*	1.4	3.4	5.2	7.9	12.7	26.7
1994.....	190.2	28.7	3.4	*	1.1	2.9	4.9	8.7	15. R26.2	
1993.....	197.7	28.0	3.2	1.2	1.2	2.3	4.9	7.6	13.7	27.4
1992.....	191.5	28.7	2.9	1.3	1.1	1.9	4.5	8.2	13.9	24.5
1991.....	194.2	24.6	3.4	*	1.2	2.2	4.3	7.2	14.1	24.8
1990.....	197.4	32.4	3.3	*	1.7	2.0	5.1	7.3	13.9	24.4
1989.....	205.5	33.5	3.0	*	2.3	2.8	4.2	8.2	13.5	25.8
1988.....	213.8	35.1	3.7	*	*	2.4	4.7	8.8	12.9	28.7
1987.....	211.2	33.0	4.2	1.5	1.3	2.8	4.7	8.8	15.6	25.2
1986.....	214.4	39.8	4.3	1.4	1.4	2.7	5.3	9.8	16.5	27.7

CAUSE-OF-DEATH CODE,

RACE, SEX, AND YEAR

RACE, SEX, AND YEAR

0 DISEASES OF HEART (390-398,402,404-429)

RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

TOTAL

UNDER 1

1-4

5-9

10-14

15-19

20-24

25-29

30-34

35-39

YEAR

YEARS

YEARS

YEARS

YEARS

YEARS

YEARS

YEARS

YEARS

YEARS

BLACK MALE										
1996.....	234.8	36.1	2.3	*	2.7	5.4	9.8	16.0	30.2	55.9
1995.....	244.2	30.5	4.1	*	2.1	5.5	11.4	16.0	34.3	62.1
1994.....	240.4	35.0	3.9	*	2.1	4.8	8.8	17.7	31.7	68.1
1993.....	251.4	28.36>.3		*	1.4	5.0	9.9	18.1	33.2	65.7

0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 194

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
TOTAL, FEMALE											
1996.....	2.6	*	*	*	*	*	*	0.2	0.3	0.5	
1995.....	2.7	*	*	*	*	*	*	*	0.3	0.5	
1994.....	2.8	*	*	*	*	*	*	*	0.4	0.4	
1993.....	3.0	*	*	*	*	*	*	*	0.3	0.5	
1992.....	3.1	*	*	*	*	*	*	0.2	0.3	0.5	
1991.....	3.2	*	*	*	*	*	*	0.3	0.4	0.5	
1990.....	3.3	*	*	*	*	*	*	0.2	0.3	0.5	
1989.....	3.3	*	*	*	*	*	*	0.2	0.3	0.6	
1988.....	3.6	*	*	*	*	*	*	0.2	0.4	0.7	
1987.....	3.6	*	*	*	*	*	0.2	0.4	0.5	0.6	
1986.....	3.6	*	*	*	*	*	0.2	0.3	0.4	0.6	
1985.....	3.6	*		*	F *	*	0.2	0.4	0.4	0.7	
1984.....	3.8	*	*	*	*	*	0.3	0.3	0.4	0.6	
1983.....	3.9	*	*	*	*	*	*	0.3	0.4	0.8	
1982.....	4.0	F *	*	*	*	0.2	0.3	0.4	0.7		
1981.....	4.2	*	*	*	*	*	*	0.4	0.6	1.1	
1980.....	4.4	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.5	1.1	
1979.....	4.5	0.1	0.0	0.0	F 0.0	F 0.1	0.2	0.4	0.5	1.0	F
WHITE, BOTH SEXES											
1996.....	2.1	*	*	*	*	*	*	0.2	0.2	0.3	
1995.....	2.1	*	*	F *	*	*	*	0.2	0.4		
1994.....	2.3	*	*	*	*	*	*	0.1	0.3	0.3	
1993.....	2.4	*	*	*	*	*	*	0.1	0.2	0.4	
1992.....	2.4	*	*	F *	*	*	*	*	F 0.2	0.3	0.3
1991.....	2.6	*	*	*	*	*	*	0.2	0.3	0.3	
1990.....	2.6	*	*	*	*	*	F *	*	*	F 0.1	0.3
1989.....	2.7	*	*	F *	*	*	*	0.2	0.3	0.4	
1988.....	2.8	*	*	*	*	*	0.2	0.2	0.3	0.4	
1987.....	2.9	*	*	*	*	*	*	0.2	0.3	0.5	
1986.....	2.9	*	*	*	*	*	*	0.2	0.3	0.4	
1985.....	3.0	F *	*	*	*	*	F 0.2	0.3	0.3	0.5	
1984.....	3.2		*	F *	*	*	*	F 0.2	0.1	0.4	0.5
1983.....	3.2	*	*	*	*	*	*	0.2	0.3	0.6	
1982.....	3.3	*	*	*	*	*	0.1	0.2	0.3	0.6	
1981.....	3.5	*	*	*	*	*	0.1	0.3	0.4	0.8	
1980.....	3.7	0.1	0.0	0.0	0.0	F 0.1	0.2	0.2	0.4	0.9	
1979.....	3.7	0.2	0.0	0.0	F 0.0	0.1	0.2	0.2	0.4	0.8	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 195

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS				
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)														
WH. E MALE														
1996.....	1.2	*	*	*	*	*	*	*	*	0.3				
1995.....	1.3	*	*	*	*	*	*	*	*	0.3				
1994.....	1.4	*	*	*	*	*	*	*	*	0.3				
1993.....	1.5	*	*	*	*	*	*	*	*	0.4				
1992.....	1.5	*	*	*	*	*	*	*	0.2	0.3				
1991.....	1.6	*	*	*	*	*	*	*	*	0.3				
1990.....	1.6	*	*	*	*	*	*	*	0.3	0.5				
1989.....	1.6	*	*	*	*	*	*	*	0.2	*				
1988.....	1.7	*	*	*	*	*	*	*	*	0.3				
1987.....	1.8	*	*	*	*	*	*	*	0.3	0.5				
1986.....	1.9	*	*	*	*	*	*	*	0.3	0.4				
1985.....	2.0	*	*	*	*	*	*	0.3	0.3	0.4				
1984.....	2.1	*	*	*	*	*	*	*	0.4	0.5				
1983.....	2.1	*	*	*	*	*	*	0.3	0.3	0.5				
1982.....	2.2	*	*	*	*	*	*	0.2	0.3	0.5				
1981.....	2.4	*	*	*	*	*	*	*	0.4	0.6				
1980.....	2.6	0.1	0.0	0.0	0.1	0.1	0.2	0.1	0.5	0.8				
1979.....	2.6	0.2	0.0	0.0	0.1	0.1	0.2	0.2	0.4	0.6				
WH. E FEMALE														
1996.....	2.9	*	*	*	*	*	*	*	0.3	0.3				
1995.....	3.0	*		*	*	*	*	*	*	*	0.4			
1994.....	3.1		*	*	*	*	*	*	*	0.3	0.4		
1993.....	3.3		*	*	*	*	*	*	*	0.3	0.4			
1992.....	3.3	*	*	*	*	*	*	*	*	0.3	0.3			
1991.....	3.5	*	*	*	*	*	*	*	*	0.4	0.4			
1990.....	3.6		*	*	*	*	*	*	0.2	0.4			
1989.....	3.6	*	*	*	*	*	*	*	0.3	0.5				
1988.....	3.9	*	*	*	*	*	*	*	0.3	0.5				
1987.....	3.9	*	*	*	*	*	*	*	0.3	0.4	0.5			
1986.....	3.9	*	*	*	*	*	*	*	0.4	0.4				
1985.....	4.0		*	*	*	*	*	0.3	0.3	0.6			
1984.....	4.2		*	*	*	*	*	*	*	*	0.4	0.5		
1983.....	4.3		4.3	*	*	*	*	*	*	*	0.3	0.7		
1982.....	4.3	*	*	*	*	*	*	*	0.3	0.6				
1981.....	4.5		*	*	*	*	*	0.3	0.5	0.9			
1980.....	4.8	0.1	0.1	0.0	*	0.1	0.1	0.3	0.3	1.0	Tj 79.....			

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 196

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										

ALL OTHER, BOTH SEXES

1996.....	1.0	*	*	*	*	*	*	*	*	1.0
1995.....	1.1	*	*	*	*	*	*	*	0.6	0.8
1994.....	1.1	*	*	*	*	*	*	*	0.6	0.8
1993.....	1.2	*	*	*	*	*	*	*	0.7	0.9
1992.....	1.3	*	*	*	*	*	*	*	*	0.8
1991.....	1.3	*	*	*	*	*	*	*	*	0.9
1990.....	1.3	*	*	*	*	*	*	*	*	1.2
1989.....	1.4	*	*	*	*	*	*	*	0.7	1.1
1988.....	1.4	*	7	*	*	*	*	*	0.7	1.5
1987.....	1.4	*	*	*	*	*	*	0.6	0.9	1.3
1986.....	1.6	7	*	*	*	*	0.6	0.6	0.9	1.4
1985.....	1.6	7	7	*	7	*	7	0.7	0.9	1.4
1984.....	1.6	*	*	*	*	*	*	*	0.9	0.9
1983.....	1.6	*	*	7	*	*	*	0.9	0.8	1.1
1982.....	1.6	*	*	*	*	*	*	0.8	1.0	1.1
1981.....	1.8	7	*	*	*	*	E,	1.0	1.5	
1980.....	2.0	0.2	0.0	0.1	0.4	0.5	0.8	1.0	1.4	1.7
1979.....	1.9	-	-	0.1	0.1	0.4	0.6	1.2	1.0	1.8

ALL OTHER MALE

1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	7	*	*	*	*	*	7	*	*
1994.....	0.8	7	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	7	*	*	*	*	*	*
1991.....	E,	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	1.1	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	E,	7	*	7	*	*	7	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.2	*	*	7	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	7	*	*	*	*
1983.....	1.2	*	*	*	*	*	*	*	*	*
1982.....	1.3	7	*	*	*	*	*	*	*	*
1981.....	1.4	*	*	*	*	*	*	*	*	*
1980.....	1.6	-	-	-	0.3	0.5	1.2	E,	0.9	1.3
1979.....	1.6	-	-	-	0.1	0.5	0.7	1.0	1.2	2.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 197

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										
ALL OTHER FEMALE										
1996.....	1.4	*	*	*	*	*	*	*	*	1.6
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.5	*	*	*	*	*	*	*	*	1.2
1992.....9	1.7	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	1.3
1990.....	1.7	*	*	*	*	*	*	*	*	1.2
1989.....	1.8	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	*	1.9
1987.....	1.8	*	*	*	*	*	*	*	*	1.3
1986.....	1.9	*	*	*	*	*	*	*	*	1.4
1985.....	1.9	*	*	*	*	*	*	*	*	1.6
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.4	0.3	0.1	0.1	0.4	0.4	0.5	1.1	1.8	2.0
1979.....	2.2	-	-	0.1	-	0.3	0.6	1.4	0.9	1.3
BLACK, BOTH SEXES										
1996.....	1.1	*	*	*	*	*	*	*	*	1.2
1995.....	1.1	*	*	*	*	*	*	*	0.7	1.0
1994.....	1.1	*	*	*	*	*	*	*	*	0.8
1993.....	1.3	*	*	*	*	*	*	*	0.9	0.9
1992.....	1.4	*	*	*	*	*	*	*	*	0.9
1991.....	1.3	*	*	*	*	*	*	*	*	1.1
1990.....	1.4	*	*	*	*	*	*	*	*	1.4
1989.....	1.5	*	*	*	*	*	*	*	0.7	1.2
1988.....	1.4	*	*	*	*	*	*	*	*	1.7
1987.....	1.4	*	*	*	*	*	*	0.8	1.1	1.6
1986.....	1.6	*	*	*	*	*	*	*	0.9	1.6
1985.....	1.7	*	*	*	*	*	*	0.8	1.0	1.7
1984.....	1.6	*	*	*	*	*	*	1.0	1.1	1.5
1983.....	1.7	*	*	*	*	*	*	0.9	0.9	*
1982.....	1.7	*	*	*	*	*	*	0.8	1.0	*
1981.....	1.8	*	*	*	*	*	*	0.9	1.1	1.5
1980.....	2.1	0.2	0.1	0.1	0.3	0.5	0.8	1.0	1.4	1.8
1979.....	2.0	-	-	0.0	0.1	0.5	0.6	1.2	1.1	1.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 198

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)										

BLACK MALE

1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.1	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.3	*	*	*	*	*	*	*	*	*
1985.....	1.3	*	*	*	*	*	*	*	*	*
1984.....	1.2	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.6	-	-	-	0.1	0.5	1.3	1.0	1.0	1.7
1979.....	1.7	-	-	-	0.1	0.6	0.6	1.0	1.1	2.6

BLACK FEMALE

1996.....	1.4	*	*	*	*	*	*	*	*	1.8
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.6	*	*	*	*	*	*	*	*	*
1992.....	1.8	*	*	*	*	*	*	*	*	*
1991.....	1.7	*	*	*	*	*	*	*	*	1.6
1990.....	1.8	*	*	*	*	*	*	*	*	1.6
1989.....	1.8	*	*	*	*	*	*	*	*	*
1988.....	1.7	*	*	*	*	*	*	*	**	1.8
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.9	*	*	*	*	*	*	*	*	*
1985.....	2.0	*	*	*	*	*	*	**	*	1.9
1984.....	2.0	*	*	**	*	*	**	*	*	*
1983.....	2.0	*	*	*	*	*	*	*	*	*
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.5	0.4	0.1	0.2	0.5	0.4	0.3	1.0	1.8	2.0
1979.....	2.3	-	-	0.1	-	0.3	0.6	1.4	1.0	1.3

TOTAL, BOTH SEXES												
1996.....	9.9	*	*	*	*	*	0.1	0.3	0.7	1.3		
1995.....	9.5	*	*	*	*	*	*	0.2	48.6	1.3		
1994.....	9.2	4	*	*	*	*	*	0.3		0.7	1.4	
1993.....	8.9	*	*	*	*	*	*	48.2	4	0.6	1.2	
1992.....	8.6	*	*	4	*	*	*	*	0.2	0.5	1.1	
1991.....	8.5	*	*	*	*	*	*	48.2		0.4	1.1	
1990.....	8.5	*	*	*	*	*	*	*	0.2	48.5	1.0	
1989.....	8.5	*	*	*	*	*	*	*	0.2	4	0.5	1.1
1988.....	8.5	*	4	*	*	*	* 4	0.1	0.2	4	0.5	1.0
1987.....	8.5	*	*	*	*	*	*	*	0.2	48.3	1.1	
1986.....	8.5	*	*	*	*	*	*	*	0.1		0.4	1.0
1985.....	8.8	*	*	*	*	*	*	*	48.2	48.4	1.0	
1984.....	8.8	*	*	*	4	*	*	*	0.2	4	0.4	1.0
1983.....	9.0	*	4	* 4	*	*	* 4	*	0.2	4	0.5	1.1
1982.....	9.0	*	*	*	*	* 4	* 4	* 4	0.2		0.5	1.0
1981.....	9.1	*	4	* 4	*	*	*	* 4	0.2	4	0.5	1.0
1980..... R3	0.0	-	48.0	-	4	0.0	0.1	0.2	4	0.5	1.2	4
1979..... R3	0.0	-	4	-	4	0.0	0.0	0.0	48.3	0.5	1.2	4
TOTAL, MALE												

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 200

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
TOTAL, FEMALE										
1996.....	11.1	*	*	*	*	*	*	*	0.4	0.8
1995.....	10.7	*	*	*	*	*	*	*	0.4	0.8
1994.....	10.4	*	*	*	*	*	*	*	0.4	0.9
1993.....	10.1	*	*	*	*	*	*	*	0.3	0.7
1992.....	9.7	*	*	*	*	*	*	*	0.3	0.6
1991.....	9.6	*	*	*	*	*	*	*	0.3	0.8
1990.....	9.6	*	*	*	*	*	*	*	0.3	0.7
1989.....	9.5	*	*	*	*	*	*	*	0.3	0.7
1988.....	9.5	*	*	*	*	*	*	*	0.3	0.6
1987.....	9.5	*	*	*	*	*	*	*	0.2	0.6
1986.....	9.6	*	*	*	*	*	*	*	*	0.7
1985.....	9.7	*	*	*	*	*	*	*	*	0.6
1984.....	9.8	*	*	*	*	*	*	*	*	0.6
1983.....	9.9	*	*	*	*	*	*	*	*	0.7
1982.....	10.0	*	*	*	*	*	*	*	0.3	0.7
1981.....	10.0	*	*	*	*	*	*	*	0.2	0.8
1980.....	10.5	-	-	0.0	-	0.0	0.1	0.1	0.3	0.8
1979.....	10.5	0.1	-	-	0.0	0.0	0.0	0.2	0.5	0.8
WH. E, BOTH SEXES										
1996.....	8.7	*	*	*	*	*	*	0.1	0.4	0.8
1995.....	8.3	*	*	*	*	*	*	*	0.3	0.7
1994.....	8.0	*	*	*	*	*	*	0.2	0.4	0.8
1993.....	7.7	*	*	*	*	*	*	0.1	0.3	0.7
1992.....	7.4	*	*	*	*	*	*	0.1	0.2	0.6
1991.....	7.3	*	*	*	*	*	*	0.1	0.2	0.5
1990.....	7.3	*	*	*	*	*	*	*	0.2	0.5
1989.....	7.2	*	*	*	*	*	*	*	0.3	0.5
1988.....	7.2	*	*	*	*	*	*	*	0.3	0.5
1987.....	7.4	*	*	*	*	*	*	*	0.2	0.5
1986.....	7.4	*	*	*	*	*	*	*	0.3	0.5
1985.....	7.6	*	*	*	*	*	*	0.1	0.2	0.5
1984.....	7.6	*	*	*	*	*	*	0.1	0.2	0.4
1982.....	7.8	*	*	*	*	*	*	*	0.2	0.4
1981.....	7.9	*	*	*	*	*	*	*	0.3	0.5
1980.....	8.0	0.0	-	-	-	-	0.0	0.1	0.2	0.5
1979.....	8.0	0.0	-	-	0.0	0.0	0.0	0.1	0.2	0.5

	WHITE	MALE										
1996.....	7.2	*	*	*	*	*	*	*	0.6	1.2		
1995.....	6.9	*	*	*	*	*	*	*	0.5	1.1		
1994.....	6.6	*	*	*	*	*	*	0.3	0.7	1.2		
1993.....	6.4	*	*	*	*	*	*	*	0.5	1.1		
1992.....	6.0	*	*	*	*	*	*	*	0.4	1.0		
1991.....	6.0	*	*	*	*	*	*	*	0.4	0.8		
1990.....	5.9	*	*	*	*	*	*	*	0.4	0.7		

198/04/21	TREND B	TABLE 291.	DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,								PLATE 1 OF 2	PG. 202
			RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)									
	CAUSE-OF-DEATH CODE,		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	
	RACE, SEX, AND YEAR	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	
0	HYPERTENSIVE HEART DISEASE (402)											
	ALL OTHER, BOTH SEXES											
	1996.....	15.4	*	*	*	*	*	*	0.9	1.9	3.9	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 203

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
ALL OTHER FEMALE										
1996.....	15.1	*	*	*	*	*	*	*	1.3	2.8
1995.....	15.3	*	* .0	*	*	*	*	*	1.6	3.3
1994.....	15.2	*	*	* .0	*	*	*	*	1.9	3.6
1993.....	15.1	*	*	*	*	*	*	*	1.1	28/
1992.....	14.9	.0 9 .Ç	*	*	*	*	1.4	2.4		
1991.....	14.7	*	*	*	*	*	*	*	1.5	3.5
1990.....	15.1	Ç 9 .Ç	* 9 .Ç	* 9 .Ç	* 9 .Ç	1.1	3.0			
1989.....	15.1	Ç	* 9Ç 9Ç 9Ç	* 9Ç	* 9Ç	* 9Ç 9Ç	1.1	3.0		
1988.....	15.6	9 .Ç	* 9 .Ç	*	*	*	*	1.3	286 9	
1987.....	15.0	Ç 9Ç	* 9 .Ç	*	*	*	*	*	2.7	
1986.....	15.4		* 9Ç 9Ç	* 9Ç 9Ç	* 9	.Ç	*	2.9		
1985.....	15.6	9	* 9Ç	* 9Ç	* 9Ç	* 9Ç	* 9Ç	* 9Ç 9Ç	*	2.7
1984.....	15.7		* .	* 9Ç	* 9Ç	*	9 .Ç	*	*	3.1 Ç
1983.....	15.9	.Ç 9Ç	* .	* .	*	* 9Ç 9Ç	*	*	3.4	
1982.....	16.1	Ç	* 9Ç	* 9Ç	* 9Ç	*	*	*	1.4	3.2
1981.....	16.2	Ç 9Ç	* 9 .Ç	* 9 .Ç	* 9Ç 9Ç	* 9	3.5			
1980.....	17.6	9	-	-	0.1 Ç	-	0.1	0.3	0.7	1.6 9 4.2 Ç
1979.....	17.9	.Ç	-	-	-	-	0.1	0.2 Ç	1.1	2.6 9 4.3
BLACK, BOTH SEXES										
1996.....	19.6	9	* 9Ç	* 9Ç	* 9Ç	* 9Ç	* 9Ç	* 9Ç	1.3	2.5 5.1
1995.....	19.3		* 9Ç	* 9Ç	* 9Ç	* 9Ç	* 9Ç	* 9Ç	0.9	2.6 5.4
1994.....	18.9	.Ç	* 9Ç	* 9Ç	* 9Ç	*	* 9Ç	* 9Ç	1.2 Ç	28/ 6.2
1993.....	18.8	9 .Ç	* 9Ç	* 9Ç	*	*	*	0.8 9	2.2	5.3
1992.....	18.5		* 9Ç	* 9 .Ç	* 9Ç	* 9Ç	*	0.8	2.6	4.9
1991.....	18.1	Ç	* 9Ç	* 9Ç	*	* 9Ç	* 9Ç	*	0.9 .Ç	1.9 .Ç 5.6
1990.....	18.5		* .	*	*	* 9 .Ç	* 9Ç	0.9 .Ç	2.2 Ç	5.3
1989.....	188/	Ç 9Ç	* 9	* 9Ç	* 9Ç 9Ç	* 9	* 9Ç	2.1 Ç	5.8 9	
1988.....	18.9		* .	* 9 .Ç	* 9Ç	* 9Ç	*	1.0 Ç	2.4	5.3
1987.....	18.0	Ç	* 9Ç	*	*	* 9Ç 9Ç	* 9	0.9	1.5	5.7
1986.....	18.4		* 9Ç	*	*	* 9Ç	* 9Ç	* 9Ç	* 9Ç	18/ Ç 5.3
1985.....	18.7	Ç 9Ç	* 9	* 9Ç	* 9 .Ç	* 9Ç	0.9 .Ç	1.8 9	5.5	
1984.....	18.7		* .	* 9Ç 9Ç	* 9	* 9Ç	*	*	1.8 9	6.0 Ç
1983.....	19.2	Ç	* 9Ç	* 9Ç 9Ç	* 9	*	* 9Ç	0.8 9	2.6	58/ Ç
1982.....	1889	.Ç	* 9Ç	* 9Ç	* 9Ç	* 9Ç	* 9Ç	*	1.2	2.6 5.7
1981.....	* 9Ç .0	*	*	* 9Ç	* 9Ç	* Ç 9Ç	* 9	1.0 Ç	283	5.9 .Ç

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 204

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART DISEASE (402)										
BLACK MALE										
1996.....	19.9	*	*	*	*	*	*	1.6	3.3	6.8
1995.....	19.3	*	*	*	*	*	*	*	3.2	6.7
1994.....	18.4	*	*	*	*	*	*	1.9	3.2	8.1
1993.....	18.6	*	S	*	S	*	S	*	S	3.1 7.0
1992.....	18.2	S	*	*	S	*	*	*	3.4	6.8
1991.....	17.9	*	*	S	S	S	*	S	1.9	6.6
1990.....	18.1	*	*	*	S	*	*	*	*	3.0 6.9
1989.....	18.9	*	*	*	*	S	*	S	S	2.9 7.8
1988.....	18.5	*	*	*	*	*	*	*	*	3.2 7.5
1987.....	17.8	*	S	*	*	*	S	*	*	1.9 8.3
1986.....	18.0	*	S	*	*	S	*	S	*	2.8 6.9
1985.....	18.6	S	S	*	*	S	*	S	3.4	7.8
1984.....	18.6	S	*	*	*	S	*	S	2.5	8.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 205

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
TOTAL, BOTH SEXES										
1996.....	0.9	*	*	*	*	*	*	*	*	0.1
1995.....	0.9	*	*	*	*	04	*	04	* 0	0.1
1994.....	1.0	04 0	*	* 0	*	* 0	*	* 0	*	
1993.....	1.0	* 0	*	* 0	*	* 0	*	*	* 0	*
1992.....	1.0	0	* 04 0	* 04 0	*	* 0	* 04 0	* 0	*	
1991.....	1.0	* 0	*	*	*	0	*	* 0	*	0.1
1990.....	1.0	* 0	* 04 0	*	*	0	* 04 0	*	* 0	
1989.....	1.0	* 0	* 04 0	*	*		*	* 0	* 0	* 0
1988.....	1.0	* 0	*	*	*	0	*	* 0	* 0	0.1
1987.....	1.0	04 0	*	* 0	* 0	* 0	* 0	* 0	* 0	0.2
1986.....	1.0	04 0	*	* 0	*	* 0	* 04 0	* 04 0	*	
1985.....	1.2	04 0	* 0	* 0	* 0	* 0	* 04 0	* 0	* 0	
1984.....	1.2	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1983.....	1.3	* 0	* 0	* 0	* 0	* 0	GR * 0	G * 0	GR	
1982.....	1.3	* 0	* 0	* 0	* 0	* 0	* 0	* 04 0	*	0
1981.....	1.5	* 0	* 0	* 0	* 0	* 0	* 0	G * 0	GR GR	
1980.....	1.6	-	0.0	-	-	0.0	0	0.0	0.0	0 0.1
1979.....	1.6	-	-	-	0.0	0.0	0.0	0.0	0.1	0.1
TOTAL, MALE										
1996.....	0.8	04 0	* 0	GR G * 0	G * 0	G * 0	G * 0	G * 0	* 0	
1995.....	0.8	0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1994.....	0.8		* 0	* 0	*	* 0	* 0	*	* 0	* 0
1993.....	0.8		* 0	* 0	* 04 0	* 0	G * 0	G * 0	* 0	* 0
1992.....	0.8		* 0	* 0	* 0 G *	*	* 0 GR G *	* 0 G *	* 0 G *	
1991.....	0.8	04 0	* 0	G * 0 G *	*	* 0	* 0	* 0	* 0	*
1990.....	0.8		* 0	* 0 GR G *	*	* 0 G *	* 0 G *	*	* 0	* 0
1989.....	0.8	0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1988.....	0.8	0	* 0 G *	* 0	* 0	* 0	* 0 G *	*	* 0	* 0
1987.....	0.8		* 0	* 0	* 0 GR G *	*	* 0	* 0	* 0 G0.2	
1986.....	0.9	04 0	* 0	G *	* 0 G *	* 0 G *	*	* 0	* 0 G *	* 0
1985.....	1.0	0 GR G *		* 0	* 0 G *	* 0 G *	* 04 0	* 0	G *	
1984.....	1.0	0	* 0	* 04 0	* 0 G *	*	* 0	* 0 G *	*	* 0
1983.....	1.1		* 0	* 04 0	* 0 G *	* 04 0	* 0	G * 0	* 0	
1982.....	1.1		* 0 G *	* 04 0	* 0 G *	* 0	* 0	* 0	* 0	* 0
1981.....	1.2		* 0	* 0 G *	*	* 0	* 0	* 0 G *	* 0 G *	04 0
1980.....	1.4	-	0.0	-	-	0.0	0 G -	0.0	0 G0.0	0.1
1979.....	1.4	-	-	-	0.0	0 G -	0.0	0.0	0.1	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 207

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										

WHITE MALE

1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.7 F	*	*	*	*	* F	*	*	*	*
1991.....	0.7	*	*	*	* F	*	*	*	*	*
1990.....	0.6 F	*	*	* F	*	*	*	*	*	*
1989.....	0.6 F	* F	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	* F	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.7 F	*	*	*	*	*	*	*	*	*
1985.....	0.9 F	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.2	-	-	-	-	-	-	0.0	-	0.0
1979.....	1.2	-	-	-	0.0	-	0.0	0.0	0.0	0.0

WHITE FEMALE

1996.....	1.0 F	*	*	*	*	*	* F	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	* F	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	0.9 F	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	* F	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	* F	*	*
1987.....	1.1	*	*	* F	*	*	*	*	*	*
1986.....	1.1 F	*	F	*	*	*	* F	*	*	*
1985.....	1.2	*	*	*	*	*	*	*	*	*
1984.....	1.3 F	*	F	*	*	*	*	*	*	*
1983.....	1.4	*	*	*	*	*	*	*	*	*
1982.....	1.4 F	*	*	*	*	*	*	*	*	*
1981.....	1.6	*	*	*	*	*	*	*	*	*
1980.....	1.7	-	-	-	-	-	-	0.0	0.0	0.0
1979.....	1.7	-	-	- -	-	-	-	0.0	0.1	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 208

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
ALL OTHER, BOTH SEXES										
1996.....	1.7	*	*	*	*	*	*	*	*	*
1995.....	1.6	*	*	*	*	*	*	*	*	*
1994.....	1.7	*	*	*	*	*	*	*	*	*
1993.....	1.7	*	*	*	*	*	*	*	*	*
1992.....	1.8	*	*	*	*	*	*	*	*	*
1991.....	1.8	*	*	*	*	*	*	*	*	*
1990.....	1.8	*	*	*	*	*	*	*	*	*
1989.....	1.8	*	*	*	*	*	*	*	*	*
1988.....	1.8	*	*	*	*	*	*	*	*	0.7
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	2.0	*	*	*	*	*	*	*	*	*
1984.....	2.0	*	*	*	*	*	*	*	*	*
1983.....	2.1	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.1	*	*	*	*	*	*	*	*	*
1980.....	2.5	-	0.0	-	-	0.0	0.0	0.0	0.3	0.3
1979.....	2.5	-	-	-	0.0	0.0	0.0	0.1	0.3	0.5
ALL OTHER MALE										
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.6	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1992 * *		*	*	*	*	*	*	*	*	*
1992 *		*	*	*	*	*	*	*	*	*
1988.....	1.6									
1987.....	1.7	2...	*	*	*	*	*	*	*	*
1986.....	1.7	*	*	*	*	*	*	*	*	*
1992 * *		*	*	*	*	*	*	*	*	*
1992 *		*	*	*	*	*	*	*	*	*
1981.....	1.9	*	*	*	*	*	*	*	*	*
1992 *		*	*	*	*	*	*	*	*	*
1980.....	2.1	-	0.1	-	-	0.1	-	-	0.2	0.5
1979.....	2.2	-	-	-	-	-	0.1	0.2	0.4	0.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 209

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
ALL OTHER FEMALE										
1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*
1994.....	1.8	*	*	*	*	*	*	*	*	*
1993.....	1.9	*	*	*	*	*	*	*	*	*
1992.....	1.9	*	*	*	*	*	*	*	*	*
1991.....	1.9	*	*	*	*	*	*	*	*	*
1990.....	2.0	*	*	*	*	*	*	*	*	*
1989.....	1.9	*	*	*	*	*	*	*	*	*
1988.....	1.9	*	*	*	*	*	*	*	*	*
1987.....	1.9	*	*	*	*	*	*	*	*	*
1986.....	1.9	*	*	*	*	*	*	*	*	*
1985.....	2.2	*	*	*	*	*	*	*	*	*
1984.....	2.1	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	*	*	*	*	*	*	*	*
1982.....	2.3	*	*	*	*	*	*	*	*	*
1981.....	2.4	*	*	*	*	*	*	*	*	*
1980.....	2.9	-	-	-	-	-	0.1	0.1	0.3	0.1
1979.....	2.7	-	-	-	0.1	0.1	-	0.1	0.3	0.4
BLACK, BOTH SEXES										
1996.....	2.1	*	*	*	*	*	*	*	*	*
1995.....	2.0	*	*	*	*	*	*	*	*	*
1994.....	2.1	*	*	*	*	*	*	*	*	*
1993.....	2.1	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	2.2	*	*	*	*	*	*	*	*	*
1990.....	2.3	*	*	*	*	*	*	*	*	*
1989.....	2.2	*	*	*	*	*	*	*	*	*
1988.....	2.2	*	*	*	*	*	*	*	*	1.0
1987.....	2.3	*	*	*	*	*	*	*	*	*
1986.....	2.2	*	*	*	*	*	*	*	*	*
1985.....	2.4	*	*	*	*	*	*	*	*	*
1984.....	2.4	*	*	*	*	*	*	*	*	*
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.4	*	*	*	*	*	*	*	*	*
1981.....	2.5	*	*	*	*	*	*	*	*	*
1980.....	2.9	-	0.1	-	-	0.0	0.0	0.0	0.3	0.3
1979.....	2.8	-	-	-	0.0	0.0	-	0.1	0.4	0.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 210

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)										
BLACK MALE										
1996.....	1.9	*	*	*	*	*	*	*	*	*
1995.....	1.7	*	*	*	*	*	*	*	*	*
1994.....	1.9	*	*	*	*	*	*	*	*	*
1993.....	1.8	*	*	*	*	*	*	*	*	*
1992.....	2.0	*	*	*	*	*	*	*	*	*
1991.....	2.0	*	*	*	*	*	*	*	*	*
1990.....	2.1	*	*	*	*	*	*	*	*	*
1989.....	2.0	*	*	*	*	*	*	*	*	*
1988.....	2.0	*	*	*	*	*	*	*	*	*
1987.....	2.2	*	*	*	*	*	*	*	*	*
1986.....	2.0	*	*	*	*	*	*	*	*	*
1985.....	2.0	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	2.2	*	*	*	*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	2.4	-	0.1	-	-	0.1	-	-	0.2	0.6
1979.....	2.6	-	-	-	-	-	-	0.2	0.5	0.6
BLACK FEMALE										
1996.....	2.2	*	*	*	*	*	*	*	*	*
1995.....	2.3	*	*	*	*	*	*	*	*	*
1994.....	2.2	*	*	*	*	*	*	*	*	*
1993.....	7 4 *	*	*	*	*	*	*	*	*	*
1992.....	7 2.5	*	*	*	*	*	*	*	*	*
1991.....	7 2.4	*	*	*	*	*	*	*	*	*
1990.....	2.5	*	*	*	*	*	*	*	*	*
1989.....	7 2.4	*	*	*	*	*	*	*	*	*
1988.....	2.4	*	*	*	*	*	*	*	*	*
1987.....	7 2.3	*	*	*	*	*	*	*	*	*
1986.....	7 2.3	*	*	*	*	*	*	*	*	*
1985.....	2.7	*	*	*	*	*	*	*	*	*
1984.....	2.5	*	*	*	*	*	*	*	*	*
1983.....	2.7	*	*	*	*	*	*	*	*	*
1982.....	2.7	*	*	*	*	*	*	*	*	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	3.4	-	-	-	-	-	0.1	0.1	0.4	0.1
1979.....	3.1	-	-	-	0.1	0.1	-	0.1	0.3	0.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 211

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ISCHEMIC HEART DISEASE (410-414)										
TOTAL, BOTH SEXES										
1996.....	179.5	0.6	*	*	*	0.2	0.4	1.2	3.8	9.9
1995.....	183.2	0.5	* LE	*	0.2	0.5	1.4	3.7	10.1	
1994.....	184.9	0.7	*	* LE	0.1	0.5	1.3	3.6	10.1	
1993.....	190.1	0.7 LE	*	*	0.2	0 BY	1.3	3.9	9.8	
1992.....	188.2	0.5	* L	*	* L	0.1	0.4	1.4	3.7 L	9.8
1991.....	192.5	0.5	*	*	*	0.2	0.5	1.4	3.6	10.2
1990.....	196.7 L	0.7 L	* LE	*	0.1	0 BY	1.3	3.6	10.0	
1989.....	201.8	0.9	* LE	*	0.2	0.4	1.3	4.0	10.3	
1988.....	208.4	0.8	* L	* L	* L	0.1	0.5	1.4	4.0	11.5
1987.....	211.4	0.7 L	* LE	*	0.2	0.5	1.4	4.3	12.1	
1986.....	216.9	0.6	* L	*	* L	0 2	0.4	1.5	4.6	13.2
1985.....	225.6	0.6	* LE	*	0.2	0.5	1.6	4.6	13.8	
1984.....	229.5	0.9	* L	0 2	* L	0 2	0 BY	1.4	4.4	14.1
1983.....	236.3	1.0	0.2	0 2	*	0.2	0.4	1 BY	4.9	14.4
1982.....	238.6	0.8	0.2	0.2	*	0.2	0.5	1.9	4.9	15.4
1981.....	241.9	0.7	* L	0.2	*	0.2	0.5	1.6	4.9	16.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 212

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ISCHEMIC HEART DISEASE (410-414)										
TOTAL, FEMALE										
1996.....	172.8	*	*	*	*	*	0.2	0.7	1.9	4.7
1995.....	175.9	*	*	*	*	*	0.3	0.9	1.9	4.7
1994.....	177.2	*	*	*	*	*	0.3	0.8	1.9	4.3
1993.....	181.36P	*	*	* P	0.3EL7	2.0	4.4			
1992.....	178.5	*	* P	*	*	0.3	0.8	1.8	4.1	
1991.....	182.40 rP	*	*	*	0.3	0.36P	1.9	4.1		
1990.....	185.36P	* P	*	*	* P	* P	0.3E	0.36P	1.6	3.9
1989.....	190.1	*	0 rP	*	* P	*	0.3	0.36P	1.9	3.7
1988.....	195.4	*	0 * P	*	*	0.2	0.8	1.36P	4.1	
1987.....	196.6 P	*	*	*	*	00.3EL7	1.8	4.4		
1986.....	200.0	*	0 * P	*	*	00.3E	0.7	2.0	4.36P	
1985.....	205.1	* P	*	* P	*	0.3	0.8	1.9	4.8	
1984.....	207.9	0 rP	* P	0 rP	* P	* P	00.3E	0.7	1.36P	5.0
1983.....	212.2	* P	* P	*	*	0 *	0.3E	0.7	1.7	4.7
1982.....	211.3	*	0 *	*	0 * P	0.2EL7	1.7	5.5		
1981.....	213.0	* P	0 rP	* P	*	0.3	0.7	1.9	05.3	
1980.....	218.9	0.7	0.1	0.1	0.0	0.1	0.2	0.7	1.9	5.4
1979.....	211.4	0.5	0.1	0.0	0.0	0.1	0.4	0.36P	2.2	6.5
WHITE, BOTH SEXES										
1996.....	195.0	*	0 * P	*	0 rP	0.2	0.401.1	3.36P	9.4	
1995.....	198.7	* P	*	0 * P	*	00.2E	0.401.3E	3.3	9.36P	
1994.....	200.7	0 rP	* P	* P	0 * P	* P	00.401.2	3.4	9.5	
1993.....	205.9	0.8	0 rP	* P	*	00.2	0..	1.3	3.3	9.1
1992.7. 203.9	*	0 * P	* P	0 * P	* P	00.4	1.2	3.409.2		
1991.....	208.2	* P	* P	* P	0 *	0.2	0..	1.3	3.3	9.4
1990.....	212.7	* P	0 rP	*	* P	*	00.401.2	3.3	9.3E	
1989.....	217.7	0 * P	0 * P	0 * P	* P	0 * P	00.3E	1.2	3.7	9.3
1988.....	224.9	0.7	* P	* P	* P	0 * P	0.401.2	3.7	10.8	
1987.....	227.9EL7	*	0 * P	* P	0 *	0.5	1.2	3.9	11.4	
1986.7. 233.7 P	*	* P	0 *	*	00.401.3	4.1	12.7			
1985.....	242.8	0 * P	0 *	*	0 * P	0.1	0..	1.404.2	12.9	
1984.7. 246.9	00.7	*	00.2	* P	0.2E	0.5	1.3	4.0	13.3	
1983.....	253.7 P	0.9	00.2	0.2	*	0.2	0.4	1.3	4.4	13.9
1982.7. 256.1	0.7	*	00.2	*	00.1	0.401.36P	4.4	14.5		
1981.....	259.1979	* P	0 *	0.2	*	0.1	0..	1.3	4.4	15.8
1979.7. 261.7	0.6 P	0.0	0.0	0.0.....	0..	1.405.1	16.7			

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 213

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ISCHEMIC HEART DISEASE (410-414)										
WH. E MALE										
1996.....	202.5	*	*	*	*	0.3	0.5	1.6	5.4	14.6
1995.....	206.6	*	*	*	*	0.3	0.5	1.8	5.3	15.1
1994.....	209.3	*	*	*	*	*	0.6	1.6	5.1	15.3
1993.....	215.4	*	*	*	*	0.3	0.5	1.9	5.3	14.5
1992.....	214.8	*	*	*	*	*	0.5	1.7	5.2 DE.0	
1991.....	219.5	*	*	*	*	*	0.5	2.0	5.0 DE.3	
1990.....	225.1	*	*	*	*	*	0.5	1.7	5.2 D	15.4
1989.....	230.8	*	*	*	*	*	0.5	1.8	5.7	16.1
1988.....	239.4	*	*	*	*	*	0.6	1.7	5.9	18.2 D
1987.....	244.3	*	*	*	*	*	0.6	1.8	6.3	19.0 D
1986.....	252.7	*	*	*	*	*	0.5	2.1	6.7	21.5
1985.....	265.8	*	*	*	*	*	0.5	2.1	6.9	21.8
1984.....	271.1	*	*	0.3	*	*	0.6	1.9	6.6	22.6
1983.....	280.9	*	*	*	*	*	0.5	2.1	7.4	24.1
1982.....	286.4	*	*	*	*	*	0.5	2.7	7.4	24.6
1981.....	291.6	*	*	*	*	*	0.6	2.1	7.2 D	26.7
1980.....	300.9	1.0	0.1	0.0 D	0.0	0.2 D	0.6	2.0	7.6	26.7
1979.....	299.7	0.7	0.0	0.0	0.1	0.2 D	0.6	2.4	8.6	28.0
WH. E FEMALE										
1995.....	191.1	*	*	*	*	*	0.3	0.8	1.8	4.0
1994.....	192.4	*	*	*	*	*	*	0.7	1.7	3.7
1993.....	196.8	*	*	*	*	*	*	0.6	1.8	3.7
1992.....	193.4	*	*	*	*	*	0.3	0.7	1.5	3.4
1991.....	197.4	*	*	*	*	*	0.3	0.5	1.6	3.5
1990.....	200.8	*	*	*	*	*	0.3	0.6	1.4	3.2 D
1989.....	205.1	*	*	*	*	*	*	0.5	1.5	3.1
1988.....	211.1	*	*	*	*	*	*	0.7	1.5	3.3
1987.....	212.3	*	*	*	*	*	0.3	0.6	.6	3.8
1986.....	215.5	*	*	*	*	*	0.3	0.6	.5	3.9
1985.....	220.9	*	*	*	*	*	0.3	0.7	1.5	4.1
1984.....	223.7	*	*	*	*	*	0.3	0.6	1.4	4.1
1983.....	227.8	*	*	*	*	*	0.2 D	0.5	1.4	3.8
1982.....	227.3	*	*	*	*	*	0.2 D	0.5	1.4	4.6
1980.....	233.7	0.8	0.1	0.1	0.0	0.1	0.2 D	0.6	.4	4.4
1979.....	225.4	0.4	0.1	0.0	0.0	0.1	0.3	0.4	1.6	5.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 214

CAUSE-OF-DEATH CODE, RACE, SEXB ND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ISCHEMIC HEART DISEASE (410-414)										
ALL OTHER, BOTH SEXES										
1996.....	104.7	*	*	*	*	*	0.6	1.7	4.5	12.1
1995.....	107.4	*	*	*	*	*	0.9	1.8	4.5	12.5
1994.....	107.3	*	*	*	*	*	0.8	2.2	4.4	13.1
1993.....	111.0	*	*	*	*	*	1.0	1.7	5.3	13.4
1992.....	109.1	*	*	*	*	*	0.6	1.9	5.1	12.8
1991.....	112.1	*	*	*	*	*	0.8	2.1	5.3	14.2
1990.....	113.3	*	*	*	*	*	0.7	1.8	5.2	13.8
1989.....	117.7	*	*	*	*	*	0.8	1.7	5.8	14.1
1988.....	119.7	*	*	*	*	*	0.9	2.3	5.6	15.5
1987.....	121.1	*	*	*	*	*	0.7	2.2	6.3	16.2
1986.....	123.5	*	*	*	*	*	0.6	2.1	7.3	16.4
1985.....	129.0	*	*	*	*	*	0.9	2.8	6.7	18.9
1984.....	130.5	*	*	*	*	*	0.8	2.3	6.8	18.5
1983.....	135.5	*	*	*	*	*	*	2.4	7.2	17.5
1982.....	135.6	*	*	*	*	*	0.9	3.1	7.6	21.1
1981.....	139.5	*	*	*	*	*	1.0	3.9.5	7.7	22.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 215

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ISCHEMIC HEART DISEASE (410-414)										
ALL OTHER FEMALE										
1996.....	102.8	*	*	*	*	*	*	1.1	2.5	7.1
1995.....	103.7	*	*	*	*	*	*	1.1	2.3	7.8
1994.....	104.0	*	*	*	*	*	*	1.5	2.7EA3	
1993.....	107.36ÅÅÅ	* ÅÅ	*	*	*	3.0	7.7			
1992.....	105.2 RO	* RO	* RO	*	1.1	2.7	7.3			
1991.....	107.7ERO	*	*	*	* RO	1.2 R	3.3	7.1		
1990.....	108.3	* RO	*	*	*	*	1.0	2.6	7.5	
1989.....	112.3	*	*	*	* RO	*	1.0	3.4	7.1	
1988.....	113.1	* R	* Å	* Å	* R	* Å	* R	1.2 R	2.4	8.4
1987.....	112.8	* Å	* R	* R	* R	* R	* R	1.1	3.1	7.9
1986.....	115.9	*	* R	* Å	* RO	*	*	4.1	8.3	
1985.....	118.3	*	* R	* R	* R	* Å	* R	1.5	3.36Å	8.8
1984.....	119.4	* R	* R	* R	* R	* R	* R	* R	3.0	10.2 R
1983.....	123.7	* R	*	* Å	*	* R	*	1.7	3.5	9.7
1982.....	121.3	* Å	*	*	*	*	* R	1.4	3.7	10.9
1981.....	124.8	* Å	*	*	* R	* R	* R	1.36Å	3.4	9.7
1980.....	130.2	0.3	0.1	0.1	0.1	0.1	0.2	1.3	4.4	12.0
1979.....	125.5	1	1. 0.2	-	-	0.2	0.8	1.36Å	5.5	12.36Å
BLACK, BOTH SEXES										
1996.....	123.2	* R	*	*	* R	* R	* R	2.2 R	5.	-14.5
1995.....	126.3	* R	* R	* R	*	* R	0.9	2.1	5.4	15.2
1994.....	125.8	* R	*	* RO	*	1.0	2.7	5.1	15.9	
1993.....	130.7	* R	* R	* R	* R	* R	1.3	2	1. 6.5	16.4
1992.....	127.3	*	* R	* R	* R	*	* R	2.4	6.0	16.0
1991.....	132.1	* R	*	* R	* Å	*	0.8	2 36Å	6.5	17.5
1990.....	133.1 RO	*	* Å	*	* Å	0.9	2.2 R	6.3	16.8	
1989.....	137.3	* R	*	*	* R	*	1.0	2 3	7.3	17.3
1988.....	139.3	* R	* R	* R	* RO	1.1	2.5	7	1. 19.5	
1987.....	140.1	* Å	*	* R	* RO	0.8	2.5	7.5	19.3	
1986.....	142.4	*	* R	*	* R	* R	* R	2.3	8.8	20.2
1985.....	147.3 RO	*	* R	* R	* R	1.1	3.4	8.2 R	2-	
1984.....	148.4	* Å	*	* R	*	* R	0.9	2.8	8.0	2-.9
1983.....	153.4	*	* R	*	*	* R	*	2.8	8.6	20.5
1982.....	15.....	RO	*	*	* R	*	* R	1.0	3.4	8.6 25.
1981.....	156.6	* R	* R	* R	*	*	1.0	3.4	9.0	26.1
1980.....	162.8	0.4	0.2	0	1. 0	1. 0.4	1.0	3.3	10.9	26.8
1979.....	156.7	1.2	0.1	0	1. 0.1	0.3	1.0	3.	-11.0	28.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 216

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ISCHEMIC HEART DISEASE (410-414)										

BLACK MALE

1996.....	122.5	*	*	*	*	*	*	3.1	8.3	20.7
1995.....	128.0	*0 70 70		*0 70	*0	2.9	8.3	21.0		
1994.....	127.0	*0 70		*0 70	*0	*0	3.4	7.2	23.2	
1993.....	132.0	*0 70		*0	*0	1.8	3.6	9.5	23.9	
1992.....	130.00 70	*	*	*	*	*	3.6	8.9	23.5	
1991.....	135.3	*0	*0	*0	*0	*0	*0	4.0	9.7	25.8
1990.....	137.7	*0	*0	*0	*0	*0	*0	3.2	9.7	25.8
1989.....	142.00 70		*0 70	*0 70	*	3.2	10.5	27.0		
1988.....	145.30 70		*0 70	*0	*0	1.8	3.7	11.5	29.7	
1987.....	148.00 70		*0	*0	*0	*0	*0	3.6	12.00	30.4
1986.....	149.8	*0	*0 70	*0	*0	*0	*0	3.7	12.8	31.4
1985.....	158.6	*0	*0	*0	*0	*0	1.7	5.6	12.4	36.6
1984.....	160.3	*0	*0	*0	*0	*0	*	4.7	12.9	35.1
1983.....	166.4	*0	*0	*0 70	*0	*0	*0	3.5	13.5	31.0
1982.....	167.70 70		*0	*0	*0	*0	1.6	5.5	13.7	40.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 217

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
TOTAL, BOTH SEXES										
1996.....	80.5	*	*	*	*	0.1	0.2 48.6		2.1	5.1
1995.....	83.1	*	*	*	*	*	0.3	0.7	2.0	5.3
1994.....	85.4	*	*	*	*LEC	0.3	0.8	2.0	5.6	
1993.....	88.2 4	*L	*	*LEC	*	0.2 4	0.7	2.0	5.5	
1992.....	89.9LEC	*	*	*LEC	0.2 4	0.8	2.1	5.5		
1991.....	93.3	*L	*L	*L	*	*	0.3	0.7	2.1	0 ẽ
1990.....	96.1 0	*L	*	*	*	*	0.3 48.8		2.0	5.8
1989.....	100.1LEC	*LEC	*LEC	0.3 4	0.7	2.3	5.8			
1988.....	101.4	*LEC	*	*	*	0.3	0.8	2.3	6.6	
1987.....	104.6	*L	*L	*L	*	*L	0.3	0.9	2.5	7.2 4
1986.....	108.7	*L	*L	*L	*L	*L	0.2	0.9	2.7	7.8
1985.....	115.2	*	*L	*	*Lc 1	0.3	1.0	2.8	8.5	
1984.....	118.4	0.6	*L	*	*L	*L48.3	0.8	2.8	8.4	
1983.....	122.5	0.7	*L4	*L	*L4	0.1	0.2 4	1.0	3.0	9.2 4
1982.....	125ẽ	0.5	*L4	*L	*L	0.1	0.3	1.2	3.1 0	9.9
1981.....	127.5	*L	*L	*L4	*	0.1	0.4	1.0	3.3	11.0
1980.....	132.2 4	0.6	0.1	0.0	0.0	0.1L48.3	1.0	3.3	10.9L	
1979.....	133.8	0.4	0.0	0.0	0.0	0.				
TOTAL, MALE										
1996.....	86.8	*L	*Lc	*L	*L	*L	0.2	0.8	3.0	7.7
1995.....	90.4LEC	*LEC	*L	*	0.4L48.9	2.8	8.3			
1994.....	93.1 0	*L4	*L4	*L	*	*L4	0.3 4	1.1	2.9	8.8
1993.....	96.8	*L	*L4	*Lc	*L	*L	0.3 4	1.0	2.8	8.5
1992.....	98.9L	*L	*Lc	*L	*	* 48.3	1.1	0	3.2 4	8.6
1991.....	102.6	*	*L	*L	*Lc	*	0.4L4	1.1	0	3.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 218

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
TOTAL, FEMALE										
1996.....	74.4	*	*	*	*	*	*	0.4	1.2	2.5
1995.....	76.0	*	*	*	*	*	*	0.5	1.1	2.4
1994.....	78.1	*	*	*	*	*	0.2	0.5	1.1	2.5
1993.....	80.1	*	*	*	*	*	*	0.4	1.2	2.5
1992.....	81.4	*	*	*	*	*	*	0.5	1.0	2.4
1991.....	84.5	*	*	*	*	*	*	0.3	1.2	2.4
1990.....EN	85.9	*	*	*	*	*	0.2	0.4	1.0	2.6
1989.....EEN	89.0	*	*	*	*	*	*	0.3	1.1	2.0
1988.....EE..	89.4	*	*	*	*	*	*	0.5	1.0	2.4
1987.....EE.	91.1	*	*	*	*	*	0.2	0.5	1.2	2.7
1986.....EE.	93.5	*	*	*	*	*	*	0.4	1.2	2.6
1985.....EE.	96.8	*	*	*	*	*	0.2	0.5	1.1	3.0
1984.....EE	98.4	*	*	*	*	*	0.2	0.4	1.1	2.9
1983.....EE.	100.4	*	*	*	*	*	0.2	0.5	1.1	3.0
1982.....EE.	101.3	*	*	*	*	*	0.2	0.4	1.2	3.6
1981.....EE	101.4	*	*	*	*	*	0.2	0.5	1.3	3.6
1980.....EE	104.0	0.5	0.0	0.1	0.0	0.0	0.1	0.5	1.3	3.4
1979.....EE..	103.4	0.4	0.0	0.0	-	0.1	0.2	0.4	1.4	4.5
WHITE, BOTH SEXES										
1996.....EE	87.0	*	*	*	*	*	0.2	0.5	1.9	5.0
1995.....EE	89.7	*	*	*	*	*	0.2	0.7	2.0	5.1
1994.....E	92.3	*	*	*	*	*	0.2	0.7	1.9	5.4
1993.....EE	95.2	*	*	*	*	*	0.2	0.6	1.8	5.1
1992.....EE	97.0	*	*	*	*	*	0.2	0.7	1.9	5.1
1991.....EE.	100.5	*	*	*	*	*	0.2	0.7	1.9	5.1
1990.....E	103.6	*	*	*	*	*	0.3	0.7	1.9	5.4
1989.....EE.	107.6	*	*	*	*	*	0.2	0.6	2.1	5.5
1988.....EE.	109.3	*	*	*	*	*	0.3	0.7	2.1	6.2
1987.....EE	112.7	*	*	*	*	*	0.3	0.7	2.3	6.8
1986.....E	117.1	*	*	*	*	*	0.2	0.8	2.5	7.6
1985.....E	124.0	*	*	*	*	*	0.3	0.9	2.7	8.1
1984.....	127.3	*	*	*	*	*	0.3	0.7	2.5	8.2
1983.....E	131.7	*	*	*	*	*	0.2	0.8	2.8	9.0
1982.....E	135.3	*	*	*	*	*	0.3	1.0	2.8	
1981.....E	137.0	*	*	*	*	*	0.3	0.8	3.1	10.6
1980.....	141.7	0.7	0.1	0.0	0.0	0.1	0.3	0.9	3.0	10.5
1979.....EE	143.0	0.3	0.0	0.0	0.0	0.1	0.3	1.0	3.5	12.1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)											
WHITE MALE											
1996.....		94.1	*	*	*	*	*	*	0.7	2.8	7.6
1995.....		97.9	*	*	*	*B	*	0.9	2.8	8.1	
1994.....		100.8	*	*	*B	*	0.3	0.9	2.8	8.6	
1993.....		104.6	*B	*B	*	*	0.3	1.0	2.6	8.1	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 220

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
ALL OTHER, BOTH SEXES										
1996.....	49.0	*	*	*	*	*	*	0.9	2.7	5.8
1995.....	50.4	*	*	*	*	*	*	0.8	2.1	6.6
1994.....	51.4	*	*	*	*	*	*	1.3	2.5	6.7
1993.....	53.7	*	*	*	*	*	*	0.9	3.0	7.3
1992.....	54.0	*	*	*	*	*	*	1.2	2.9	7.1
1991.....	56.2	*	*	*	*	*	*	1.0	3.1	7.9
1990.....	56.9	*	*	*	*	*	*	1.2	2.8	7.6
1989.....	60.4	*	*	*	*	*	0.6	0.9	3.1	7.8
1988.....	59.1	*	*	*	*	*	*	1.3	3.0	8.8
1987.....	60.6	*	*	*	*	*	*	1.4	3.3	9.0
1986.....	62.1	*	*	*	*	*	*	1.2	4.2	8.7
1985.....	66.0	*	*	*	*	*	0.6	1.9	3.6	10.6
1984.....	67.3	*	*	*	*	*	0.6	1.6	4.1	10.0
1983.....	69.1	*	*	*	*	*	*	1.7	4.3	10.4
1982.....	68.6	*	*	*	*	*	0.7	2.0	4.4	12.5
1981.....	70.4	*	*	*	*	*	0.8	1.7	4.5	13.0
1980.....	+4.5	0.2	0.1	0.1	0.0	0.2	0.6	1.7	5.6	14.1
1979.....	75.9	0.8	0.1	0.0	0.1	0.1	0.8	2.2	6.7	15.7
ALL OTHER MALE										
1996.....	50.7	*	*	*	*	*	*	1.1	3.8	8.4
1995.....	52.9	*	*	*	*	*	*	*	3.2	9.3
1994.....	54.2	*	*	*	*	*	*	1.6	3.7	9.7
1993.....	56.5	*	*	*	*	*	*	1.3	4.0	10.9
1992.....	57.6	*	*	*	*	*	*	1.7	4.3	10.6
1991.....	59.4	*	*	*	*	*	*	1.5	4.0	12.2
1990.....	60.9	*	*	*	*	*	*	1.8	4.2	10.9
1989.....	64.4	*	*	*	*	*	*	1.5	4.3	12.4
1988.....	63.4	*	*	*	*	*	*	1.8	4.8	13.3
1987.....	*6.1	*	*	*	*	*	*	2.0	5.1	14.5
1986.....	67.7	*	*	*	*	*	*	2.0	6.4	14.3
1985.....	73.4	*	*	*	*	*	*	2.6	5.8	16.9
1984.....	75.8	*	*	*	*	*	*	2.9	6.7	15.3
1983.....	78.1	*	*	*	*	*	*	2.3	6.4	15.5
1982.....	78.9	*	*	*	*	*	*	3.2	7.0	18.6
1981.....	82.0	*	*	*	*	*	1.2	2.4	7.5	21.6
1980.....	86.3	0.3	0.3	-	-	0.4	1.2	2.5	8.5	21.5
1979.....	89.9	0.7	0.1	0.1	0.1	0.2	1.1	3.3	10.8	24.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 221

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
ALL OTHER FEMALE										
1996.....	47.3	*	*	*	*	*	*	*	1.7	3.4
1995.....	48.1	*	*	*	*	*	*	*	1.1	4.2
1994.....	48.8	*	*	*	*	*	*	*	1.5	4.0
1993.....	51.0	*	*	*	*	*	*	*	2.1	4.1
1992.....	50.7	*	*	*	*	*	*	*	1.5	4.0
1991.....	53.3	*	*	*	*	*	*	*	2.3	4.0
1990.....	53.2	*	*	*	*	*	*	*	1.6	4.7
1989.....	56.7	*	*	*	*	*	*	*	2.1	3.7
1988.....	55.2	*	*	*	*	*	*	*	1.5	4.9
1987.....	55.6	*	*	*	*	*	*	*	1.8	4.3
1986.....	57.0	*	*	*	*	*	*	*	2.3	3.9
1985.....	59.2	*	*	*	*	*	*	1.2	1.6	5.2
1984.....	59.5	*	*	*	*	*	*	*	1.9	5.5
1983.....	60.9	*	*	*	*	*	*	1.2	4 ²	6.1
1982.....	59.2	*	*	*	*	*	*	*	2.2	4 ⁷
1981.....	59.9	*	*	*	*	*	*	*	2.0	5.7
1980.....	63.7	-	-	0.1	0.1	0.1	0.1	0.9	3.2	7.9
1979.....	63.2	1.0	0.1	-	-	0.1	0.4	1.2	3.2	4 ⁸
BLACK, BOTH SEXES										
1996.....	58.2	4	*	*	*	*	*	1.2	4 ³	6.9
1995.....	59.6	*	*	*	*	*	*	0.9	4 ²	8.1
1994.....	60.6	*	*	*	*	*	*	1.6	3.0	8.2
1993.....	63.4	*	*	*	*	*	*	1.0	3.7	9.2
1992.....	63.5	*	*	*	*	*	*	1 ²	3.5	9.0
1991.....	66.3	*	*	*	*	*	*	1.3	3.8	9.8
1990.....	67.0	*	*	*	*	*	*	1.5	3.6	9.2
1989.....	70.3	*	*	*	*	*	0.8	1.1	4.0	9 ²
1988.....	68.6	*	*	*	*	*	*	1.4	3.7	11.1
1987.....	69.7	*	*	*	*	*	*	1.6	4.0	11.0
1986.....	71.5	*	*	*	*	*	*	1.3	5.3	10.9
1985.....	75.1	*	*	*	*	*	0.7	2.3	4.3	12.5
1984.....	76.2	4	*	*	*	*	0.7	1.9	4.8	12.3
1983.....	78.1	*	*	*	*	*	*	2.1	5.2	12.3
1982.....	76.7	*	*	*	*	*	0.8	2.2	4 ⁴	15.3
1981.....	78.7	*	*	*	*	*	0.9	4 ¹	5 ²	15.0
1980.....	82.2	0.2	0.1	0.0	0.0	0.2	4 ⁰	2.1	6.7	16.4
1979.....	82.5	0.8	0.1	0.0	0.1	0.2	4 ⁰	2.5	7.4	17.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 222

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE MYOCARDIAL INFARCTION (410)										
BLACK MALE										
1996.....	58.8	*	*	*	*	*	*	1.6	4.6	9.8
1995.....	61.0	*	*	*	* D D D	*	4.1	11.1		
1994.....	62.8 D D	*	* D	*	* D D	2.0	4.4	11.7		
1993.....	65.1	* D	*	*	* D	* D	* D	1.6	4.8 D	13.6
1992.....	66.5	* D	* D D	*	*	*	2.1	5.2	13.3	
1991.....	68.9 D D	*	* D	*	* D	*	2.0	4.8	15.3	
1990.....	71.1	* D	*	* D	*	*	* D	2.3	5.4	13.6
1989.....	74.0	* D	*	* D D	* D D	2.0	5.3	14.8		
1988.....	72.5 D D	* D D	*	*	*	2.0	5.9	16.7		
1987.....	74.6	* D	* D	*	*	*	* D	2.2	6.1	17.7
1986.....	76.9 D	*	* D	*	*	* D D	2.1	8.0	17.8 D	
1985.....	82.2	* D	*	* D	* D	* D	* D	3.2	7.0	19.6
1984.....	84.9 D D	*	* D	*	* D	*	3.5 D	7.7	18.8	
1983.....	87.5	* D	*	* D	* D D	*	2.7	7.8	18.3	
1982.....	87.3	* D	* D	*	* D	* D	*	3.5	7.9 D	22.9 D
1981.....	90.7	* D	* D	*	*	* D	* D	2.7	8.9	24.9 D
1980.....	94.0	0.4	0.2	-	-	0.4	1.1	3.1	10.0	25.1
1979.....	96.5 D	0.4	0.1	0.1	0.1	0.2	1.2	3.9 D	12.0	27.8
BLACK FEMALE										
1996.....	57.6	* D	* D	* D D	*	*	*	2.1	4.4	
1995.....	58.4	* D	* D	* D	* D	* D	*	* D	1.5 D	5.5
1994.....	58.6	* D	* D	*	* D	* D	* D	* D	1.8	5.1
1993.....	61.8 D	* D	* D	*	*	* D	* D	* D	2.7	5.4
1992.....	60.9 D	*	* D	*	*	* D	* D	* D	2.1	5.3
1991.....	64.0	* D	* D	* D	*	* D	* D	*	3.0	5.1
1990.....	63.4	* D	* D	*	* D	*	*K .0	5.5 D		
1989.....	67.1	* D	*	* D	* D	* D	*K .8	4.7		
1988.....	65.1	* D	*	* D	* D	*	*KD D	1.8	6.3	
1987.....	65.4	* D	* D	* D	* D D	*	* D	2.2	5.3	
1986.....	66.6	*	*KD	*	*	*	*	* D	2.9 D	5.1
1985.....	68.7	*	*KD	* D	* D	*	*	1.5 D	2.0	6.4
1984.....	68.4 D D	*	* D	* D D	*	* D	2.4	6.8		
1983.....	69.7	* D	* D	*	*	* D	*K	1.5 D	2.9	7.2
1982.....	67.2	* D	*K	*	*	*	*KD	* D	2.4	9.0
1981.....	68.0	* D	* D	* D	* D	*	* D	* D	2.4	6.7
1980.....	71.6	-	-	0.1	0.1	0.1	0.1	1.1	3.8	9.3
1979.....	70.0	1.2	0.1	-	-	0.1	0.5	1.3	3.5	9.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 223

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										
TOTAL, BOTH SEXES										
1996.....	1.1	*	*	*	*	*	*	*	*	0.2
1995.....	1.0	*	*	*	*	*	*	*	*	0.1
1994.....	1.1	*	*	*	*	*	*	*	*	0.2
1993.....	1.2	*	*	*	*	*	*	*	E G	0.2
1992.....	1.2	*	*	*	*	*	E G	*	*	0.2
1991.....	1.3	*	E *	*	E *	*	*	*	0.1	0.2
1990.....	1.3	*	E *	*	E *	*	E *	*	*	0.2
1989.....	1.4	E G	*	E G	*	E *	*	E *	*	0.1
1988.....	1.4	E *	*	*	E G	E G	E *	E G	E *	0.2
1987.....	1.5	*	E *	*	E *	*	*	*	*	0.1
1986.....	1.6	*	E *	*	E *	*	*	*	E 0.1	0.3
1985.....	1.7	*	E *	*	E *	*	E *	*	E *	0.2
1984.....	1.7	*	E *	*	E *	*	E *	*	*	E 0.3
1983.....	1.7	*	E *	*	*	*	E *	*	E *	E 0.2
1982.....	1.8	*	*	*	*	*	E *	*	E *	0.3
1981.....	2.0	*	E *	*	E *	E G	E *	*	E *	0.4 E
1980.....	2.1	-	-	-	-	0.0	0.0	0.1	0.1	0.3
1979.....	2.1	0.1	-	-	-	0.0	0.0	0.0	0.1	0.3
TOTAL, MALE										
199 *.....	1.2	*	*	*	E *	E G	E *	*	*	0.3
1995.....	1.2	*	E *	*	E *	E *	E *	*	*	E 0.2
1994.....	1.2	*	E *	*	E *	*	*	E *	*	E 0.2
1993.....	1.3	E G	E *	*	E *	E G	E *	*	E *	E 0.3
1992.....	1.4	E *	*	*	E *	*	*	E G	E *	0.4 E
1991.....	1.6	*	*	E G	E *	*	E *	*	*	E 0.4 E
1990.....	1.6	*	E *	*	E *	*	E *	*	E *	E 0.2
1989.....	1.6	*	E *	E *	E *	*	E *	E *	*	*
1988.....	1.6	*	E *	E *	E *	E *	*	E *	E *	0.4 E
19896.....	1.8	*	E *	E *	*	E *	*	*	E *	E 0.2
198 *.....	2.0	*	E *	E *	*	*	*	*	E *	*
1985.....	2.1	*	E *	E *	*	E *	E *	*	E *	E 0.3 E
1984.....	2.1	*	E *	E *	E *	*	E *	E *	*	0.4
1983.....	2.2	*	*	*	E *	*	*	E *	E *	0.3
1982.....	2.3	E *	E *	*	*	E *	*	E *	E *	0.5
1981.....	2.5	*	E *	E G	E *	*	E *	*	E *	E 0.7
1980.....	2.7	-	-	-	-	0.0	0.0	0.1	0.2	0.6
1979.....	2.7	0.2	-	-	-	0.0	0.0	0.1	0.3	E 0.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 225

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										

WHITE MALE

1996.....	1.2	*	*	*	*	*	*	*	*	0.2
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	1.3	*	*	*	*	*	*	*	*	0.3
1993.....	1.3	*	*	*	*	*	*	*	*	0.3
1992.....	1.4	*	*	*	*	*	*	*	*	0.3
1991.....	1.360	*	*	*	*	*	0.3			
1990.....	1.360	*	*	0	*	*	*	*	0	*
1989.....	1.6	*	*	0	*	*	*	0	*	
1988.....	1.3	*	*	*	*	0	*	*	0	0.3
1987.....	1.7	*	*	0	*	*	0	*	*	*
1986.....	2.0	*	*	0	*	*	*	*	*	0.5
1985.....	2.1	0	*	*	0	*	0	*	0	*
1984.....	2.1	*	*	0	*	*	0	*	*	0.3
1983.....	2.2	*	*	0	*	*	0	*	*	0.3
1982.....	2.3	*	*	0	*	*	0	*	*	0.5
1981.....	2.5	0	*	*	0	*	*	*	*	0.6
1980.....	2.7	-	-	-	-	0.0	0.0	0.0	0.2	0.360
1979.....	2.7	0.2	-	-	-	0.0	0.0	0.0	0.2	0.4

WHITE FEMALE

1995.....	0.9	*	*	0	*	*	0	*	*	0	*	ATE 94.....	1.0
-----------	-----	---	---	---	---	---	---	---	---	---	---	-------------	-----

ATE 96.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 226

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										

ALL OTHER, BOTH SEXES

1996.....	1.0	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.1	*	*	*	*	*	*	*	*	*
1991.....	1.2	*	*	*	*	*	*	*	*	*
1990.....	1.3	*	*	*	*	*	*	*	*	*
1989.....	1.4	*	*	*	*	*	*	*	*	*
1988.....	1.3	*	*	*	*	*	*	*	*	*
1987.....	1.4	*	*	*	*	*	*	*	*	*
1986..... Tc	1.5	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1984.....	1.8	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	1.9	*	*	*	*	*	*	*	*	*
1981.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	2.3	-	-	-	-	-	-	0.1	0.5	0.4
1979.....	2.4	-	-	-	-	-	0.0	0.1	0.4	0.7

A 0 OTHER MA E

1996.....	1.1	*	*	*	*	*	*	*	*	*
1995.....	1.0	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.6	*	**	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1987.....	1.8	*	*	*	*	*	*	*	*	*
1986.....	1.9	*	**	*	**	*	*	*	*	*
1985.....	1.9	*	*	*	*	*	*	*	*	*
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.3	*	**	*	*	*	*	*	*	*
1982.....	2.4	*	*	*	*	*	*	*	*	*
1981.....	2.7	*	**	*	*	*	*	*	*	*
1980.....	3.0	-	-	-	-	-	-	0.2	0.8	0.8
1979.....	3.1	-	-	-	-	-	-	0.2	0.6	1.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 227

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										

ALL OTHER FEMALE

1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	1.0	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	1.2	*	*	*	*	*	*	*	*	*
1985.....	1.4	*	*	*	*	*	*	*	*	*
1984.....	1.5	*	*	*	*	*	*	*	*	*
1983.....	1.6	*	*	*	*	*	*	*	*	*
1982.....	1.4	*	*	*	*	*	*	*	*	*
1981.....	1.7	*	*	*	*	*	*	*	*	*
1980.....	1.6	-	-	-	-	-	-	0.1	0.2	-
1979.....	1.7	-	-	-	-	-	0.1	0.1	0.2	0.2

BLACK, BOTH SEXES

1996.....	1.2	*	*	*	*	*	*	*	*	*
1995.....	1.1	*	*	*	*	*	*	*	*	*
1994.....	1.1	*	*	*	*	*	*	*	*	*
1993.....	1.2	*	*	*	*	*	*	*	*	*
1992.....	1.4	*	*	*	*	*	*	*	*	*
1991.....	1.4	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1988.....	1.6	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	2.6	-	-	-	-	-	-	0.2	0.6	0.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 228

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)										

BLACK MALE

1996.....	1.4	*	*	*	*	*	*	*	*	*
1995.....	1.2	*	*	*	*	*	*	*	*	*
1994.....	TA.3	*	*	*	*	*	*	*	*	*
1993.....	TA.4	*	*	*	*	*	*	*	*	*
1992.....	TA.6	*	*	*	*	*	*	*	*	*
1991.....	TA.8	*	*	*	*	*	*	*	*	*
1990.....	1.9	*	*	*	**	.0	*	*	*	*
1989.....	1.9	* . *	*	*	*	*	*	*	*	*
1988.....	TA.9	*	*	.0	*	. *	*	*	*	*
1987.....	2.1	*	*	*	*	*	*	*	*	*
1986.....	2.2	*	.	*	*	*	*	*	*	*
1985.....	2.3	*	*	*	*	*	*	*	*	*
1984.....	2.7	* .	*	*	*	.0	*	*	.	*
1983.....	2.7	*	*	*	*	*	*	*	*	*
1982.....	2.7	* .	*	*	*	*	*	.0	*	*
1981.....	3.1	*	.	*	.	*	.	*	*	*
1980.....	3.3	-	-	-	-	-	-	0.3	1.0	0.9
1979.....	3.5	-	-	-	-	-	-	0.3	0.6	1.4

BLACK FEMALE

1996.....	1.0	* .	*	.0	*	. *	.	*	*	*
1995.....	0.9	* .	*	. *	*	*	*	*	*	*
1994.....	1.0	*	*	*	*	.0	*	.	*	*
1993.....	1.0	*	.	*	.0	*	. *	.	*	*
1987.....	1.2	*	.	*	.	*	.	*	.	*
1983.....	1.9	*	.	*	.	.0	.0	.	*	*
1982.....	1.7	*	.	*	.	*	.	*	.	*
1979.....	2.0	-	-	-	-	-	0.1	0.1	0.2	0.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 229

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ANGINA PECTORIS (413)										

TOTAL, BOTH SEXES											BT
1996.....	0.3	*	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*	*
1986.....		0 0	*	*	*	*	*	*	*		
1985.....	0.4	*	* 0	*	*	*	*	*	*		
1984.....	0.4	*	*	*	*	*	*	*	*	*	*
1983.....	.3	*	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	-	-	0.0	0.0	0.0	
1979.....	0.2	0.0	-	-	-	-	0.0	0.0	0.0	0.0	
TOTAL, MALE BT BT BBT BB											
1996.....	0.3	*	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	* 0	*	* 0	*	*	*	*	*	*
1993.....	.3	*	*	*	*	*	* 0	*	*	*	*
1992.....	0.3 0	*	* 0	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*	*
1989.....	0.4	*	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	* 0	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*	*
1984.....	0.4 0	*	*	*	*	*	*	*	*	*	*
1983.....	0.3 0	*	*	*	*	*	*	*	*	*	*
1982.....	.3 0	*	*	*	*	*	*	*	*	*	*
1981.....	0.3 0	*	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.0	0.0	0.1	
1979.....	0.2	0.1	-	-	-	-	0.0	0.0	0.1	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 230

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ANGINA PECTORIS (413)										
TOTAL, FEMALE										
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	-	-	-	-	-	0.0
1979.....	0.2	-	-	-	-	-	-	-	0.0	0.0
WHITE, BOTH SEXES										
BTB BTB BBTB BB										
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.4	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.0	0.0	0.0
1979.....	0.2	0.0	-	-	-	-	0.0	0.0	0.0	0.0

0 ANGINA PECTORIS (413)

[illegible]

PLATE 1 OF 2 PG. 233

0 ANGINA PECTORIS (413)

@ Tj T* (1996.....

1981.....	0.2	*	*	*	*	*	Tj	*
1980.....	0.2	-	-	-	-	-	-	-
1979.....	0.2	-	-	-	-	-	-	0.1

0 ANGINA PECTORIS (413)

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 235

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										

TOTAL, BOTH SEXES

1996.....	97.6	*	*	*	*	0.1	0.2	0.6	1.6	4.6
1995.....	98.8	*	*	*	*	B	0.2	0.7	1.7	4.6
1994.....	98.1	B	* B	* B	*	*	0.2	0.6	1.5	4.3
1993.....	100.3	*	B	*	*	B B	0.2	0.6	1.7	4.1 B
1992.....	96.6	*	*	* B	*	* B	*	0.2	0.6	1.5
1991.....	97.5	*	B	*	*	*	*	0.2	0.6	1.5
1990.....	98.8	B	B	* B	B	*	B	0.1	0.5	1.5
1989.....	99.9	*	B	*	*	B	* B	*	0.1 B	0.6
1988.....	105.2	*	B	* B	*	B B	*	0.1 B	0.6	1.7
1987.....	104.8	*	B	*	*	B	* B	*	0.2	0.5
1986.....	106.1	B	*	* B	*	*	*	B	0.2	0.6
1985.....	108.3	B	B	* B	B	*	* B	0.2	0.5	1.7
1984.....	109.1	B	*	B	B	*	*	B	0.2	0.6
1983.....	111.8	B	B	*	* B	*	B	*	0.1 B	0.5
1982.....	110.9	*	B	* B	*	*	B	*	0.1	0.6
1981.....	112.2	*	*	* B	*	B	* B	*	0.1	0.6
1980.....	115.1	0.3	B	0.0	0.0	0.0	0.1	0.2	0.5	1.7
1979.....	109.4	0.2	0.0	0.0	0.0	0.0	0.1	0.1 B	0.4	1.7

TOTAL, MALE

1996.....	98.1	B	*	* B	B	*	* B	0.3 B	0.9	2.6
1995.....	99.0	*	B	*	*	B	*	*	0.3 B	1.0
1994.....	98.4	*	B	*	*	B	*	* B	0.3	0.8
1993.....	100.6	B	B	* B	B	*	B	0.3	0.9	2.7
1992.....	97.7	B	B	* B	* B	*	B	0.3 B	0.8	2.4
1991.....	98.6	*	B	* B	* B	*	*	*	0.2	1.0
1990.....	99.6	*	B	* B	* B	*	*	* B	0.3 B	0.8
1989.....	100.5	*	*	* B	* B	*	B	*	* B	0.8
1987.....	105.9	*	B	*	* B	*	B	*	0.3 B	0.8
1986.....	107.5	*	B	* B	B	*	B	*	0.2	0.9
1985.....	110.2	*	B	*	*	B	* B	*	0.2	0.8
1984.....	110.4	*	B	*	*	B	* B	*	0.3 B	0.9
1983.....	113.5	*	B	*	*	B	*	* B	0.2	0.8
1982.....	113.3	B	* B	* B	B	*	B	* B	1.0	2.9
1981.....	114.7	*	*	* B	*	B	* B	*	* B	1.0
1980.....	117.2	0.3	0.0	0.0	0.0	0.0	0.1	0.2	0.8	2.8
1979.....	112.7	0.2	0.0	0.0	0.0	-	0.1	0.1	0.7	2.8

D 1988.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 236

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
0 OLD MYOCARDIAL INFARCTION B D OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
TOTAL, FEMALE											
1996.....	97.1	*	*	*	*	*	*	0.3	0.7	2.1	
1995.....	98.6	*	*	*	*	*	*	0.3	0.8	2.2	
1994.....	97.7	*	*	*	*	*	*	0.3	0.8	1.7	
1993.....	100.1	*	*	*	*	*	*	0.3	0.8	1.8	
1992.....	95.6	*	*	*	*	*	*	0.3	0.7	1.6	
1991.....	96.4	*	*	*	*	*	*	0.3	0.7	1.6	
1990.....	98.1	*	*	*	*	*	*	0.2	0.6	1.2	
1989.....	99.4	*	*	*	*	*	*	0.3	0.8	1.6	
1988.....	104.5	*	*	*	*	*	*	0.3	0.6	1.7	
1987.....	103.8	*	*	*	*	*	*	0.3	0.6	1.6	
1986.....	104.9	*	*	*	*	*	*	0.2	0.7	1.8	
1985.....	106.6	*	*	*	*	*	*	0.3	0.7	1.7	
1984.....	107.8	*	*	*	*	*	*	0.3	0.5	2.0	
1983.....	110.2	*	*	*	*	*	*	0.2	0.6	1.5	
1982.....	108.7	*	*	*	*	*	*	0.2	0.5	1.8	
1981.....	10ALE9	*	*	*	*	*	*	*	0.6	1.8	
1980.....	113.2	0.2	0.0	0.0	-	0.0	0.1	0.2	0.5	1.9	
1979.....	106.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.7	1.9	
WHITE, BOTH SEXES											
1996.....	106.5	*	*	*	*	*	*	0.5	1.6	4.2	
1995.....	107.5	*	*	*	*	*	0.1	0.6	1.6	4.4	
1994.....	106.8	*	*	*	*	*	0.2	0.5	1.4	3.9	
1993.....	109.2	*	*	*	*	*	0.2	0.6	1.7	3.8	
1992.....	105.1	*	*	*	*	*	0.2	0.5	1.4	3.8	
1991.....	105.9	*	*	*	*	*	0.2	0.6	1.3	4.1	
1990.....	107.3	*	*	*	*	*	0.5	1.4	3.7	
1989.....	108.3	*	*	*	*	*	*	0.5	1.5	3.9	
1988.....	113.8	*	*	*	*	*	*	0.5	1.5	4.4	
1987.....	113.3	*	*	*	*	*	0.2	0.5	1.6	4.4	
1986.....	114.5	*	*	*	*	*	0.2	0.5	1.6	4.7	
1985.....	116.7	*	*	*	*	*	0.5	1.5	4.6	
1984.....	117.5	*	*	*	*	*	0.2	0.5	1.4	5.0	
1983.....	120	YE	*	*	*	*	0.1	0.5	1.5	4.7	
1982.....	118.7	*	*	*	*	*	*	0.5	1.5	4.7	
1981.....	119.8	*	*	*	*	*	..1	0.4	1.3	4.7	
1980.6.....	122.4	0.2	0.0	0.0	0.0	0.0	0.1	0.4	1.4	4.6	
1979.....	116.3	0.1	0.0	0.0	0.0	0.10	0.0		1164	1.5	4.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
WHITE MALE										
1996.....	106.8	*	*	*	*	*	*	0.8	2.5	6.7
1995.....	107.2	*	*	* ELELE	*	0.8	2.5	6.7		
1994.....	106.9 ELE	*	* E	* ELE	*	0.7	2.2	6.4		
1993.....	109.1 ELE	*	* E	* ELE	*	0.9 E	2.5	6.1 E		
1992.....	106.1	* E	* ELE	*	*	* E	0.8	2.3	6.6.4i	1991.....
1990.....	107.7	* E	* E	* E	* E	* E	* E	0.7 E	2.2	6.4
1989.....	108.4	* ELE	*	*	*	* E	0.8	2.3	6.6	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 238

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
ALL OTHER, BOTH SEXES										
1996.....	54.6	*	*	*	*	*	*	0.8	1.8	6.1
1995.....	56.0	*	*	*	*	*	*	1.0	2.2	5.7
1994.....	54.7	*	*	*	*	*	*	0.8	1.8	6.4
1993.....	56.1	*	*	*	*	*	*	0.7	2.2	5.8
1992.....	53.7	*	*	*	*	*	*	0.7	2.1	5.3
1991.....	54.5	*	*	*	*	*	*	1.1	2.1	6.0
1990.....	54.8	*	*	*	*	*	*	0.6	2.2	5.9
1989.....	55.6	*	*	*	*	*	*	0.8	2.5	6.2
1988.....	59.0	*	*	*	*	*	*	0.9	2.4	6.3
1987.....	58.8	*	*	*	*	*	*	0.7	2.8	6.9
1986.....	59.6	*	*	*	*	*	*	0.9	2.9	7.2
1985.....	61.2	*	*	*	*	*	*	0.8	3.0	7.8
1984.....	61.2	*	*	*	*	*	*	0.7	2.4	7.8
1983.....	64.2	*	*	*	*	*	*	*	2.8	6.7
1982.....	65.1	*	*	*	*	*	*	1.1	2.9	8.2
1981.....	66.8	*	*	*	*	*	*	1.3	3.1	8.6
1980.....	70.2	0.3	0.0	-	-	0.1	0.3	0.9	3.1	8.9
1979.....	65.7	0.3	0.1	-	-	0.1	0.2	0.8	3.0	8.3
ALL OTHER MALE										
1996.....	54.7	*	*	*	*	*	*	1.2	2.9	8.7
1995.....	57.4	*	*	*	*	*	*	1.5	3.5	8.2
1994.....	55.4	*	*	*	*	*	*	1.2	2.4	9.9
1993.....	56.9	*	*	*	*	*	*	1.3	3.7	8.5
1992.....	54.1	*	*	*	*	*	*	1.2	3.2	7.8
1991.....	5XE	*	*	*	*	*	*	1.5	3.3	9.6
1990.....	55.9	*	*	*	*	*	*	*	3.6	9.8
1989.....	57.3	*	*	*	*	*	*	*	3.8	9.6
1988.....	61.6	*	*	*	*	*	*	1.5	4.2	9.6
1987.....	62.1	*	*	*	*	*	*	*	4.6	10.8
1986.....	62.1	*	*	*	*	*	*	1.4	4.2	11.0
1985.....	65.2	*	*	*	*	*	*	1.4	4.3	13.1
1984.....	64.4	*	*	*	*	*	*	*	3.9	12.1
1983.....	67.8	*	*	*	*	*	*	*	4.8	10.6
1982.....	70.0	*	*	*	*	*	*	1.8	4.5	13.9
1981....YEARS	71.0	*	*	*	*	*	*	2.2	5.1	14.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 239

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OLD MYOCARDIAL INFARCTION TAD OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)										
ALL OTHER FEMALE										
1996.....	54.5	*	*	*	*	*	*	*	*	3.7
1995.....	54.7	*	*	*	*	*	*	*	1.0	3.4
1994.....	54.2	*	*	* E G	* E G	*	1.2	3.3		
1993.....	55.5 E G	*	*	* E G	*	*	*	3.4		
1992.....	53.4 E G	*	*	* E G	*	*	1.0	3.1		
1991.....	53.2	* E	* E	* E	* E	* E	* E	* E	1.0	2.9
1990.....	53.8	* E	*	* E	* E	* E	* E G	*	2.5 E	
1989.....	54.1	* E	* E G	*	*	* E	* E	1.3	3.3	
1988.....	56.6	*	* E	* E	*	*	*	*	*	3.4
1987.....	55.9 E G	* E G	* E	* E	*	*	1.2	3.5 E		
1986.....	57.4	* E	* E	*	* E	* E	* E	* E	1.7	3.9
1985.....	57.5 E	* E	* E	*	* E	* E	*	*	1.9 E	3.3
1984.....	58.2	*	* E	* E	* E	* E	* E	*	* E	4.2
1983.....	61.0	* E	* E	* E	* E	*	*	* E G	3.4 E	
1982.....	60.6 E G	* E	* E	*	* E	* E	*	1.5 E	3.4 E	
1981.....	63.0	* E	*	* E	* E	*	*	*	1.4	3.7

RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE,		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
RACE, SEX, AND YEAR	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0	OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)									

BLACK MALE											
1996.....	62.0	*	*	*	*	*	*	*	*	3.6	10.1
1995.....	65.6	*	*	*	*	*	*	*	1.8	4.1	9.6
1994.....	62.7	*	*	*	TA	*	TA	*	2.8	11.3	
1993.....	65.2	*	*	*	*	*	*	*	*	4.4	9.9
1992.....	61.8	TA	*	*	*	TA	TA	*	1.5	3.6	9.7
1991.....	64.5	*	*	*	*	*	*	*	1.9	4.0	11.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 241

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										

TOTAL, BOTH SEXES

1996.....	6.5	*	*	*	*	*	*	0.2	0.3	0.5
1995.....	6.2	*	*	*	*	*	0.1	0.2	0.3	0.6
1994.....	5.9	*	*	*	*	*	0.2	0.1	0.3	0.6
1993.....	5.9	*	*	*	*	*	*	0.2	0.4	0.6
1992.....	5.6	*	*	*	*	*	0.1	0.2	0.2	0.5
1991.....	5.4	0.5	*	*	*	*	0.2	0.2	0.3	0.6
1990.....	5.2	*	*	*	*	*	0.1	0.2	0.4	0.4
1989.....	4.9	*	*	*	*	*	0.1	0.3	0.5	0.6
1988.....	4.8	*	*	*	*	*	*	0.2	0.4	0.6
1987.....	4.5	*	*	*	*	*	0.1	0.3	0.3	0.6
1986.....	4.2	*	*	*	*	*	0.1	0.2	0.3	0.5
1985.....	4.0	0.7	*	*	*	*	0.2	0.3	0.4	0.6
1984.....	3.7	*	*	*	*	0.1	0.1	0.2	0.3	0.5
1983.....	3.6	0.7	*	*	*	*	0.1	0.2	0.3	0.4
1982.....	3.4	*	*	*	*	*	0.1	0.2	0.3	0.5
1981.....	3.2	*	*	*	*	*	0.1	0.2	0.3	0.4
1980.....	3.2	0.2	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.5
1979.....	2.9	0.4	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.4

TOTAL, MALE

1996.....	5.3	*	*	*	*	*	*	0.2	0.3	0.7
1995.....	5.1	*	*	*	*	*	*	0.2	0.3	0.8
1994.....	4.9	*	*	*	*	*	*	*	0.4	0.8
1993.....	4.9	*	*	*	*	*	*	0.3	0.4	0.8
1992.....	4.9	*	*	*	*	*	*	*	0.4	0.6
1991.....	4.7	*	*	*	*	*	*	0.3	0.5	0.7
1990.....	4.5	*	*	*	*	*	*	0.2	0.	

4.5

4.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 242

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										

TOTAL, FEMALE										
1996.....	7.6	*	*	*	*	*	*	*	0.3	0.4
1995.....	7.2 F0F0F	*	*	*	*	*	0.3	0.4		
1994.....	6.9	* F	* F0F	*	* F	* F0F	0.2 F	0.4		
1993.....	6.8	* F	* F0F	*	*	*	*	0.3	0.4	
1992.....	6.4	*	* F	*	* F	* F0F	*	* F	0.3	
1991.....	6.1 F0F	*	* F	* F0F	*	0.2 F	0.2	0.4		
1990.....	5.9 F0F	*	* F	* F0F	* F0F	0.3	0.3			
1989.....	5.4	* F	* F	* F	* F	* F	* F	0.2	0.3	0.3
1988.....	5.2 F	* F	* F	* F	* F	* F	*	0.2 F	0.3	0.4
1987.....	4.8	* F	*	* F	* F	* F	* F	0.3	* F	0.4
1986.....	4.5	* F	*	*	* F	*	* F	0.3	* F	0.4
1985.....	4.2 F	* F	* F	* F	* F	* F	* F	* F	0.3	0.4
1984.....	3.8	* F	* F	*	* F	* F	* F	*	*	0.2
1983.....	3.6	* F	* F	* F	*	*	* F	*	*	0.4
1982.....	3.4	* F	*	* F	*	* F	* F0F	* F	0.3	
1981.....	3.1 F	* F	*	* F	* F	* F	* F0F	0.2	0.4	
1980.....	3.0	0.2 F	0.0	0.0	-	0.1 F	0.2 F	0.2	0.2	0.3
1979.....	2.7	0.1 F	0.1 F	0.0	0.0	0.0	0.1	0.1	0.2	0.3
WHITE, BOTH SEXES										
1996.....	7.2	* F	*	* F	* F	* F	*	0.2	0.3	0.4
1995.....	6.9 F	* F	* F	* F	* F	* F	*	0.2	0.3	0.5
1994.....	6.6	* F	*	* F	*	* F	0.1	* F	0.3	0.5
1993.....	6.5	* F	*	*	*	* F	*	0.2	0.3	0.5
1992.....	6.2 F	* F	* F	* F	* F	* F	* F	0.1 F	0.2 F	0.3
1991.....	6.0	*	* F	*	*	* F	0.1 F	0.2	0.3	0.5
1990.....	5.7 F0F	* F	* F	*	* F	* F	0.2	0.3	0.3	
1989.....	5.4	* F	* F	* F	* F0F	0.1 F	0.2	0.4	0.6	
1988.....	5.2	*	* F	* F	*	* F	* F	0.2 F	0.3	0.4
1987.....	4.9 F	* F	*	* F	* F0F	0.1	0.2 F	0.3		
1986.....	4.6	* F	* F	* F	*	*	*	0.2	0.2	0.3
1985.....	4.3	0.7 F	* F	* F	* F	* F	0.1 F	0.2 F	0.3	0.4
1984.....	3.9 F0F	* F	* F	* F	* F	*	0.2	0.3	0.4	
1983.....	3.8	0.7 F	* F	*	* F	* F	*	0.2 F	0.2 F	0.4
1982.....	3.6 F0F	* F	*	*	*	0.1	0.2	0.2	0.5	
1981.....	3.4	* F	* F	* F	* F	* F	* F	0.2	0.2	0.4
1980.....	3.3	0.3	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.4
1979.....	3.0	0.4	0.0	0.0	0.0	0.1 F	0.1 F	0.2	0.3	0.4

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

WH. E MALE

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

ALL OTHER, BOTH SEXES

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 245

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
ALL OTHER FEMALE										
1996.....	3.0	*	*	*	*	*	*	*	*	1.2
1995.....	3.0	*	*	*	*	*	*	*	*	*
1994.....	2.6	*	*	*	*	*	*	*	*	*
1993.....	3.1	*	*	*	*	*	*	*	*	*
1992.....	2.6	*	*	*	*	*	*	*	*	*
1991.....	2.4	*	*	*	*	*	*	*	*	*
1990.....	2.8	*	*	*	*	*	*	*	*	*
1989.....	2.5	*	*	*	*	*	*	*	*	*
1988.....	2.7	*	*	*	*	*	*	*	*	*
1987.....	2.6	*	*	*	*	*	*	*	*	*
1986.....	2.3	*	*	*	*	*	*	*	*	*
1985.....	2.3	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	1.9	*	*	*	*	*	*	*	*	*
1982.....	2.1	*	*	*	*	*	*	*	*	*
1981.....	1.9	*	*	*	*	*	*	*	*	*
1980.....	1.8	-	-	-	-	0.2	0.4	0.7	0.1	0.8
1979.....	1.9	-	0.2	0.1	0.1	0.1	-	0.2	0.3	0.5
BLACK, BOTH SEXES										
1996.....	3.2	*	*	*	*	*	*	*	*	1.5
1995.....	3.1	*	*	*	*	*	*	*	*	1.0
1994.....	2.9	*	*	*	*	*	*	*	*	1.4
1993.....	3.1	*	*	*	*	*	*	*	0.7	1.4
1992.....	3.1	*	*	*	*	*	*	*	*	1.2
1991.....	2.8	*	*	*	*	*	*	*	0.7	1.3
1990.....	3.0	*	*	*	*	*	*	*	0.8	1.2
1989.....	2.9	*	*	*	*	*	*	*	1.0	1.1
1988.....	3.0	*	*	*	*	*	*	*	0.8	1.9
1987.....	3.0	*	*	*	*	*	*	*	0.8	2.0
1986.....	2.6	*	*	*	*	*	*	*	*	1.4
1985.....	2.8	*	*	*	*	*	*	*	1.2	1.5
1984.....	2.5	*	*	*	*	*	*	*	*	1.1
1983.....	2.2	*	*	*	*	*	*	*	*	*
1982.....	2.4	*	*	*	*	*	*	*	*	*
1981.....	2.3	*	*	*	*	*	*	*	*	*
1980.....	2.2	-	-	-	-	0.3	0.3	0.6	0.5	1.2
1979.....	2.2	0.4	0.2	0.0	0.1	0.1	0.3	0.4	0.4	0.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 246

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)										
BLACK MALE										
1996.....	3.0	*	*	*	*	*	*	*	*	*
1995.....	2.8	*	*	*	*	*	*	*	*	*
1994.....	2.8	*	*	*	*	*	*	*	*	2.3
1993.....	2.360	*	*	*	*	* 0	*	1.8		
1992.....	3.1 0	*	*	* 0	*	*	*	*		
1991.....	2.7	*	* 0	*	*	*	* 0	1.9		
1990.....	2.9	*	*	*	* 0	* 0	* 0	1.8		
1989.....	2.8	*	*	*	*	*	*	*	1.360	*
1988.....	3.0	*	* 0	*	* 0	*	* 0	*	*	2.5
1987.....	3.0 0	* 0	*	*	*	*	*	*	3.1	
1986.....	2.360	*	* 0	*	* 0	*	* 0	*	*	* 0
1985.....	2.9	*	*	*	* 0	*	* 0	* 0	*	
1984.....	2.6	*	* 0	*	*	*	* 0	*	*	*
1983.....	2.3 0	* 0	*	*	* 0	*	* 0	*	* 0	
1982.....	2.5 0	* 0	* 0	*	*	* 0	* 0	* 0	*	
1981.....	2.5	*	* 0	*	* 0	* 0	* 0	*	* 0	* 0
1980.....	2.5 0	-	-	-	-	0.4	0.3 0	0.360	1.0 0	1.4
1979.....	2.4	0.8	0.1 0	-	0.1	0.1	0.5 0	0.7	0.360	1.2
BLACK FEMALE										
1996.....	3.5 0	*	*	* 0	*	* 0	* 0	* 0	1.3	
1995.....	3.4	* 0	* 0	* 0	* 0	*	* 0	*	*	*
1994.....	3.0 0	*	* 0	*	* 0	*	* 0	*	* 0	*
1993.....	3.360	* 0	*	* 0	*	*	* 0	* 0	*	*
1992.....	3.1 0	*	* 0	*	* 0	* 0	* 0	* 0	*	
1991.....	2.8	*	*	*	* 0	* 0	* 0	* 0	*	
1990.....	3.2	*	* 0	*	* 0	*	* 0	*	*	*
1989.....	2.9	*	* 0	*	*	*	* 0	* 0	* 0	*
1988.....	3.0 0	*	* 0	*	* 0	* 0	* 0	*	* 0	* 0
1987.....	3.1	*	* 0	* 0	*	*	* 0	* 0	*	*
1986.....	2.3	*	* 0	*	* 0	* 0	* 0	* 0	*	
1985.....	2.7	*	* 0	*	*	* 0	* 0	* 0	*	
1984.....	2.4	* 0	* 0	* 0	*	*	* 0	* 0	* 0	
1983.....	2.1 0	*	* 0	*	* 0	*	*	*	* 0	* 0
1982.....	2.3 0	*	* 0	*	* 0	* 0	* 0	*	* 0	* 0
1981.....	2.1 0	*	*	*	* 0	* 0	* 0	*	* 0	* 0
1981991.....	2.0	-	-	-	-	0.2	0.3 0	0.6	0.1 0	1.0 0
1979.....	2.1 0	-	0.2	0.1 0	0.1	0.1	-	0.2	0.3 0	0.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 247

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
TOTAL, BOTH SEXES										
1996.....	77.8	15.5	1.3	0.6	1.0	1.8	2.5	3.7	5.7	8.7
1995.....	78.9	16.1	1.5	0.6	0.8	1.9	2.8	3.7	6.0	9.5
1994.....	78.2	15.7	1.7	0.6	0.9	1.8	2.5	4.1	5.7	9.7
1993.....	80.3	15.7	1.7	0.7	0.8	1.7	2.5	3.7	5.7	9.4
1992.....	75.8	17.0	1.7	0.6	0.7	1.6	2.6	3.6	5.6	8.8
1991.....	76.1	16.3	2.0	0.6	0.8	1.8	2.5	3.5	5.4	8.7
1990.....	75.8	18.8	1.8	0.6	0.9	1.6	2.2	3.3	5.2	8.4
1989.....	78.7	18.6	1.8	0.6	0.9	1.6	2.3	3.4	5.4	8.8
1988.....	87.6	21.8	2.3	0.8	0.9	1.8	2.6	3.6	5.7	9.3
1987.....	85.7	24.3	2.0	0.8	1.0	1.8	2.5	3.6	5.9	8.9
1986.....	85.4	25.4	2.4	0.8	0.9	1.7	2.6	3.7	5.9	9.0
1985.....	81.8	23.6	2.0	0.7	0.9	1.8	2.3	3.3	5.2	8.7
1984.....	78.3	25.1	2.2	0.7	0.8	1.5	2.5	3.3	5.5	8.4
1983.....	76.4	24.3	2.2	0.7	0.8	1.7	2.4	3.3	5.3	8.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 248

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
TOTAL, FEMALE										
1996.....	80.3	14.6	1.3	0.7	0.8	1.5	1.9	2.8	4.1	5.7
1995.....	81.3	15.7	1.4	0.5	0.7	1.4	2.1	2.8	3.9	6.1
1994.....	80.2	15.7	1.6	0.6	0.8	1.2	1.9	3.3	4.3	6.7
1993.....	82.3	14.2	1.6	0.8	0.8	1.2	2.1	2.8	4.1	6.4
1992.....	77.0	16.4	1.7	0.5	0.7	0.9 /2.0	2.8	3.9	5.6	
1991.....	77.0	14.3	1.9 /	0.6	0.7	1.2	1.9 /	2.5	3.9	5.5
1990.....	76.4	16.9	1.8	0.5	0.8	1.0	1.8	2.4	3.7	5.1
1989.....	79.5	17.4	1.6	0.6	0.9 /	1.2	1.7	2.6	3.6	5.6
1988.....	87.9	19.7	2.3	0.7	0.7	1.2	2.1	2.8	3.5	5.8
1987.....	86.1	21.1	2.0	0.6	0.9	1.4	1.8	2.9	0	5.4
1986.....	85.0	22.4	2.4	0.8	0.8	1.2	2.0	2.9	.1	5.5
1985.....	81.2	20.7 /2.1	0.8	1.0	1.3	1.7	2.5	3.5	5.5	
1984.....	77.1	23.3	2.1	0.8	0.9	1.2	1.9	2.5	3.7	5.5
1983.....	74.9	22.2	2.1	0.6	0.7	1.3	1.9	2.4	3.9 /	5.3
1982.....	69.4	16.6	1.8	0.8	1.0	1.1	2.0	2.6	3.5	5.5
1981.....	67.6	18.6	2.4	0.6	0.6	1.2	1.8	1.2	3.8	5.8
1980.....	66.4	19.0	2.3	0.8	0.8	1.5	1.7	2.6	3.8	5.6
1979.....	60.9 /	16.3	1.9	0.7 /	0.8	1.1	1.9	2.6	3.5	5.8
WHITE, BOTH SEXES										
1996.....	79.9	12.9	1.0	0.6	0.7	1.4	1.9	3.0	4.4	7.1
1995.....	80.198214.1	1.2	0.6	0.6	1.4	2.0	2.8	4.7	7.6	
1994.....	80.1	13.6	1.2	0.5	0.8	1.5	1.9	3.2	4.3	7.8
1993.....	81.7	12.6	1.4	0.5	0.8	1.5	2.0	2.8	4.5	7.3
1992.....	76.8	14.3	1.3	0.5	0.6	1.3	2.0	2.7	4.3	6.8
1991.....	77.0	13.9	1.6	0.5	0.7 /	1.6	1.9	2.7	4.2	6.6
1990.....	76.3	14.7	1.4	0.6	0.8	1.4	1.7	2.6	3.9	6.4
1989.....	+8.8	15.6	1.4	0.5	0.7	1.4	1.9	2.7	4.1	6.7
1988.....	88.1	18.4	1.9	0.7	0.9 /	1.5	2.2	2.8	4.4	+1.1
1987.....	86.1	21.3	1.5	0.7	0.8	1.6	2.0	2.9	.3	6.7
1986.....	85.5	21.9	2.0	0.7 /	0.8	1.6	2.1	2.9	4.2	6.9
1985.....	82.0	20.0	1.5	0.7	0.7	1.5	1.9 /	2.6	3.8	6.7
1984.... Tw	78.4	21.8	1.9	0.7	0.8	1.3	2.0	2.5	4.2	6.4
1983.... Tw	76.2	20.1	1.9 /	0.6	0.7	1.4	1.9	2.6	4.0	6.2
1982.....	+0.9	16.8	1.7	0.7	0.8	1.4	2.1	2.6	3.6	6.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 249

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
WHITE MALE										
1996.....	75.9	13.4	1.1	0.5	0.8	1.7	2.3	3.9	5.9	10.1
1995.....	76.8	14.6	1.2	0.6	0.6	1.9	2.5	3.5	6.4	10.6
1994.....	76.7	14.7	1.3	0.5	0.8	2.0	2.4	3.7	5.4	10.5
1993.....	78.1	14.5	1.6	0.4	0.8	1.9	2.4	3.4	5.7	9.9
1992.....	74.1	15.2	1.2	0.6	0.6	1.8	2.4	3.2	5.8	9.5
1991.....	74.7	15.8	1.6	0.5	0.7	2.0	2.4	3.5	5.4	9.0
1990.....	74.4	16.3	1.4	0.7	1.0	1.9	2.1	3.1	5.2	9.0
1989.....	76.6	17.3	1.5	0.5	0.8	1.7	2.4	3.5	5.5	9.3
1988.....	86.3	20.5	1.8	0.7	1.1	2.1	2.6	3.5	6.2	10.1
1987.....	84.3	24.0	1.5	0.9	0.8	1.9	2.5	3.5	5.9	9.3
1986.....	84.6	25.0	2.0	0.7	0.8	2.1	2.6	3.5	5.6	10.0
1985.....	81.2	22.5	1.5	0.6	0.7	1.9	2.6	3.2	4.8	9.4
1984.....	78.5	23.8	1.9	0.6	0.7	1.6	2.4	3.0	5.6	8.9
1983.....	76.7	21.9	1.9	0.6	0.8	1.7	2.4	3.2	5.0	8.7
1982.....	71.4	20.0	1.8	0.7	0.8	1.9	2.5	3.1	4.6	8.6
1981.....	70.6	18.1	2.0	0.6	0.8	1.6	2.3	3.1	4.8	8.8
1985.....	69.1	21.0	2.0	0.6	0.9	1.8	2.5	3.2	4.2	8.0
1979.....	64.8	17.7	1.7	0.6	0.7	1.5	2.5	3.0	4.3	7.9
WHITE FEMALE										
1996.....	83.9	12.3	0.8	0.6	0.7	1.1	1.5	2.0	2.8	4.1
1995.....	84.6	13.6	1.1	0.5	0.6	0.9	1.5	2.1	3.0	4.5
1994.....	83.3	12.5	1.2	0.5	0.8	1.0	1.4	2.5	3.1	5.1
1993.....	85.1	10.6	1.2	0.7	0.7	1.0	1.6	2.1	3.3	4.7
1992.....	79.4	13.4	1.4	0.3	0.6	0.8	1.6	2.1	2.8	4.0
1991.....	79.2	11.9	1.6	0.5	0.6	1.0	1.5	1.9	3.0	4.1
1995.....	78.1	13.1	1.4	0.5	0.6	0.9	1.3	2.0	2.6	3.7
1989.....	81.0	13.8	1.2	0.5	0.6	1.0	1.4	1.8	2.7	4.1
1988.....	89.8	16.2	2.0	0.7	0.6	0.9	1.7	2.0	2.6	4.1
1987.....	87.7	18.6	1.6	0.5	0.8	1.2	1.4	2.2	2.8	4.1
1986.....	86.4	18.7	2.0	0.7	0.7	1.0	1.6	2.2	2.9	3.9
1985.....	82.6	17.4	1.6	0.8	0.8	1.1	1.3	1.9	2.7	4.1
1984.....	78.3	19.7	1.8	0.7	0.8	1.0	1.6	2.0	2.7	3.9
1983.....	75.8	18.2	1.8	0.5	0.7	1.1	1.4	1.9	3.0	3.8
1982.....	70.4	13.5	1.5	0.6	0.9	1.0	1.6	2.1	2.7	4.0
1981.....	68.3	16.6	2.1	0.7	0.5	1.0	1.5	1.9	3.1	4.2
1985.....	66.5	14.6	1.9	0.6	0.7	1.2	1.3	1.9	2.8	4.2
1979.....	61.0	12.4	1.6	0.6	0.7	1.0	1.5	2.0	2.7	4.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 250

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
ALL OTHER, BOTH SEXES										
1996.....	67.4	26.1	2.4	0.8	1.8	3.3	4.7	6.8	11.7	16.5
1995.....	69.9	23.5	2.8	0.9	1.4	3.5	5.8	7.4	11.7	19.2
1994.....	69.2	27.9	3.3	0.8	1.2	3.1	4.8	8.0	12.3	19.3
1993.....	73.3	27.1	3.1	1.1	1.1	2.8	4.8	7.9	11.3	19.5
1992.....	70.4	27.3	3.2	1.0	1.3	3.0	4.9	7.6	11.7	19.1
1991.....	71.7	24.6	3.7	1.0	1.2	2.6	4.8	7.0	11.6	19.8
1990.....	72.9	34.4	3.2	0.7	1.4	2.5	4.5	6.6	11.9	18.8
1989.....	77.9	30.1	3.5	1.0	1.6	2.6	4.4	6.9	11.8	20.0
1988.....	84.8	35.2	3.7	1.0	1.2	3.0	4.7	7.9	12.4	21.2
1987.....	83.8	36.7	4.0	1.0	1.6	2.9	4.6	7.4	14.1	21.0
1986.....	85.0	40.2	4.4	1.2	1.3	2.4	5.0	7.9	14.9	21.0
1985.....	80.8	39.0	4.1	1.0	1.7	3.2	4.3	7.2	12.7	20.2
1984.....	77.6	39.8	3.8	1.0	1.3	2.6	5.0	7.6	12.7	20.7
1983.....	77.5	42.8	3.8	1.0	1.0	3.2	4.7	7.5	12.2	20.7
1982.....	70.8	31.8	3.6	1.1	1.2.....4		4.5	6.4	10.8	19.7
1981.....	71.0	31.2.	3.9	0.7	1.4	2.6	4.8	8.0	11.3	21.4
1980.....	74.1	38.7	4.7	1.1	1.2	3.4	5.2	7.9	13.0	24.1
1979.....	68.6	37.4	3.6	0.6	1.2.	2.2	4.7	7.2	10.3	21.4
ALL OTHER MALE										
1996.....	71.3	28.8.....0		*	2.3	3.7	6.1	7.9	13.8	20.6
1995.....	74.8	23.7	3.0	1.1	1.6	4.0	7.0	9.1	16.3	25.3
1994.....	73.7	28.5	3.3	*	1.7	3.8	6.2	9.9	15.4	25.1
1993.....	78.6	26.9	3.1	1.1	1.0	3.5	5.7	10.3	14.8	25.0
1992.....	76.1	27.0	3.6	*	1.5	4.6	5.9	9.6	14.8	25.9
1991.....	78.0	26.7	4.1	*	1.4	3.2	6.1	9.4	15.2	28.6
1990.....	78.9	37.4	3.4	*	1.2	3.3	5.0	8.7	15.2	26.4
1989.....	84.5	29.0	4.0	*	*.....9		5.7	7.9	16.5	27.9
1988.....	92.4	36.7	4.0	1.2.	1.5	3.9	5.6	9.5	17.5	28.9
1987.....	91.2	42.0	4.1	*	1.9	3.4	5.9	8.9	18.8.	31.1
1986.....	93.7	42.5	4.7	*	1.4	2.9	6.1	9.8	20.2	29.1
1985.....	89.0	42.9	3.7	*	1.7	4.0	4.8	9.3	18.6	28.7
1984.....	85.6	40.9	4.0	*	1.2	3.1	6.6	10.1	17.8	28.2
1983.....	85.6	45.9	4.4	*	1.3	3.9	5.3	10.0	16.0	28.2
1982.....	79.1	33.2	3.9	*	*	3.0	4.7	8.1	13.9	26.0
1981.....	79.5	35.1	4.0	*	1.5	2.8	5.9	10.6	15.1	28.6
1980.....	83.5	38.5	5.5	0.9	1.3	4.0	6.8	10.0	16.8	35.4
1979.....	77.8	40.3	3.8	0.3	1.1	2.7	5.4	8.7	12.6	26.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 251

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
ALL OTHER FEMALE										
1996.....	63.7	23.4	2.9	*	1.2	2.9	3.4	5.8	9.7	12.8
1995.....	65.4	23.4	2.6	*	1.3	3.0	4.5	5.8	7.5	13.7
1994.....	65.1	27.2	3.3	*	*	2.3	3.5	6.2	9.5	14.0
1993.....	68.5	27.3	3.0	1.1	1.2	2.0	3.8	5.7	8.1	14.5
1992.....	65.2	27.7	2.7	1.1	*	1.5	3.9	5.8	8.8	13.0
1991.....	65.8	22.5	3.2	*	*	2.0	3.5	4.8	8.4	12.1
1990.....	67.4	31.4	3.1	*	1.6	1.6	4.1	4.7	8.9	12.1
1989.....	71.9	31.2	3.0	*	2.1	2.3	3.1	6.1	7.7	13.1
1988.....	77.9	33.8	3.3	*	*	2.1	3.8	6.4	7.9	14.4
1987.....	77.0	31.3	3.8	1.4	*	2.4	3.4	6.0	9.9	12.3
1986.....	77.1	37.9	4.2	1.3	*	2.0	4.0	6.3	10.3	14.0
1985.....	73.3	35.0	4.5	*	1.8	2.3	3.7	5.4	7.4	13.0
1984.....	70.3	38.7	3.7	*	1.3	2.1	3.6	5.2	8.3	14.4
1983.....	70.1	39.6	3.2	*	*	2.5	4.2	5.2	8.8	14.3
1982.....	63.3	30.2	3.2	*	1.3	1.7	4.2	5.0	8.1	14.3
1981.....	63.3	27.2	3.8	*	1.3	2.4	3.8	5.8	8.0	15.3
1980.....	65.7	39.0	4.0	1.4	1.2	2.8	3.7	6.1	9.6	4.5
1979.....	60.3	34.6	3.5	0.8	1.4	1.6	4.2	6.0	8.3	16.9
BLACK, BOTH SEXES										
1996.....	82.5	31.3	2.7	0.9	2.0	4.0	5.9	9.0	14.9	20.9
1995.....	85.5	27.2	3.4	1.0	1.7	4.3	7.0	9.2	15.0	24.0
1994.....	84.5	32.5	4.0	0.9	1.4	3.6	5.6	0.2	15.6	24.5
1993.....	89.5	30.6	3.2	1.2	1.3	3.2	5.9	9.7	14.2	25.0
1992.....	86.0	32.4	3.7	1.0	1.4	3.6	5.8	9.6	14.6	24.0
1991.....	87.5	29.6	4.3	1.1	1.5	3.0	5.6	8.6	14.7	25.0
1990.....	88.0	38.4	3.7	0.7	1.5	2.9	5.5	8.0	15.1	23.4
1989.....	94.3	34.3	3.9	1.1	1.6	3.0	5.4	8.4	15.1	25.7
1988.....	102.4	39.9	4.2	1.1	1.4	3.7	5.8	9.6	15.6	26.6
1987.....	100.4	39.8	4.5	1.0	1.9	3.5	5.5	8.6	17.7	26.2
1986.....	101.4	46.3	5.0	1.3	1.5	2.8	5.9	9.6	18.7	26.4
1985.....	95.3	43.0	4.7	1.1	1.9	3.7	4.9	8.7	15.5	24.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 252

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)										
BLACK MALE										
1996.....	86.9	35.1	2.3	*	2.6	4.5	7.8	10.2	17.3	25.8
1995.....	91.6	28.3	3.8	*	2.0	4.9	8.3	11.4	21.1	31.5
1994.....	89.4	32.8	3.9	*	1.9	4.4	7.2	12.1	19.5	32.7
1993.....	95.6	28.3	3.1	*	*	4.0	7.1	12.5	18.5	31.9
1992.....	92.8	33.3	4.3	*	1.8	5.4	6.9	12.0	18.8	33.3
1991.....	95.0	31.2	4.8	*	1.7	3.7	7.5	11.7	19.2	36.1
1990.....	95.1	41.9	4.0	*	*	3.8	5.9	10.4	19.2	32.5
1989.....	102.0	31.7	4.36UPUPU	3.5	7.0	9.7	21.2	36.2		
1988.....	111.6	41.1	4.4	1.5	1.8	4.6	7.0	12.1	22.2	36.4
1987.....	108.9	44.9	5.0	*	2.4	4.0	7.1	10.0	23.5	38.5
1986.....	111.8	49.36U	5.3 UPU	1.36U	3.4	7.0	11.7	25.2	36.9	
1985.....	105.2	47.1	4.2	*	1.9	4.7	5.36U	11.0	23.1	36.1
1984.....	100.4	47.2	4.4	*	*	3.36U	7.1	11.9	21.2	35.4
1983.....	99.5	52.4	4.8	*	*	4.4	6.1	11.1	19.3	34.9
1982.....	91.8	36.3 U	4.1	* UPU	3.3 U	5.5	9.4	17.1	32.3	
1981.....	91.9	38.1	4.3	* U	1.8	3.2	7.0	12.36U	18.2	35.1
1980.....	94.36U	42.4	6.0	1.0	1.5	4.1	7.3	11.4	20.5	41.5
1979.....	87.0	40.8	4.1	0.4	1.2	3.1	5.9	9.8	14.5	29.8
BLACK FEMALE										
1996.....	78.36U	27.4	3.0	*	1.4	3.5	4.1	7.9	12.7	16.5
1995.....	79.9	26.1	2.9	* U	1.4	3.7	5.8	7.2	9.7	17.3
1994.....	80.1	32.1	4.1	*	*	2.7	4.4	8.4	12.2	17.3
1993.....	84.1	33.0	3.4	*	*	2.4	4.8	7.2	10.5	18.9
1992.....	79.9	31.6	3.0	* UPU	1.8	4.8	7.5	11.0	15.9	
1991.....	80.6	28.4	3.8	*	*	2.3	4.3.9	.8	10.7	15.4
1990.....	81.7	34.8	3.4	*	1.3	2.1	5.0.9	.8	11.5	15.3
1989.....	87.3	36.9	3.2	*	2.1	2.5	3.9	7.2	9.8	16.7
1988.....	94.1	38.5	3.9	*	* U	2.7	4.7	7.7	9.9	18.2
1987.....	92.8	34.5	4.0	*	*	3.0	3.9	7.4	12.6	15.7
1986.....	92.1	42.9	4.7	*	*	2.2	4 (7.36U	13.0	17.5	
1985.....	86.5	38.7	5.2	*	1.9	2.3	4.3	6.7	9.0	15.4
1984.....	82.9	44.5	4.1	*	*	2.4	4.1	6.2	10.4	17.5
1983.....	82.0	45.1	3.5	*	*	2.9	4.3	6.3	11.2	18.1
1982.....	73.5	31.9	3.7	*	*	1.36U	4.9	5.8	10.0	17.5
1981.....	73.2	29.3	3.8	*	*	2.5	4.4	6.9	9.4	18.4
1980.....	75.0.	42.9	4.2	1.36U	0.9	3.1	4.0	7.2	11.9	17.5
1979.....	67.4	36.7	3.36U	1.0	1.3 U	1.7	4.5	6.4	9.7	19.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 253

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)										
TOTAL, BOTH SEXES										
1996.....	4.9	*	*	*	*	*	*	*	0.2	0.3
1995.....	4.8	*	*	*	*	*	*	0.1	0.2	0.4
1994.....D	4.5	*	*	*	*	*	*	0.1	0.2	0.4
1993.....DD	4.4	*	*	*	*	*	*	0.1	0.2	0.5
1992.....DD.....	4.0	*	*	*	*	*	*	0.1	0.2	0.3
1991.....DD.....	3.8	*	*	*	*	*	*	0.1	0.1	0.4
1990.....DD.....	3.7	*	*	*	*	*	*	*	0.2	0.4
1989.....DD.....	3.6	*	*	*	*	*	*	0.1	0.2	0.4
1988.....DD.....	3.5	*	*	*	*	*	*	0.1	0.2	0.4
1987.....DD.....	3.4	*	*	*	*	*	*	*	0.1	0.3
1986.....DD.....	3.3	*	*	*	*	*	*	0.1	0.2	0.3
1985.....DD.....	3.3	*	*	*	*	*	*	*	0.1	0.3
1984.....DD.....	3.3	*	*	*	*	*	*	*	0.2	0.2
1983.....DD.....	3.3	*	*	*	*	*	*	*	0.1	0.3
1982.....DD.....	3.3	*	*	*	*	*	*	*	0.2	0.3
1981.....DD.....	3.3	*	*	*	*	*	*	0.1	0.2	0.3
1980.....DD.....	3.5	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4
1979.....DD.....	3.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4
TOTAL, MALE										
1996.....DD.....	4.0	*	*	*	*	*	*	*	0.2	0.4
1995.....DD.....	3.9	*	*	*	*	*	*	*	0.3	0.5
1994.....DD.....	3.8	*	*	*	*	*	*	*	0.2	0.5
1993.....DD.....	3.6	*	*	*	*	*	*	*	0.2	0.6
1992.....DD.....	3.4	*	*	*	*	*	0	*	0.3	0.3
1991.....DD.....	3.2	*	0.5	*	*	*	0	0.2	0.4	
1990.....DD.....	3.2	*	*	0	*	*	*	*	0.2	0.5
1989.....DD.....	3.1	*	0	*	*	*	*	0.2	0.3	0.5
1988.....DD.....	3.0	*	*	0.5	0	0.5	0 0.2	0.4		
1987.....DD.....	3.0	*	*	0	*	0	*	0	0	0.4
1986.....DD.....	2.9	*	*	*	*	*	*	0	*	0.3
1985.....DD.....	2.9	*	*	0	*	0	*	0	0.5	0 0.4
1984.....DD.....	3.0	0.5	0	*	0	*	*	0.3	0.3	
1983.....DD.....	3.1	*	0	*	*	*	*	0.5	0 0.2	0.4
1982.....DD.....	3.0	*	*	0	0	*	*	0	0	0.3
1981.....DD.....	3.1	0.5	0	*	0	*	0	*	0	0.4
1980.....DD.....	3.3	0.2	-	0.0	0.0	0.0	0.1	0.1	0.3	0.5
1979.....DD.....	3.1	0.2	0.0	0.0	-	-	0.1	0.2	0.2	0.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 255

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)										

WHITE MALE

1996.....	3.5	*	*	*	*	*	*	*	*	0.3
1995.....	3.5	*	*	*	*	*	*	*	*	0.2
1994..... B	3.3	*	*	*	*	*	*	*	*	*
1993..... F2	*	*	*	*	*	*	*	*	0.4	
1992.....	3.1	*	*	*	*	*	*	*	*	0.2
1991.....	2.8	*	*	*	*	*	*	*	*	*
1990.....	2.8	*	*	*	*	*	*	*	*	0.2
1989.....	2.8	*	*	*	*	*	*	*	*	0.3
1988.....	2.7	*	*	*	*	*	*	*	*	0.3
1987.....	2.7	*	*	*	*	*	*	*	*	*
1986.....	2.7	*	*	*	*	*	*	*	*	*
1985.....	2.6	*	*	*	*	*	*	*	*	*
1984.....	2.7	*	*	*	*	*	*	*	*	*
1983.....	2.8	*	*	*	*	*	*	*	*	*
1982.....	2.8	*	*	*	*	*	*	*	*	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	3.0	0.2	-	0.0	0.0	0.0	0.0	0.1	0.2	0.3
19RA.....	2.8	0.1	-	0.0	-	-	0.1	0.1	0.1	0.3

WHITE FEMALE

1996.....	5.4	*	*	*	*	*	*	*	*	*
1995.....	5.2	*	*	*	*	*	*	*	*	*
1994.....	4.9	*	*	*	*	*	*	*	*	*
1993.....	4.6	*	*	*	*	*	*	*	*	*
1992.....	4.2	*	*	*	*	*	*	*	*	*
1991.....	3.9	*	*	*	*	*	*	*	*	*
1990.....	3.8	*	*	*	*	*	*	*	*	*
1989.....	3.6	*	*	*	*	*	*	*	*	*
1988.....	3.5	*	*	*	*	*	*	*	*	*
1987.....	3.4	*	*	*	*	*	*	*	*	*
1986.....	3.4	*	*	*	*	*	*	*	*	*
1985.....	3.2	*	*	*	*	*	*	*	*	*
1984.....	3.3	*	*	*	*	*	*	*	*	*
1983.....	3.3	*	*	*	*	*	*	*	*	*
1982.....	3.2	*	*	*	*	*	*	*	*	*
1981.....	3.2	*	*	*	*	*	*	*	*	*
1980.....	3.3	0.1	-	0.0	0.0	0.0	0.0	0.1	0.1	0.1
19RA.....	3.1	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.2

ALL OTHER, BOTH SEXES

[illegible]

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 258

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)										
BLACK MALE										
1996.....	7.8	*	*	*	*	*	*	*	*	*
1995.....	7.7	*	*	*	*	*	*	*	*	2.1
1994.....	7.4	*	*	*	*	*	*	*	*	2.6
1993.....	7.0	*	*	*	*	*	*	*	*	2.1
1992.....	6.5	*	*	*	*	*	*	*	1.5	*
1991.....	6.4	*	*	*	*	*	*	*	*	2.5
1990.....	6.4	*	*	*	*	*	*	*	*	2.0
1989.....	6.3	*	*	*	*	*	*	*	*	2.2
1988.....	5.3	*	*	*	*	*	*	*	*	2.1
1987.....	5.7	*	*	*	*	*	*	GE	*	2.0
1986.....	5.3	*	*	GE GE G	*	GE G	*	GE G	*	
1985.....	5.7	*	*	*	*	G	*	G	*	G 3.1
1984.....	5.36SESES		*	* SES	*	G				
1983.....	5.5 SES GE G	*		* G	*	G	*	GE G		
1982.....	5.0	*	G	* G	* G	* G	*	GE G	*	*
1981.....	5.7	*	*	G	* G	*	GE G	*	*	G
1980.....	5.8	-	-	-	0.1	-	0.2	0.4	1.3	2.4
1979.....	5.7	0.4	0.1	-	-	-	0.2	1.1	1.4	2.36S
BLACK FEMALE										
1996.....	9.2	GE G	* SES G	*	G	*	G	*	G	*
1995.....	9.1	*	G	*	*	*	G	*	G	*
1994.....	8.0 GE G	* S	*	*	* S	*	* S	*	G	1.4
1993.....	9.2	*	*	G	* G	*	G	*	G	2.1
1992.....	8.2	G	* G	*	*	* G	*	* G	* G	1.5 S
1991.....	7.8	*	*	G	*	*	G	* SES G	*	G
1990.....	7.4	*	G	* SES G	*	G	* S	*	* S GE G	
1989.....	7.0	GE G	* S	* G	*	* G	*	G	*	1.36S
1988.....	7.5 S	*	G	*	*	* G	* S	*	* S G	*
1987.....	6.5 S GE G	* S GE G	* S G	* S G	*	G	*	* S G	*	G
1986.....	6.36S GE G	* S G	* G	*	*	G	* SES G	*	G	
1985.....	6.6 SES G	*	*	G	*	*	G	*	*	G
1984.....	6.5	*	*	G	* S	*	G	* S	* S G	* G
1983.....	5.9 SES G	*	*	*	G	* S	GE G	* S G	*	G
1982.....	5.0 G	* G	*	* G	* S	* G	* S	GE G	* S G	* G
1981.....	6.3	*	*	G	* S G	*	GE G	* S G	*	G
1980.....	6.4	-	0.1	-	0.1	0.1	0.3	0.7	0.36S	G 2.3
1979.....	5.0 G 0.4		0.1	-	-	-	-	0.4	0.7	1.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBROVASCULAR DISEASES (430-438)										
TOTAL, BOTH SEXES										
1996.....	60.3	6.2	0.3	0.2	0.2	0.3	0.6	1.2	2.3	4.6
1995.....	60.1	5.8	0.4	0.1	0.2	0.3	0.7	1.1	2.4	4.9
1994.....	58.9	5.1	0.3	0.1	0.2	0.4	0.7	1.2	2.6	4.36ÖTj T* (1993.....
1984.....	65.4	3.1	0.4	0.3	0.3	0.36Ö	1.0	1.7	2.9	5.3 1983.....
1982.....	68.1	3.36Ö	0.3	0.3	0.4	0.5	0.9	1.7	3.1	5.6 1981.....
1980.....	75.1	4.4	0.5	0.3	0.3	0.7	1.3	2.0	3.3	6.2
1979.....	75.5	4.36Ö	0.3	0.3	0.3	0.3	1.2	1.	7.4	6.5
TOTAL, MALE										
1996.....	48.1	6.5	0.3	0.3	0.2	0.3	0.7	1.1	2.3	4.3
199°.....	48.0	6.3	0.4	*	0.3	0.4	0.7	1.2	2.4	5.1
1994.....	47.4	5.8	0.4	*	0.3	0.3	0.7	1.2	2.4	4.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 260

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBROVASCULAR DISEASES (430-438)										
TOTAL, FEMALE										
1996.....	71.9	5.9	0.3	*	0.2	0.3	0.5	1.2	2.4	4.5
1995.....	71.7	5.2	0.3	*	*	0.2	0.6	0.9	2.3	4.8
1994.....	69.8	4.3	*	*	*	0.4	0.6	1.3	2.7	4.6
1993.....	69.0	5.0	0.3	*	*	0.4	0.8	1.0	2.5	4.2
1992.....	66.7	2.9	0.4	*	*	0.4	0.5	1.2	4 .9	4.5
1991.....	67.2	4 3.8	0.3	*	0.3	0.5	0.8	1.9	2.5	4.3
1990.....	68.6	3.1	0.3	*	0.3	0.3	0.8	1.7	2.8	4.5
1989.....	69.7	3.0	0.3	*	*	0.4	0.9	1.	0.408	4.2
1988.....	72.9	3.8	0.4	0.3	0.2	4 0.4	0.9	1.6	2.6	4.6
1987.....	73.0	2.9	0.3	*	0.3	0.4	0.9	1.7	2.8	4.8
1986.....	0.405	*	*	0.3	0.4	0.8	1.7	2.8	4.8	
1985.....	75.5	2.7	0.3	*	0.3	0.4	1.1	1.5	2.7	4.8
1984.....	76.5	2.6	0.4	0.3	0.3	0.6	0.9	1.6	2.9	5.1
1983.....	77.2	3.2	4 *	0.3	0.3	0.6	1.0	1.6	2.4	5.3
1982.....	78.8	2.9	*	0.3	0.3	0.4	0.9	1.6	3.1	5.4
1981.....	82.0.32.9	0.3	*	0.3	0.6	1.1	1.9	3.2	6.2	4
1980.....	86.1	3.8	0.5	0.3	0.3	0.6	1.1	2.0	3.2	6.2
1979.....	85.8	4.2	0.3	0.2	4 0.3	0.6	1.2	1.8	0	6.2
WHITE, BOTH SEXES										
1996.....	62.9	5.3	0.3	0.2	0.2	0.3	0.6	1.0	1.9	3.5
1995.....	*2.6	5.3	0.3	0.2	4 0.2	4 0.3	0.6	0.9	2.0	3.8
1994.....	61.2	4.6	0.3	0.2	0.2	0.3	0.6	1.0	2.0	3.4
1993.....	60.5	5.0	0.3	0.1	0.2	0.4	0.7	1.1	2.1	3.6
1992.....	58.4	3.3	0.3	0.1	0.2	0.4	0.6	1.0	1.9	3.4
1991.....	58.7	3.3	0.3	0.2	4 0.3	0.4	0.7	1.1	1.9	3.5
1990.....	59.7	2.8	0.3	0.2	0.2	0.4	0.7	1.	0.40.1	3.5
1989.....	60.5	2.7	0.2	0.2	0.3	0.3	0.7	1.2	4 2.1	3.5
1988.....	6	7	3.1	0.3	0.2	0.2	0.4	0.9	1.0.32.1	3.7
1987.....	63.5	2.9	0.4	0.2	0.3	0.4	0.7	1.	0.40.2	4 3.9
1986.....	63.9	2.2	0.2	4 0.1	0.3	0.4	0.8	1.3	2.2	4 4.0
1985.....	65.8	0.0	0.3	0.2	0.3	0.4	0.9	1.0.32.2	4 3.9	
1984.....	67.0	2.6	0.3	0.3	0.3	0.6	0.8	1.	2.1	4.1
1983.....	*8.0	3.3	0.4	0.3	0.2	0.6	0.9	1.5	2.1	4.2
1982.....	69.5	2.8	0.3	0.3	0.4	0.5	0.8	1.	0.40.4	4.3
1981.....	72.6	2.8	0.3	0.3	0.3	0.5	1.0	1.5	4 .7	5.0
1980.....	76.3	3.6	0.4	0.3	0.2	0.6	1.1	1.6	2.9	4.8
1979.....	76.6	0	0.3	0.3	0.3	0.5	1.1	1.6	2.7	4.8

WH. E MALE

WH. E FEMALE

0.3 B80.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 262

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBROVASCULAR DISEASES (430-438)										
ALL OTHER, BOTH SEXES										
1996.....	47.5	9.7	*	*	*	*	0.6	1.6	4.3	9.6
1995.....	48.2	7.4	0.7	*	*	*	1.1	1.7	4.1	10.5
1994.....	47.4	6.9	*	*	*	*	0.9	2.1	5.0	10.9
1993.....	46.8	7.2	*	*	*	*	0.9	2.2	4.5	9.8
1992.....	46.0	7.4	*	*	*	*	0.9	204/	4.9	11.1
1991.....	47.9	6.2	0.6	*	*	*	1.1	206	5.1	11.4
1990.....	48.9	7.2	*	*	*	*	1.3	2.4	604/	11.9
1989.....	51.0	5.4	*	*	*	0.6	1.4	2.7	6.1	12.2
1988.....	53.3	7.9	*	*	*	0.6	1.1	2.8	7.3	12.8
1987.....	52.7	5.7	*	*	*	*	1.5	3.2	6.5	13.2
1986.....	53.5	6.1	*	*	*	*	1.5	3.6	6.5	12.8
1985.....	55.8	6.6	*	*	*	0.9	1.6	208	6.7	12.5
1984.....	56.7	5.1	*	*	0.6	0.7	2.0	3.4	7.0	13.1
1983.....	58.2	6.7	*	*	*	0.7	1.9	3.2	6.1	14.2
1982.....	59.7	704/	*	*	*	0.8	1.4	3.8	7.1	13.7
1981.....	63.2	7.5	*	*	*	0.8	2.1	4.4	7.5	15.0
1980.....	67.7	8.2	0.7	0.3	0.5	0.9	2.6	404/	8.5	15.1
1979.....	68.3	9.8	0.4	0.3	004/	0.7	2.2	4.3	8.3	18.2
ALL OTHER MALE										
1996.....	43.5	9.4	*	*	*	*	*	*	403	10.1
1995.....	44.6	7.6	*	*	*	*	1.2	1.8	4.1	11.3
1994.....	44.0	6.9	*	*	*	*	*	1.8	404/	10.9
1993.....	43.0	8.3	*	*	*	*	*	2.1	4.0	10.3
1992.....	42.6	9.8	*	*	*	*	1.2	2.0	4.4	12.7
1991.....	45.0	6.3	*	*	*	*	*	2.3	4.9	13.2
1990.....	45.4	9.4	*	*	*	*	1.3	2.1	5.7	13.0
1989.....	46.7	6.4	*	*	*	*	1.3	2.4	5.8	15.1
1988.....	49.5	8.7	*	*	*	*	*	2.8	8.7	15.5
1987.....	49.3	*	*	*	*	*	1.3	304/	6.3	16.5
1986.....	50.3	7.0	*	*	*	*	1.5	3.4	7.0	14.5
1985.....	51.6	8.6	*	*	*	*	1.4	2.8	6.9	15.1
1984.....	53.0	7.5	*	*	*	*	2.2	209	7.0	15.2
1983.....	54.3	7.4	*	*	*	*	2.0	304	6.7	15.5
1982.....	57.1	804/	*	*	*	*	1.3	4.1	6.7	16.7
1981.....	60.4	9.1	*	*	*	*	2.3	4.0	8.5	17.4
1980.....	65.5	10.3	0.6	0.3	0.6	0.9	3.1	4.0	9.6	17.4
1979.....	67.1	11.2	0.4	004/	0.3	0.8	2.0	402	9.0	22.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 263

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBROVASCULAR DISEASES (430-438)										
ALL OTHER FEMALE										
1996.....	51.3	9.9	*	*	*	*	*	2.2	4.2	9.1
1995.....	51.4	7.3	*	*	*	*	*	1.7	4.0	9. D
1994.....	50.6	6.9	*	*	*	*	*	2.3	5. D	10.8
1993.....	50.2	6.1	*	*	*	*	*	2.2	4.9	9.3
1992.....	49.2	4.8	*	*	*	*	*	2.5	5.4	9.
1991.....	50.5	6.0	*	*	*	*	1.5	2.8	5.3	9.8
1990.....	52.1	4.9	*	*	*	*	1.4	2.6	6.8	11.0
1989.....	54.9	*	*	*	*	*	1.6	2.9	6.3	9.6
1988.....	56. D	7.0	*	*	*	*	*	2.9	6.0	10.4
1987.....	55.9	6.2	*	*	*	*	1.6	3.0	6.6	10.3
1986.....	56.4	*	*	*	*	*	1.5	3.8	6.1	11.4
1985.....	59.6	*	*	*	*	*	1.7	2.8	6.5	10.3
1984.....	60.1	*	*	*	*	*	1.8	3.8	6.9	11.3
1983.....	61. D	6.0	*	*	*	*	1.9	3.0	5.5	13.1
1982.....	62.0	6.3	*	*	*	*	1.5	3.5	7.4	11.2
1981.....	65.	*	*	*	*	*	1.9	4.7	6.6	12.9
1980.....	69.	6.0	0. D	0.3	0.3	0.9	2.2	4.6	7.6	13.1
1979.....	69.5	8.4	0.4	0.3	0.4	0.7	2.3	4.4	7. D	14.3
BLACK, BOTH SEXES										
1996.....	55.2	11.5	*	*	6	*	*	*	5.4	11.8
1995.....	55.9	9.2	0.8	*	6	*	*	1.2	2.2	12.9
1994.....	55.2	8.6	*	*	*	*	1.0	2.5	6.3	13.4
1993.....	54.6	7.	*	*	*	*	*	1.0	2.8	5.5
1992.....	53.8	9.3	*	*	6	*	6	1.1	2. D	6.2
1991.....	55.7	7.2	*	*	*	*	*	1.2	3.0	6.5
1990.....	57.1	8.1	*	*	*	*	1.6	2. D	7.6	15.0
1989.....	59.6	6.1	*	*	*	0.	1.6	3.3	7.6	15.1
1988.....	62.2	8.9	*	*	6	*	0.8	1.2	3.4	9.0
1987.....	61.1	6.	69	*	*	*	*	*	1.5	3.7
1986.....	62.0	6.8	*	*	*	*	1.6	4.2	8.3	15.8
1985.....	64.2	7.9	*	*	*	1.0	1.7	3.4	8.3	15.3
1984.....	65.1	6.0	Y	*	0.8	2.1	3.	69 8.3	15.	
1983.....	66.6	7.6	*	*	6	0.8	2.1	3.7	7.6	17.2
1982.....	68.0	7.	*	*	*	0.9	1.	4.5	8. D	16.6
1981.....	71.6	8.4	*	*	*	0.8	2.4	5.1	9.0	18.3
1980.....	75.6	8.8	0.6	0.3	0.5	1.0	3.0	5.1	10.1	17.9
1979.....	75.4	10.9	0.5	0.4	0.4	0. D	2.3	4.9	9.5	20.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 264

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBROVASCULAR DISEASES (430-438)										
BLACK MALE										
1996.....	50.1	10.8	*	*	*	*	*	*	5.3	12.2
1995.....	51.0	9.5	*	*	*	*	*	2.3	4.8	13.6
1994.....	50.5	8.9	*	*	*	*	*	1.9	5.3	13.4
1993.....	49.8	9.Y	*	*	*	*	*	2.7	4.8	12.2
1992.....	49.5	12.1	*	*	*	*	*	2.5	5.5	15.5
1991.....	52.1	7.3	*	*	*	*	*	2.7	6.3	16.3
1990.....	53.1	10.2	*	*	*	*	1.5	4 RE	7.0	16.3
1989.....	54.3	7.6	*	*	*	*	1.5	2.9	7.1	19.2
1988.....	57.6	9.Y	*	*	*	*	*	3.2	10.8	19.5
1987.....	56.6	*	*	*	*	*	*	3.6	7.6	20.9
1986.....	58.0	8.2	*	*	*	*	1.6	3.8	8.9	17.9
1985.....	59.2	10.1	*	*	*	*	1.6	3.4	8.5	418.8
1984.....	60.7	8.6	*	*	*	*	2.0	3.4	8.7	18.5
1983.....	61.8	7.7	*	*	*	*	2RE	3.9	8.3	18.7
1982.....	64.7	8.Y	*	*	*	*	1.6	4.8	8.3	20.1
1981.....	68.3	10.0	*	*	*	*	2.5	4.6	10.3	21.9
1980.....	73.1	11.2	0.6	0.3	0.7	0.9	3.4	4.8	11RE	23
1979.....	73.8	12.7	0.5	0.Y	0.3	0.8	2.1	4.9	10.2	26.7
BLACK FEMALE										
1996.....	59.7	12.2	*	*	*	*	*	2.6	5.4	11.4
1995.....	60.Y	8.8	*	*	*	*	*	2.2	5.1	12.4
1994.....	59.3	8.2	*	*	*	*	*	3.0	7.2	13.4
1993.....	58.8	*	*	*	*	*	*	2R9	6.1	11.6
1992.....	57.8	6.Y	*	*	*	*	*	4 R8	6.7	12.Y
1991.....	59.0	7.2	*	4	*	*	1.8	3.3	6.7	12.2
1990.....	60.7	*	*	*	*	*	1.6	3.0	8.1	13.8
1989.....	64.5	4	*	*	*	*	1.7	3.6	8.0	11R6
1988.....	66.3	8.2	*	*	*	*	*	3.5	4 7.4	13.0
1987.....	65.1	7.8	*	4	*	*	1.7	3.7	8.2	12.7
1986.....	65.6	*	*	*	*	*	1.5	4 4.6	7.8	14.0
1985.....	68.6	*	*	*	*	*	1.9	3.5	4 8.2	12.2
1984.....	69.1	*	*	*	*	*	4 2.2	4.Y	8.0	13.3
1983.....	70.9	7.5	4	*	*	*	2.0	3.6	7.0	15.9
1982.....	70.9	*	*	*	*	*	1.8	4.3	9.1	13.6
1981.....	74.5	*	*	*	4	*	2.2	5.5	7.9	15.2
1980.....	77.9	6.Y	0.5	0.2	0.3	1.0	2.5	4 5.3	9.1	15.1
1979.....	76.8	9.0	0.Y	0.3	0.Y	0.7	4 R5	4 4.8	8.8	16.2

21

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 265

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
TOTAL, BOTH SEXES										
1996.....	8.9	1.0	*	0.1	*	0.1	0.2	0.4	0.8	1.7
1995.....	8.6	1.0	*	*	*	0.1	0.3	0.3	0.9	1.8
1994.....	8.4	1.3	*	*	0.1	0.1	0.2	0.3	0.9	1.9
1993.....	8.3	1.5	*	*	0.1	0.2	0.2	0.4	0.8	1.7
1992.....	8.3	1.0	*	*	*	0.2	0.2	0.5	0.8	1.8
1991.....	8.2	1.0	*	*	0.1	0.2	0.3	0.5	0.7	1.9
1990.....	8.3	1.5	*	*	*	0.2	0.3	0.6	0.9	1.7
1989.....	8.4	1.3	*	*	0.1	0.2	0.3	0.5	1.0	1.9
1988.....	8.7	1.4	*	*	*	0.2	0.3	0.6	1.0	1.9
1987.....	8.5	1.4	0.1	*	0.1	0.1	0.3	0.5	1.0	2.0
1986.....	8.5	1.4	*	*	0.1	0.2	0.3	0.6	1.0	2.0
1985.....	8.7	1.8	*	*	0.1	0.2	0.3	0.5	1.0	2.0
1984.....	8.6	1.9	*	*	0.2	0.2	0.4	0.5	1.0	1.9
1983.....	8.3	2.6	*	*	*	0.2	0.4	0.6	1.0	1.9
1982.....	8.6	2.4	*	*	0.2	0.2	0.3	0.6	1.1	1.9
1981.....	8.8	2.4	*	0.1	0.1	0.2	0.4	0.7	1.1	2.2
1980.....	9.2	2.6	0.2	0.1	0.2	0.3	0.4	0.6	1.0	2.1
1979.....	9.7	3.2	0.1	0.1	0.1	0.2	0.4	0.6	1.1	2.2
TOTAL, MALE										
1996.....	8.3	1.1	*	*	*	*	0.3	0.4	0.9	2.0
1995.....	8.1	1.1	*	*	*	*	0.3	0.5	0.9	2.0
1994.....	7.9	1.4	*	*	*	*	0.2	0.4	1.0	2.3
1993.....	7.9	1.8	*	*	*	*	*	0.5	1.0	2.2
1992.....	7.7	1.5	*	*	*	*	0.3	0.5	1.0	2.1
1991.....	7.7	1.3	*	*	*	*	*	0.5	0.8	2.4
1990.....	7.6	1.8	*	*	*	0.2	0.2	0.6	1.0	2.2
1989.....	7.9	1.4	*	*	*	*	0.3	0.6	1.1	2.5
1988.....	8.2	1.5	*	*	*	0.2	0.4	0.7	1.3	2.4
1987.....	8.0	1.5	*	*	*	*	0.3	0.5	1.1	2.5
1986.....	7.8	1.6	*	*	*	0.2	0.3	0.6	1.1	2.5
1985.....	8.1	2.5	*	*	*	*	0.3	0.6	1.	
1984.....										
1984.....	7.9	2.1	*	*	*	*	0.4	0.5	1.1	2.3
1983.....	7.7	3.1	*	*	*	0.2	0.4	0.7	1.	
1981.....										
1982.....	8.1	2.9	*	*	0.2	0.3	0.3	0.8	1.3	2.4
1981.....	8.1	2.5	*	*	*	0.2	0.5	0.8	1.	
1984.....										
1980.....	8.6	2.8	0.2	0.1	0.2	0.3	0.5	0.6	1.	
1983.....										
1979.....	9.1	3.4	0.1	0.1	0.1	0.2	0.5	0.6	1.1	2.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 266

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
TOTAL, FEMALE										
1996.....	9.4	*	*	*	*	*	*	0.3	0.7	1.3
1995.....7.	9.1	*	*	*	*	*	0.3	0.2	0.8	1.5
1994.....7.....7	8.8	1.2	*	*	*	*	*	0.3	0.8	1.5
1993.....7.....	8.7	1.1	*	*	*	*	*	0.3	0.7	1.3
1992.....7.....	8.8	*	*	*	*	0.2	*	0.4	0.7	1.5
1991.....7.....	8.7	*	*	*	*	*	0.3	0.5	0.7	1.4
1990.....7....7.	8.9	1.2	*	*	*	*	0.3	0.5	0.8	1.3
1989.....7....7..	8.9	1.2	*	*	*	*	0.3	0.4	0.8	1.3
1988.....7....7...	9.2	1.3	*	*	*	*	0.2	0.4	0.8	1.5
1987.....7....7..	9.1	1.2	*	*	*	*	0.3	0.5	0.8	1.4
1986.....7....7...	9.2	1.2	*	*	*	*	0.3	0.5	0.8	1.5
1985.....7....7..	9.3	1.2	*	*	*	0.2	0.3	0.4	0.8	1.6
1984.....7....7..	9.2	1.7	*	*	0.2	*	0.3	0.5	1.0	1.5
1983.....7....7...	8.9	2.0	*	*	*	0.2	0.4	0.5	0.8	1.8
1982.....7....7..	9.1	1.8	*	*	*	*	0.3	0.5	0.9	1.5
1981.....7....7...	9.5	2.3	*	*	*	0.3	0.4	0.6	0.9	2.0
1980.....7....7.	9.7	2.4	0.1	0.1	0.2	0.2	0.3	0.6	0.8	1.8
1979.....7....7...	10.2	3.0	0.1	0.1	0.1	0.2	0.4	0.5	1.0	1.6
WHITE, BOTH SEXES										
1996.....7....7..	8.8	0.7	*	*	*	0.1	0.2	0.3	0.7	1.1
1995.....7....7.	8.5	0.7	*	*	*	*	0.2	0.3	0.7	1.1
1994.....7....7..	8.2	1.1	*	*	*	*	0.2	0.3	0.7	1.1
1993.....7....7.	8.2	1.5	*	*	*	0.2	0.2	0.4	0.6	1.2
1992.....7....7...	8.1	*	*	*	*	0.2	0.2	0.4	0.6	1.2
1991.....7....7.	8.0	0.7	*	*	*	0.2	0.2	0.3	0.5	1.1
1990.....7....7...	8.0	1.0	*	*	*	0.2	0.2	0.4	0.6	1.1
1989.....7....7...	8.1	0.9	*	*	*	0.1	0.2	0.4	0.7	1.2
1988.....7....7..	8.4	0.9	*	*	*	0.2	0.3	0.5	0.7	1.2
198										
1986.....7....7..	8.3	0.9	*	*	*	0.2	0.3	0.4	0.7	1.3
1985.....7....7	8.4	1.3	*	*	0.1	0.1	0.3	0.4	0.7	1.3
1984.....7....7	8.3	1.5	*	*	0.2	0.2	0.3	0.4	0.7	1.2
1983.....7....7	8.0	2.2	*	*	*	0.3	0.3	0.6	0.7	1.3
1982.....7....7...	8.3	1.7	*	*	0.2	0.2	0.3	0.5	0.8	1.3
1981.....7....7	8.6	1.7	*	*	*	0.2	0.3	0.5	0.7	1.6
1980.....7....	8.8	2.2	0.2	0.1	0.1	0.3	0.3	0.5	0.6	1.4
1979.....7....7..	9.3	2.4	0.1	0.1	0.1	0.2	0.4	0.4	0.7	1.4

RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE,		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
RACE, SEX, AND YEAR	TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS

0

INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)

WHITE MALE										
1996.....	7.9	*	*	*	*	*	*	0.4	0.8	1.3
1995.....	7.7	*	*	*	*	*	*	0.4	0.8	1.2
1994.....	7.5	1.3	*	*	*	*	*	0.4	0.8	1.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 268

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										
ALL OTHER, BOTH SEXES										
1996..... T.	9.5	*	*	*	*	*	*	*	1.6	4.3
1995 T. T. ...	9.4	*	*	*	*	*	*	0.7	1.5	5 0
1994. T. . T.	9.4	*	*	*	*	*	*	0.6	2.0	5.5
1993 T. . T.	9.1	*	*	*	*	*	*	0.6	2.1	4.5
1992. T.	9.0	2.7	*	*	*	*	*	0.8	1.8	4.8
1991. T.SE5	*	*	*	*	*	*	1.3	1.8	5 8	
1990. T.	9.5	3.5	*	*	*	*	0.6	1.1	2.2	4.7
1989. T.	9.8	2.8	*	*	*	*	0.6	1.0	2.5	5 7
1988 T.	10.3	3 6	*	*	*	*	*	1.1	2.8	5 8
1987. T.	10.0	2.8	*	*	*	*	*	0.9	2.7	6.4
1986. T.	10.0	3.6	*	*	*	*	*	1.5	2.5	5.8
1985 T.	10.3	4.1	*	*	*	*	0.6	1.2	2.7	6.2
1984. T.	10.0	3 6	*	*	*	*	0.8	1.2	2.8	6.2
1983 T.	9.9	4.5	*	*	*	*	0.7	0.8	2.6	6.1
1982. T.	10.0	5 1	*	*	*	*	*	1.6	2.7	6.3
1981. T.	10.2	5 7	*	*	*	*	0.9	1.9	3 1	6.2
1980. T.	11.4	4.4	0.1	0.1	0.3	0.3	1.0	1.7	3.3	6.4
1979 T.	11.9	6.8	0.0	0.1	0.2	0.4	0.8	1.7	3.3	7.4
ALL OTHER MALE										
1996. T.	10.2	*	*	*	*	*	*	*	1.7	5.6
1995 T.	10.2	*	*	*	*	*	*	*	1.5	6.0
1994 T.	10.1	*	*	*	*	*	*	*	2.1	6.6
1993 T.	10.0	*	*	*	*	*	*	*	2.1	5 4
1992 T.	9.7	*	*	*	*	*	*	*	2.2	6.1
1991 T.	10.2	*	*	*	*	*	*	1.3	1.8	7.5
1991 T.	10.3	5.1	*	*	*	*	*	*	1.2	2.7
1989 T.	10.6	*	*	*	*	*	*	*	3 3	8.0
1988 T.	11.2	*	*	*	*	*	*	1.3	3 8	8.0
1987% 10.9	*	*	*	*	*	*	*	3 0	9.1	
1986. T.	10.5	*	*	*	*	*	*	1.5	3 2	7.8
1985 T.	11.0	5 8	*	*	*	*	*	1.3	3 1	8.6
1984 T.	10.5	*	*	*	*	*	*	*	3.0	8.5
1983 5 Ç.4	*	*	*	*	*	*	3 4	7.3		
1982. 5 Ç 10.9	5.9	*	*	*	*	*	1.9	3.6	9.2	
1981. 5 Ç 11.2	6.1	*	*	*	*	*	2.3	4.2	8.1	
1981 T. . ..	12.2	5 0	0.1	0.1	0.4	0.3	1.2	1.6	4.6	9.0
1979 T.	13 0	7.3	FO	0.1	0.2	0.6	0.9	1.5	3.9	11.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 270

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)										

BLACK MALE

1996.....	11.3	*	*	*	*	*	*	*	2.1	6.6
1995.....0 7	11.0	*	*	*	*	*	*	*	1.7	7.4
1994.....0.....0	11.1	*	*	*	*	*	D	*	2.4	8.0
1993.....0.....	11.1	*	*	*	*	*	*	*	2.6	6.6
1992.....0.....	10.8	*	*	*	*	*	*	*	2.7	7.4
1991.....0.....	11.2	*	*	*	*	*	*	1.6	2AG	9.5
1990.....0.....0 7	11.5	*	*	*	*	*	*	*	3.2	8.4
1989.....0.....0..	12.0	D	*	*	*	*	*	*	4.0	10AG
1988.....0.....0..	12.7	*	*	*	*	*	*	1.5	4.7	10A5
1987.....0.....0..	12AG	D	D	*	D	*	*	3.8	11.6	
1986.....0.....0..	11.6	*	*	*	*	*	*	1.8	3.9	9.7
1985.....0.....0..	12.3	*	*	D	*	D	*	1.6	3.8	10.8
1984.....0.....0..	11.7	D	*	D	*	*	*	3.7	10.5	
1983.....0.....0..	11.5	*	*	*	*	*	*	*	3.9	8.9
1982.....0.....0..	12A1	D	*	*	*	*	*	2.3	4.4	11.7
1981.....0.....0..	12.3	*	*	*	*	D	*	2.7	5.3	10.5
1980.....0.....0..	13.4	5.6	0.1	0.2	0.4	0.3	1.5	1.9	5.4	10.8
1979.....0.....0..	14.2	8.5	-	0.2	0.2	0.6	1.1	1.8	4.6	13.7

BLACK FEMALE

1996.....0.....0..	9.6	*	D	*	*	*	*	*	1.9	4.1
1995.....0.....0..	9.5	*	*	*	*	*	*	*	2.1	5.3
1994.....0.....0..	9.7	*	*	*	*	*	*	*	2.5	5.6
1993.....0.....0..	9.1	*	*	*	*	*	*	*	2.5	4.5
1992.....0.....0..	9AG	*	*	*	*	*	*	*	1.8	4.8
1991.....0.....0..	9.7	*	*	*	*	*	*	*	2.4	5.4
1990.....0.....0..	9.7	D	*	D	*	*	*	2AG	3.8	
1989.....0.....0..	10.1	*	*	D	*	*	*	*	2A4	4.6
1988.....0.....0..	10.6	*	*	*	*	*	*	*	2.4	4.9
1987.....0.....0..	10.1	*	*	*	*	*	*	*	3.0	4.8
1986.....0.....0..	10.7	*	*	*	*	*	*	1.9	2.4	5.3
1985.....0.....0..	10.6	*	*	*	*	D	*	*	3.1	5.1
1984.....0.....0..	10.7	*	*	*	*	*	*	*	3AG	5.2
1983.....0.....0..	10.6	*	*	*	*	*	*	*	2.5	6.5
1982.....0.....0..	10.4	*	*	*	*	*	*	1.6	2.2	5.0
1981.....0.....0..	10.3	*	*	*	*	*	*	1.8	2.6	5.5
1980.....0.....0..	11.6	4.5	0.2	0.2	0.2	0.3	0.8	2.1	2.7	5.0
1979.....0.....0..	11.8	7.4	0.1	4.2	0.2	0.2	0.6	2.1	3A4	4.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 271

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND 91SPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
TOTAL, BOTH SEXES										
1996.....	4.9	*	*	*	*	*	*	*	0.1	0.2
1995.....	5.3	0.6	*	*	*	*	*	*	0.1	0.2
1994.....	5.6	0.7	*	*	*	*	*	*	0.1	0.2
1993.....	5.9	0.6	*	*	*	*	*	*	0.1	0.2
1992.....	6.1	0.5	*	*	*	*	*	*	0.1	0.2
1991.....	6.6	0.5	*	*	*	*	*	*	0.1	0.3
1990.....	7.3	*	*	*	*	*	*	*	0.1	0.3
1989.....	8.0	*	*	*	*	*	*	*	0.1	0.3
1988.....	8.7	0.8	*	*	*	*	*	*	0.2	0.3
1987.....	9.2	*	*	*	*	*	*	*	0.2	0.3
1986.....	9.8	*	*	*	*	*	*	0.1	0.2	0.3
1985.....	10.3	*	*	*	*	*	*	*	0.2	0.3
1984.....	10.7	*	*	*	*	*	*	*	0.2	0.3
1983.....	11.3	*	*	*	*	*	*	*	0.2	0.4
1982.....	12.2	*	*	*	*	*	*	*	0.2	0.3
1981.....	13.5	*	*	*	*	*	*	*	0.2	0.4
1980.....	15.0	0.4	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.4
1979.....	15.9	0.3	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.4
TOTAL, MALE										
1996.....	3.9	*	*	*	*	*	*	*	*	0.2
1995.....	4.1	*	*	*	*	*	*	*	*	0.2
1994.....	4.5	*	*	*	*	*	*	*	*	*
1993.....	4.8	*	*	*	*	*	*	*	*	0.3
1992.....	4.9	*	*	*	*	*	*	*	*	0.2
1991.....	5.3	*	*	*	*	*	*	*	*	0.4
1990.....	5.8	*	*	*	*	*	*	*	0.2	0.3
1989.....	6.4	*	*	*	*	*	*	*	*	0.4
1988.....	7.0	*	*	*	*	*	*	*	0.3	0.4
1987.....	7.4	*	*	*	*	*	*	*	0.2	0.3
1986.....	7.9	*	*	*	*	*	*	*	0.2	0.3
1985.....	8.2	*	*	*	*	*	*	*	*	0.3
1984.....	8.8	*	*	*	*	*	*	*	*	0.4
1983.....	9.3	*	*	*	*	*	*	*	0.2	0.4
1982.....	10.0	*	*	*	*	*	*	*	*	*
1981.....	11.1	*	*	*	*	*	*	*	*	0.4
1980.....	12.5	0.6	0.1	0.0	-	0.1	0.1	0.1	0.3	0.4
1979.....	13.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 272

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										
TOTAL, FEMALE					T	T				
1996.....	5.9	*	*	*	*	*	*	*	*	0.2
1995.....	6.4	*	*	*	*	*	*	*	*	0.2
1994.....	6.7	*	*	*	*	*	*	*	*	0.2
1993.....	7.0	*	*	*	*	*	*	*	*	0.2
1992.....	7.3	*	*	*	*	*	*	*	*	0.2
1991.....	7.8	*	*	*	*	*	*	*	*	*
1990.....	8.8	*	*	*	*	*	*	*	*	0.3
1989.....	9.361	* 1	* 1	*	* 1	*	*	*	*	*
1988.....	10.3	*	* 1	*	* 1	*	*	* 1	*	*
1987.....	11.0	*	*	*	*	* 1	*	*	0.3	*
1986.....	11.361	*	* 1	*	* 1	*	*	*	*	*
1985.....	12.3	*	* 1	*	* 1	*	*	* 1	*	0.2
1984..5...ES2.5	*	*	* 1	*	*	*	*	*	*	*
1983.....	13.2	*	* 1	*	* 1	*	*	*	* 1	0.4
1982.....	14.3	*	*	*	*	*	*	*	0.2	0.3
1981..5...E	15.8	*	* 1	*	* 1	*	*	0.3	*	*
1980..5...E	17.4	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.3	*
1979.....	18.3	0.4	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.4
WHITE, BOTH SEXES	T	T	T	T	T	T	T	T	T	T
1996..5...E	5.2	* 1	*	*	* 1	*	* 1	*	* 1	0.2
1995.....	5.5 1	*	*	* 1	*	* 1	* 1	0.1	0.2	*
1994..5.....	5.9	0.8	*	* 1	*	*	*	*	*	0.2
1993..5...E	6.2	* 1	* 1	* 1	* 1	* 1	* 1	*	0.2	*
1992.....	6.4	* 1	*	* 1	*	* 1	*	*	0.2	*
1991..5.....	6.9	*	* 1	* 1	*	*	*	*	*	0.2
1990..5.....	7.7 1	*	*	* 1	*	* 1	*	0.1	0.2	*
1989.....	8.4	* 1	* 1	*	*	*	*	*	0.2	*
1988.....	9.1	0.7 1	*	* 1	*	*	*	* 1	0.1	0.2
1987..5...E	9.8	* 1	*	* 1	*	* 1	*	0.2	0.2	*
1986..5.....	10.3	*	* 1	*	* 1	*	*	0.1	0.2	*
1985.....	10.8	*	* 1	*	* 1	* 1	*	0.2	0.2	*
1984..5.....	11.3 1	*	* 1	* 1	*	* 1	* 1	0.2	0.3 1	*
1983..5.....	11.8	* 1	* 1	*	*	* 1	*	0.1	0.3	*
1982..5...E	12.8	* 1	* 1	* 1	*	* 1	*	0.2	0.2	*
1981..5.....	14.1	* 1	* 1	*	* 1	* 1	*	* 1	0.1	0.3 1
1980..5.....	15.361	0.3	0.1	0.0	-	0.0	0.1	0.1	0.2	0.3
1979.....	16.5 1	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS				
0 CEREBRAL THROMBOSIS AND 91SPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)															
WHITE MALE						T	T								
1996.....		4.0	*	*	*	*	*	*	*	*	0.2				
1995.....		4.2	*	*	*	*	*	*	*	*	*				
1994.....		4.6	*	*	*	*	*	*	*	*	*				
1993.....		4.9	*	*	*	*	*	*	*	*	0.2				
1992.....		5.0	*	*	*	*	*	*	*	*	*				
1991.....		5.5	*	*	*	*	*	*	*	*	0.3				
1990.....		6.0	*	*	*	*	*	*	*	*	0.3				
1989.....		6.6	*	*	*	*	*	*	*	*	0.3				
1988.....		7.2	*	*	*	*	*	*	*	*	*				
1987.....		7.6	*	*	*	*	*	*	*	0.2	*				
1986.....		8.1	*	*	*	*	*	*	*	*	0.3				
1985.....		8.5	*	*	*		*	7.	*	*	7	*	*	*	7
1984.....		9.1	*	*	*	*	*	*	*	*	0.4				
1983.....		9.6	*	*	*	*	*	7.	7.	7	*	7	0.3		
1982.....		10.3	*	*	*	7.	7	*	7	*	7	*	7	*	
1981.....		11.4	*	7	*	7.	7	*	7	*	*	*	*		
1980.....		12.8	0.5	0.0	-	-	0.1	0.1	0.1	0.1	0.2	0.3			
1979.....		13.6	0.2	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.2				
WHITE FEMALE			T	T	T	T									
1996.....		6.3	*	*	*	*	*	*	*	*	*	*	*	*	7
1995.....		6.8	*	*	*	*	7.	7	*	*	*	*	7	*	7
1994.....		7.2	*	7	*	*	*	*	*	*	*	*	*	*	7
1993.....		7.5	*	*	7	*	7	*	*	*	7	*	7	*	
1992.....		7.8	*	*	7.	7	*	*	*	*	7	*	*	*	
1991.....		8.4	*	7	*	*	*	7.	7	*	*	*	*	*	
1990.....		9.4	*	7	*	7	*	*	7	*	*	7	*	7	
1989.....		10.2	*	7	*	*	*	*	*	*	7	*	7	*	
1988.....		11.0	7.	7	*	*	7	*	7	*	7	*	7	*	
1987.....		11.8	*	*	7	*	*	*	7	*	7	*	*	*	0.3
1986.....		12.3	*	*	7	*	7	*	*	7	*	*	*	*	*
1985.....		13.0	*	*	*	*	*	7	*	*	*	7	*	*	
1984.....		13.4	*	*	*	7	*	*	*	7	*	*	*	7	
1983.....		13.9	*	*	7	*	*	*	*	*	7	0.3			
1982.....		15.2	*	7	*	*	*	7	*	*	7	*	7	*	
1981.....		16.8	7.	7	*	*	7	*	*	*	*	*	*	*	
1980.....		18.3	0.2	0.1	0.0	7	-	0.0	7	0.0	0.1	0.1	0.3		
1979.....		19.4	0.4	0.1	-	0.0	0.0	0.0	7	0.1	0.2	0.3			

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 274

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND 91SPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										

ALL OTHER, BOTH SEXES

1996.....	3.6	*	*	*	*	*	*	*	*	*
1995.....	4.1	*	*	*	*	*	*	*	*	*
1994.....	4.3	*	*	*	*	*	*Y	*	*	*
1993.....	4.4	*Y	*	*	*	*Y	*	*	*	*
1992.....	4.7Y	*Y	*Y	*	*	*	0.6	*	*	*
1991.....	4.9	*	*	*	*	*Y	*	*Y	*	0.6
1990.....	5.5Y	*Y	*Y	*	*Y	*Y	0.7Y	*	*	*
1989.....	5.9	*	*	*	*	*Y	*	*	*	*Y
1988.....	6.4	*	*	*	*	*	*Y	*	0.7	0.8
1987.....	6.5Y	*	*Y	*	*	*Y	*	*Y	*	0.7Y
1986.....	7.1	*	*Y	*Y	*	*	*	*Y	*Y	*
1985.....	7.6	*	*Y	*	*	*Y	*	*Y	*	*
1984.....	7.6Y	*Y	*	*	*Y	*	*	*Y	*	*
1983.....	8.4	*Y	*Y	*Y	*Y	*	*Y	*	*Y	1.1
1982.....	8.7Y	*	*	*	*	*Y	*	*Y	*Y	*Y
1981.....	9.8	*	*Y	*	*Y	*	*Y	*Y	1.0	*
1980.....	11.5Y	0.8	0.3	0.0	0.0	0.1	0.2	0.2	0.5Y	0.8
1979.....	11.9	0.5Y	0.1	0.0	-	-	0.2	0.4	0.2	1.1

ALL OTHER MALE

1996.....	3.3	*	*Y	*	*	*				
199	*Y	*								
1994.....	4.1	*	*Y	*Y	*Y	*Y	*	*Y	*	
1993.....	3.9	*	*Y	*	*Y	*	*Y			
199	*									
1992.....	4.3	*	*Y							
1990.....	4.9	*	*							
199	*Y	*Y								
199	*									
1986.....	6.4	*Y	*Y	*Y	*Y	*Y	*	*Y	*	
199	*Y	*Y								
1981.....	9.2Y	*Y	*Y	*Y	*Y	*	*Y	*		
1980.....	10.8	1.3Y	0.2	0.1	-	0.2	0.2	0.2	0.5Y	1.3
1979.....	11.8	0.3Y	0.2	-	-	-	0.1	0.3	0.1	1.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 275

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS										
0 CEREBRAL THROMBOSIS AND 91SPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																				
ALL OTHER FEMALE																				
1996.....	3.8	*	*	*	*	*	*	*	*	*										
1995.....	4.5	*	*	*	*	*	*	*	*	*										
1994.....	4.5	*	*	*	*	*	*	*	*	*										
1993.....	4.8	*	*	*	*	*	*	*	*	*										
1992.....	5.0	*	*	*	*	*	*	*	*	*										
1991.....	5.1	*	*	*	*	*	*	*	*	*										
1990.....	5.9	*	*	*	*	*	*	*	*	*										
1989.....	6.4	*	*	*	*	*	*	*	*	*										
1988.....	6.8	*	*	*	*	*	*	*	*	*										
1987.....	6.7	*	*	*	*	*	*	*	*	*										
1986.....	7.6	*	*	*	*	*	*	*	*	*										
1985.....	8.3	*	*	*	*	*	*	*	*	*										
1984.....	7.9	*	*	*	*	*	*	*	*	*										
1983.....	9.0	*	*	*	*	*	*	*	*	*										
1982.....	9.1	*	*	*	*	*	*	*	*	*										
1981.....	10.3	*	*	*	*	*	*	*	*	*										
1980.....	12.1	0.3	0.4	-	0.1	-	0.1	0.2	0.5	0.4										
1979.....	12.0	0.7	0.1	0.1	-	-	0.2	0.5	0.3	0.7										
BLACK, BOTH SEXES																				
1996.....	4.2	*	*	*	*	*	*	*	*	*										
1995.....	4.8	*	*	*	*	*	*	*	*	*										
1994.....	5.1	*	*	*	*	*	*	*	*	*										
1993.....	5.....			*	*	*	*	*	*	*								*	*	
1992.....	5.6	*	*	*	*	*	*	*	*	0.8										
1991.....	5.9	*	*	*	*	*	*	*	*	*										
1990.....	6.5	*	*	*	*	*	*	*	*	1.0										
1989.....	7.0	*	*	*	*	*	*	*	*	*										
1988.....	7.5	*	*	*	*	*	*	*	0.8	1.1										
1987.....6	*	*	*	*	*	*	*	1.0											
1986.....	8.....			*	*	*	*	*	*	*								*	*	
1985.....	8.9	*	*	*	*	*	*	*	*	*										
1984.....	8.9	*	*	*	*	*	*	*	*	*										
1983.....	9.7	*	*	*	*	*	*	*	*	1.3										
1982.....	9.9	*	*	*	*	*	*	*	*	*										
1981.....	11.1	*	*	*	*	*	*	*	*	*										
1980.....	12.9	0.6	0.3	0.0	0.0	0.1	0.1	0.3	0.6	1.0										
1979.....	13.1	0.4	0.....			0.0	-	-	0.....	0.4								0.2	1.....	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 276

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL THROMBOSIS AND 91SPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)										

BLACK MALE

1996.....	3.8	*	*	*	*	*	*	*	*	*
1995.....	4.2	*	*	*	*	*	*	*	*	*
1994.....	4.8	*	*	*	*	*	*	*	*	*
1993.....	4.36ë	*	*	* ë	*	*	*	*	*	*
1992.....	5.0	*	*	* ë	*	*	* ë	*	*	*
1991.....	5.36ë	*	*	*	* ë	*	* ë	*	*	*
1990.....	5.9	*	*	*	* ë	* ë	* ë	*	*	*
1989.....	6.2	*	* ë	*	*	*	* ë	*	*	*
1988.....	6.9 ë	* ë	* ë	*	*	*	* ë	*	*	*
1987.....	7.2	* ë	* ë	*	*	* ë	* ë	*	*	*
1986.....	7.5	*	* ë	* ë	* ë	* ë	*	* ë	* ë	* ë
1985.....	8.0	* ë	*	* ë	* ë	*	*	* ë	* ë	*
1984.....	8.4	* ë	*	* ë	*	*	*	* ë	*	*
1983.....	8.9 ë	*	*	*	*	*	* ë	*	*	*
1982.....	9.5 ë	* ë	* ë	* ë	* ë	* ë	*	* ë	* ë	*
1981.....	10.4	* ë	* ë	*	*	* ë	* ë	* ë	* ë	*
1980.....	12.1	0.7	0.2	0.1	-	0.1	0.2	0.3	0.7	1.7
1979.....	13.0	0.4	0.2	-	-	-	0.2	0.4	0.1	1.7

BLACK FEMALE

1996.....	4.5 ë	*	*	* ë	*	* ë	* ë	*	*	* ë
1995.....	5.4	*	*	* ë	*	5...*	* ë	*	*	*
1994.....	5.3 ë	* ë	* ë	*	*	* ë	* ë	*	*	*
1993.....	5.7	*	* ë	5...*	*	*	* ë	5 * ë	5 * ë	5 *
1992.....	6.0	* ë	*	*	*	* ë	5 *	* ë	* ë	*
1991.....	6.2 ë	* ë	5...*	* ë	5 * ë	5 *	*	*	*	*
1990.....	7.0	*	* ë	5 *	*	*	* ë	5 * ë	* ë	5 *
1989.....	7.7	*	*	* ë	* ë	* ë	5 *	*	* ë	*
1988.....	8.1	*	*	*	*	* ë	*	*	*	* ë
1987.....	8.0	*	* ë	5 * ë	*	*	5...* ë	*	*	*
1986.....	8.9 ë	* ë	5 * ë	* ë	5 * ë	*	*	5 * ë	*	*
1985.....	9.7	* ë	*	* ë	* ë	* ë	*	5 *	* ë	* ë
1984.....	9.3	*	* ë	5 * ë	* ë	* ë	* ë	* ë	*	*
1983.....	10.5 ë	* ë	* ë	* ë	*	*	*	* ë	*	*
1982.....	10.3 ë	*	*	5 *	*	* ë	5 * ë	*	*	*
1981.....	11.8	*	*	5 * ë	* ë	5 * ë	* ë	* ë	* ë	*
1980.....	13.5 ë	0.4	0.3	-	0.1	-	0.1	0.2 ë	0.36ë	0.5 ë
1979.....	13.2	0.4	0.1	0.1	-	-	0.2	0.5 ë	0.3 ë	0.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 278

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CEREBRAL EMBOLISM (434.1)										
TOTAL, FEMALE										
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.4	*	*	*	*	*	*	*	*	*
1980.....	0.4	0.1	-	-	0.0	0.0	-	0.0	0.1	0.0
1979.....	0.5	-	-	-	-	-	0.0	-	0.0	0.0
WH. E, BOTH SEXES										
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.....	*	*	*	*	*	*	*	*	*
1985.....	0.4	*	*	*	*	*	*	0.	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.3	0.	*	*	*	*	*	*	*	*
1982.....	0.....	*	*	*	*	*	*	*	*	*
1981.....	0.4	0.	*	*	*	*	*	*	*	*
1980.....	0.4	-	-	-	-	0.0	0.0	-	0.0	0.0
1979.....	0.....	-	-	-	-	-	0.0	0.0	0.0	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 279

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL EMBOLISM (434.1)										
WH. E MALE										
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	* S,	* S,	*	* S,	*			
1987.....	0.3	*	* S	*	*	*	*	*	* S	*
1986.....	0.3	*	*	*	*	* S,	*	* S	*	
1985.....	0.3	S, *	S, *	S	*	* S	*	*		
1984.....	0.3	S	*	*	*	S	*	*	*	*
1983.....	0.3	*	* S	*	*	*	* S	*	*	* S
1982.....	0.3	*	* S	*	*	*	*	*	*	* S
1981.....	0.3	*	* S	*	*	* S	*	*	*	* S
1980.....	0.3	S	-	-	-	0.0	-	-	0.0	-
1979.....	0.3	-	-	-	-	0.0	-	0.0	0.1	0.1
WH. E FEMALE										
1996.....	0.3	*	* S	*	*	*	*	* S	*	*
1995.....	0.3	*	* S	*	*	*	* S	*	*	* S
1994.....	0.4	*	*	*	*	* S	*	* S	*	*
1993.....	0.3	S, *	S	*	*	* S	* S	*	*	
1992.....	0.3	S, *	S	*	* S,	* S	*	*		
1991.....	0.3	*	* S	*	*	* S	*	*	* S	* S

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 280

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL EMBOLISM (434.1)										
ALL OTHER, BOTH SEXES										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2 TE	*	*	* TE	*	*	*	*	*	*
1991.....	0.1	*	*	* TE	*	*	*	*	*	*
1990.....	0.1 TE	*	*	*	*	* TE	*	*	*	*
1989.....	0.2 T	*	*	T	*	*	*	T	*	*
1988.....	0.2 T	*	*	*	*	*	*	*	*	* T
1987.....	0.2	*	*	T	*	T	*	*	* T	*
1986.....	0.2	*	*	T	*	*	*	*	*	*
1985.....	0.2	*	*	T	*	*	T	*	*	* T
1984.....	0.2 T	*	*	*	*	*	*	* T	* T	*
1983.....	0.2 TE	*	*	* TE	*	*	*	*	*	*
1982.....	0.2 T	*	*	T	*	T	*	TE	*	*
1981.....	0.2 TE	*	*	T	*	T	*	*	* T	*
1980.....	0.3	0.2 T	-	-	-	-	-	0.0	0.0	0.2 T
1979.....	0.2	-	-	-	-	-	0.0	-	-	-
ALL OTHER MALE										
1996.....	0.1	*	*	T	*	* T -YTE	*	* T	*	*
1995.....	0.1	-YT	*	*	T -	*	*	*	*	*
1994.....	0.1	-	*	*	*	T	*	*	* T	* T
1993.....	*	*	*	T	*	*	*	*	* T	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 281

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CEREBRAL EMBOLISM (434.1)										
ALL OTHER FEMALE										
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.1	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	0.3	-	-	-	-	-	-	0.1	0.1
1979.....	0.2	-	-	-	-	-	0.1	-	-	-
BLACK, BOTH SEXES										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	-	-	-	-	-	-	0.0	-	0.1
1979.....	0.3	-	-	-	-	-	0.0	-	-	-

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 283

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)										
+++++										
TOTAL, BOTH SEXES	+++	+++	++++	+++++	+++					
1996.....	46.2	4.7	0.2	0.1	0.1	0.2	0.3	0.8	1.4	2.7
1995.....	46.0	4.2	0.2	*	0.1	0.2	0.3	0.7	1.4	2.9
1994.....	44.6	3.1	0.2	0.1	0.1	0.2	0.4	0.8	1.6	2.5
1993.....	43.7	3.3	0.2	*	0.1	0.2	0.4	0.7	1.5	2.6
1992.....	41.7	2.6	0.2	*	0.1	0.2	0.4	0.7	1.5	2.7
1991.....	41.8	2.4	0.2	*	0.1	0.2	0.4	0.8	1.6	2.6
1990.....	42.1	1.8	0.2	*	0.2	0.2	0.5	0.9	1.7	2.8
1989.....	42.3	1.6	*	*	0.1	0.1	0.5	0.9	1.7	2.7
1988.....	43.9	1.8	0.2	*	0.1	0.2	0.6	0.9	1.7	2.8
1987.....	43.8	1.6	0.2	*	*	0.2	0.5	1.1	1.7	3.0
1986.....	43.7	1.2	0.1	*	0.1	0.2	0.5	1.0	1.8	3.0
1985.....	45.0	1.4	0.2	*	0.2	0.3	0.6	0.9	1.7	2.9
1984.....	45.8	0.8	0.2	0.1	*	0.3	0.6	1.1	1.7	3.1
1983.....	46.6	1.1	0.2	0.1	0.1	0.3	0.6	1.0	1.5	3.2
1982.....	46.9	1.0	0.2	*	0.2	0.3	0.5	1.0	1.8	3.4
1981.....	48.6	0.9	0.2	*	0.1	0.3	0.7	1.2	2.1	3.8
1980.....	50.6	1.3	0.2	0.1	0.1	0.3	0.8	1.2	2.1	3.7
1979.....	49.5	1.1	0.1	0.1	0.2	0.3	0.7	1.2	2.1	3.9
TOTAL, MALE	+++	+++	+++	++++	+++	+++++	+++			
1996.....	35.7	5.1	*	*	*	*	0.4	0.7	1.2	2.3
1995.....	35.6	4.8	*	*	*	*	0.4	0.7	1.3	2.9
1994.....	34.7	3.6	0.3	*	*	*	0.4	0.7	1.4	2.2
1993.....	34.1	3.3	*	*	*	0.2	0.3	0.8	1.4	2.6
1992.....	32.7	3.4	*	*	*	0.3	0.5	0.7	1.3	2.6
1991.....	32.9	2.4	*	*	*	*	0.4	0.6	1.4	2.4
1990.....	33.1	2.1	*	*	*	0.2	0.5	0.8	1.5	2.6
1989.....	33.2	1.7	*	*	*	*	0.4	0.8	1.5	2.7
1988.....	34.8	1.9	*	*	*	0.2	0.6	0.8	1.7	2.8
1987.....	34.4	1.8	*	*	*	*	0.5	1.0	1.6	2.9
1986.....	34.7	1.3	*	*	*	0.2	0.5	0.9	1.8	3.0
1985.....	35.9	1.6	*	*	*	0.4	0.5	0.8	1.6	2.8
1984.....	36.9	*	*	*	*	0.4	0.6	1.1	1.6	2.9
1983.....	38.1	1.2	*	*	*	0.4	0.6	1.0	1.6	3.2
1982.....	38.4	1.2	*	*	*	0.3	0.4	1.0	1.7	3.1
1980.....	42.2	1.6	0.2	0.1	0.1	0.3	0.9	1.2	1.9	3.3
1979.....	41.8	1.3	0.1	0.2	0.2	0.3	0.7	1.4	2.2	3.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 284

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)										

+++++

TOTAL, FEMALE	1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985	1984	1983	1982	1981	1980	1979
1996.....	56.3	55.9	54.0	53.0	50.3	50.3	50.5	50.9	52.5	52.6	52.2	53.3	54.3	54.7	55.0	56.36μ	58.5	56.8
1995.....	4.4	3.36μ	2.5	3.3	1.8	2.4	1.36μ	1.4	1.7	1.3	*	* μ	* μ	* μ	* μ	* μ	1.0	0.8
1994.....	*	*	* μ μ μ	* μ μ	* μ μ	* μ	*	*	* μ	* μ	* μ μ	* μ	* μ	* μ	* μ	* μ	0.2	0.1
1993.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1992.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1991.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1990.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1989.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1988.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1987.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1986.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1985.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1984.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1983.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1982.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1981.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1980.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1979.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
WHITE, BOTH SEXES	48.7	48.3	46.8	45.9	43.3	43.5	43.6	43.6	45.3	45.2	45.0	46.3	47.0	47.8	48.0	49.5	51.36μ	
1996.....	4.3	4.0	2.8	2.9	2.3	2.1	1.5	1.4	1.5	1.4	1.0	1.2	0.7 μ μ	1.0	0.8 μ μ	0.7	1.0	
1995.....	0.2	0.2	0.2 μ μ	0.2 μ	* μ	0.2 μ μ	* μ	*	*	0.2	* μ	* μ	* μ	* μ	* μ	* μ	0.2	0.1
1994.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1993.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1992.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1991.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1990.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1989.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1988.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1987.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1986.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1985.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1984.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1983.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1982.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1981.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1
1980.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 285

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)										

+++++

WHITE MALE +++ +++ +++++ +++++ +++++

1996.....	36.9	4.9	*	*	*	*	0.4	0.7	1.0	1.9
1995.....	36.5	4.7	*	*	*	*	0.3	0.6	1.1	2.5
1994.....	35.7	3.3	*	*	*	*	0.4	0.6	1.2	1.9
1993.....	35.1	2.7	*	*	*	*	0.3	0.7	1.3	2.2
1992.....	33.5	3.0	*	*	*	*	0.5	0.6	1.2	2.0
1991.....	33.5	2.2	*	*	*	*	0.5	0.6	1.2	2.0
1990.....	33.7	1.7	*	*	*	*	0.5	0.8	1.3	2.1
1989.....	33.7	1.5	*	*	*	*	0.4	0.7	1.4	2.0
1988.....	35.2	1.4	*	*	*	*	0.6	0.7	1.3	2.2
1987.....	34.9	1.8	*	*	*	*	0.4	0.8	1.3	2.3
1986.....	34.9	*	*	*	*	*	0.4	0.8	1.5	2.5
1985.....	36.3	1.6	*	*	*	0.4	0.4	0.7	1.3	2.4
1984.....	37.2	*	*	*	*	0.4	0.5	1.0	1.3	2.4
1983.....	38.4	*	*	*	*	0.4	0.5	0.8	1.4	2.7
1982.....	38.5	*	*	*	*	0.3	0.4	0.9	1.5	2.6
1981.....	(0.2	*	*	1..	*	0.3	0.6	1.0	1.8	3.1
1983.....	56.8	1..	1 *	*	1 *	*	0.4	0.8	1.1	2.5
1982.....	57.0	1 *	*	*	1..	1 *	0.4	0.8	1.4	3.1
1981.....	58.5	1..	1 *	*	1 *	*	0.6	0.9	1.8	3.3
1980.....	60.5	0.9	0.2	0.2	0.1	0.3	0.6	1.0	1.7	3.4
1979.....	58.4	0.7	0.1	0 0.1	0.2	0.3	0.6	0.9	1.7	3.3

) Tj T* (1980.....

1996	34.4	6.6	*	*	*	*	*	1.2	2.3	4.9
1995	34.6	4.7	*	*	*	*	0.6	0.9	2.4	5.0
1994	33.6	4.1	*	*	*	*	0.6	1.2	2.8	5.0
1993	33.2	4.9	*	*	*	*	0.6	1.4	2.2	4.9
1992	32.2	3.8	*	*	*	*	*	1.3	2.8	5.7
1991	33.3	3.5	*	*	*	*	*	1.1	3.1	4.9
1990	33.8	3.1	*	*	*	*	0.6	1.2	3.7	6.4
1989	35.1	*	*	*	*	*	0.7	1.6	3.4	6.0
1988	36.5	2.9	*	*	*	*	0.7	1.6	3.8	6.1
1987	36.1	*	*	*	*	*	0.9	2.1	3.6	6.0
1986	36.3	*	*	*	*	*	0.8	1.8	3.7	6.5
1985	37.7	*	*	*	*	*	0.9	1.6	3.6	5.6
1984	38.9	*	*	*	*	*	1.2	2.0	3.9	6.4
1983	39.7	*	*	*	*	*	1.2	2.2	3.1	7.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 287

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)										
+++++										
ALL OTHER FEMALE +++ +++ +++++ ++										
1996.....	38.4	7.3	*	*	*	*	*	1.7	2.4	5.4
1995.....	38.1	*	*	*	*	*	*	1.1	2.3	5.0
1994.....	37.2	*	*	*	*	*	*	1.6	3.5	5.9
1993.....	37.1	*	*	*	*	*	*	1.3	2.7	5.3
1992.....	35.6	*	*	*	*	*	*	1.5	3.6	5.5
1991.....	36.4	*	*	*	*	*	*	1.4	3.3	5.2
1990.....	37.3	*	*	*	*	*	*	1.5	4.5	7.2
1989.....	39.2	*	*	*	*	*	*	1.9	4.3	5.6
1988.....	40.2	*	*	*	*	*	*	1.9	3.8	6.2
1987.....	39.7	*	*	*	*	*	*	2.1	4.1	5.6
1984.....	42.4	*	*	*	*	*	1.1	2.6	4.1	6.9
1983.....	43.0	*	*	*	*	*	1.1	2.2	3.3	6.9
1982.....	43.5	*	*	*	*	*	1.1	2.2	5.1	6.7
1981.....	45.8	*	*	*	*	*	1.2	3.1	4.2	7.4
1984.....	44.8	*	*	*	*	*	1.2	2.4	4.6	7.4
1983.....	45.7	*	*	*	*	*	1.3	2.6	3.9	8.3
1982.....	46.7	*	*	*	*	*	1.1	2.4	4.9	7.9
1979.7.. *	* 9.1	2.5	0.3	0.2	0.1	0.3	1.2	2.5	5.3	11.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 288

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)										
+++										
BLACK MALE ++ ++ +++ ++++ +++										
1996.....	34.9	*	*	*	*	*	*	*	2.5	5.4
1995.....	35.6	6.4	*	*	*	*	*	*	2.9	5.7
1994.....	34.6	*	*	*	*	*	*	*	2.8	5.0
1993.....	34.0	6.3	*	*	*	*	*	1.7	2.0	5.0
1992.....	33.5	*	*	*	*	*	*	*	2.3	7.3
1991.....	35.1	*	*	*	*	*	*	*	3.7	5.4
1990.....	35.5	*	*	*	*	*	*	*	3.5	6.8
1989.....	35.9	*	*	*	*	*	*	1.5	2.8	8.1
1988.....	37.9	*	*	*	*	*	*	1.5	4.7	7.1
1987.....	37.1	*	*	*	*	*	*	2.3	3.5	8.1
1986.....	38.7	*	*	*	*	*	*	1.9	4.2	7.5
1985.....	38.8	*	*	*	*	*	*	1.7	4.1	7.5
1984.....	40.4	*	*	*	*	*	*	1.7	4.4	6.9
1983.....	41.2	*	*	*	*	*	*	2.4	3.6	8.2
1982.....	43.0	*	*	*	*	*	*	2.2	3.3	7.7
1981.....	45.4	*	*	*	*	*	*	1.7	4.2	9.8
1980.....	47.3	4.8	0.3	0.1	0.3	0.5	1.8	2.5	5.3	8.4
1979.....	46.4	3.8	0.3	0.2	0.1	0.2	0.9	2.8	5.5	11.3
BLACK FEMALE++ +++ ++ ++++ ++++ ++++ +++										
1996.....	45.4	8.5	*	*	*	*	*	1.9	3.2	6.7
1995.....	45.5	*	*	*	*	*	*	*	2.9	6.3
1994.....	44.1	*	*	*	*	*	*	2.1	4.4	7.3
1993.....	43.9	*	*	*	*	*	*	1.8	3.3	6.5
1992.....	42.4	*	*	*	*	*	*	1.8	4.5	6.9
1991.....	42.9	*	*	*	*	*	*	1.9	4.0	6.4
1990.....	43.9	*	*	*	*	*	*	1.7	5.5	9.1
1989.....	46.4	*	*	*	*	*	*	2.3	5.3	6.6
1988.....	47.4	*	*	*	*	*	*	2.2	4.7	7.6
1987.....	46.7	*	*	*	*	*	*	2.6	5.1	7.0
1986.....	45.8	*	*	*	*	*	*	2.2	5.1	7.8
1985.....	48.1	*	*	*	*	*	*	2.1	4.7	6.4
1984.....	48.8	*	*	*	*	*	*	3.0	4.8	7.9
1983.....	49.6	*	*	*	*	*	*	2.7	4.1	8.3
1982.....	49.9	*	*	*	*	*	1.4	2.7	6.3	8.1
1981.....	52.1	*	*	*	*	*	*	3.5	5.0	8.7
1980.....	52.5	1.5	-	0.1	-	0.7	1.5	3.0	5.8	9.6
1979.....	51.5	1.2	0.2	0.2	0.2	0.5	1.6	2.2	5.1	11.0

[illegible][illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 290

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ATHEROSCLEROSIS (440)										

TOTAL, FEMALE

1996.....	7.7	*	*	*	*	*	*	*	*	*
1995.....	7.7	*	*	*	*	*	*	*	*	*
1994.....	8.0	*	*	*	*	*	*	*	*	*
1993.....	8.2	*	*	*	*	*	*	*	*	*
1992.....	8.0	*	*	*	*	*	*	*	*	*
1991.....	8.3	*	*	*	*	*	*	*	*	*
1990.....	8.8	*	*	*	*	*	*	*	*	*
1989.....	9.6	*	*	*	*	*	*	*	*	*
1988.....	11.0	*	*	*	*	*	*	*	*	*
1987.....	11.3	*	*	*	*	*	*	*	*	*
1986.....	11.5	*	*	*	*	*	*	*	*	*
1985.....	12.2	*	*	*	*	*	*	*	*	*
1984.....	12.6	*	*	*	*	*	*	*	*	*
1983.....	13.6	*	*	*	*	*	*	*	*	*
1982.....	13.6	*	*	*	*	*	*	*	*	*
1981.....	14.4	*	*	*	8/	*	8/	*	8/	*
1980.....	15.3	0.1	-	-	-	-	-	-	0.0	0.1
1979.....	15.1	0.1	-	-	-	0.0	-	0.0	-	0.0

WH. E, BOTH SEXES

1996.....	7.0	*	8*	*	*	8*	*	*	8*	*
1995.....	7.1	*	*	*	8*	*	*	*	*	8/
1994.....	7.2	*	*	*	*	*	8*	*	*	0.1
1993.....	7.4	*	8*	*	*	*	8*	*	*	8*
1992.....	7.3	*	*	*	*	*	8*	*	*	8/
1991.....	7.6	*	*	*	8*	*	*	8/	*	8*
1990.....	7.9	*	*	8*	*	*	8*	*	*	8*
1989.....	8.6	*	8*	*	*	*	8*	*	*	8*
1988.....	9.8	*	*	*	8*	*	*	*	8*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 291

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ATHEROSCLEROSIS (440)										
WHITE MALE										
1996.96.+++++	5.3	*	*	*	*	*	*	*	*	*
1995.+++..+.+	5.5	*	*	*	*	*	*	*	*	*
1994.+++..+.+	5.5	*	*	*	*	*	*	*	*	*
1993.+++..+.+	5.6	*	*	*	*	*	*	*	*	*
1992.+++..+.+	5.5	*	*	*	*	*	*	*	*	*
1991.+++..+.+	5.8	*	*	*	*	*	*	*	*	*
1990.+++..+.+	6.1	*	*	*	*	*	*	*	*	*
1989.+++..+.+	6.6	*	*	*	*	*	*	*	*	*
1988.+++..+.+	7.5	*	*	*	*	*	*	*	*	*
1987.+++..+.+	7.7	*	*	*	*	*	*	*	*	*
1986.+++..+.+	7.8	*	*	*	*	*	*	*	*	*
1985.+++..+.+	8.4	*	*	*	*	*	*	*	*	*
1984.+++..+.+	8.6	*	*	*	*	*	*	*	*	*
1983.+++..+.+	9.4	*	*	*	*	*	*	*	*	*
1982.+++..+.+	10.0	*	*	*	*	*	*	*	*	*
1981.+++..+.+	10.5	*	*	*	*	*	*	*	*	*
1980.+++..+.+	11.1	0.1	-	-	-	0.0	0.0	0.0	0.1	0.1
1979.+++..+.+	11.1	0.1	-	-	-	-	-	-	0.0	0.1
WHITE FEMALE										
1996.96.+++++	8.6	*	*	*	*	*	*	*	*	*
1995.+++..+.+	8.6	*	*	*	*	*	*	*	*	*
1994.+++..+.+	8.9	*	*	*	*	*	*	*	*	*
1993.+++..+.+	9.2	*	*	*	*	*	*	*	*	*
1992.+++..+.+	9.0	*	*	*	*	*	*	*	*	*
1991.+++..+.+	9.2	*	*	*	*	*	*	*	*	*
1990.+++..+.+	9.7	*	*	*	*	*	*	*	*	*
1989.+++..+.+	10.5	*	*	*	*	*	*	*	*	*
1988.+++..+.+	12.1	*	*	*	*	*	*	*	*	*
1987.+++..+.+	12.5	*	*	*	*	*	*	*	*	*
1986.+++..+.+	12.6	*	*	*	*	*	*	*	*	*
1985.+++..+.+	13.3	*	*	*	*	*	*	*	*	*
1984.+++..+.+	13.8	*	*	*	*	*	*	*	*	*
1983.+++..+.+	15.0	*	*	*	*	*	*	*	*	*
1982.+++..+.+	14.9	*	*	*	*	*	*	*	*	*
1981.+++..+.+	15.7	*	*	*	*	*	*	*	*	*
1980.+++..+.+	16.6	0.1	-	-	-	-	-	-	0.0	0.1
1979.+++..+.+	16.3	0.1	-	-	-	-	-	0.0	-	0.1

PLATE 1 OF 2 PG. 292

[illegible]

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 295

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)										
TOTAL, BOTH SEXES										
1996..... T T .	10.2	*	*	*	*	0.1	0.2	0.4	0.5	0.9
1995 T . T	10.1	*	*	*	*	0.2	0.2	0.4	0.7	1.0
1994 T . . T . . .	10.0	*	*	*	*	*	0.3	0.4	0.36İ8	
1993 T . . T . . .	10.1	*	*	*	*	0.1	0.2	0.4	0.5	0.9
1992 T . . T . . .	9.9	*	*	*	*	0.1	0.3	0.4	0.36İ	0.8
1991 T . . T . . .	9.9	*	*	*	*	0.1	0.2	0.4	0.36İ	0.8
1990. T	9.9	*	*	*	*	*	0.2	0.4	0.5	0.8
1988 T . . .992	9.5	*	*	*	*	0.2	0.2	0.4	0.5	0.8
1985 T . . .99.	9.2	0.7	*	*	*	0.2	0.2	0.3	0.4	0.8
1980. T . . .9	8.8	0.5	0.1	0.0	0.1	0.1	0.3	0.3	0.5	0.8
1979. T . . .9	8.7	0.5	0.1	0.1	0.1	0.2	0.3	0.4	0.3	0.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 296

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)										

TOTAL, FEMALE										
1996.....	9.1	*	*	*	*	*	*	0.3	0.5	0.7
1995.....	8.8	*	*	*	*	*	0.3	0.3	0.6	0.7
1994.....	8.7	*	*	*	*	*	0.3	0.3	0.5	0.6
1993.....	8.4	*	*	*	*	*	*	0.3	0.4	0.9
1992.....	8.3	*	*	*	*	*	0.2	0.4	0.5	0.6
1991.....	8.1	*	*	*	*	*	*	0.4	0.5	0.6
1990.....	7.9	*	*	*	*	*	*	0.3	0.5	0.5
1989.....	7.8	*	*	*	*	*	*	0.4	0.3	0.7
1988.....	7.5	*	*	*	*	*	*	0.4	0.3	0.6
1987.....	7.2	*	*	*	*	*	*	0.3	0.4	0.7
1986.....	7.2	*	*	*	*	*	0.3	0.3	0.3	0.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 297

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)										

WHITE MALE

1996.....	12.4	*	*	*	*	*	*	0.4	0.5	1.0
1995.....	12.6	*	*	*	*	*	*	0.4	0.7	1.2
1994.....	12.4	*	*	*	*	*	*	0.5	0.7	0.8
1993.....	12.9	*	*	*	*	*	*	0.4	0.5	0.9
1992.....	12.7	*	*	*	*	*	0.3	0.3	0.3619	

ALL OTHER, BOTH SEXES

1996.....	6.3	*	*	*	*	*	*	0.9	1.8
1995.....	6.0	*	*	*	*	*	0.6	1.1	1.2
1994.....	6.2	*	*	*	*	*	*	0.8	1.4
1993.....	6.2	*	*	*	*	*	0.6	0.9	1.8
1992.....	5.8	*	*	*	*	*	*	0.8	1.4
1991.....	5.9	*	*	*	*	*	0.7	1.2	1.2
1990.....	5.9	*	*	*	*	*	0.5	0.8	1.5
1989.....	5.9	*	*	*	*	*	*	0.8	1.9
1988.....	5.5	*	*	*	*	*	0.6	0.8	1.4
1987.....	5.6	*	*	*	*	*	0.7	0.8	1.5
1986.....	5.4	*	*	*	*	*	*	0.8	1.6
1985.....	5.5	*	*	*	*	*	*	0.9	1.3
1984.....	5.4	*	*	*	*	*	*	0.7	1.5
1983.....	5.1	*	*	*	*	*	*	1.0	1.8
1982.....	5.0	*	*	*	*	*	*	0.7	1.4
1981.....	5.0	*	*	*	*	*	*	1.2	1.8
1980.....	5.4	0.3	0.1	0.0	0.1	0.2	0.3	0.6	1.1
1979.....	5.0	0.5	0.1	0.1	0.1	0.4	0.5	1.1	1.2
ALL OTHER MALE									
1996.....	6.5	*	*	*	*	*	*	*	2.2
1995.....	6.0	*	*	*	*	*	*	1.3	1.2
1994.....	6.3	*	*	*	*	*	*	*	1.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 299

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)										

ALL OTHER FEMALE

1996.....	6.1	*	*	*	*	*	*	*	*	1.5
1995.....	6.0	*	*	*	*	*	*	*	*	1.2
1994.....	6.2	*	*	*	*	*	*	*	*	1.1
1993.....	5.8	*	*	*	*	*	*	*	*	2.1
1992.....	5.5	*	*	*	*	*	*	*	*	1.1
1991.....	5.6	*	*	*	*	*	*	*	1.2	1.2
1990.....	5.4	*	*	*	*	*	*	*	*	*
1989.....	5.6	*	*	*	*	*	*	*	*	1.8
1988.....	5.1	*	*	*	*	*	*	*	*	*
1987.....	5.0	*	*	*	*	*	*	*	*	1.3
1986.....	5.0	*	*	*	*	*	*	*	*	1.6
1985.....	5.0	*	*	*	*	*	*	*	*	*
1984.....	4.8	*	*	*	*	*	*	*	*	*
1983.....	4.6	*	*	*	*	*	*	*	*	*
1982.....	4.3	*	*	*	*	*	*	*	*	*
1981.....	4.5	*	*	*	*	*	*	*	*	*
1980.....	4.6	0.6	0.1	-	0.2	0.2	0.2	0.7	0.8	1.5
1979.....	4.1	-	-	0.1	0.2	0.5	0.6	1.2	0.8	1.3

BLACK, BOTH SEXES

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 300

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)										

BLACK MALE

1996.....	7.5	*	*	*	*	*	*	*	*	2.7
1995.....7.	6.9	*	*	*	*	*	*	*	*	*
1994.....7.....7	7.1	*	*	*	*	*	*	*	*	2.1
1993.....7.....	7.5	*	*	*	*	*	*	*	1.5	1.7
1992.....7.....	6.9	*	*	*	*	*	*	*	*	2.3
1991.....7.....	7.0	*	*	*	*	*	*	*	*	*
1990.....7.....7.	7.2	*	*	*	*	*	*	*	2.5	
1989.....7.....77.	7.1	* .*	*	*	* .*	* .*	2.5	*		
1988.....7.....77..	6.5	*	*	*	*	*	*	*	*	2.1
1987.....7.....77.	6.8	*	*	*	.6	*	*	*	*	*
1986.....7.....77.	6.5	*	*	*	*	*	*	*	*	*
1985.....7.....77.	6.4	*	*	*	*	*	*	.6	*	*
1984.....7.....77.	6.7	*	*	*	*	*	*	*	* .*	
1983.....7.....77.	6.2	*	*	*	*	*	.6	*	*	2.9
1982.....7.....77.	6.3	*	*	*	*	*	.6	*	*	*
1981.....7.....77	5.9	*	*	*	*	*	.6	*	*	*
1980.....7.....77	6.5	-	0.1	0.1	-	0.3	0.4	0.6	1.8	1.5
1979.....7.....77.	6.1	0.8	0.2	0.1	0.1	0.4	0.5	1.0	1.9	1.4

BLACK FEMALE

1996.....7.....77	7.2	*	*	*	*	*	*	.6	*	1.9
1995.....7.....77..	7.3	*	*	*	*	*	*	*	*	1.5
1994.....7.....77	7.3	*	*	*	*	* .*	*	*	*	
1993.....7.....77	6.8	*	*	.6	.6	*	*	*	*	2.7
1992.....7.....77.	6.5	* .*	*	* .*	*	* .*	*	* .*	*	
1991.....7.....7	6.8	* .*	*	* .*	*	* .*	*	1.4	1.6	
1990.....7.....7	6.4	*	*	*	*	* .*	*	*	*	
1989.....7.....77	6.6	*	*	* .*	*	*	* .*	* .*	2.4	
1988.....7.....77.	6.0	*	*	*	*	*	*	*	*	*
1987.....7.....77	5.8	*	*	*	*	*	*	*	*	1.7
1986.....7.....7	5.7	*	*	.6	* .*	*	*	* .*	1.9	
1985.....7.....77	5.7	*	*	*	* .*	*	*	*	*	*
1984.....7.....7	5.4	.6	* .*	*	*	* .*	* .*	.6	* .*	
1983.....7.....7	5.0	*	* .*	*	*	*	*	*	*	.6
1982.....7.....77	4.9	*	*	*	*	.6	*	*	*	*
1981.....7.....	5.1	*	* .*	.6	*	*	*	*	*	*
1980.....7.....	5.1	0.8	0.1	-	0.1	0.3	0.3	0.8	1.0	1.6
1979.....7.....77..	4.5	-	-	0.1	0.1	0.5	0.5	1.5	0.9	1.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 301

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACUTE BRONCH DIS AND BRONCHIO DIS (466)										
TOTAL, BOTH SEXES										
1996.....	0.2	1.7	0.2	*	*	*	*	*	*	*
1995.....	0.2	1.8	0.2	*	*	*	*RE	*	*R	
1994.....	0.2	2.2	0.2	*	*	*RE	*R	*R	*	
1993.....	0.3	1.9RE	*RE	*RE	*RE	*				
1992.....	0.2	2.3	*R	*R	*	*R	*R	*R	*R	*R
1991.....	0.3	1.7	*R	*R	*R	*RE	*	*R	*R	
1990.....	0.3	1.9R	*R	*RE	*	*R	*R	*	*	
1989.....	0.3	1.9	0.1	*R	*RE	*RE	*R	*R		
1988.....	0.3	1.9	0.2	*R	*R	*R	*	*R	*	*R
1987.....	0.2	1.7	0.1	*	*R	*	*	*RE	*R	
1986.....	0.2	1.6RE	*R	*R	*R	*R	*R	*R	*R	
1985.....	0.3	1.7	*R	*R	*R	*R	*	*RE	*R	
1984.....	0.2	1.6	0.2	*R	*R	*R	*R	*R	*	*R
1983.....	0.2	2.4	*R	*R	*R	*R	*R	*R	*R	*R
1982.....	0.2	2.0	0.2	*R	*RE	*R	*R	*R	*R	
1981.....	0.2	2.4	0.2	*R	*R	*	*R	*	*R	*R
1980.....	0.3	2.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	2.7	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0
TOTAL, MALE										
1996.....	0.2	2.1	*R	*R	*R	*RE	*R	*R	*R	
1995.....	0.2	2.0RE	*R	*R	*R	*R	*R	*R	*R	
1994.....	0.2	2.7RE	*R	*R	*R	*R	*R	*	*R	
1993.....	0.2	2.2	*R	*R	*	*R	*R	*R	*RE	
1992.....	0.2	3.0	*R	*	*R	*R	*R	*R	*R	*R
1991.....	0.2	2.2	*R		*	*R	*	*R	*R	*R
1990.....	0.2	2.2	*R	*4...*		*R	*R	*4		
1989.....	0.2	2.4	*R	*4	*	*R	*R	*R	*RE	
1988.....	0.2	2.4	*R	*R	*R	*R	*R	*	*R	*R
1987.....	0.2	2.1	*R		*R	*R	*	*R	*R	
1986.....	0.2	2.0	*R	*R	*	*R	*R	*4	*R	*R
1985.....	0.3	2.3	*R	*R	*R	*R	*R	*RE	*R	
1984.....	0.2	1.9	*R	*R	*R		*R		*R	*4
1983.....	0.2	3.1	*R	*4	*R		*R	*R	*R	*R
1982.....	0.2	2.5	*R	*R	*R		*R	*R	*R	*R
1981.....	0.2	2.8	*	*R	*R	*R	*R		*	*R
1980.....	0.3	2.9	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0
1979.....	0.3	3.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 302

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACUTE BRONCH DIS AND BRONCHIO DIS (466)										
TOTAL, FEMALE										
1996.....	0.2	1.4	*	*	*	*	*	*	*	*
1995.....	0.2	1.7	*	*	*	*	*	*	*	*
1994.....	0.3	1.6	*	*	*	*	*	*	*	*
1993.....	0.3	1.6	*	*	*	*	*	*	*	*
1992.....	0.2	1.6	*	*	*	*	*	*	*	*
1991.....	0.3	1.2	*	*	*	*	*	*	*	*
1988.....	0.3	1.4	*	*	*	*	*	*	*	*
1987.....	0.2	1.3	*	*	*	*	*	*	*	*
1986.....	0.2	1.2	*	*	*	*	*	*	*	*
1985.....	0.2	1.1	*	*	*	*	*	*	*	*
1984.....	0.2	1.3	*	*	*	*	*	*	*	*
1983.....	0.2	1.7	*	*	*	*	*	*	*	*
1982.....	0.2	1.5	*	*	*	*	*	*	*	*
1981.....	0.3	1.9	*	*	*	*	*	*	*	*
1979.....	0.2	2.2	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0
WH TE, BOTH SEXES										
1996.....	0.2	1.3	*	*	*	*	*	*	*	*
1995.....	0.2	1.5	*	*	*	*	*	*	*	*
1991.....	0.3	1.7	*	*	*	*	*	*	*	*
1990.....	0.3	1.2	*	*	*	*	*	*	*	*
1989.....	0.3	1.2	*	*	*	*	*	*	*	*
1988.....	0.3	1.5	*	*	*	*	*	*	*	*
1987.....	0.2	1.2	*	*	*	*	*	*	*	*
1986.....	0.3	1.4	*	*	*	*	*	*	*	*
1985.....	0.3	1.6	*	*	*	*	*	*	*	*
1983.....	0.2	1.9	*	*	*	*	*	*	*	*
1982.....	0.2	1.6	*	*	*	*	*	*	*	*
1979.....	0.2	2.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 303

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACUTE BRONCH DIS AND BRONCHIOL DIS (466)										

WH TE MALE	LE ***									
1996.....	0.2	1.7	*	*	*	*	*	*	*	*
1995.....	0.2	1.7	*	*	*	*	*	*	*	*
1994.....	0.2	2.0	*	*	*	*	*	*	*	*
1993.....	0.2	2.0	*	*	*	*	*	*	*	*
1992.....	0.2	2.4	*	*	*	*	*	*	*	*
1991.....	0.2	2.2	*	*	*	*	*	*	*	*
1990.....	0.2	1.3	*	*	*	*	*	*	*	*
1989.....	0.2	1.5	*	*	*	*	*	*	*	*
1988.....	0.2	1.9	*	*	*	*	*	*	*	*
1987.....	0.2	1.7	*	*	*	*	*	*	*	*
1986.....	0.3	1.8	*	*	*	*	*	*	*	*
1985.....	0.3	2.1	*	*	*	*	*	*	*	*
1984.....	0.2	1.7	*	*	*	*	*	*	*	*
1983.....	0.2	2.5	*	*	*	*	*	*	*	*
1982.....	0.2	1.9	*	*	*	*	*	*	*	*
1981.....	0.3	2.2	*	*	*	*	*	*	*	*
1980.....	0.3	2.5	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0
1979.....	0.3	2.8	0.2	0.0	0.0	0.0	0.0	0.1	0.0	-
WH DE FEMALE ** **	** **									
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	1.4	*	*	*	*	*	*	*	*
1981.....	0.3	1.6	*	*	*	*	*	*	*	*
1980.....	0.3	1.9	0.1	0.0	-	0.0	0.0	0.0	0.0	0.0
1979.....	0.2	1.7	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 304

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)										
ALL OTHER, BOTH SEXES										
1996.....	0.1	3.6	*	*	*	*	*	*	*	*
1995.....	0.1	3.2	*	*	*	*	*	*	*	*
1994.....	0.2	4.3	*	*	*	*	*	*	*	*
1993.....	0.2	3.1	*	*	*	*	*	*	*	*
1992.....	0.2	4.0	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	4.4	*	*	*	*	*	*	*	*
1989.....	0.2	4.5	*	*	*	*	*	*	*	*
1988.....	0.2	3.7	*	*	*	*	*	*	*	*
1987.....	0.2	3.6	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	3.3	*	*	*	*	*	*	*	*
1983.....	0.2	4.6	*	*	*	*	*	*	*	*
1982.....	0.2	3.7	*	*	*	*	*	*	*	*
1981.....	0.2	4.5	*	*	*	ST	*	ST	*	*
1980.....	0.2	3.6	0.5	0.1	-	0.0	-	-	0.1	-
1979.....	0.2	5.2	0.5	0.0	-	0.0	-	0.0	0.1	-
ALL OTHER MALE										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	ST	*	*	*	*	*	*
1994.....	0.2	5.2	*	*	ST	*	*	S	*	S
1993.....	0.2	*	*	*	S	*	S	*	*	*
1992.....	0.2	5.2	*	*	*	*	ST	*	*	*
1991.....	0.2	*	*	*	*	*	*	S	*	*
1990.....	0.2	5.5	*	*	*	*	*	*	*	S
1989.....	0.3	5.9	*	*	S	*	*	S	*	*
1988.....	0.2	*	S	*	S	*	*	*	S	*
1987.....	0.2	*	*	S	*	*	*	*	*	*
1986.....	0.2	*	S	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	S	*	*	*
1984.....	0.2	*	*	S	*	*	S	*	S	*
1983.....	0.3	*	*	*	*	*	*	*	*	S
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.2	ST	*	*	ST	*	*	*	*	*
1980.....	0.3	4.7	0.6	0.1	-	0.1	-	-	0.1	-
1979.....	0.3	5.6	0.4	0.1	-	0.1	-	0.1	0.1	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 305

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACUTE BRONCH DIS AND BRONCHIO DIS (466)										
ALL OTHER FEMALE										
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	ES	*	*	*	ES	*	*
1992.....	0.2	*	E	*	*	*	E	*	*	E
1991.....	0.2	*	*	*	*	*	E	*	*	*
1990.....	0.2	*	E	*	*	E	*	*	*	E
1989.....	0.2	*	E	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	E
1987.....	0.2	*	E	*	*	E	*	E	*	*
1986.....	0.1	*	E	*	*	E	*	E	*	*
1985.....	0.1	*	*	*	*	*	*	*	*	*
1984.....	0.2	ES	E	*	ES	E	*	ES	E	*
1983.....	0.1	*	E	*	E	*	*	*	E	*
1982.....	0.1	*	*	*	E	*	*	ES	E	*
1981.....	0.2	*	*	E	*	*	*	*	*	E
1980.....	0.2	2.5	0.4	0.1	-	-	-	-	0.1	-
1979.....	0.2	4.7	0.5	-	-	-	-	-	0.2	-
BLACK, BOTH SEXES										
1996.....	0.2	E	4.0	*	E	*	E	*	E	*
1995.....	0.1	4.0	*	*	*	*	E	*	ES	E
1994.....	0.2	5.2	E	*	E	*	*	E	*	*
1993.....	0.2	E	4.0	*	E	*	E	*	E	*
1992.....	0.2	5.0	*	*	*	E	*	E	*	*

[illegible]

BLACK MALE

1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	6.5	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	6.2	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
1982.....	0.3	*	*	*	*	*	*	*	*	*
1981.....	0.2	*	*	*	*	*	*	*	*	*
1980.....	0.3	4.8	0.6	0.1	—	0.1	—	—	—	—
1979.....	0.3	6.5	0.5	0.1	—	0.1	—	0.1	0.1	—

BLACK FEMAALŠŠŠŠŠŠ

1996.....	0.2	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*
1989.....	0.3	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 307

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
PNEUMONIA ABD INFLUENZA (480-487)											
TOTAL, BOTH SEXES											
1996.....	31.6	13.2	1.1	0.4	0.3	0.5	0.6	1.1	1.7	2.6	
1995.....	31.6	12.8	1.0	0.4	0.3	0.5	0.7	1.1	1.9	3.0	
1994.....	31.3	14.4	1.1	0.3	0.2	0.5	0.7	1.0	2.0	3.1	
1993.....	32.1	13.5	1.2	0.4	0.3	0.6	0.8	1.3	2.1	3.1	
1992.....	29.7	15.0	1.2	0.3	0.3	0.5	0.8	1.1	1.9	2.9	
1991.....	30.9	15.1	1.4	0.4	0.4	0.5	0.9	1.3	2.2	3.4	
1990.....	32.0	16.1	1.2	0.4	0.3	0.5	0.8	1.3	2.2	3.5	
1989.....	31.0	16.5	1.6	0.4	0.4	0.6	0.9	1.5	2.6	3.4	
1988.....	31.8	17.1	1.3	0.4	0.4	0.5	0.9	1.4	2.6	3.5	
1987.....	28.6	18.2	1.4	0.3	0.3	0.6	0.8	1.3	2.2	3.1	
1986.....	29.1	17.9	1.4	0.4	0.4	0.6	0.8	1.2	2.3	3.1	
1985.....	28.4	19.2	1.5	0.5	0.3	0.5	0.8	1.0	2.0	2.8	
1984.....	25.0	19.2	1.5	0.6	0.4	0.5	0.7	1.2	2.0	2.5	
1983.....	23.9	21.1	1.7	5.	0.3	0.6	0.7	5	1.2	1.7	2.3
1982.....	21.1	20.7	1.7	5	0.4	5.	0.6	0.8	1.1	1.7	2.2
1981.....	23.4	22.4	1.8	0.5	0.4	0.6	0.9	1.3	1.7	5	2.8
1980.....	24.1	28.6	2.1	0.6	0.5	0.6	1.0	1.3	1.7	5	2.9
1979.....	20.1	33.0	2.0	0.7	0.5	0.7	0.9	1.2	1.7	2.7	5
TOTAL, MALE											
1996.....	29.3	15.5	1.1	0.4	0.3	0.5	0.7	5	1.2	1.9	3.3
1995.....	29.4	14.2	0.9	0.3	0.2	0.6	0.7	5	1.2	2.4	3.8
1994.....	29.4	17.1	1.2	0.4	0.2	0.5	0.8		1.3	2.6	3.7
1993.....	30.2	15.5	1.2	0.4	0.3	0.5	0.8		1.4	2.5	4.1
1992.....	28.5	17.4	5	1.2	0.3	0.2	0.5	0.8	1.4	2.	1.5.....
1991.....	29.4	16.0		1.6	0.4	0.3	0.6	1.0	1.7	2.8	4.6
1990.....	30.4	18.1		1.2	0.4	0.4	0.4	0.8	1.	1.5..0	4.7
1989.....	29.7	19.4		1.6	0.4	0.3	0.6	0.9	1.7	3.1	4.6
1988.....	30.9	19.8		1.2	0.4	0.4	0.5	0.9	1.6	3.2	4.6
1987.....	28.5	20.1		1.5	0.3	0.3	0.6	0.9	1.7	5	3.0
1986.....	29.3	20.4		1.5	0.3	0.5	0.7	5	0.9	1.4	3.0
1985.....	28.7	5	21.9	1.5	0.4	0.3	0.6	0.9	1.3	2.6	3.8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
PNEUMONIA ABD INFLUENZA (480-487)										
TOTAL, FEMALE										
1996.....	33.8	10.7	1.0	0.4	0.3	0.5	0.6	1.0	1.5	1.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 309

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
PNEUMONIA ABD INFLUENZA (480-487)										
WHITE MALE		LE ‡‡‡								
1996.....	30.5	12.3	0.9	0.3	0.3	0.4	0.5	0.9	1.5	2.4
1995.....	30.8	11.0	0.36□3	*	0.36□	0.7	0.9	1.9	3.0	
1994.....	30.8	13.0	1.0	0.3	*	0.4	0.7	1.0	2.2 YE.8	
1993.....	31.5	11.8	1.0	0.4	0.3	0.5	0.7	1.2 Y	2.0	3.1
1992.....	29.7	13.5	0.9 □3	*	0.5	0.7	1.0	1.9	2.7	
1991.....	30.6	12.3	1.3	0.5	0.4	0.3	0.8	1.4	2.1	3.3
1990.....	31.4	13.3	1.0	0.4	0.3	0.4	0.3	1.2 Y	2.0	3.3
1989.....	30.4	15.7	1.2 Y	0.4	0.3	0.36□	0.7	1.3	2.3	2.9
1988.....	32.0	15.5	1.1	0.4	0.4	0.5	0.8	1.2 Y	2.3	3.2 Y
1987.....	29.3	15.4	1.2 Y	*	*	0.36□	0.8	1.3	2.1	3.0
1986.....	30.1	16.3	1.3	0.3	0.5	0.7	0.7	1.1	2.3	2.7
1985.....	29.4	16.7	1.3 □3 □3 □	0.36□	0.9	1.0	1.8	2.36□		
1984.....	26.2 Y	17.0	1.2	0.3	0.4	0.36□	0.7	1.1	1.9	2.2
1983.....	25.1	16.9	1.5	0.3	0.3	0.5	0.9	1.0	1.4	2.0
1982.....	22.9	17.2 Y	1.5	0.5	0.4	0.3	0.9	1.0	1.36□	1.7
1981.....	24.5	19.5	1.7	0.3	0.4	0.8	0.9	1.3	1.5	2.1
1980.....	25.1	23.5‡‡ 0	0.5	0.5	0.5	0.8	1.2	1.4	2.6	
1979.....	21.7	27.2	1.7	0.7	0.5	0.8	0.9	1.2	1.5	2.2
WHITE FEMALE ‡‡ ‡‡ ‡‡‡ ‡‡										
1996.....	36.9	8.2 Y	0.9	0.4 □3 □	0.3	0.5	0.8	1.3	1.36□	
1995.....	36.6	9.0	0.8	0.4 □	0.3	0.3	0.5	0.8	1.2	1.7
1994.....	36.2	9.4	0.9	*	*	0.5	0.36□	0.3	1.0	1.9
1993.....	37.0	9.1	0.9							
0.4 0.5 0.3 0.9			1.2 Y	1.7						
1992.....	33.36□	9.0	1.0	* □3 □	0.4	0.3	0.3	1.1	1.36□	
1990.....	36.3	10.3	1.0	0.4	0.3	0.4 □	0.5	0.8	1.0	1.3
1989.....	34.9	10.1	1.2 Y	0.3	0.3	0.4	0.7	1.0	1.3	1.36□
1988.....	35.4	10.1	1.2	*	*	0.4	0.7	0.8	1.3	1.7
1987.....	31.1	12.2	1.1	0.4	*	0.5	0.5	0.8	0.9 □	1.4
1986.....	31.2 Y	11.3	1.0	0.5	0.4	0.5	0.3	0.8	1.2 Y	1.4
1985.....	3									
12.8 1.3 0.4 * □ 0.3 0.3 0.3 1.1 1.3										
1984.....	26.1	13.2	1.1	0.3	0.5	0.3	0.5	0.7	0.9	1.3
1983.....	25.0	14.3	1.3 □	0.5 □3 □	0.7	0.4	0.7	0.9	1.4	
1982.....	21.1	13.5‡	1.2	*	0.4	0.5	0.3	0.7	0.8	1.4
1981.....	24.2 Y	14.7	1.4	0.5	0.5	0.5	0.7	0.8	1.1	1.5
1980.....	24.6	17.2	1.7	0.36□	0.5	0.7	0.8	0.9	1.2	1.8
1979.....	19.4	22.5	1.3	0.3	0.5	0.3	0.36□	0.7	0.8	1.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 310

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
PNEUMONIA AND INFLUENZA (480-487)										
ALL OTHER, BOTH SEXES										
1996.....	20.9	24.7	1.8	*	*	0.8	1.1	1.9	3.2	5.5
1995.....	20.8	22.8	2.0	0.36£	*	1.0	2.0	3.5	5.9	
1994.....	20.2	26.2	1.8	*	*	0.7	1.0	2.2	4.0	6.7
1993.....	21.2	24.8	2.0	*	*	0.7	1.36£	2.2	4.5	6.8
1992.....	19.6	28.9	2.2 £ £ £	0.6	1.2	2.3	4.2 £	6.4		
1991.....	20.8	28.7	2.3 £ £	*	0.7	1.3 £	2.4	4.8	8.4	
1990.....	21.8	31.6	1.8	*	*	0.6	1.36£	2.9	5.8	8.36£
1989.....	22.1	30.1	3.1	*	*	0.9	1.3	3.2 £	6.6	9.36£
1988.....	21.1	33.9	1.9 £ £	*	0.8	1.5	2.9	6.36£	8.8	
1987.....	19.8	36.4	2.3 £	*	*	0.7	1.5	2.7	6.2	8.4
1986.....	20.4	34.5	2.4	0.36£	*	0.7	1.4	2.6	5.3 £	9.1
1985.....	19.8	38.1	2.6	0.8	*	0.3	0.8	2.2	5.3	8.1
1984.....	18.2	36.8	2.9 £	*	*	0.9	1.1	3.0	5.4	7.2
1983.....	17.0	45.2	2.7	*	*	0.7	0.9	2.8	4.8	6.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 311

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
PNEUMONIA ABD INFLUENZA (480-487)										
ALL OTHER FEMALE										
1996.....	18.8	20.7	1.4	*	*	*	*	1.5	2.3	3.4
1995.....	19.0	19.5	2.4	*	*	*	1.2 BL.5	2.4	4.5	
1994.....	18.3	19.8	1.7	*	*	* BL.1	BL.7	3.1 B	5.1 B	
1993.....	18.9	20.2 B	2.0	*	*	*	1.6	2.1	3.9	4.6
1992.....	17.0	25.3	2.1 B	*	*	*	1.1 B	1.7	3.0	4.3
1991.....	18.4	28.8	1.7	* B	*	*	1.1	1.7	3.2 B	5.7
1990.....	18.7	26.7 BL.8		*	* B	* BL.7	2.5	3.5	5.5	
1989.....	18.9	26.1 B	2.9	*	*	* B	1.3	2.7	5.7	5.9
1988.....	17.5	30.3 BL.9		* B	* B	*	1.4	2.2 B	5.0	5.4
1987.....	16.0	32.7	2.1 B	*	* B	* BL.5		1.9	4.1	4.5
1986.....	16.5	30.6	2.5	*	* B	*	*	2.5	3.7	5.3
1985.....	15.8	31.2 B	2.5	* B	*	*	* B	1.4	3.7	5.1
1984.....	14.2 B	29.9	3.3	* B	* B	* BL.1		2.6	4.0	3.9
1983.....	12.8	36.0	2.7	* B	* B	*	*	2.1	2.7	3.3
1982.....	12.2	41.1	3.0	*	* B	* B	1.3	2.3	3.0	3.6
1981.....	13.3	40.2	2.4	*	*	*	1.2 B	2.3	2.7	5.0
1980.....	14.9	54.2	3.2 B	0.8	0.7 B	1.0	1.8	1.9	2.8	4.5
1979.....	12.6	64.4	3.7 B	0.8	0.6	0.8	1.7 B	3.0	3.5	4.1 B
BLACK, BOTH SEXES										
1995.....	23.5	26.7	2.3	0.8	*	*	1.4	2.7	4.3	7.6
1991.....	23.7	34.6	2.8	* B	*	0.9	1.6	3.2	5.9	11.0
1990.....	24.8	36.8	1.7	*	*	*	2.0	3.5	7.2 B	10.9

2.4996.....
 2.4994.....
 2.4989.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 312

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
PNEUMONIA ABD INFLUENZA (480-487)											
BLACK MALE											
1996.....	26.2	32.2	2.8	*	*	*	*	2.7	5.2	9.9	
1995.....	25.6	30.5	1.8	*	*	*	*	3.5	6.0	9.6	
1994.....	25.2	37.9	2.1	*	*	*	*	3.4	5.9	10.4	
1993.....	26.6	33.0	2.1	*	*	*	1.9	2.8	7.0	12.1	
1992.....	25.5	38.5	2.5	*	*	*	*	3.8	7.1	11.2	
1991.....	26.7	34.1	3.4	*	*	*	1.8	4.3	8.1	15.1	
1990.....	28.9	42.2	1.7	*	*	*	1.9	4.2	10.6	15.6	
1989.....	29.2	38.4	3.5	*	*	*	2.4	4.8	10.2	17.9	
1988.....	28.8	41.4	2.1	*	*	*	2.2	4.8	11.2	16.7	
1987.....	27.4	44.3	2.7	*	*	*	1.9	4.2	11.1	16.9	
1986.....	28.0	43.9	2.9	*	*	*	2.1	3.4	8.6	16.9	
1984.....	25.0	49.1	2.9	*	*	*	*	4.3	8.8	14.2	1983.....
1981.....	25.0	57.4	3.7	*	*	*	1.7	3.6	6.7	17.8	
198											
BLACK FEMALE											
1996.....	21.6	26.0	*	*	*	*	*	2.1	2.8	4.0	
1995.....	21.7	22.8	2.9	*	*	*	1.6	2.1	2.7	5.8	1994.....
1993.....	21.7	23.0	2.2	*	*	*	2.1	2.1	5.0	5.7	
1992.....	19.5	29.3	2.1	*	*	*	*	2.0	4.0	5.3	1991.....
199											
1989.....	21.5	28.8	3.2	*	*	*	1.5	3.4	7.3	7.6	
1988.....	20.1	34.7	2.0	*	*	*	1.5	2.8	6.4	6.7	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 313

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
TOTAL, BOTH SEXES										
1996.....	31.3	12.8	1.1	0.3	0.3	0.4	0.6	1.1	1.7	2.6
1995.....	31.3	12.6	0.9	0.3	0.3	0.4	0.7	1.1	1.9	2.9
1994.....	30.8	14.3	1.1	0.3	0.2	0.5	0.7	1.0	2.0	3.1
1993.....	31.7	13.3	1.1	0.4	0.3	0.5	0.8	1.3	2.1	3.1
1992.....	29.3	14.8	1.2	0.3	0.3	0.5	0.7	1.1	1.9	2.8
1991.....	30.4	14.7	1.3	0.4	0.3	0.5	0.8	1.3	2.1	3.4
1990.....	31.1	15.9	1.1	0.4	0.3	0.5	0.8	1.3	2.2	3.4
1989.....	30.4	16.2	1.5	0.3	0.3	0.5	0.8	1.5	2.5	3.4
1988.....	31.0	16.9	1.2	0.4	0.4	0.5	0.9	1.3	2.5	3.4
1987.....	28.3	18.0	1.3	0.3	0.3	0.5	0.8	1.3	2.2	3.1
1986.....	28.3	17.7	1.3	0.4	0.4	0.6	0.8	1.2	2.2	3.0
1985.....	27.6	19.0	1.5	0.4	0.3	0.5	0.7	1.0	2.0	2.8
1984.....	24.5	19.0	1.5	0.6	0.4	0.5	0.7	1.2	2.0	2.5
1983.....	23.3	20.9	1.6	0.4	0.3	0.6	0.7	1.1	1.7	2.3
1982.....	20.8	20.5	1.7	0.4	0.4	0.6	0.8	1.1	1.7	2.2
1981.....	22.1	22.1	1.7	0.5	0.4	0.6	0.9	1.2	1.6	2.7
1980.....	22.9	28.3	2.0	0.6	0.5	0.6	1.0	1.3	1.7	2.8
1979.....	19.8	32.7	2.0	0.7	0.5	0.7	0.9	1.2	1.7	2.7
TOTAL, MALE										
1996.....	29.1	15.0	1.1	0.3	0.3	0.5	0.6	1.2	1.9	3.3
1995.....	29.3	14.0	0.8	0.3	0.2	0.6	0.7	1.2	2.4	3.7
1994.....	29.0	16.9	1.2	0.4	0.2	0.5	0.8	1.3	2.6	3.7
1993.....	29.9	15.2	1.1	0.4	0.3	0.5	0.8	1.4	2.5	4.0
1992.....	28.2	17.1	1.2	0.3	0.2	0.5	0.8	1.4	2.4	16 4.5
1991.....	29.1	15.4	1.5	0.4	0.3	0.6	0.9	1.7	2.8	4.6
1990.....	29.8	17.8	1.1	0.4	0.3	0.4	0.8	1.5	3.0	4.6
1989.....	29.2	19.1	1.6	0.3	0.3	0.6	0.9	1.7	3.1	4.5
1988.....	30.4	19.7	1.1	0.4	0.4	0.5	0.9	1.6	3.2	4.6
1987.....	28.2	19.7	1.5	0.3	0.3	0.6	0.9	1.6	3.0	4.3
1986.....	28.7	20.2	1.4	0.3	0.4	0.7	0.9	1.3	2.9	4.2
1985.....	28.0	21.7	1.5	0.4	0.3	0.5	0.9	1.3	2.5	3.8
1984.....	25.3	21.8	1.4	0.6	0.3	0.6	0.7	1.4	2.6	3.3
1983.....	24.2	23.5	1.7	0.4	0.4	0.5	0.9	1.4	2.2	2.9
19824 22.2	22.6	1.8	0.5	0.4	0.7	1.0	1.3	2.2	2.7	
1981.....	23.3	24.9	2.0	0.5	0.4	0.7	1.0	1.4	1.9	3.6
1980.....	24.2	32.7	2.1	0.6	0.4	0.5	1.0	1.6	2.0	3.5
1979.....	21.5	35.6	2.1	0.7	0.5	0.8	1.0	1.4	2.2	3.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 314

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
TOTAL, FEMALE										
1996.96.+++++	33.4	10.4	1.0	0.4	0.3	0.4	0.6	1.0	1.4	1.9
1995+++..+96.+	33.3	11.2	1.1	0.4	0.3	0.3	0.6	0.9	1.4	2.2
1994+++..+9+++9	32.5	11.5	1.0	0.2	0.3	0.5	0.7	0.8	1.4	2.4
1993.+++..+9++++	33.5	11.3	1.1	0.3	0.3	0.5	0.8	1.1	1.7	2.2
1992.+++..+9++++	30.3	12.4	1.2	0.2	0.3	0.5	0.6	0.8	1.4	2.1
1991+++..+9++++	31.7	14+0	1.0	0.3	0.4	0.4	0.7	1.0	1.5	2.3
1990.+++..+9+++96.+	32.4	13.9	1.0	0.4	0.3	0.5	0.7	1.1	1.4	2.2
1989+++..+9+++996.+	31.5	13.1	1.4	0.3	0.3	0.5	0.7	1.2	2.0	2.3
1988+++..+9+++99.9	31.5	14.0	1.3	0.3	0.3	0.4	0.8	1.1	1.9	2.2
1987.+++..+9+++99.	28.4	16.2	1.2	0.3	*	0.5	0.7	1.0	1.4	1.9
1986.+++..+9+++99.	27.9	15+2	1.2	0.5	0.3	0.5	0.6	1.1	1.5	1.9
1985++++..+9+++99.	27.1	16.1	1.5	0.5	0.3	0.4	0.6	0.7	1.5	1.8
1984++++..+9+++99.	23.7	16.1	1.5	0.5	0.5	0.4	0.6	1.0	1.4	1.7
1983.+++..+9+++99	22.4	18.2	1.5	0.5	0.3	0.6	0.5	0.9	1.2	1.6
1982.+++..+9+++99	19.4	18.3	1.5	0.3	0.4	0.5	0.7	0.9	1.1	1.7
1981.+++..+9+++99.	21.0	19+1	1.5	0.5	0.4	0.5	0.7	1.0	1.2	2.0
1980.+++..+9+++99	21.7	23.7	1.9	0.6	0.5	0.7	0.9	1.0	1.4	2.1
1979+++..+9+++99..	18.1	29+6	1.9	0.7	0.5	0.6	0.8	1.0	1.2	1.8
WHITE, BOTH SEXES										
1996.+++..+9+++99	33.4		09	0.9	0.3	0.3	0.4	0.5	0.9	1.4
1995+++..+9+++99..	33.5		09	0.7	0.3	0.3	0.4	0.6	0.8	1.6
1994++++..+9+++99	33.0	11.1	0.9	0.3	0.2	0.4	0.6	0.8	1.6	2.3
1993.++++..+9+++9	33.9	10.3	0.8	0.4	0.3	0.5	0.6	1.1	1.6	2.4
1992+++..+9+++99..	31.2	11.1	0.9	0.3	0.2	0.4	0.6	0.8	1.4	2.1
1991.+++..+9+++99	32.3	10.8	1.0	0.4	0.3	0.4	0.7	1.1	1.6	2.4
1990.++++..+9+++9	33.0	11.8	0.9	0.4	0.3	0.4	0.6	1.0	1.5	2.4
1989+++..+9+++99.	32.0	12.6	1.1	0.3	0.3	0.5	0.6	1.1	1.7	2.2
1988.+++..+9+++99.	32.8	12.8	1.1	0.3	0.3	0.4	0.7	1.0	1.8	2.4
1987.+++..+9+++99	2	09	13.6	1.1	0.3	0.2	0.5	0.6	1.0	1.5
1986.++++..+9+++9	29+8	13.8	1.1	0.4	0.4	0.6	0.6	1.0	1.7	2.0
1985++++..+9+++99	29.0	14+7	1.3	0.4	0.3	0.4	0.7	0.8	1.4	1.9
1984++++..+9+++9	25+6	15+1	1..4	0.5	0.4	0.4	0.6	0.8	1.4	1.7
1983.++++..+9+++9	24+4	15+5	1.4	0.4	0.3	0.6	0.7	0.9	1.2	1.7
1982.++++..+9+++9	21.6	15+2	1.3	0.3	0.4	0.6	0.7	0.8	1.2	1.6
1981.++++..+9+++9	22.9	16.8	1.5	0.5	0.4	0.6	0.8	1.0	1.2	1.8
1980.++++..+9+++9	23.5	20.2	1.7	0.5	0.5	0.6	0.8	1.0	1.3	2.1
1979++++..+9+++99	20.3	24+7	1.6	0.6	0.5	0.7	0.7	0.9	1.2	1.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 315

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
WHITE MALE										
1996.....	30.2	11.9	0.8	0.3	0.3	0.4	0.5	0.9	1.5	2.4
1995.....	30.6	10.9	0.6	0.3	*	0.6	0.7	0.9	1.9	3.0
1994.....	30.4	12.9	1.0	0.3	*	0.4	0.7	1.0	2.2	2.8
1993.....	31.1	11.5	0.9	0.4	F0	0.5	0.6	1.2	2.0	3.1
1992.....	29.4	13.1	0.9	0.3	*	0.5	0.7	1.0	1.8	2.7
1991.....	30.2	11.8	1.1	0.5	0.3	0.6	0.8	1.3	2.1	3.3
1990.....	30.7	13.0	1.0	0.3	CT3	C0.4	0.6	1.1	2.0	3.3
1989.....	29.9	15.4	1.1	CT3	*	0.5	0.7	1.3	C2.3	C2.8
1988.....	31.4	15.4	1.0	0.4	0.4	0.4	F.7	1.2	2.3	3.2
1987.....	29.0	15.1	C1.2	*	*	0.5	0.8	1.3	C2.1	C2.8
1986.....	29.4	16.0	1.2	0.3	0.5	0.7	0.7	1.1	C2.2	2.7
1985.....	28.7	16.6	1.2	0.3	*	0.5	0.9	1.0	1.7	2.6
1984.....	25.8	17.0	1.2	0.6	0.4	0.6	0.6	1.0	1.8	2.1
1983.....	24.6	16.8	1.	0.4RA.3	0.5	0.9	1.0	1.4	2.0	
1982.....	22.6	17.0	1.5	0.4	F.4	F.6	0.9	0.9	1.5	1.7
1981.....	23.5	19.1	1.6	0.5	0.4	0.7	0.9	1.2	1.4	2.1
1980.....	24.1	23.3	1.9	0.5	0.4	0.5	0.8	1.1	1.4	2.5
1979.....	21.5	27.0	1.6	0.7	0.5	0.8	0.8	1.2	1.5	2.2
WHITE FEMALE										
1996.....	36.5	7.9	0.9	0.	0.4R	0.3	0.5	0.8	1.3	1.6
1995.....	36.3	C8.9	0.7	F0	0.3	C *	0.5	0.8	1.2	1.7
1994.....	35.5	9.RA.8	*	*	0.5	0.6	0.5	1.0	1.9	
1993.....	36.5	9.0	0.8	0.3	0.3	0.5	0.6	0.9	1.2	1.6
1992.....	33.0	9.0	1.0	*	0.3	0.4	0.5	0.6	1.0	1.6
1991.....	34.4	9.7	F.9	0.RA.RA.R	0.7	0.8	1.1	1.6		
1990.....	35.2	10.4	0.9	0.4	*	0.4	F.5	0.8	1.0	1.6
1989.....	33.9	9.7	1.1	0.3	*	0.4	0.6	0.9	1.2	1.5
1988.....	34.3	10.0	1.2	*	*	0.4	0.7	0.8	1.3	1.6
1987.....	30.7	12.1	1.0	0.4	*	0.5	0.5	0.8	0.9	1.4
1986.....	30.1	11.6	1.0	0.5	0.RA.4	F.6	0.8	1.1	1.3	
1985.....	29.2	12.6	1.3	0.4	*	0.RA.6	0.6	1.1	C1.2	
1984.....	25.5	13.1	1.1	0.5	0.5	CT3	0.5	0.6	0.9	1.3
1983.....	24.2	14.1	1.3	0.5	CF0	0.6	0.4	0.7	F.9	1.4
1982.....	20.7	13.3	1.2	*	F0	0.5	0.5	0.7	F.8	1.4
1981.....	22.4	14.5	1.4	0.5	0.4	0.5	0.7	0.8	1.02.6	
1980.....	23.0	17.0	1.6	0.6	0.5	CF.7	0.8	0.9	1.2	1.7
1979.....	19.1	22.3	1.5	0.6	0.5	0.6	0.6	0.7	0.8	1.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 316

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
ALL OTHER, BOTH SEXES										
1996.....	20.8	24.0	1.8	*	*	0.7	1.1	1.9	3.1	5.5
1995.....	20.7	22.3	2.0	0.36>>>	1.0	2.0	3.5	5.9		
1994.....	20.1	25.8	1.8	*	*	0.6	1.0	2.2	4.0	6.7
1993.....	21.0	24.3	1.9	*	*	0.7	1.5	2.2	4.5	6.7
1992.....	19.5	28.8	2.2	*	*	0.36>	1.2	2.3	4.2	6.3
1991.....	20.36>	28.3	2.2	*	*	0.7	1.3	2.4	4.7	8.3
1990.....	21.5	31.6	1.7	*	*	0.3	1.36>	2.9	5.8	8.5
1989.....	21.9	29.8	3.1	*	*	0.9	1.6	3.2	6.36>	9.36>
1988.....	20.9	33.5	1.7	*	*	0.8	1.5	2.8	6.5	8.7
1987.....	19.7	36.0	2.3	* >>	0.3	1.5	2.7	6.2	8.4	
1986.....	20.2	34.4	2.3	0.6	*	0.36>	1.3	2.6	5.2	9.0
1985.....	19.5	37.7	2.5	0.7	*	0.3	0.8	2.2	5.3	8.1
1984.....	18.0	36.3	2.8	* >>	0.9	1.1	3.0	5.4	7.2	
1983.....	16.9	45.0	2.7	*	*	0.7	0.9	2.8	4.8	6.0
1982.....	15.9	44.2	3.2	* >	*	1.0	1.5	2.9	4.6	6.2
1981.....	17.2	45.8	2.9	*	*	0.36>	1.4	2.36>	3.8	9.1
1980.....	19.4	65.2	3.1	0.8	0.5	0.9	2.0	3.1	4.3	7.2
1979.....	16.8	70.0	3.9	0.7	0.3	0.8	1.7	2.8	5.2	8.36>
ALL OTHER MALE									0	3
1996.1.5	23.2	27.7	2.2	* >>	* >	1.1	2.4	4.1	7.9	
1995.....	22.3	25.3	1.7 >>	*	>>	* >	2.36>	4.7	7.5	
1994.....	22.3	31.8	1.9	*		*	*	2.7	4.9	8.5
1993.....	23.5	28.8	1.9	* >	* >>	1.5	2.3	5.2	9.2	
1992.....	22.3	32.4	2.4	* >	* >	*	1.3	3.0	5.4	8.3
1991.1.5	23.3	28.0	2.8	*	* >	*	1.5	3.2	6.4	11.4
1990.....	24.9	36.4	1.7 >	*		* >	*	1.4	3.4	8.3
1989.....	25.5	33.7	3.3	*		* >	* >	1.9	3.36>	7.7
1988.1.5	24.8	37.2	1.36>	* >	* >	*	1.7	3.5	8.4	12.3
1987.....	23.8	39.3	2.3	*		* >	*	1.36>	3.5	8.5
1986.....	24.5	38.3	2.3	* >		* >	* >	1.8	2.7	7.0
1985.....	23.8	44.4	2.7	*		*	*	3.0	7.1	11.3
1984.....	22.3	43.3	2.4	*		* >	*	3.4	7.0	11.1
1983.....	21.5	53.8	2.8	*		* >	*	3.5	7.3	9.3
1982.....	20.0	48.1	3.3	* >		* >	* >	1.8	3.3	6.4
1981.....	22.1	51.5	3.5	* >		*	*	1.5	3.0	5.2
1980.....	24.7	76.3	3.1	0.9	0.4	0.7	2.3	4.3	6.1	10.5
1979.1.5	21.5	76.6	4.0	0.7	0.6	0.8	1.7	2.7	7.2	14.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 317

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
ALL OTHER FEMALE										
1996.....	18.7	20.2	1.4	*	*	*	*	1.5	2.2	3.3
1995.....	18.9	19.2	2.4	*	*	*	1.2	1.5	2.4	4.4
1994.....	18.1	19.6	1.7	*	*	* 721	1.7	3.1	5.1	
1993.....	18.8	19.7	2.0	*CT	*C	1.6	2.0	3.9	4.6	
1992.....	16.9	25.1	2.0CT	*CT	1.1	1.7	3.0	4.2		
1991.....	18.2	28.6	1.6	*	*	*	*C	1.7	3.2	5.5
1990.....	18.5	26.7	1.8	*C	*C	*	1.7	2.4	3.5	5.5

BTBTB

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 318

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PNEUMONIA (480-486)										
BLACK MALE										
1996.....	26.1	31.8	2.8	*	*	*	*	2.7	5.2	9.9
1995.....	25.5	29.9	1.8	*	*	*	*	3.5	6.0	9.6
1994.....	25.1	37.3	2.1	*	*	*	*	3.4	5.9	10.3
1993.....	26.4	32.3	2.1	*	*	*	1.8	2.8	7.0	12.0
1992.....	25.4	38.5	2.5	*	*	*	*	3.8	7.0	10.9
1991.....	26.5	33.2	3.4	*	*	*	1.8	4.3	8.1	15.0
1990.....	28.5	42.2	*	*	*	*	1.8	4.2	10.6	15.6
1989.....	29.0	38.1	3.4	*	*	*	2.4	4.8	10.2	17.9
1988.....	28.6	41.4	1.8	*	*	*	2.2	4.6	11.1	16.7
1987.....	27.3	43.9	2.7	*	*	*	1.9	4.2	11.1	16.9
1986.....	27.9	43.9	2.7	*	*	*	2.1	3.3	8.6	16.9
1985.....	26.8	50.7	3.1	*	*	*	*	3.6	8.6	14.4
1984.....	24.9	49.1	2.8	*	*	*	*	4.3	8.8	14.2
1983.....	24.1	62.6	2.9	*	*	*	*	4.2	9.3	11.4
1982.....	22.1	54.2	3.6	*	*	*	1.8	4.1	7.9	12.0
1981.....	24.5	57.0	3.6	*	*	*	1.6	3.6	6.5	17.5
1980.....	26.6	84.8	3.5	1.0	0.4	0.9	2.3	4.9	6.8	12.2
1979.....	23.0	83.1	4.6	0.8	0.6	0.8	1.8	2.8	8.4	16.4
BLACK FEMALE										
1996.....	21.4	25.2	*	*	*	*	*	2.1	2.7	3.9
1995.....	21.6	22.5	2.9	*	*	*	1.6	2.1	2.7	5.7
1994.....	20.7	22.6	1.8	*	54	*	*	2.0	3.8	6.7
1993.....	21.6	22.7	2.1	*	*	*	2.1	2.1	5.0	5.7
1992.....	19.4	29.3	2.1	*	*	*	*	2.0	3.9	5.2
1991.....	20.7	34.7	2.1	*	*	*	*	2.1	4.0	7.3
1990.....	20.9	31.4	*	*	*	*	2.1	2.8	4.4	6.8
1989.....	21.3	28.5	3.2	*	*	*	1.5	3.4	7.1	7.5
1988.....	19.8	34.0	2.0	*	*	*	1.5	2.8	6.3	6.6
1987.....	17.8	35.6	2.2	*	*	*	1.7	2.3	5.3	5.7
1986.....	18.5	36.0	2.5	*	*	*	*	3.0	4.8	6.8
1985.....	17.5	35.1	2.7	*	*	*	*	1.6	4.6	6.2
1984.....	15.5	33.1	3.4	*	54	*	*	3.1	5.0	4.7
1983.....	13.8	39.9	2.8	*	*	*	*	2.3	3.1	3.8
1982.....	13.1	6	5.27	3.4	*	*	*	1.5	2.8	3.6
1981.....	13.9	44.4	2.3	*	*	*	1.4	2.8	3.0	5.9
1980.....	15.7	59.4	3.1	6	0.9	0.8	1.2	2.2	3.3	5.4
1979.....	13.2	68.4	4.2	0.9	0.7	0.9	1.6	3.2	4.0	4.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 319

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFLUENZA (487)										

TOTAL, BOTH SEXES

1996...+.+++.	0.3	*	*	*	*	*	*	*	*	*
1995++.+.+.+	0.2	*	*	*	*	*	*	*	*	*
1994++.+.+.+	0.5	*	*	*	*	*	*	*	*	*
1993++.+.+.+	0.4	*	*	*	*	*	*	*	*	*
1992++.+.+++.	0.4	*	*	*	*	*	*	*	*	*
1991++.+.++++.	0.5	*	*	*	*	*	*	*	*	*
1990++.+.++++.	0.8	*	*	*	*	*	*	*	*	*
1989++.+.++++.	0.6	*	*	*	*	*	*	*	*	*
1988++.+.++++.	0.8	*	*	*	*	*	*	*	*	*
1987++.+.++++.	0.3	*	*	*	*	*	*	*	*	*
1986++.+.++++.	0.8	*	*	*	*	*	*	*	*	*
1985++.+.++++.	0.9	*	*	*	*	*	*	*	*	*
1984++.+.++++.	0.5	*	*	*	*	*	*	*	*	*
1983++.+.++++.	0.6	*	*	*	*	*	*	*	*	*
1982++.+.++++.	0.3	*	*	*	*	*	*	*	*	*
1981++.+.++++.	1.3	*	*	*	*	*	*	*	*	*
1980++.+.++++.	1.2	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1979++.+.++++.	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0

TOTAL, MALE

1996++.+.++++.	0.2	*	*	*	*	*	*	*	*	*
1995+++++.++++.	0.2	*	*	*	*	*	*	*	*	*
1994++.+.++++.	0.3	*	*	*	*	*	*	*	*	*
1993+++++.++++.	0.3	*	*	*	*	*	*	*	*	*
1992+++++.++++.	0.3	*	*	*	*	*	*	*	*	*
1991+++++.++++.	0.4	*	*	*	*	*	*	*	*	*
1990+++++.++++.	0.7	*	*	*	*	*	*	*	*	*
1989+++++.++++.	0.5	*	*	*	*	*	*	989	*	*
1988++.+.++++.	0.6	*	*	*	*	*	*	*	*	*
1987++.+.++++.	0.2	989	*	*	*	*	*	*	*	*
1986+++++.++++.	0.6	*	*	9	*	*	989	989	9	*
1985++.+.++++.	0.+.+.++++.		*	*	*	*	*	9	*	*
1984+++++.++++.	0.4	*	*	*	*	*	*	*	*	*
1983++.+.++++.	0.5	*	*	*	*	*	*	*	*	*
1982+++++.++++.	0.3	*	*	*	*	*	*	*	*	*
1981+++++.++++.	1.0	989	9	*	*	989	9	*	*	*
1980+++++.++++.	0.9	0.4	0.1	0.0	0.1	0.0	9 0.0	0.0	0.0	0.1
1979+++++.++++.	0.2	9 0.2	9 0.1	0.0	0.0	0.0	0.0	0.1	0.0	9 0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 320

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFLUENZA (487)										

TOTAL, FEMALE

1996.96.††††††.	0.4	*	*	*	*	*	*	*	*	*
1995†††.†††.†96.†	0.3	*	*	*	*	*	*	*	*	*
1994†††.†9†††.†9	0.6	*	*	*	*	w	*	w	*	*
1993†††.†9†††.†	0.5	*	*	*	*	*	*	*	*	*
1992†††.†9†††††.	0.5	*	*	*	*	*	w	*	w	*
1991.†††.†9†††††	0.5	*	w	*	*	w	*	w	*	*
1990.†††.†9††††96.†	1.0	w	w	*	w	w	*	w	w	0.
1989†††.†9††††996.†	0.8	*	*	*	w	w	*	w	w	*
1988†††.†9††††99.9	1.0	*	*	w0.	*	w0.	*	w0.	*	w0.
1987.†††.†9††††99.	0.3	*	w	*	*	*	w0w	w	0w	*
1986†††.†9††††99..	0.9	*	w	*	*	w	*	w	*	w
1985††††.†9††††99.	1.1	*	w	*	w0.	*	*	*	w	*
1984††††.†9††††99.	0.36	ATE	*	w	*	w0w	w	0w	*	w0w
1983††††.†9††††99.	0.7	*	*	*	w0w	*	w0	*	w0w	*
1982††††.†9††††99.	0.4	*	*	*	w0w	*	w0w	*	w0	*
1981.††††.†9††††99	1.6	ATE	*	w0	*	*	w0w	*	w0w	*
1980.††††.†9††††99	1.5	0.3	0.1	0.0	0.0	0.0	w	0.0	0.0	0.1
1979†††.†9††††99..	0.3	0.3	0.0	-	0.0	0.0	0.0	-	0.0	0.0

WH DE, BOTH SEXES

1996††††.†9††††99.	0.3	ATE	*	w0w	*	*	*	w0w	*	*
1995†††††.†9††††99	0.3	0.	*	*	*	w0w	*	*	*	w0w
1994†††.†9††††99..	0.5	w	w	*	*	w0w	*	w	w	*
1993†††††.†9††††99	0.5	w0.	*	ATE	*	w0w	*	w0w	w	0w
1992†††††.†9††††99	0.4	*	w0	*	ATE	*	*	w0w	*	*
1991.†††††.†9††††9	0.5	w	w	*	Aw	w	*	Aw0.	*	Aw
1990†††.†9††††99..	1.0	ATE	*	*	*	w0w	*	w0.	*	Aw0.
1989††††.†9††††99.	0.7	ATE	*	ATE	*	Aw	w	*	Aw0w	*
1988.†††.†9††††99.	0.9	w	w	*	Aw0w	*	w0	*	Aw	w
1987.††††.†9††††99	0.3	0w	w	0w	*	w0w	*	*	*	w0w
1986†††††.†9††††99	0.9	w0.	*	Aw0w	w	0w	*	w	*	Aw0w
1985††††††.†9††††9	1.0	w	*	w0	*	Aw0.	*	Aw0w	*	w
1984††††††.†9††††99	0.5	w0w	w	0w	*	wATE	*	Aw0.	*	Aw0w
1983††††††.†9††††9	0.7	Aw	w	*	Aw0w	*	*	w0w	*	w0
1982††††††.†9††††9	0.3	0w	*	w	*	w0w	w	0w	*	wAw
1981.††††††.†9††††	1.4	*	w0w	*	w	w	*	Aw0w	*	ATE
1980.††††††.†9††††9	1.3	0w	0.2	0.1	0.0	0.0	w	0.0	0.0	0.0
1979††††††.†9††††99	0.3	0w	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 321

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 INFLUENZA (487)										

WH. E MALE

1996.....†.	0.2	*	*	*	*	*	*	*	*	*
1995†.†.†...	0.2	*	*	*	*	*	*	*	*	*
1994†.†.†.†.	0.4	*	*	*	*	*	*	*	*	*
1993†.†.†.†.†	0.3	*	*	*	*	*	*	*	*	*
1992†.†.†.†.†.	0.3	*	*	*	*	*	*	*	*	*
1991.†.†.†.†.†.°4	* AB	* A	*	* A	*	*	*	*	*	*
1990.†.†.†.†.†...	0.7	*	*	*	*	AB	* AB	*	*	*
1989†.†.†.†.†...	0.5	*	*	A	*	A	*	*	*	*
1988†.†.†.†.†...	0.6 AB	*	*	*	*	A	*	A	*	*
1987.†.†.†.†.†...	*	*	*	*	A	*	*	A	*	*
1986†.†.†.†.†...	0.6 A	*	*	AB	*	*	*	A	*	A
1985††.†.†.†.†...	0.7 AB	* AB	* A	*	*	A	*	A	*	*
1984††.†.†.†.†...	0.4	*	A	*	*	*	*	A	*	A
1983††.†.†.†.†...	0.5	*	*	A	*	A	*	A	*	*
1982††.†.†.†.†...	0.3 AB	* A	*	*	*	*	*	A	*	A
1981.††.†.†.†.†...	1.1 AB	* A	*	*	*	*	A	A	*	*
1980.††.†.†.†.†...	1.0	0.3	0.1 A	0.0	0.1	0.0	0.0	0.0	0.0	0.1 A
1979†.†.†.†.†...	0.2	0.1 A	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-

WH. E FEMALE

1996.†.†.†.†.†...	0.4	*	*	*	*	*	*	*	*	*
1995††.†.†.†.†...	0.3	*	*	A	*	*	*	A	*	*
1994††.†.†.†.†...	0.7 A	*	*	A	* A	*	*	A	*	* A
1993††.†.†.†.†...	0.6	*	*	A	*	*	*	A	*	* A
1992††.†.†.†.†...	0.6	*	*	A	*	*	A	* AB	* A	*
1991.††.†.†.†.†...	0.6	*	*	A	* A	*	A	A	*	* A
1990.††.†.†.†.†...	1.2	*	*	*	*	*	A	A	* A	*
1989††.†.†.†.†...	0.9 AB	* A	* A	* AB	* A	* A	*	*	*	*
1988††.†.†.†.†...	1.2	*	*	*	*	A	A	*	*	*
1987.††.†.†.†.†...	0.3	*	*	*	*	A	*	AB	* A	*
1986††.†.†.†.†...	1.1	*	*	A	* A	*	AB	* A	*	*
1985††††.†.†.†...	1.2	*	*	A	* A	* A	*	*	A	*
1984††††.†.†.†...	0.6 A	*	*	*	*	*	*	*	A	*
1983††††.†.†.†...	0.8	*	*	A	*	*	A	A	A	*
1982††††.†.†.†...	0.4	*	*	*	*	A	*	A	AB	* A
1981†.†.†.†.†...	1.8	*	*	A	* A	*	A	*	*	* A
1980.††††.†.†.†...	1.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1 A
1979††.†.†.†.†...	0.3	0.1 A	0.1 A	-	0.0	0.0	0.0	-	0.0	-

ALL OTHER FEMALE

BLACK, BOTH SEXESBT BT BBT BB

1996.....	0.1	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*
1990.....	0.3	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*

BLACK MALE

BLACK FEMALE

1996.††.†.†††....	0.1	*	ℱ	*		* ℱ *		*	ℱ *		*	*	*		*
1995††.†.†††....	0.1	*		ℱ *		ℱ *		ℱ *	*		ℱ *	*	*	*	*
1994††††.†.†††....	0.1	*		ℱ *		*		ℱ *	*		*	*	*	ℱ *	*
1993††††.†.†††....	0.1	*		ℱ *		*		*	ℱ		ℱ *		ℱ *	ℱ *	*
1992††††.†.†††....	0.1	*		*		ℱ *		ℱ *	*		*		ℱ *	*	ℱ *
1991††.†.†††....	0.2	*		ℱ *		*		*	ℱ *		*	*	*	ℱ *	*
1990.††††.†.†††..	0.3	*		ℱ *		*		*	*		ℱ *	*	*	*	ℱ
1989†††.†.†††....	0.2	*		ℱ *		*	ℱ *	*		ℱ *	*	*	ℱ *	*	
1988.†††.†.†††....	0.3	*		*		ℱ *		*	ℱ *	*	*	ℱ *	*	ℱ *	
1987.†††.†.†††....	*	*		ℱ *		*		ℱ *	*		ℱ *	*	*	ℱ *	*
1986††.†.†††....	0.3	*		ℱ *		*		*	ℱ *		ℱ *	*	*	*	ℱ *
1985††††.†.†††....	0.3	*		*		ℱ *		*	*		ℱ *	*	*	ℱ *	*
1984†††††.†.†††..	0.1	*		*		ℱ *		*	ℱ *		*	ℱ *	*	ℱ *	*
1983†††††.†.†††..	0.1	*		*		ℱ *		*	ℱ *		*	ℱ *	ℱ *	ℱ *	*
1982†††††.†.†††..	*	*		*		ℱ *		ℱ	ℱ *		*	*	ℱ *	ℱ *	*
1981††.†.†††....	0.6	*		*		ℱ *		*	*		ℱ *	*	ℱ *	ℱ *	
1980.†††††.†.†††.	0.4	0.8		0.1		0.1		-	-		-	-	-	-	0.1
1979†††.†.†††....	0.2	0.8		-		-		-	-		-	-	-	-	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 325

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
+++										
TOTAL, BOTH SEXES++ ++ +++ ++++ +++										
1996.....	40.0	1.0	0.3	0.3	0.6	0.6	0.7	0.9	0.9	1.4
1995.....	39.2	1.1	0.2	0.2	0.6	0.7	0.6	0.7	1.1	1.4
1994.....	39.0	1.4	0.3	0.2	0.5	0.7	0.6	0.8	0.9	1.4
1993.....	39.2	1.4	0.3	0.2	0.5	0.5	0.6	0.6	0.8	1.3
1992.....	36.0	1.1	0.4	0.2	0.3	0.5	0.5	0.5	0.8	1.3
1991.....	35.9	1.5	0.3	0.2	0.4	0.6	0.6	0.7	0.9	1.2
1990.....	34.9	1.4	0.4	0.2	0.5	0.5	0.5	0.6	0.8	1.1
1989.....	34.2	1.2	0.4	0.2	0.4	0.5	0.5	0.6	0.9	1.2
1988.....	33.9	1.5	0.3	0.2	0.4	0.4	0.5	0.6	0.8	1.2
1987.....	32.	0.3 D4	0.	0.3 0.2	0.5	0.6	0.5	0.5	0.7	1.3
1986.....	31.9	1.6	0.2	0.2	0.5	0.5	0.5	0.5	0.6	1.1
1985.....	31.4	1.4	0.	0.3 0.2	0.5	0.4	0.5	0.5	0.7	1.1
1984.....	29.3	1.6	0.	0.3 0.2	0.	0.3 0.	0.3 0.4	0.5	0.6	1.1
1983.....	28.	0.3 1.4	0.4	0.2	0.3	0.5	0.4	0.5	0.6	1.1
1982.....	25.8	1.7	0.4	0.2	0.3	0.5	0.5	0.5	0.7	1.1
1981...	25.6	1.7	0.	0.3 0.2	0.	0.	0.4	0.5	0.6	1.2
1980...	-2	1.6	0.4	0.1	0.	0.	0.4	0.5	0.6	1.0
1979.....	22.2	1.9	0.5	0.1	0.2	0.	0.	0.3 0.5	0.5	1.1
TOTAL, MALE ++ +++ ++ ++++ +++										
1996.....	42.0	1.	0.3 0.4	0.4	0.6	0.7	0.7	0.8	0.8	1.3
1995...	42.0	1.4	0.2	0.3	0.7	0.7	0.8	1.1	1.4	
1994...	42.3	1.7	0.3	0.3	0.6	0.8	0.7	0.9	1.0	1.4
1993...	43.2	1.5	0.4	0.2	0.6	0.6	0.8	0.6	0.7	1.2
1992.....	40.5	1.7	0.4	0.2	0.4	0.6	0.6	0.6	0.9	1.3
1991.....	41.1	1.6	0.4	0.2	0.6	0.7	0.6	0.7	0.9	1.2
1990.....	40.8	1.6	0.5	0.	0.3 0.5	0.5	0.5	0.7	0.8	1.2
1989.....	40.1	1.8	0.4	0.3	0.5	0.5	0.5	0.6	0.9	1.3
1988.....	41.1	1.7	0.	0.	0.3 0.5	0.4	0.6	0.6	0.8	1.3
1987...	39.9	1.8	0.3	*	0.7	0.6	0.5	0.8	1.4	
1986...	40.3	2.3	*	*	0.5	0.6	0.5	0.6	0.5	1.2
1985.....	40.3	2.0	*	0.	0.4	0.4	0.5	0.5	0.7	1.2
1984.....	38.4	1.9	*	*	0.5	0.4	0.5	0.5	0.5	1.1
1983.....	37.9	1.8	0.6	*	0.4	0.5	0.4	0.5	0.6	1.2
1982...	35.	0.3 2.1	0.4	*	0.2	0.5	0.6	0.5	0.8	1.2
1981.....	35.7	2.1	0.5	0.	0.4	0.4	0.4	0.6	0.6	1.0
1980.....	35.1	1.9	0.5	0.1	0.	0.3 0.	0.4	0.5	0.7	1.0
1979.....	32.3	2.	0.5	0.1	0.2	0.	0.4	0.5	0.6	1.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 326

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										

†††

TOTAL, FEMALE †† †† ††† †††† †††										
1996.....	38.0	*	*	*	0.5	0.5	0.7	0.9	1.0	1.4
1995.....	36.4	*	*	*	0.4	0.7	0.36° .7	1.1	1.4	1.4
1994.....	35.9	1.1	*	*	0.3	0.5	0.5	0.8	0.9	1.4
1993.....	35.4	1.2	*	0.2	0.4	0.4	0.5	0.7 °.9	1.4	
1992.....	31.8	*	0.4	*	0.3 °.5	0.5 °.4	0.7	1.3 °		
1991.....	31.1	1.4	*	0.2	0.3	0.5	0.5 °.36°	0.9	1.2	
1990.....	29.2	1.2	*	* °.4	0.4	0.5 °	0.36°	0.7	1.0	
1989.....	28.36°	* °.4	* °.3 °		0.4	0.5	0.6	0.8	1.2	
1988.....	27.0	1.2	*	*	0.4 °.4	0.5	0.3	0.7	1.2	
1987.....	25.2	* °.3	* °	* °	0.4	0.5 °	0.4	0.4 °	0.7	1.2
1986.....	23.9	*	* °	* °.4	0.4 °.4	0.5	0.7	1.0		
1985.....	23.0	* °	*	* °	0.5 °.4	0.5	0.4	0.7	1.1	
1984.....	20.7 °	1.2	0.4	* °	* °	0.3 °	0.4	0.5	0.7	1.0
1983.....	19.2	* °	* °	*	0.3	0.5 °	0.4	0.5 °	0.7	1.1
1982.....	16.9	1.2	0.5	* °	0.3 °	0.4	0.4	0.4	0.3	1.0
1981.....	16.2	1.3 °	* °	* °	0.3 °	0.2	0.3 °	0.4	0.36°	1.3 °
1980.....	15.0	1.3 °	0.3 °	0.2	0.3	0.3 °.3 °.4	0.36°	1.0		
1979.....	12.7	1.36°	0.5 °	0.1	0.1	0.3 °	0.3 °.5	0.5 °	1.1	

WH DE, BOTH SEXES†† ††† †† ††† ††† †††† †††

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 327

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
†††										
WH DE MALE †† †† ††† †††† †††										
1996.....	46.1	*	*	*	0.4	0.4	0.5	0.6	0.5	1.0
1995.....	46.1	1.3	*	*	0.4	0.5	0.4	0.5	0.8	1.0
1994.....	46.4	1.3	*	*	0.3	0.5	0.5	0.4	0.6	1.1
1993.....	47.3	1.3	*	*	0.3	0.4	0.5	0.4	0.5	1.0
1992.....	44.4	*	0.3	*	*	0.4	0.3	0.4	0.6	1.0
1991.....	44.9	*	*	*	0.4	0.5	0.3	0.5	0.6	0.8
1 20.....	44.3	1.3	0.3	*	0.3	0.3	0.3	0.5	0.5	0.9
1 89.....	43.4	1.6	*	*	0.4	0.4	0.3	0.4	0.7	0.9
1988.....	44.5	1.5	*	*	0.3	0.3	0.3	0.4	0.5	0.9
1987.....	43.3	1.6	*	*	0.4	0.4	0.4	0.4	0.5	0.9
1 86.....	43.6	1.8	*	*	0.3	0.4	0.4	0.5	0.4	0.9
1 85.....	43.7	2.0	*	*	*	*	0.3	0.3	0.4	0.9
1984.....	41.6	1.3	*	*	0.3	*	0.4	0.4	0.4	0.8
1983.....	41.1	1.4	0.4	*	*	0.3	0.3	0.4	0.4	0.9
1982.....	38.3	1.8	*	*	*	0.4	0.4	0.4	0.6	0.9
01.....	38.6	1.9	*	*	0.3	*	0.3	0.5	0.4	0.8
1980.....	37.9	1.3	0.3	0.1	0.2	0.2	0.3	0.4	0.5	0.6
1979.....	34.9	2.0	0.5	0.1	0.2	0.2	0.3	0.3	0.4	0.7
WH DE FEMALE †† ††† †† ††† †††† †††										
1996.....	43.0	*	*	*	*	0.4	0.5	0.7	0.7	1.2
1995.....	41.2	*	*	*	0.3	0.6	0.4	0.6	0.9	1.0
1994.....	40.6	*	*	*	*	0.4	0.4	0.5	0.8	1.0
1993.....	40.0	*	*	*	0.4	0.3	0.4	0.5	0.6	1.1
1992.....	35.8	*	*	*	*	0.4	0.4	0.4	0.5	0.9
1991.....	35.0	*	*	*	*	0.4	0.4	0.4	0.6	0.9
1990.....	32.8	*	*	*	0.3	0.4	0.4	0.4	0.5	0.7
1989.....	31.9	*	*	*	*	0.4	0.4	0.4	0.6	0.9
1988.....	30.2	*	*	*	*	0.3	0.4	0.5	0.5	0.8
1987.....	28.1	*	*	*	*	0.4	0.3	0.4	0.5	1.0
1986.....	26.7	*	*	*	0.4	*	0.3	0.4	0.5	0.8
1985.....	25.5	*	*	*	0.4	0.3	0.4	0.4	0.5	0.9
1984.....	22.9	*	0.4	*	*	*	0.3	0.3	0.5	0.7
1983.....	21.3	*	*	*	1.9.4	0.3	0.4	0.4	0.9	
1982.....	18.6	*	*	*	*	0.3	0.3	0.3	0.5	0.7
1981.....	17.9	*	*	*	*	1.9.3	0.3	0.5	1.0	
1980.....	16.4	1.1	0.2	0.1	0.3	0.2	0.2	0.3	0.4	0.8
1979.....	13.9	1.5	0.4	0.1	0.1	0.2	0.2	0.3	0.3	0.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 328

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

†††

ALL OTHER, BOTH SEXES†† †† ††† †††† †††

1996.....	17.9	*	0.9	0.7	1.5	1.4	1.7	1.8	2.2	2.8
1995.....	17.5	*	*	0.6	1.4	1.5	1.5	1.6	2.2	3.2
1994.....	17.2	*	0.7	0.5	1.1	1.6	1.2	2.3	2.0	3.1
1993.....	17.4	*	0.8	0.6	1.2	1.1	1.3	1.6	1.8	2.8
1992.....	15.9	2.7	1.0	0.6	0.8	1.0	1.3	1.1	1.8	2.9
1991.....	16.2	2.8	0.8	0.7	0.9	1.2	1.3	1.5	2.1	3.1
1990.....	16.2	*	0.8	*	1.2	0.9	1.1	1.4	2.0	2.7
1989.....	16.5	*	*	0.6	0.9	0.8	1.1	1.6	2.0	3.1
1988.....	16.1	2.7	*	*	1.1	0.9	1.3	1.4	2.1	3.4
1987.....	15.2	*	*	*	1.4	1.3	1.2	1.1	1.9	3.2
1986.....	14.8	3.1	*	*	1.0	1.4	1.0	1.1	1.6	2.6
1985.....	14.6	*	*	*	1.2	1.0	1.3	1.1	1.8	2.4
1984.....	13.7	3.8	*	*	0.8	0.9	0.8	1.3	1.5	2.8
1983.....	13.2	*	1.0	*	1.0	1.2	0.8	1.3	2.1	2.9
1982.....	11.8	3.3	1.0	*	0.7	1.0	1.3	1.0	1.7	2.9
1981.....	11.7	*	*	*	0.7	0.8	0.8	1.3	1.5	3.0
1980.....	11.6	3.3	0.9	0.4	0.8	0.7	1.0	1.3	2.0	3.0
1979.....	10.5	2.7	0.6	0.2	0.3	0.7	0.8	1.3	1.6	3.2

ALL OTHER MALE †† ††† †† ††† ††† †††† †††

1996.....	21.4	*	1.2	*	1.5	1.8	1.9	1.9	02	2.7
1995.....	21.7	*	*	*	2.1	1.8	1.9	1.9	2.6	3.4
1994.....	21.5	*	*	*	1.5	2.0	1.7	2.8	2.6	2.8
1993.....	22.2	*	*	*	1.7	1.4	1.8	1.8	1.4	2.7
1992.....	20.4	*	*	*	*	1.3	1.7	1.6	2.1	2.7
1991.....	21.2	*	*	*	1.2	1.5	1.8	1.7	02	3.4
1990.....	21.9	*	*	*	1.6	1.2	1.2	1.6	2.1	2.8
1989.....	22.0	*	*	*	*	*	1.3	2.0	2.4	3.6
1988.....	22.5	*	*	*	*	1.2	1.7	1.8	2.6	3.8
1987.....	21.0	*	*	*	2.0	1.4	1.3	1.6	2.1	4.0
1986.....	21.2	*	*	*	1.4	1.6	1.2	1.3	1.5	2.9
1985.....	20.6	*	*	*	1.3	*	1.7	1.5	2.1	3.1
1984.....	19.6	*	*	*	1.2	*	*	1.4	*	3.0
1983.....	19.2	*	1.5	*	1.2	1.3	*	1.4	2.3	3.3
1982.....	17.1	*	*	*	*	1.2	1.6	*	2.3	3.4
1981.....	17.8	*	*	*	*	1.3	*	1.4	2.0	2.7
1980.....	17.6	4.4	1.1	0.3	1.0	0.8	1.2	1.3	2.0	3.9
1979.....	16.1	3.6	0.5	0.3	0.3	0.5	0.8	1.3	1.7	3.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 329

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)										
†										
ALL OTHER FEMALE † † † † † † † † † † †										
1996.....	14.6	*	*	*	1.6	1.1	1.5	1.7	2.3	2.8
1995.....	13.7	*	*	*	*	1.1	1.1	1.3	1.8	3.0
1994.....	13.3	*	*	*	*	1.2	*	1.8	1.4	3.3
1993.....	12.9	*	*	*	*	*	*	1.4	2.1	3.0
1992.....	11.8	*	*	*	*	*	*	*	1.6	3.1
1991.....	11.7	*	*	*	*	*	*	1.3	2.0	2.9
1990.....	11.1	*	*	*	*	*	*	1.3	1.2.9 B5	
1989.....	11.4	*	*	*	*	*	*	1.3	1.6	2.7
1988.....	10.3	*	*	*	*	*	*	1.1	1.7	3.0
1987.....	10.0	*	*	*	*	1.2	*	*	1.8	2.5
1986.....	9.0	*	*	*	*	*	*	*	1.7	2.4
1985.....	9.1	*	*	*	*	*	*	*	1.6	1.8
1984.....	8.4	*	*	*	*	*	*	OR2	1.2.9	2.8
1983.....	7.7	*	*	*	*	*	*	1.2	1.2.9	2.5
1982.....	7.1	*	*	*	*	*	*	*	*	2.5
1981.....	6.2	*	*	*	*	*	*	*	*	3.2
1980.....	6.2	2.2	0.7	0.4	0.6	0.6	0.2.9	1.3	1.2.9	2.2
1979.....	5.5	1.7	0.6	0.2	0.2	0.8	0.7	1.3	1.6	2.9
BLACK, BOTH SEXES† † † † † † † † † † †										
1996.....	20.7	*	1.0	0.8	1.8	1.8	2.0	2.3	2.7	3.6
1995.....	20.1	*	*	0.7	1.8	1.2	1.2	2.1	2.8	3.7
1994.....	19.9	*	0.8	0.7	1.4	1.2.9	1.4	2.2.9	2.5	4.1
1993.....	20.0	*	0.2	0.7	1.4	1.4	1.7	2.0	2.2	3.5
1992.....	18.5	3.3	1.1	0.8	0.2	1.3	1.7	1.4	2.3	3.6
1991.....	18.7	3.7	1.0	0.8	OR2	1.5	1.6	1.2.9	2.6	3.2.9
1990.....	18.6	*	1.0	*	1.4	1.0	1.4	1.8	2.5	3.4
1989.....	18.8	*	*	*	1.0	0.2	1.3	1.9	B5	3.2.9
1987.....	17.2	*	*	*	1.7	1.	1.56.4	1.4	2.5	4.0
1986.....	16.8	*	*	*	1.3	1.4	1.3	1.4	1.2	3.1
1985.....	16.3	*	*	*	1.4	1.1	1.6	1.3	2.3	3.2
1984.....	15.2	4.3	*	*	1.0	1.1	0.2.9	1.4	1.2	3.4
1983.....	14.6	*	1.2	*	1.0	1.4	0.9	1.6	2.5	3.6
1982.....	* 03.2	3.2	1.2	*	0.2	1.1	1.4	1.3	2.1	3.6
1981.....	*	13.0	*	*	0.8	0.9	0.2.9	1.6	1.7	3.6
1980.....	12.7	3.7	0.2.9	0.4	0.2.9	0.7	1.2	1.	2.3	3.5
1979.....	11.2	2.7	0.6	0.3	0.3	0.7	0.8	1.	1.2.9	3.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 330

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	---------------	------------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

†††

BLACK MALE †† †† ††† †††† †††

1996.....	24.7	*	*	*	1.8	2.3	2.2	2.3	2.7	3.5
1995.....	24.9	*	*	*	2.6	2.3	2.4	2.5	3.5	3.9
1994.....	24.9	*	*	*	1.9	2.2	2.0	3.6	3.5	3.8
1993.....	25.7	*	*	*	2.1	1.8	2.3	2.3	1.8	3.4
1992.....	23.8	*	*	*	*	1.6	2.2	2.1	2.6	3.3
1991.....	24.5	*	*	*	1.5	1.8	1.9	2.1	2.8	4.1
1990.....	25.2	*	*	*	2.0	*	1.5	2.0	2.8	3.8
1989.....	25.2	*	*	*	*	*	1.6	2.4	3.1	4.4
1988.....	25.9	*	*	*	*	1.4	1.8	2.0	3.3	5.1
1987.....	23.9	*	*	*	2.4	1.7	1.7	2.0	2.7	4.9
1986.....	24.1	*	*	*	1.7	1.7	1.5	1.6	1.8	3.5
1985.....	23.4	*	*	*	1.5	*	2.1	1.6	2.7	4.1
1984.....	21.9	*	*	*	*	*	*	*	*	3.8
1983.....	21.4	*	*	*	*	1.5	*	1.7	2.9	4.2
1982.....	19.1	*	*	*	*	1.4	2.0	*	2.8	4.3
1981.....	19.8	*	*	*	*	1.3	*	1.7	2.1	3.2
1980.....	19.3	4.8	1.1	0.4	1.2	0.9	1.3	1.5	2.5	4.5
1979.....	17.4	3.8	0.6	0.3	0.4	0.5	0.9	1.5	2.0	4.2

BLACK FEMALE†† ††† †† ††† ††† †††† †††

1996.....	17.0	*	*	*	1.9	*	1.8	2.3	2.8	3.7
1995.....	15.8	*	*	*	*	1.4	1.5	1.7	2.2	3.6
1994.....	15.4	*	*	*	*	1.6	*	2.3	1.7	4.4
1993.....	14.9	*	*	*	*	*	*	1.7	2.6	3.5
1992.....	13.7	*	*	*	*	*	*	*	2.0	3.8
1991.....	13.4	*	*	*	*	*	*	1.6	2.5	3.6
1990.....	12.6	*	*	*	*	*	*	1.5	2.3	3.0
1989.....	13.1	*	*	*	*	*	*	1.5	2.0	3.4
1988.....	11.7	*	*	*	*	*	*	*	2.1	3.8
1987.....	11.2	*	*	*	*	*	*	*	2.4	3.2
1986.....	10.2	*	*	*	*	*	*	*	2.0	2.8
1985.....	10.0	*	*	*	*	*	*	*	2.0	2.3
1984.....	9.2	*	*	*	*	*	*	*	2.4	3.0
1983.....	8.5	*	*	*	*	*	*	1.5	2.2	3.1
1982.....	7.9	*	*	*	*	*	*	*	*	3.0
1981.....	6.8	*	*	*	*	*	*	*	*	3.9
1980.....	6.8	2.6	0.7	0.5	0.7	0.6	1.0	1.5	2.2	2.8
1979.....	5.7	1.6	0.5	0.2	0.2	0.9	0.8	1.5	1.7	3.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 331

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)										

TOTAL, BOTH SEXES

1996.....	1.2	0.7	*	*	*	*	*	*	*	*
1995.....	1.3	0.7	*	*	*	*	*	*	*	*
1994.....	1.4	1.1	*	*	*	*	*	*	*	*
1993.....	1.5	1.0	*	*	*	*	*	*	*	*
1992.....	1.4	0.8	0.1	*	*	7	*	*	*	*
1991.....	1.5	1.1	7 7	*	*	*	7	*	*	*
1990.....	1.4	1.0	0.2	*	7	*	7	*	*	*
1989.....	1.5	0.8	0.2	7	*	*	7	*	*	*
1988.....	1.5	1.1	*	*	*	*	*	*	*	*
1987.....	1.5	1.0	0.2	*	*	*	7	*	*	*
1986.....	1.36	2.1	*	*	7	7	7	*	*	*
1985.....	1.5	1.1	*	7	7	*	*	*	*	*
1984.....	1.5	1.1	*	*	*	7	7	*	*	*
1983.....	1	1.US0	0.2	*	*	*	7	*	*	*
1982.....	1.5	1.1	0.2	*	7	*	7	*	*	*
1981.....	1.36	1.2	0.2	*	7	*	7	*	*	*
1980.....	1.3	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	1.3	1.7	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.1

TOTAL, MALE

1996.....	1.2	*	*	7	*	*	7	*	*	*
1995.....	1.3	1.1	*	*	*	*	*	*	*	*
1994.....	1.4	1.3	7	7	*	*	*	*	*	*
1993.....	1.5	1.2	7	7	*	*	*	*	*	*
1992.....	1	1.U	1.2	*	*	*	*	*	*	*
1991.....	1.3	2.1	*	*	*	*	*	*	*	*
1990.....	1	1.U	1.1	*	*	*	*	*	*	*
1989.....	1.36	1.1	*	*	*	*	*	*	*	*
1988.....	2.7	1.4	*	*	*	*	*	*	*	*
1987.....	1.36	1.2	7	7	*	*	*	*	*	*
1986.....	1.8	1.4	*	*	*	*	*	*	*	*
1985.....	1.8	1.5	*	*	*	*	*	*	*	*
1984.....	1.8	1.4	*	*	*	*	*	*	*	*
1983.....	1.9	2.2	7	7	*	*	*	*	*	*
1982.....	1.9	1.3	*	*	*	*	*	*	*	*
1981.....	2.1	1.7	7	7	*	*	*	*	*	*
1980.....	2.2	1.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	2.2	1.9	0.3	0.1	0.0	0.0	0.0	0.1	0.0	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 333

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR BRONCH. IS, CHRONIC	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
TAD UNSPECIFIED (490-491)										
WH. TE MALE										
1996.....	1.3	*	*	*	*	*	*	*	*	*
1995.....	1.4	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.6	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	*
1991.....	1.7	*	*	*	*	*	*7 0.			
1990.....	1.7	*	*7 07 07		*	*7	*			
1989.....	1.87 07	*	*	*	*	*	*	*	*	
1988.....	1.8	*	*	*	*	*	0.	*	*	0
1987.....	1.87 07	*	*	*	*	*	*	*	*	
1986.....	1.9	*	*7	*	0	*	*7	*	*	*
1985.....	2.0	1.57 07	*	*	*	*	*	*	*	
1984.....	2.07 07	*	*	*	*	*	*	*	*	
1983.....	2.1	*	*7	*	*	*	0.	*	*	
1982.....	2.17 07	*	*	*	*	*	*	*	0	
1981.....	2.3	1.5	*	*7	*	0	*	*7	*	*
1980.....	2.3	1.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1
1979.....	2.4	1.6	0.4	0.1	0.0	0.0	0.1	0.1	0.1	0.1
WHITE FEMALE										
1996.....	1.3	*	0	*	0	*	*7 07	*	*	
1995.....	1.4	*	*	*	*	*7 07	*	*	*	
1994.....	1.5	*	0	*	*	*	0.	*	*	
1993.....	1.6	*	*7	*	0.	*	0	*	0	
1992.....	1.6	*	0	*	*7	*	*7	*	0	*
1991.....	1.5	*	*7	*	*7	0.	*	*7	*	
1990.....	1.57	*	*7	07 07	0.	*	0	*		
1989.....	1.6	*	*7	*	0	*	0	*	*7	07
1988.....	1.6	*	*7 07		07 07	07	*			
1987.....	1.57 07	07	*	0	*	0	*	*		
1986.....	1.57	*	*7	07	*	0	0.	*	0	
1985.....	1.4	*	0	*	*7	*	*7	*	*7	*
1984.....	1.47 07	07	*	*7	*	0	*	*7		
1983.....	1.3	*	*7	*	*7	*	*7	*	0	*
1982.....	1.3	*	*7	*	0	07 07	07	*		
1981.....	1.3	*	0	*	*7	*	*7	*	0	*
1980.....	1.3	0.87	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
1979.....	1.2	1.3	0.2	0.1	0.0	0.0	0.0	0.0	-	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 334

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCH DIS, CHRONIC ABD UNSPECIFIED (490-491)										
ALL OTHER, BOTH SEXES										
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	* 8	*	* 8	* 8	*	*
1994.....	0.6	* 8	*	* 8	*	* 8	*	* 8	*	* 8
1993.....	0.6 8 8	8 8	* 8	8	* 8	8	* 8	*	*	*
1992.....	0.6	* 8	*	* 8	*	*	* 8	*	* 8	*
1991.....	0.6	* 8	*	*	*	*	* 8	*	* 8	*
1990.....	0.6	* 8	*	* 8	* 8	8	* 8	8	* 8	8
1989.....	0.6	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	*
1988..... c *	*	* 8	* 8	* 8	* 8	* 8	* 8	* 8	*	*
1987.....	0.5	* 8	*	* 8	* 8	* 8	* 8	* 8	*	*
1986.....	0.6 c *	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	*
1985.....	0.6 c *	c *	* 8	* 8	* 8	* 8	* 8	* 8	* 8	*
1984.....	0.5	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1983.....	0.6 c	* 8	*	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1982.....	0.5 c *	c *	* 8	* 8	* 8	* 8	* 8	* 8	* 8	*
1981.....	0.6 c	* 8	*	* 8	* 8	* 8	* 8	* 8	* 8	*
1980.....	0.7	2.4	0.4	0.0	-	0.0	0.0	0.0	0.0	0.2
1979..... c	2.7	0.3	0.0	-	-	0.0	0.0	0.0	0.1	
ALL OTHER MALE										
1996.....	0.6 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1995.....	0.7 c *	c *	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1994.....	0.7	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1993.....	0.8 c *	c *	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1992.....	0.7 c	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1991.....	0.8 c	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1990.....	0.8 c	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1989.....	0.7 c	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1988.....	0.8 c	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1987.....	0.7 c	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1986.....	0.8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1985.....	0.7	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1984.....	0.7	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1983.....	0.9	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1982.....	0.7 c	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1981.....	1.0	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8
1980.....	1.0	2.8	0.5 c	-	-	0.1	-	-	0.1	0.4
1979.....	0.9	3.6 c	0.3	0.1	-	-	-	-	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 335

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)										

ALL OTHER FEMALE

1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	* 04	* 0	*	* 0	*	*	* 0	*
1994.....	0.5 04 04 0		* 04 0	* 04 0	* 04 0	*	*	*	* 0	*
1993.....	0.5 0	* 0	* 0	* 0	* 0	* 0	* 0	* 04 0	*	*
1992.....	0.5	* 0	* 0	* 0	* 04 0	*	*	* 0	* 0	* 0
1991.....	0.5 04 0	*	* 0	* 04 0	*	*	*	*	* 0	*
1990.....	0.4	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1989.....	0.5	* 0	* 04 0	*	* 0	*	*	* 04 0	*	*
1988.....	0.4	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1987.....	0.4	* 0	*	* 0	* 04 0	*	*	* 0	* 0	* 0
1986.....	0.4	* 0	* 0	* 0	* 0	* 0	*	* 0	* 0	*
1985.....	0.5 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1984.....	0.4	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	*
1983.....	0.4	* 0	* 0	* 0	* 0	* 0	*	* 0	* 0	*
1982.....	0.4 04 0	*	* 0	*	* 0	* 0	* 0	*	* 0	*
1981.....	0.3	* 0	* 0	* 0	*	* 0	* 0	*	* 0	* 0
1980.....	0.4	1.9	0.3	0.1	-	-	0.1	0.1	-	-
1979.....	0.4	1.7	0.4	-	-	-	0.1	0.1	0.1	0.2

BLACK, BOTH SEXES

1996.....	0.6 04 0	*	* 0	*	* 0	* 0	* 0	* 0	*	* 0
1995.....	0.7 04 0	*	* 0	* 04 0	*	*	* 0	* 04 0	*	*
1994.....	0.6 0	* 0	* 04 0	*	* 0	*	*	* 0	* 0	* 0
1993.....	0.7 0	* 0	* 0	* 0	* 0	* 0	* 04 0	*	* 0	*
1992.....	0.6 0	* 0	* 0	* 0	* 0	* 0	* 04 0	*	*	*
1991.....	0.7 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1990.....	0.6	* 0	* 0	* 0	* 0	*	* 0	* 0	* 0	* 0
1989.....	0.7	* 0	* 0	*	* 0	* 0	* 04 0	*	*	*
1988.....	0.6 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1987.....	0.6 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1986.....	0.6 04 0	*	* 04 0	*	*	* 0	* 0	* 0	* 0	*
1985.....	0.6 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1984.....	0.6 0	* 0	* 0	* 0	* 0	* 0	*	* 0	* 0	*
1983.....	0.6	* 0	* 0	* 04 0	*	* 0	* 0	* 0	* 0	*
1982.....	0.6 0	* 0	* 0	*	* 0	* 0	* 04 0	*	* 0	*
1981.....	0.7 04 0	*	* 0	* 0	* 0	* 0	* 0	* 0	* 0	*
1980.....	0.7 0	2.6 0	0.4	0.0	-	0.0	0.0	0.0	0.1	0.2
1979.....	0.6 0	2.7 0	0.3	0.0	-	-	0.0	-	0.1	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 336

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BRONCH. IS, CHRONIC	TAD UNSPECIFIED (490-491)									

BLACK MALE

1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*	*
1987.....	0.7	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	1.0	*	*	*	*	*	*	*	*	*
1980.....	1.1	3.0	0.5	-	-	0.1	-	-	0.1	0.5
1979.....	0.9	3.8	0.3	0.1	-	-	-	-	-	-

BLACK FEMALE

1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.6	.5	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.4	*	*	.5	*	*	*	*	*	*
1986.....	0.4	*	*	*	*	*	*	*	*	*
1985.....	0.5	*	*	*	*	*	*	*	*	*
1984.....	0.4	*	*	*	*	*	*	*	*	*
1983.....	0.4	*	*	*	*	*	*	*	*	*
1982.....	0.4	*	*	*	*	*	*	*	*	*
1981.....	0.3	*	*	*	.5	*	.5	*	*	*
1980.....	0.4	2.3	0.3	0.1	-	-	0.1	0.1	-	-
1979.....	0.4	1.6	. 0.3	-	-	-	0.1	-	0.1	0.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 337

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										
TOTAL, BOTH SEXES										
1996.96.††††††.	6.5	*	*	*	*	*	*	*	*	*
1995†††.†††.†96.†	6.4	*	*	*	*	*	*	*	*	*
1994†††.†9†††.†9	6.6	*	*	*	*	*	*	*	*	*
1993†††.†9††††.†	6.8	19 19 1	*	19 1	*	*	19	*	1	0.1
1992†††.†9†††††.	6.4	*	*	1	*	19 1	*	1	*	1
1991.†††.†9†††††	6.5	*	1	*	19 1	*	1	*	19 1	0.1
1990.†††.†9††††96.†	6.3	*	*	*	*	*	*	*	*	*
1989†††.†9††††996.†	6.3	*	1	*	*	1	*	*	*	1
1988†††.†9††††9996.‡3	19 1	*	19 1	*	*	19 1	0.1	*	1	*
1987.†††.†9††††999	6.0	19 1	*	*	*	1	*	*	1	0.1
1986.†††.†9††††999	6.0	*	*	19 1	*	*	1	*	1	*
1985††††.†9††††999	5†9	*	1	*	*	1	*	1	*	1
1984††††.†9††††999	5†6	*	1	*	*	1	*	1	*	1
1983††††.†9††††999	5†7	*	*	1	*	1	*	1	*	1
1982††††.†9††††999	5†5	19 1	*	19 1	*	1	*	*	1	*
1981.††††.†9††††99	5†8	1	*	1	*	1	*	1	*	1
1980.††††.†9††††99	6.1	0.1	-	-	0.0	0.0	0.0	1	0.0	0.1
1979†††.†9††††999.	6.0	1	0.1	0.0	-	0.0	1	0.0	0.1	0.2
TOTAL, MALE										
1996.††††.†9††††99	7.3	1	*	1	*	19 1	*	1	*	1
1995†††††.†9††††99	7.3	*	*	1	*	1	*	1	*	1
1994†††††.†9††††99	7.6	19 1	*	1	*	1	*	1	*	*
1993†††††.†9††††99	7.9	19 1	*	1	*	1	*	1	*	1
1992†††††.†9††††99	7.6	*	*	1	*	1	*	1	*	*
1991.†††††.†9††††9	7.8	1	*	1	*	1	*	19 1	*	1
1990.†††††.†9††††9	7.8	*	*	1	*	1	*	1	*	*
1989†††.†9††††999.	7.7	*	1	*	*	1	*	1	19 1	*
1988.†††.†9††††999	8.1	*	1	*	*	1	*	1	*	*
1987.††††.†9††††99	7.8	*	1	*	*	1	*	1	*	*
1986.†††††.†9††††9	8.0	1	*	1	*	1	*	1	19 1	*
1985††††††.†9††††9	8.1	*	*	1	*	*	*	1	*	*
1984††††††.†9††††9	7.8	*	*	1	*	19 1	*	1	*	1
1983††††††.†9††††9	8.1	*	1	*	*	19 1	*	1	*	*
1982††††††.†9††††9	8.0	*	1	*	*	1	*	1	*	*
1981†††.†9††††999.	8.6	1	*	1	*	1	*	1	19 1	*
1980.††††††.†9††††9	9†2	0.1	-	-	0.0	0.0	0.0	1	0.0	0.1
1979†††††.†9††††999	9†3	1	-	0.0	1	-	0.0	-	0.0	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 338

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										

TOTAL, FEMALE

1996....†††.	5.8	*	*	*	*	*	*	*	*	*
1995.††.††.†..	5.6	*	*	*	*	*	*	*	*	*
1994††.†.††.†.	5.7	*	*	*	*	*	*	*	*	*
1993††.†.†††.†	5.8	*	*	*	*	* TH	* TH	*	*	*
1992††.†.††††.	5.3	*	*	*	*	*	*	*	*	*
1991.††.†.†††..†	5.3	*	*	*	* TH	* TH	* TH	*	*	*
1990.††.†.†††....	4†9 TH	*	* TH	*	*	* T	*	* T	*	*
1989††.†.†††....	4†9	*	* T	*	*	* T	*	*	*	* T
1988.††.†.†††....	4†6	*	* T	*	*	* T	*	*	*	* T
1987.††.†.†††....	4.3 TH	* TH	* T	*	* TH	* T	*	*	*	*
1986††.†.†††....	4†1 TH	* T	* T	*	* T	* T	* T	*	* T	*
1985.†††.†.†††....	3†9 T	*	* T	*	* T	*	*	*	* T	*
1984†††.†.†††....	3†6	*	* T	*	*	* T	*	*	*	* T
1983†††.†.†††....	3†4	* T	* T	*	* T	*	* T	* T	* T	* T
1982††.†.†††....	3.2 TH	* T	* T	* T	* T	* T	* T	*	* T	*
1981.†††.†.†††....	3.2	*	* T	*	*	* T	*	* T	*	*
1980.†††.†.†††....	3.2	0.1 T	-	-	-	0.0	-	0.0	0.0	0.1 T
1979††.†.†††....	2†9 T	0.1	0.0	-	-	0.0	0.0	0.0	0.0	0.1

WH DE, BOTH SEXES

1996†††.†.†††....	7.4	*	*	*	* T	* T	* T	* T	* T	*
1995.††††.†.†††..	7.3 T	*	* T	* T	*	* T	* T	*	*	* T
1994††.†.†††....	7.5	*	* T	* T	* T	*	* T	*	* TH	*
1993††††.†.†††....	7.7	*	* T	*	* T	* T	*	*	* T	*
1992†††.†.†††....	7.2 T	*	* T	* T	* TH	* T	*	* T	*	*
1991.††††.†.†††..	7.4	*	* T	* TH	* T	* T	* TH	* T	*	*
1990.††††.†.†††..	7.1 TH	* T	* T	*	*	* T	* T	*	* T	*
1989†††.†.†††....	7.0	* T	* T	*	* T	*	* T	*	* TH	*
1988.†††.†.†††....	7.1 T	*	* T	* T	* T0	* T	* TH	*	*	*
1987.†††.†.†††....	6†7 TH	* T	*	* T	* T	* T0	*	*	*	*
1986††††.†.†††....	6†7	*	* T	* T	*	* T0	*	*	*	*
1985.†††††.†.†††.	6†6	* T	*	*	* T	* T	* T	* TH	* T	*
1984††††.†.†††....	6†3 T	*	* T0	*	* T0	* T	* T0	*	*	*
1983††.†.†††....	6†3	*	* T	* T	* T	* T	*	* T0	* T	* T
1982††.†.†††....	6†1 T	* T	* T0	*	* T0	*	* T	* T	* T0 96.	*
1981.†††††.†.†††.	6†5 TH	* T	*	*	* T	* T	*	* T	* T	*
1980.†††††.†.†††.	6†8	0.1 T	-	-	0.0	0.0	0.0	0.0	0.1 T	0.1
1979†††††.†.†††....	6†7	0.1 T	0.0	-	-	-	0.0	0.0	0.1	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 339

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										
WH DE MALE										
1996.....	8.1	*	*	*	*	*	*	*	*	*
1995..... 3	8.1	*	*	*	*	*	*	*	*	*
1994.....	8.4	*	*	*	*	*	*	*	*	*
1993.....	8.7	*	*	*	*	*	*	*	*	*
1992.....	8.4	*	*	*	*	*	*	*	*	*
1991.....	8.6	*	*	*	*	*	*	*	*	*
1990..... 3	8.6	*	*	*	*	*	*	*	*	*
1989..... 3	8.5	*	*	*	*	*	*	*	*	*
1988.....	8.9	*	*	*	*	*	*	*	*	*
1987.....	8.6	*	*	*	*	*	*	*	*	*
1986.....	8.8	*	*	*	*	*	*	*	*	*
1985.....	8.9	*	*	*	*	*	*	*	*	*
1984.....	8.5	*	*	*	*	*	*	*	*	*
1983.....	8.9	*	*	*	*	*	*	*	*	*
1982.....	8.8	*	*	*	*	*	*	*	*	*
1981.....	9.4	*	*	*	*	*	*	*	*	*
1980.....	10.1	0.1	-	-	0.0	0.0	0.0	0.0	0.1	0.1
1979.....	10.2	-	0.0	-	-	-	0.0	0.1	0.1	0.2
WH DE FEMALE										
1996.....	6.7	*	*	*	*	*	*	*	*	*
1995.....	6.5	*	*	*	*	*	*	*	*	*
1994.....	6.6	*	*	*	*	*	*	*	*	*
1993.....	6.7	*	*	*	*	*	*	*	*	*
1992.....	6.1	*	*	*	*	*	*	*	*	*
1991.....	6.2	*	*	*	*	*	*	*	*	*
1990.....	5.7	*	*	*	*	*	*	*	*	*
1989.....	5.6	*	*	*	*	*	*	*	*	*
* 8.....	5.4	*	*	*	*	*	*	*	*	*
1987.....	4.9	*	*	*	*	*	*	*	*	*
1986.....	4.7	*	*	*	*	*	*	*	*	*
1985.....	4.4	*	*	*	*	*	*	*	*	*
1984.....	4.1	*	*	*	*	*	*	*	*	*
*1983.....	3.9	*	*	*	*	*	*	*	*	*
1982.....	3.6	*	*	*	*	*	*	*	*	*
*1981.....	3.6	*	*	*	*	*	*	*	*	*
1980.....	3.6	0.1	-	-	-	0.0	-	-	0.0	0.1
1979.....	3.3	0.1	0.0	-	-	-	0.0	-	0.0	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 340

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										

ALL OTHER, BOTH SEXES

1996.....	2.3	*	*	*	*	*	*	*	*	*
1995.....	2.2 0 0	*	*	* 0 0 0 0 0	*	*	* 0	* 0 0 0	*	*
1994.....	2.3	* 0	*	* 0	*	*	* 0	*	* 0	* 0
1993.....	2.4	* 0 0 0	*	* 0	* 0	* 0	* 0 0 0	* 0 0 0	*	*
1992.....	2.3 0 0 0	* 0 0 0	*	*	* 0	* 0 0 0	*	* 0	*	*
1991.....	2.2	* 0	* 0 0 0	*	*	*	*	* 0	*	*
1990.....	2.2 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1989.....	2.2	* 0	*	* 0	* 0 0 0	*	*	* 0	* 0	* 0
1988.....	2.4	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1987.....	2.2 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1986.....	2.1 0 0 0	* 0 0 0	*	* 0	* 0	*	*	* 0	*	*
1985.....	2.2 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	*
1984.....	2.0	* 0	* 0 0 0	*	* 0	* 0	*	*	* 0	*
1983.....	2.1 0	* 0	* 0	* 0	* 0	* 0	*	*	* 0	* 0
1982.....	1.9 0 0 0	* 0	* 0	* 0	* 0 0 0	* 0	* 0	* 0	* 0	* 0
1981.....	2.1	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0	*
1980.....	2.2	-	-	-	0.0	0.0	-	0.1	0.3 0	0.4
1979.....	2.2	-	-	-	0.0	0.0	-	0.0	0.1	0.5

ALL OTHER MALEBT BT BBT BB

1996.....	3.1 0	* 0	* 0 0 0	*	* 0	* 0	* 0	* 0	* 0	* 0
1995.....	3.2 0	* 0	* 2.1	*	*	*	*	*	*	*
1994.....	3.22.1	* 0	* 0	* 0	*	* 0 0 0	*	* 0	*	*
1993.....	3.5 0 0 0	* 0	* 0	* 0	*	*	* 0	*	* 0	* 0
1992.....	3.4	*	* 0	* 0	* 0	* 0	* 0	* 0	* 0	* 0
1991.....	3.220 0 0	* 0	* 0	* 0	* 0	* 0 0 0	* 0	*	*	*
1990.....	3.3 0 0 0	* 0	* 2.1	* 0	* 0	*	*	*	*	*
1989.....	3.42.1	*	*	* 0	* 2.1	*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 341

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										
ALL OTHER FEMALE										
1996.....	1.5	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.4	*	*	*	*	*	*	*	*	*
1993.....	1.5	*	*	*	*	*	*	*	*	*
1992.....	1.3	*	*	*	*	*	*	*	*	*
1991.....	1.3	*	*	*	*	*	*	*	*	*
1990.....	1.1	*	*	*	*	*	*	*	*	*
1989.....	1.2	*	*	*	*	*	*	*	*	*
1988.....	1.0	*	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*	*
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	-	-	-	-	0.1.1		0.1.1
1979.....	0.8	-	-	-	-	0.1	-	0.1	0.1	0.1
BLACK, BOTH SEXES										
1996.....	2.36BL	*	*	*	*	*	*	*		
1995.....	2.3	*	*	*	*	*	*	*	*	*
1994.....	2.3 BL	*	* BL	*	*	*	*	*	*	*
1993.....	2.8	*	* BL	*	*	*	*	*		
1992.....	2.6	*	*	*	*	* BL	*	*		
1991.....	2.5	*	* B	*	* B	*	* B	*	* B	*
1990.....	2.5	*	* B	*	* B	*	*	*	*	*
1989.....	2.5	*	*	*	*	* BL	*	*		
1988.....	2.7 BL	*	*	*	*	*	* B	*		
1987.....	2.5	*	*	*	*	* BL	*	*		
1986.....	2.4	*	*	*	*	* BL	*	*	* BTj T* (1985.....	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 342

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 EMPHYSEMA (492)										

BLACK MALE

1996.....†.	3.6	*	*	*	*	*	*	*	*	*
1995†.†.†...	3.7	*	*	*	*	*	*	*	*	*
1994†.†.†.†.	3.7	*	*	*	*	*	*	*	*	*
1993.†.†.††.	3.9	*	*	*	*	*	*	*	*	*
1992†.†.†††.	3.9	*	*	*	*	*	*	*	*	*
1991.†.†.†††...¼6	*	*	*	*	*	*	*	*	*	*
1990.†.†.†††....	3.8	*	*	*	*	*	*	*	*	*
1989†.†.†††....	3.8	*	*	*	*	*	*	*	*	*
1988†.†.†††....	4†6	*	*	*	*	*	*	*	*	*
1987.†.†.†††....	3.9	*	*	*	*	*	*	*	*	*
1986†.†.†††....	4†0	*	*	*	*	*	*	*	*	*
1985††.†.†††....	3.9	*	*	*	*	*	*	*	*	*
1984††.†.†††....	3.6	*	*	*	*	*	*	*	*	*
1983.††.†.†††....	3.7	*	*	*	*	*	*	*	*	*
1982†.†.†††....	3.5	*	*	*	*	*	*	*	*	*
1981.††.†.†††....	4†1	*	*	*	*	*	*	*	*	*
1980.††.†.†††....	4†0	-	-	-	0.1	0.1	-	-	0.7	0.9
1979†.†.†††....	4.1	-	-	-	0.1	-	-	-	0.2	1.2

BLACK FEMALE

1996.†.†.†††....	1.7	*	*	*	*	*	*	*	*	*
1995†††.†.†††....	1.6	*	*	*	*	*	*	*	*	*
1994†††.†.†††....	1.7	*	*	*	*	*	*	*	*	*
1993.†††.†.†††..	1.7	*	*	*	*	*	*	*	*	*
1992††.†.†††....	1.5	*	*	*	*	*	*	*	*	*
1991†.†.†††....	1.4	*	*	*	*	*	*	*	*	*
1990.†††.†.†††..	1.3	*	*	*	*	*	*	*	*	*
1989††.†.†††....	1.4	*	*	*	*	*	*	*	*	*
1988.†.†.†††....	1.1	*	*	*	*	*	*	*	*	*
1987.††.†.†††....	1.1	*	*	*	*	*	*	*	*	*
1986††.†.†††....	1.0	*	*	*	*	*	*	*	*	*
1985††††.†.†††..	1.1	*	*	*	*	*	*	*	*	*
1984††††.†.†††..	1.0	*	*	*	*	*	*	*	*	*
1983.††††.†.†††.	1.0	*	*	*	*	*	*	*	*	*
1982†††.†.†††...	0.9	*	*	*	*	*	*	*	*	*
1981.†††.†.†††..	0.8	*	*	*	*	*	*	*	*	*
1980.††††.†.†††.	0.9	-	-	-	-	-	-	0.2	-	0.1
1979††.†.†††....	0.9	-	-	-	-	0.1	-	0.1	0.1	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 343

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
TOTAL, BOTH SEXES										
1996.....	2.1	*	0.2	0.2	0.5	0.5	0.6	0.7	0.7	0.9
1995.....	2.1	*	0.1	0.2	0.5	0.7	0.6	0.6	0.8	1.0
1994.....	2.1	*	0.2	0.2	0.4	0.6	0.6	0.7	0.7	0.9
1993.....	2.0	*	0.2	0.2	0.5	0.5	0.5	0.5	0.6	0.9
1992.....	1.9	*	0.2	0.2	0.3	0.5	0.5	0.5	0.6	0.8
1991.....	2.0	*	0.2	0.2	0.4	0.5	0.5	0.6	0.7	0.8
1990.....	1.9	*	0.2	0.2	0.4	0.4	0.4	0.5	0.6	0.8
1989.....	2.0	*	0.2	0.2	0.3	0.4	0.4	0.5	0.7	0.8
1988.....	1.9	*	*	0.1	0.4	0.4	0.5	0.5	0.6	0.8
1987.....	1.8	*	*	*	0.5	0.5	0.4	0.4	0.5	0.8
1986.....	1.6	*	*	0.1	0.4	0.	0.404/	0.5	0.7	
1985.....	1.6	*	0.1	0.2	0.4	0.3	0.5	0.3	0.5	0.7
1984.....	1.5	*	*	0.2	0.3	0.304/	0.30	0.4	0.6	
1983.....	1.5	*	0.2	0.1	0.3	0.4	0.3	0.4	0.5	0.6
1982.....	1.4	*	0.2	0.2	0.3	0.	0.40	0.4	0.5	0.5
1981.....	1.3	*	*	0.2	0.3	0.3	0.3	0.	0.40	0.6
1980.....	1.3	0.2	0.2	0.1	0.3	0.2	0.3	0.3	0.404/	
1979.....	1.2	0.1	0.1	0.1	..2	0.2	0.3	0.3	0.5
TOTAL, MALE										
1996.....	1.6	*	0.3	0.3	0.6	0.6	0.7	0.7	0.6	0.8
1995.....	1.6	*	*	0.3	0.7	0.6	0.6	0.6	0.8	0.9
1994.....	1.7	*	*	0.5	0.8	0.7	0.7	0.8	0.9
1993.....	1.5	*	0.2	*	0.5	0.6	0.7	0.5	0.5	0.7
1992.....	1.5	*	*	*	0.30	0.5	0.5	0.5	0.7	0.7
1991.....	1.6	*	*	*	0.5	0.6	0.5	0.6	0.7	0.7
1990.....	1.6	*	*	..2	0.5	0.4	0.4	0.5	0.6	0.8
1989.....	1.5	*	*	0.2	0.4	0.5	0.4	0.5	0.7	0.7
1988.....	1.5	*	*	*04/	0.	0.5	0.5	0.6	0.8	
1987.....	1.5	*0	*	*	0.6	0.6	0.5	0.40	0.5	0.8
1986.....	1.4	*	*	*0	0.5	0.504/	0.50	0.4	0.6	
1985.....	1.3	*	*	*	0.	0.3	0.4	0.3	0.5	0.7
1984.....	1.3	*	*	*0	0.4	0.3	0.4	0.3	0.30	0.5
1983.....	1.3	*	0.30	*	0.40	0.40	0.30	0.	0.5	0.6
1982.....	1.2	*	*0	*	0.2	0.4	0.4	0.3	0.6	0.5
1981.....	1.2	*	*	*	0.3	0.3	0.3	0.	0.40	0.4
1980.....	1.2	0.3	0.2	0.1	0.2	0.3	0.3	0.3	0.30
1979.....	1..	0.2	0.1	0.1	0.2	..2	0.2	0.3	0.3	0.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 344

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
TOTAL, FEMALE										
1996.....	2.7	*	*	*	0.5	0.5	0.6	0.8	0.8	1.1
1995.....	2.6	*	*	*	0.3	0.7	0.5	0.6	0.8	1.1
1994.....	2.5	*	*	*	0.3	0.5	0.5	0.7	0.7	1.0
1993.....	2.5	*	*	*	0.4	0.4	0.4	0.6	0.7	1.0
1991.....	2.5	*	*	*	0.3	0.5	0.4	0.5	0.8	0.9
1990.....	2.3	*	*	*	0.4	0.4	0.4	0.5	0.6	0.8
1989.....	2.4	*	*	*	0.3	0.4	0.3	0.5	0.7	0.9
1988.....	2.2	*	*	*	0.4	0.3	0.4	0.5	0.5	0.8
1984.....	1.7	*	*	*	*	0.3	0.3	0.4	0.6	0.7
1982.....	1.5	*	*	*	0.3	0.3	0.4 3	0.4	0.4 3	0.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 345

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
WHITE MALE										
1996...BTBTBBTBB.	1.3	*	*	*	0.4	0.3	0.4	0.4	0.3	0.5
1995BTBB.BTBB.B..B	1.4	*	*	*	0.3	0.4	0.3	0.5	0.5	0.7
1994BTBB.B.BTBB.B.	1.4	*	*	*	0.3	0.5	0.4	0.3	0.5	0.6
1993BTBB.B.BBTBB.B	1.3	*	*	*	0.3	0.4	0.4	0.2 AU	0.5	
1992BTBB.B.BBBTBB.	1.3	*	*	*	*	0.4	0.3	0.3	0.4	0.6
1991.BTBB.B.BBBBTB	1.3	*	*	*	0.4	0.4	0.2 A	0.4	0.5	0.4
1990.BTBB.B.BBBB..B	1.3	*	*	*	*	0.3	01	0.3	0.4	0.5
1989BTBB.B.BBBB...B	11	*	*	1.	0.4 AU	*	0.3	0.5	0.4	
1988BTBB.B.BBBB....	1.3	*	*	*	0.3 AU	0.3 A	0.3 A	0.3	0.5	
1987.BTBB.B.BBBB...	1.2 A	*	*	*	0.3 A	0.4	0.3	012 A	0.3	015
1986BTBB.B.BBBB....	1.2 A	*	*	*	*	0.3	0.3 A	0.4	0.3 A	0.5
1985BBTBB.B.BBBB...	1.2 A	1.	*	1.	*	*	*	*	0.3	0.4 A
1984BBTBB.B.BBBB...	111	*	1	*	10.3	*	10.3	*	10.2	0.3
1983BBTBB.B.BBBB...	1.1	*	*	*	*	*	*	0.2 A	10.3	0.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 346

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
ALL OTHER, BOTH SEXES										
1996.96.+++++	3.4	*	0.7	0.6	1.4	1.4	1.5	1.6	1.9	2.2
1995+++..+++196.+	3.2	*	*	0.6	1.3	1.4	1.5	1.3	1.8	2.2
1994+++..+9+++..+9	3.1	*	*	0.5	1.1	1.5	1.2	2.1	1.7	2.3
1993.+++..+9++++.	2.9	*	0.6	*	1.1	1.1	1.2	1.5	1.5	2.3
1992.+++..+9+++++	2.8	*	0.7	0.6	0.7	1.0	1.2	1.0	1.7	1.9
1991+++..+9+++++	2.9	*	*	0.6	0.8	1.2	1.3	1.3	1.9	2.3
1990.+++..+9+++98	2.8	*	*	*	1.0	0.8	1.1	1.2	1.8	2.1
1989+++..+9+++998	2.8	*	*	0.6	0.7	0.7	0.9	1.4	1.6	2.2
1988.+++..+9+++99.	2.9	*	*	*	1.0	0.9	1.2	1.2	1.6	2.3
1987.+++..+9+++99.	2.8	*	*	*	1.4	1.2	1.1	0.9	1.5	2.3
1986+++..+9+++99..	2.5	*	*	*	0.9	1.3	1.0	1.0	1.3	1.9
1985++++..+9+++99.	2.4	*	*	*	1.1	0.9	1.3	0.9	1.5	2.0
1984++++..+9+++99.	2.2	*	*	*	0.8	0.9	0.7	0.9	1.3	2.0
1983.++++..+9+++99	2.4	*	*	*	0.9	1.0	0.8	1.1	1.7	1.7
1982.++++..+9+++99	2.1	*	*	*	0.7	0.8	1.2	1.0	1.6	1.7
1981.+++..+9+++99.	1.9	*	*	*	0.6	0.7	0.6	1.1	1.3	1.9
1980.++++..+9+++99	1.9	0.5	0.5	0.3	0.7	0.5	0.9	0.9	1.5	1.2
1979+++..+9+++99..	1.6	-	0.2	0.2	0.2	0.6	0.7	1.1	1.1	1.6
ALL OTHER MALE										
1996++++..+9+++99.	3.0	*	*	*	1.5	1.8	1.8	1.7	1.9	2.2
1995++++..+9+++99	2.9	*	*	*	2.0	1.7	1.9	1.4	2.1	2.2
1994++++..+9+++99	2.9	*	*	*	1.5	1.9	1.7	2.4	2.4	2.1
1993.++++..+9+++9	2.7	*	*	*	1.5	1.4	1.7	1.5	1.2	2.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 347

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										

ALL OTHER FEMALE

1996.....†††.	3.8	*	*	*	1.4	*	1.3	1.5	1.9	2.2
1995††.††.†...	3.4	*	*	*	*	*	1.1	1.2	1.4	2.3
1994††.†.††.†.	3.2	*	*	*	*	1.2	*	1.7	1.1	2.4
1993.††.†.†††.	3.2	*	*	*	*	*	*	1.4	1.9	2.4
1992.††.†.††††	3.0	*	*	*	*	*	*	*	1.5	2.3
1991††.†.†††††	3.0	*	*	*	*	*	*	1.2	1.9	2.5
1990.††.†.††††...	2.9	*	*	*	*	*	*	1.1	1.8	2.1
1989††.†.††††...	3.0	*	*	*	*	*	*	*	1.5	2.1
1988††.†.††††...	3.0	*	*	*	*	*	*	*	1.4	2.3
1987.††.†.††††...	2.8	*	*	*	*	*	*	*	1.6	2.1
1986††.†.††††...	2.7	*	*	*	*	*	*	*	1.6	2.2
1985†††.†.††††...	2.4	*	*	*	*	*	*	*	1.3	1.5
1984†††.†.††††...	2.3	*	*	*	*	*	*	*	1.7	2.1
1983.†††.†.††††..	2.4	*	*	*	*	*	*	*	1.6	1.7
1982.††††.†.††††..	2.1	*	*	*	*	*	*	*	*	*
1981.††.†.††††...	1.8	*	*	*	*	*	*	*	*	2.3
1980.†††.†.††††..	1.9	-	0.4	0.3	0.4	0.5	0.8	1.0	1.9	1.3

BLACK, BOTH SEXES

1996†††.†.††††...	4†0	*	0.8	0.7	1.8	1.8	1.9	2.0	2.3	2.9
1995††††.†.††††..	3.8	*	*	0.7	1.9	1.9	1.9	1.8	2.3	2.9
1994††††.†.††††..	3.6	*	*	*	1.4	1.9	1.4	2.6	2.3	3.0
1993.††††.†.††††.	3.5	*	*	*	1.3	1.3	1.6	1.8	1.9	2.8
1992††.†.††††...	3.3	*	0.9	0.8	0.9	1.3	1.6	1.2	2.1	2.3
1990††.†.††††...	3.2	*	*	*	1.3	1.0	1.3	1.4	2.2	2.6
1989†††.†.††††...	3.3	*	*	2.3 .8	0.8	1.1	1.6	2.0	2.8	
1988.††.†.††††...	3.4	*	*	*	1.2	1.0	1.4	1.4	2.1	3.0
1987††.†.††††...	3.1	*	*	*	1.6	1.4	1.3	1.2	2.0	2.9
1986††.†.††††...	2.9	*	*	*	1.2	1.4	1.2	1.2	1.6	2.3
1985†††††.†.††††.	2.9	*	*	*	1.3	0.9	1.5	1.0	1.9	2.6
1984†††††.†.††††.	2.5	*	*	2.3 .9	1.0	0.9	1.0	1.6	2.3	
1983.†††††.†.††††	2.6	*	*	*	1.0	1.2	0.8	1.4	2.2	2.1
1982.†††††.†.††††.	2.4	*	*	*	0.9	0.9	1.3	1.3	1.9	2.1
1981.†††††.†.††††.	2.1	*	*	*	*	2 0.8	0.9	1.3	1.4	2.3
1979†††.†.††††...	1.8	-	0.2	0.2	0.3	0.7	0.9	1.4	1.3	1.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 348

CAUSE-OF-DEATH CODE, RACE, SEXB ND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ASTHMA (493)										
BLACK MALE										
1996...BTBTBTBB.	3.4	*	*	*	1.8	2.3	2.1	2.0	2.3	2.9
1995BTBB.BTBB.B..B	3.4	*	*	*	2.5	2.2 924	2.0	2.9	2.7	
1994BTBB.B.BTBB.B.	3.4	*	*	*	1.9	2.2 9	2.0	3.2 9	3.3	2.7
1993.BTBB.B.BBTBB.	3.0	*	*	*	1.9	1.7	2.2 9	2.0	1.5	2.6
1992BTBB.B.BBBTBB.	2.9	*	*	*	*	1.6	2.0	1.9	2.4	1.8
1991BTBB.B.BBBBTBB	3.2 9	*	*	*	*	1.7	1.8	1.8	2.5	2.6
1990.BTBB.B.BBBB..B	3.2	*	*	*	1.8	*	1.5	1.6	2.2	2.9
1989BTBB.B.BBBB...B	3.0	*	*	*	*	*	*	2.2	2.3	2.9
1988BTBB.B.BBBB....	3.3	*	*	*	*	1.4	1.7	1.9	2.4	3.2
1987.BTBB.B.BBBB...	3.1	*	*	*	2.2	1.6	1.6	1.7	1.9	3.1
1986BTBB.B.BBBB....	2.6	*	*	*	1.6	1.7	1.4	1.5	*	*
1985BBTBB.B.BBBB...	2.7	*	*	*	*	*	2.0	*	2.4	3.4
1984BBTBB.B.BBBB...	2.3	*	*	*	*	*	*	*	*	*
1983.BBTBB.B.BBBB..	2.6	*	*	*	*	1.4	*	*	2.3	*
1982.BTBB.B.BBBB...	2.3	*	*	*	*	*	1.8	*	2.5	*
1981.BTBB.B.BBBB...	2.2 9	*	*	*	*	*	*	*	*	*
1980.BBTBB.B.BBBB..	2.1	1.1	0.6	0.3	1.1	0.7	1.2 9	1.0	1.4	1.2 9
1979BTBB.B.BBBB....	1.7	-	0.2 9	0.2	0.3	0.5	0.8	1.5	1.2 9	1.4
BLACK FEMALE										
1996.BTBB.B.BBBB...	4B5	*	*	*	1.7	*	1.6	2.1	2.3	2.9
1995BBBTBB.B.BBBB..	4B1	*	*	*	*	*	1.5	1.6	1.7	2.7
1994BBBTBB.B.BBBB..	3.8	*	*	*	*	1.6	*	2.1	1.5	3.2
1993BTBB.B.BBBB....	3.8	*	*	*	*	*	*	1.6	2.3	3.0
1992.BBTBB.B.BBBB..	3.6	*	*	*	*	*	*	*	1.9	2.8
1991.BBTBB.B.BBBB..	3.5	*	*	*	*	*	*	1.5	2.4	3.2 9
1990BTBB.B.BBBB....	3.3	*	*	*	*	*	*	*	2.3 924	
1989BTBB.B.BBBB....	3.5	*	*	*	*	*	*	*	1.8	2.7
1988.BTBB.B.BBBB...	3.5	*	*	*	*	*	*	*	1.9	2.9
1987.BBTBB.B.BBBB..	3.2	*	*	*	*	*	*	*	2.1	2.8
1986BTBB.B.BBBB....	3.1	*	*	*	*	*	*	*	1.9	2.6
1985BBBTBB.B.BBBB..	2.7	*	*	*	*	*	*	*	1.6	*
1984BBBTBB.B.BBBB..	2.6	*	*	*	*	*	*	*	2.1 924	
1983.BBTBB.B.BBBB..	2.7	*	*	*	*	*	*	*	2.0	*
1982.BBTBB.B.BBBB..	2.4	*	*	*	*	*	*	*	*	*
1981.BBTBB.B.BBBB..	2.1 9	*	*	*	*	*	*	*	*	2.8
1980.BBTBB.B.BBBB..	2.1	-	0.4	0.4	0.5	0.5	0.9	1.1	2.1 9	1.6
1979BBTBB.B.BBBB...	1.8	-	0.2	0.2	0.2	0.9	0.6	1.2	1.4	2.3

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)						
CODE, YEAR	UNDER 1	1-4	5-9	10-14	15-19	20-24
	TOTAL	YEARS	YEARS	YEARS	YEARS	YEARS
STRUCTURE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)						

30-34	35-39
YEARS	YEARS

0	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)
00	Chronic obstructive pulmonary disease, unspecified (490)
01	Chronic bronchitis (491)
02	Asthma (492)
03	Emphysema (493)
04	Chronic obstructive pulmonary disease, unspecified (494)
05	Chronic bronchitis (495)
06	Asthma (496)
07	Emphysema (497)
08	Chronic obstructive pulmonary disease, unspecified (498)
09	Chronic bronchitis (499)
10	Asthma (500)
11	Emphysema (501)
12	Chronic obstructive pulmonary disease, unspecified (502)
13	Chronic bronchitis (503)
14	Asthma (504)
15	Emphysema (505)
16	Chronic obstructive pulmonary disease, unspecified (506)
17	Chronic bronchitis (507)
18	Asthma (508)
19	Emphysema (509)
20	Chronic obstructive pulmonary disease, unspecified (510)
21	Chronic bronchitis (511)
22	Asthma (512)
23	Emphysema (513)
24	Chronic obstructive pulmonary disease, unspecified (514)
25	Chronic bronchitis (515)
26	Asthma (516)
27	Emphysema (517)
28	Chronic obstructive pulmonary disease, unspecified (518)
29	Chronic bronchitis (519)
30	Asthma (520)
31	Emphysema (521)
32	Chronic obstructive pulmonary disease, unspecified (522)
33	Chronic bronchitis (523)
34	Asthma (524)
35	Emphysema (525)
36	Chronic obstructive pulmonary disease, unspecified (526)
37	Chronic bronchitis (527)
38	Asthma (528)
39	Emphysema (529)
40	Chronic obstructive pulmonary disease, unspecified (530)
41	Chronic bronchitis (531)
42	Asthma (532)
43	Emphysema (533)
44	Chronic obstructive pulmonary disease, unspecified (534)
45	Chronic bronchitis (535)
46	Asthma (536)
47	Emphysema (537)
48	Chronic obstructive pulmonary disease, unspecified (538)
49	Chronic bronchitis (539)
50	Asthma (540)
51	Emphysema (541)
52	Chronic obstructive pulmonary disease, unspecified (542)
53	Chronic bronchitis (543)
54	Asthma (544)
55	Emphysema (545)
56	Chronic obstructive pulmonary disease, unspecified (546)
57	Chronic bronchitis (547)
58	Asthma (548)
59	Emphysema (549)
60	Chronic obstructive pulmonary disease, unspecified (550)
61	Chronic bronchitis (551)
62	Asthma (552)
63	Emphysema (553)
64	Chronic obstructive pulmonary disease, unspecified (554)
65	Chronic bronchitis (555)
66	Asthma (556)
67	Emphysema (557)
68	Chronic obstructive pulmonary disease, unspecified (558)
69	Chronic bronchitis (559)
70	Asthma (560)
71	Emphysema (561)
72	Chronic obstructive pulmonary disease, unspecified (562)
73	Chronic bronchitis (563)
74	Asthma (564)
75	Emphysema (565)
76	Chronic obstructive pulmonary disease, unspecified (566)
77	Chronic bronchitis (567)
78	Asthma (568)
79	Emphysema (569)
80	Chronic obstructive pulmonary disease, unspecified (570)
81	Chronic bronchitis (571)
82	Asthma (572)
83	Emphysema (573)
84	Chronic obstructive pulmonary disease, unspecified (574)
85	Chronic bronchitis (575)
86	Asthma (576)
87	Emphysema (577)
88	Chronic obstructive pulmonary disease, unspecified (578)
89	Chronic bronchitis (579)
90	Asthma (580)
91	Emphysema (581)
92	Chronic obstructive pulmonary disease, unspecified (582)
93	Chronic bronchitis (583)
94	Asthma (584)
95	Emphysema (585)
96	Chronic obstructive pulmonary disease, unspecified (586)
97	Chronic bronchitis (587)
98	Asthma (588)
99	Emphysema (589)

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 350

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)										
TOTAL, FEMALE							T			
1996.....	28.4	*	*	*	*	*	*	*	*	0.3
1995.....	26.9	*	*	*	*	*	*	*	*	0.2
1994.....	26.3	*	*	*	*	*	*	*	*	0.2
1993.....	25.7	*	*	*	*	*	*	*	*	0.2
1992.....	22.7	*	*	*	*	*	*	*	*	0.3
1991.....	21.9	*	*	*	*	*	*	*	*	*
1990.....	20.6	*	*	*	*	*	*	*	*	*
1989.....	19.9	*	*	*	*	*	*	*	*	0.2
1988.....	18.8	*	*	*	*	*	*	*	*	*
1987.....	17.5	*	*	*	*	*	*	*	*	*
1986.....	16.5	*	*	*	*	*	*	*	*	*
1985.....	15.9	*	*	*	*	*	*	*	*	*
1984.....	14.1	*	*	*	*	*	*	*	*	0.2
1983.....	12.9	*	*	*	*	*	*	*	*	*
1982.....	11.1	*	*	*	*	*	*	*	*	0.3
1981.....	10.3	*	*	*	*	*	*	*	*	*
1980.....	9.2	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.3
1979.....	7.4	-	0.0	0.0	-	0.0	0.1	0.1	0.1	0.3
WHITE, BOTH SEXES	T	T	T	T						
1996.....	34.0	*	*	*	*	*	*	*	0.3
1995.....	33.0	*	*	*	*	.	*	*	0.1	0.2
1994.....	32.5	*	*	*	*	*	*	0.1	0.2

[illegible][illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 352

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)										
ALL OTHER, BOTH SEXES										
1996.....	11.6	*	*	*	*	*	*	*	*	*
1995.....	11.4	*	*	*	*	*	*	*	*	0.6
1994.....	11.3	*	*	*	*	*	*	*	*	*
1993.....	11.3	*	*	*	*	*	*	*	*	*
1992.....	10.3	*	*	*	*	*	*	*	*	0.6
1991.....	10.5	*	*	*	*	*	*	*	*	*
1990.....	10.7	*	*	*	*	*	*	*	*	*
1989.....	10.8	*	*	*	*	*	*	*	*	0.7
1988.....	10.2	*	*	*	*	*	*	*	*	*
1987.....	9.7	*	*	*	*	*	*	*	*	*
1986.....	9.6	*	*	*	*	*	*	*	*	*
1985.....	9.4	*	*	*	*	*	*	*	*	*
1984.....	8.9	*	*	*	-	*	-	*	*	*
1983.....	8.2	*	*	*	*	*	*	*	*	*
1982.....	7.3	*	*	*	*	-	*	-	*	*
1981.....	7.1	*	*	*	*	*	*	*	*	*
1980.....	6.9	0.5	0.0	0.0	0.1	0.1	0.1	0.3	0.2	1.3
1979.....	6.0	-	0.1	-	-	0.0	0.1	0.1	0.4	0.9
ALL OTHER MALE										
1996.....	14.7	*	*	*	*	*	*	*	*	-
1995.....	14.8	*	*	*	*	-	*	*	*	*
1994.....	14.7	*	*	*	*	*	*	*	*	*
1993.....	15.3	-	*	*	-	*	*	*	*	*
1992.....	13.9	-	*	*	*	*	*	*	*	*
1991.....	14.4	*	*	*	*	*	*	*	*	*
1990.....	15.0	*	*	*	*	*	*	*	*	*
1989.....	15.3	*	*	*	*	*	*	*	*	*
1988.....	14.8	*	*	*	*	*	*	*	*	*
1987.....	14.1	*	*	*	*	*	*	*	*	*
1986.....	14.6	-	*	-	*	*	*	*	*	*
1985.....	14.0	*	*	*	*	*	*	*	*	*
1984.....	13.5	*	*	*	*	*	*	*	*	14
1983.....	12.7	*	*	*	*	*	*	*	*	*
1982.....	11.1	*	*	*	*	*	*	*	*	*
180.....	11.1	0.6	-	0.1	-	0.1	0.1	0.4	0.3	1.8
1979.....	9.8	-	0.1	-	-	0.1	0.1	0.1	0.5	1.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 353

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)										

ALL OTHER FEMALE										
					T	T				
1996.....	8.8	*	*	*	*	*	*	*	*	*
1995.....	8.4	*	*	*	*	*	*	*	*	*
1994.....	8.2 ATE	*	*	* ATE	*	*	* ATE	*	*	*
1993.....	7.7	*	* ATE	*	*	* ATE	*	*	*	*
1992.....	7.0	*	* ATE	*	*	*	* ATE	*	*	*
1991.....	6.9	*	*	*	*	*	*	*	* ATE	*
1990.....	6.7 ATE	*	*	* A	*	* A	*	* A	*	*
1989.....	6.7	*	* A	* A	* A	* A	* A	* A	*	* A
1988.....	5.9 ATE	* ATE	* A	*	* A	*	* A	*	*	*
1987.....	5.7 A	*	*	* ATE	* A	* A	* A	* A	* A	*
1986.....	5.0	*	*	*	* A	* A	* A	* A	* A	* A
1985.....	5.2 A	*	* ATE	* A	* A	* A	* A	* A	* A	*
1984.....	4.8	* A	*	* A	*	* A	*	* A	* A	*
1983.....	4.1 ATE	* A	* A	* A	* A	* A	*	* A	* A	*
1982.....	3.8	* A	*	*	* A	* A	* A	* A	* A	* A
1981.....	3.4	* A	* A	* A	* A	* A	* A	* A	* A	*
1980.....	3.0	0.3	0.1 A	-	0.1	0.1	0.1 A	0.1	0.1	0.8
1979.....	2.6	-	0.1	-	-	-	0.1	0.1 A	0.3	0.6
BLACK, BOTH SEXES T T T T										
1996.....	13.4	* A	* A	* A	* A	*	* A	* A	* ATE	
1995.....	13.1	* A	* A	* A	* A	* A	* A	* A	* ATE	
1994.....	13.0	*	* A	* A	*	*	* A	* A	*	*
1993.....	13.1 A	* A	*	* A	* A	*	*	* A	* A	* A
1992.....	12.0	* A	* A	* A	* A	* A	* ATE	* A	0.8	
1991.....	12.1 A	* A	* ATE	* A	* A	* ATE	* A	* A		
1990.....	12.2	*	* A	*	* A	* A	* A	*	* A	* A
1989.....	12.3	*	* A	* A	* A	* A	* A	*	* A	0.9 A
1988.....	11.6	* A	* A	* A	* A	* A	* A	* A	* A	* A
1987.....	11.1 A	* A	* A	*	* A	* A	* A	* A	* A	* A
1986.....	10.8	*	* A	*	*	* A	* ATE	* A	*	
1985.....	10.6	*	* A	* A	*	* A	* A	*	* A	* A
1984.....	9.9 A	* A	* A	* A	* A	* A	* A	*	* A	*
1983.....	9.1 A	* A	*	*	* A	* A	* A	* A	* A	* A
1982.....	8.2 A	* A	* A	* A	* ATE	* A	*	*	* A	
1981.....	7.8	* A	* A	* A	* A	* A	* A	* A	* A	* A
1980.....	7.5	0.6	-	0.0	0.1	0.1	0.1	0.3	0.2 A	1.4
1979.....	6.4	-	0.1	-	-	-	0.1	0.1	0.3	1.1 A

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 354

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)										

BLACK MALE		T									
1996.....	17.0	*	*	*	*	*	*	*	*	*	*
1995.....	17.0	*	*	*	*	*	*	*	*	*	*
1994.....	17.1	*	*	*	*	*	*	*	*	*	*
1993.....	17.9	*	*	*	*	*	*	*	*	*	*
1992.....	16.2 SES	* SES	* SES	* SES	* SES	*	*				
1991.....	16.8	*	*	*	*	*	*	*	* SES	*	
1990.....	17.3	*	* S	*	*	*	*	* SES	*	*	
1989.....	17.5	*	* S	*	*	* S	*	*	* S	*	* S
1988.....	17.2 S	*	*	* SES	*	*	*	*	* S	*	
1987.....	16.2 S	*	*	*	*	* S	*	*	* SES	*	
1986.....	16.362 S	*	*	* S	*	* S	*	*	* S	*	
FO85.....	16.0	*	* S	*	*	* S	*	*	* S	*	* S
1984.....	15.2	*	* S	* S	*	* S	*	*	* S	*	* S
FO83.....	14.2 S	*	*	* S	*	*	*	*	* S	* S	* S
1982.....	12.362	*	* S	*	*	*	* S	* S	* S	* S	* S
1981.....	12.5 2 S	* S	* S	* S	* S	* S	* S	* S	* S		
1980.....	12.1	0.7	-	0.1	-	-	0.1	0.5 2	0.3	2.0	
1979.....	10.7	-	0.1	-	-	-	0.1	-	0.362	1.5 2	
BLACK FEMALE	T	T	T	T							
1996.....	10.2 S	* S	* S	* S	* S	* S	*	* S	*	*	*
1995.....	9.362	*	*	*	* S	* S	*	* S	* S	* S	*
1994.....	9.4	* S	* 2 S	* S	*	* S	* S	*	*	*	
1993.....	8.8	*	* S	* S	* 2 S	* S	*	*	*	*	
1992.....	8.1	* S	* 2	*	* S	* S	* 2 S	* S	*	*	
1991.....	7.9 2 S	*	* S	* S	* 2	*	* S	* S	*	*	
F1990.....	7.362	* S	* 2	*	* 2 S	*	*	* S	*	*	
1989.....	7.7 2 S	* 2 S	* 2	*	* S	*	*	*	*	*	
1988.....	6.3	*	* S	* S	* S	* S	*	* S	* S	*	*
F1987.....	6.4	* S	* 2	*	* S	*	*	* S	* S	*	* S
1986..3...	5.7 2	*	* S	* 2 S	* 2	*	* 2	*	*	*	
1985.....	5.7	*	* S	*	*	*	* S	* 2 S	* 2	*	
1984..3...	5.2 S	* S	* 2	*	* 2	*	* 2	*	*	*	
1983.....	4.5 2	*	*	*	*	*	* S	* 2	*	*	* S
F1982.....	4.2	*	* S	* 2	*	*	* S	* 2	*	* S	* 2
F1981.....	3.362	* S	* 2	*	*	*	* S	* 2	*	* 2	* S
1980.....	3.4	0.4	-	-	-	0.1	0.1	0.1	0.2	0.1	1.0
1979..3...	2.6	-	-	-	-	-	0.1	0.2 S	0.1	0.3	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 355

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)										

TOTAL, BOTH SEXES										
1996.....	1.9	*	*	*	*	*	*	*	0.1	0.2
1995.....	2.1	*	*	*	*	*	*	*	0.1	0.2
1994.....	2.3	*	*TH	*TH	*	0.1	0.1	0.3		
1993.....	2.3	*	*T	*	*T	*	*	*	0.1	0.3
1992.....	2.4	*	*	P	*T P	*T P	0.2	0.3		
1991.....	2.4TH	*	*	*	*	*TH	0.1	0.3		
1990.....	2.5TH	*TH	*TH	*	0.1	0.2	0.3			
1989.....	2.6	*	*T	*	*T	*	*	*T	0.1	0.3
1988.....	2.6TH	*TH	*T	*	*TH	0.1	0.3			
1987.....	2.6 P	*TH	*T P	*T	0.1	0.2	0.3			
1986.....	2.7TH	*T	*T	*T	*T	*T	*	0.2	0.4	
1985.....	2.8TH	*T	*T	*T	*	*T	*T	0.1	0.3	
1984.....	2.8T	*	*T	*	*T P	*T P	0.2	0.3		
1983.....	2.7T	*	*T	*T	*T P	*	*T	0.2	0.3	
1982.....	2.9 P	*TH	*T	*	*	0.1	0.2	0.3		
1981.....	2.8 P	*T	*	*T	*T	*T	0.1	0.2	0.4	
1980.....	2.7T	0.3	0.1	0.0	0.0	0.1	0.1	0.1	0.3	0.4
1979.....	2.6	0.5T	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.4
TOTAL, MALE										
1996.....	1.9TH	*T	*T	*T	*T	*T	*T	*T	0.3	
1995.....	2.0	*T	*	*T	*T	*T	*	*T	*T	0.3

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 357

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)										

WH DE MALE	LE ‡‡‡									
1996.....	1.9	*	*	*	*	*	*	*	*	0.2
1995.....	2.1	*	*	*	*	*	*	*	*	*
1994.....	2.4	*	*	*	*	*	*	*	*	0.2
1993.....	2.3	*	*	*	*	*	*	*	*	0.3
1992.....	2.4	*	*	*	*	*	*	*	*	0.2
1991.....	2.5	*	*	*	*	*	*	*	*	0.3
1990.....	2.5	*	*	*	*	*	*	*	*	0.3
1989.....	2.7	*	*	*	*	*	*	*	*	0.3
1988.....	2.8	*	*	*	*	*	*	*	*	0.3
1987.....	2.8	*	*	*	*	*	*	*	*	0.3
1986.....	2.7	*	*	*	*	*	*	*	*	0.4
1985.....	3.0	*	*	*	*	*	*	*	*	0.4
1984.....	2.9	*	*	*	*	*	*	*	*	0.3
1983.....	3.0	*	*	*	*	*	*	*	*	0.3
1982.....	3.1	*	*	*	*	*	*	*	*	0.3
1981.....	3.2	*	*	*	*	*	*	*	*	0.5
1980.....	3.2	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.2	0.5
1979.....	3.1	0.4	0.0	-	0.0	0.0	0.1	0.1	0.2	0.4
WH DE FEMALE ‡‡ ‡‡ ‡‡‡ ‡‡										
1996.....	2.2	*	*	*	*	*	*	*	*	*
1995.....	2.3	*	*	*	*	*	*	*	*	*
1994.....	2.6	*	*	*	*	*	*	*	*	*
1993.....	2.6	*	*	*	*	*	*	*	*	*
1992.....	2.7	*	*	*	*	*	*	*	*	*
1991.....	2.7	*	*	*	*	*	*	*	*	*
1990.....	2.7	*	*	*	*	*	*	*	*	*
1989.....	2.8	*	*	*	*	*	*	*	*	*
1988.....	2.8	*	*	*	*	*	*	*	*	*
1987.....	2.8	*	*	*	*	*	*	*	*	*
1986.....	2.9	*	*	*	*	*	*	*	*	*
1985.....	2.9	*	*	*	*	*	*	*	*	*
1984.....	3.0	*	*	*	*	*	*	*	*	*
1983.....	2.8	*	*	*	*	*	*	*	*	*
1982.....	3.0	*	*	*	*	*	*	*	*	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	2.5	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.2
1979.....	2.5	0.1	0.0	0.0	-	0.0	0.1	0.1	0.1	0.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 358

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)										

ALL OTHER, BOTH SEXES

1996.....	1.4	*	*	*	*	*	*	*	*	0.6
1995.....	1.4	*	*	*	*	*	*	*	*	0.6
1994.....	1.6	*	*	*	*	*	*	*	*	0.7
1993.....	1.6	*	*	*	*	*	*	*	*	*
1992.....	1.6	*	*	*	*	*	*	*	*	0.7
1991.....	1.6	*	*	*	*	*	*	*	*	*
1990.91. ¹	1.7	*	*	*	*	*	*	*	*	
198991. ¹¹	2.0	*	*	*	*	*	*	*	*	
198891. ¹¹ ..	1.7	*	*	*	*	*	*	*	0.8	
1987.91. ¹¹ ..	1.6	*	*	*	*	*	*	*	*	
198691. ¹¹ ..	1.9	*	*	*	*	*	*	*	0.8	
1985.91. ¹¹ ..	1.8	*	*	*	*	*	*	*	*	
1984.91. ¹¹ ..	1.8	*	*	*	*	*	*	*	*	
1983.91. ¹¹ ..	1.8	*	*	*	*	*	*	*	*	
1982.91. ¹¹ ..	2.0	*	*	*	*	*	*	*	*	
1981.91. ¹¹ ..	2.0	*	*	*	*	*	*	*	*	
1980.991. ¹¹	1.8	0.9	0.0	-	0.1	0.1	0.1	0.2	0.5	1.0
197991. ¹¹ ..	1.9	1.5	-	-	0.0	0.1	0.2	0.3	0.7	1.0

ALL OTHER MALE

1996.91. ¹¹ ..	1.6	*	*	*	*	*	*	*	*	*
1995.991. ¹¹	1.7	*	*	*	*	*	*	*	*	*
199491. ¹¹ ..	1.9	*	*	*	*	*	*	*	*	*
1993.991. ¹¹	1.9	*	*	*	*	*	*	*	*	*
1992.991. ¹¹	1.9	*	*	*	*	*	*	*	*	*
1991.991. ¹¹	1.9	*	*	*	*	*	*	*	*	*
1990.9991. ¹	2.0	*	*	*	*	*	*	*	*	*
1989991. ¹¹ ..	2.4	*	*	*	*	*	*	*	*	*
1988.91. ¹¹ ..	2.0	*	*	*	*	*	*	*	1.6	
1987.991. ¹¹	2.0	*	1.9	*	*	*	*	*	*	
1986991. ¹¹ ..	2.2	*	*	*	*	*	*	*	*	*
198591. ¹¹ ..	2.2	*	1	*	*	*	*	*	*	*
1984.991. ¹¹	2.2	*	*	*	*	*	*	*	*	*
1983.9991. ¹	2.3	*	*	*	*	*	1.9	*	*	*
1982.9991. ¹	2.4	*	1.9	*	*	*	1	*	*	*
1981.9991. ¹	2.5	1.9	*	*	*	*	*	*	*	*
1980.999.....	2.4		1.6	-	-	0.1	0.1	0.1	0.2	0.8
19799991. ¹¹	2.5	1.3	-	-	-	0.1	0.2	0.4	1.3	2.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 359

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
ULCER OF STOMACH AND DUODENUM (531-533)											
ALL OTHER FEMALE											
1996.....	1.2	*	*	*	*	*	*	*	*	*	
1995.....	1.2	*	*	*	*	*21	*2	*	*	*	
1994.....	1.4	*21	*	*	*21	*2	*	*2			
1993.....	1.321	*2	*2	*2 DE	*2 D	*2	*2 D	*2			
1992.....	1.321	*21	*21	*	*21	*					
1991.....	1.32	*	*2	*	*2	*	*2	*	*	*	
1988.....0	1.4	*2	*2 D	*2 DE D	*2 D	*2 D	*2 D	*2	*2	*2 D	1987.....0
1986.....0.	1.3648484	*2 D	*21	*2 D	*2 D						
1985.....0	1.521	*2 D	*2	*2 D	*2	*2 DE D	*2 D	*2 D	*2 D	1984.....0	1.52484
1983.....0	1.32484 D	*2	*	*24	*2 D	*2 D	*2484 D				
1982.....0.	1.364	*2 D	*24	*2 D	*24 DE D	*21	*2 D	*2 D	*2 D	1981.....	1.524
1980.....	1.2	0.324	0.1	-	-	0.1	0.1	0.2	0.3	0.4	
BLACK, BOTH SEXES											
1996.....0	1.321	*2 D	*2 D	*	*24 DE D	*2	*	0.72	1995.....	1.364 DE	
1994.....0.	1.8	*2 D	*24 D	*2 D	*2 D	*2 D	*	*24 D	*2 D	1.0	1993.....
1992.....0	1.8 DE D	*2 D	*2	*2484 D	*2 D	*	1.0	1991.....	1.8 D	*2	
1989.....0	2.2	1484 D	*2 D	*21	*2 D	*2 D					
1988.....0	1.9 4	*2 D	*24 D	*	*24 D	14	*2 D	*24 D	1.0		
1987.....	1.921	*2 D	*	*24 D	*2 D	*2 DE D	*2 D	*2 D	1986.....0	2.121	
1985.....	2.0 DE D	*2 D	*2 D	*2 D	*2 D	*21	*2 D	*24			
1984.....	2.021	*2 D	*24 DE D	*2 D	*2 D	*2484 D	1983.....0.	2.02484 D	*	*2	
1982.....	2.221	*2 D	*24 D	*2 D	*2484 D	*21	1981.....	2.221	*2 D	*24 D	
1980.....	1.9	0.9 4	0.1	-	0.0 D	0.1	0.12	0.3	0.364 D	1.3	1979.....0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 360

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ULCER OF STOMACH AND DUODENUM (531-533)										

BLACK MALE

1996.....	1.8	*	*	*	*	*	*	*	*	*
1995.....	1.8	*	*	*	*	*	*	*	*	*
1994.....	2.0	*	*	*	*	*	*	*	*	*
1993.....	2.1	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	2.0	*	*	*	*	*	*	*	*	*
1990.....	2.3	*	*	*	*	*	*	*	*	*
1989.....	2.5	*	*	*	*	*	*	*	*	*
1988.....	2.3	*	*	*	*	*	*	*	*	2.0
1987.....	2.3	*	*	*	*	*	*	*	*	*
1986.....	2.4	*	*	*	*	*	*	*	*	*
1985.....	2.4	*	*	*	*	*	*	*	*	*
1984.....	2.3	*	*	*	*	*	*	*	*	*
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.6	*	*	*	*	*	*	*	*	*
1981.....	2.8	*	*	*	*	*	*	*	*	*
1980.....	2.6	1.5	-	-	0.1	0.1	0.1	0.3	1.0	2.3
1979.....	2.5	1.2	-	-	-	0.1	0.2	0.5	1.4	2.2

BLACK FEMALE ‡ ‡ ‡ ‡ ‡

1996.....	1.4	*	*	*	*	*	*	*	*	*
1995.....	1.3	*	*	*	*	*	*	*	*	*
1994.....	1.5	*	*	*	*	*	*	*	*	*
1993.....	1.4	*	*	*	*	*	*	*	*	*
1992.....	1.5	*	*	*	*	*	*	*	*	*
1991.....	1.5	*	*	*	*	*	*	*	*	*
1990.....	1.6	*	*	*	*	*	*	*	*	*
1989.....	1.9	*	*	*	*	*	*	*	*	*
1988.....	1.5	*	*	*	*	*	*	*	*	*
1987.....	1.5	*	*	*	*	*	*	*	*	*
1986.....	1.8	*	*	*	*	*	*	*	*	*
1985.....	1.6	*	*	*	*	*	*	*	*	*
1983.....	19..	*	*	*	*	*	*	*	*	*
1982.....	198	*	*	*	*	*	*	*	*	*
1981.....	1.6	*	*	*	*	*	*	*	*	*
1980.....	1.3	0.4	0.1	-	-	0.1	0.1	0.2	0.3	09..
1979.....	1.4	2.0	-	-	0.1	0.1	0.2	0.2	0.1	0.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 361

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
APPENDICITIS (540-543)										
TOTAL, BOTH SEXES										
1996.96.††††††.	0.2	*	*	*	*	*	*	*	*	*
1995†††.†††.†96.†	0.2	*	*	*	*	*	*	*	*	*
1994†††.†9†††.†9	0.1	*	*	*	*	*	*	*	*	*
1993†††.†9†††.†	0.1	*	*	*	*	*	*	*	*	*
1992†††.†9††††.	0.2	*	*	*	*	*	*	*	*	*
1211.†††.†9††††	0.2	*	*	*	*	*	*	*	*	*
1990.†††.†9††††96.†	0.2	*	*	*	*	*	*	*	*	*
1989†††.†9††††996.†	0.2	*	*	*	*	*	*	*	*	*
1988.†††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1987.†††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1986†††.†9††††99..	0.2	*	*	*	*	*	*	*	*	*
1985††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1984††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1283††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1282††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1981.††††.†9††††99	0.3	*	*	*	*	*	*	*	*	*
1980.††††.†9††††99	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1
1979†††.†9††††99..	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1
TOTAL, MALE										
1936†††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1995†††††.†9††††99	0.2	*	*	*	*	*	*	*	*	*
1934†††††.†9††††99	0.2	*	*	*	*	*	*	*	*	*
1933†††††.†9††††99	0.2	*	*	*	*	*	*	*	*	*
1932†††††.†9††††99	0.2	*	*	*	*	*	*	*	*	*
1991.†††††.†9††††9	0.2	*	*	*	*	*	*	*	*	*
1990.†††††.†9††††9	0.2	*	*	*	*	*	*	*	*	*
1989††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1988†††.†9††††99..	0.2	*	*	*	*	*	*	*	*	*
1987†††.†9††††99..	0.2	*	*	*	*	*	*	*	*	*
1986††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1285††††††.†9††††9	0.2	*	*	*	*	*	*	*	*	*
1984††††††.†9††††9	0.2	*	*	*	*	*	*	*	*	*
1983††††††.†9††††9	0.3	*	*	*	*	*	*	*	*	*
1282†††.†9††††99..	0.3	*	*	*	*	*	*	*	*	*
1981.††††††.†9††††	0.3	*	*	*	*	*	*	*	*	*
1980.††††††.†9††††	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1
1979†††††.†9††††99.	0.3	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 362

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
APPENDICITIS (540-543)										
TOTAL, FEMALE										
1996.96.††††††.	0.1	*	*	*	*	*	*	*	*	*
1995†††.†††.†96.†	0.1	*	*	*	*	*	*	*	*	*
1994†††.†9†††.†9	0.1	*	*	*	*	*	*	*	*	*
1993†††.†9†††.†	0.1	*	*	*	*	*	*	*	*	*
1992†††.†9†††††.	0.1	*	*	*	*	*	*	*	*	*
1991†††.†9††††††	0.1	*	*	*	*	*	*	*	*	*
1990.†††.†9††††96.†	0.1	*	*	*	*	*	*	*	*	*
1989†††.†9††††996.†	0.2	*	*	*	*	*	*	*	*	*
1988†††.†9††††99.9	0.2	*	*	*	*	*	*	*	*	*
1987.†††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1986†††.†9††††99..	0.2	*	*	*	*	*	*	*	*	*
1985††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1984††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1983††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1982††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1981.†††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1980.††††.†9††††99	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1
1979†††.†9††††99..	0.3	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.1
WHITE, BOTH SEXES										
1996††††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1995†††††.†9††††99	0.1	*	*	*	*	*	*	*	*	*
1994†††††.†9††††99	0.1	*	*	*	*	*	*	*	*	*
1993†††††.†9††††99	0.1	*	*	*	*	*	*	*	*	*
1992†††††.†9††††99	0.2	*	*	*	*	*	*	*	*	*
1991.††††.†9††††99	0.2	*	*	*	*	*	*	*	*	*
1990†††.†9††††99..	0.2	*	*	*	*	*	*	*	*	*
1989††††.†9††††99.	0.2	*	*	*	*	*	†††.†9††††99..			
1988.†††.†9††††99.	0.2	*	*	*	*	*	*	*	*	*
1987†††.†9††††99..	0.2	*	*	*	*	*	†††.†9††††99..			
1986†††††.†9††††99	0.2	*	*	* ‡	*	*	*	*	*	*
1985†††.†9††††99..	0.2	*	*	*	*	*	*	*	*	*
1984††††††.†9††††9	0.2	†††.†9††††99..		*	*	*	*	*	*	*
1983††††††.†9††††9	0.2	*	*	* ‡	*	*	*	*	*	*
1982††††††.†9††††9	0.2	†††.†9††††99..		*	*	*	*	*	* ‡	
1981.†††††.†9††††9	0.2	*	*	* ‡	*	*	*	*	*	* ‡
1980.†††††.†9††††9	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
1979†††††.†9††††99.	0.3	0.2	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 363

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
APPENDICITIS (540-543)										
WHITE MALE										
1996....†††.	0.2	*	*	*	*	*	*	*	*	*
1995††.††.†...	0.2	*	*	*	*	*	*	*	*	*
1994††.†.††.†.	0.2	*	*	*	*	*	*	*	*	*
1993††.†.†††.†	0.2	*	*	*	*	*	*	*	*	*
1992††.†.††††.	0.2	*	*	*	*	*	*	*	*	*
1991††.†.†††††	0.2	*	*	*	*	*	*	*	*	*
1990.††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1989††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1988††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1987.††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1986††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1985†††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1984†††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1983†††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1982†††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1981.††.†.††††...	0.3	*	*	*	*	*	*	*	*	*
1980.†††.†.††††...	0.3	0.2	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1
1979†††.†.††††...	0.3	0.2	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.1
WHITE FEMALE										
1996.††.†.††††...	0.1	*	*	*	*	*	*	*	*	*
1995††††.†.††††...	0.1	*	*	*	*	*	*	*	*	*
1994††††.†.††††...	0.1	*	*	*	*	*	*	*	*	*
1993††††.†.††††...	0.1	*	*	*	*	*	*	*	*	*
1992††.†.††††...	0.1	*	*	*	*	*	*	*	*	*
1991†††.†.††††...	0.1	*	*	*	*	*	*	*	*	*
1990.††††.†.††††...	0.1	*	*	*	*	*	*	*	*	*
1989††††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1988.††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1987.†††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1986†††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1985†††††.†.††††.	0.2		*	*	*	*	*	*	*	*
1984†††††.†.††††.	0.2	*	*	*	*	*	*	*	*	*
1983†††††.†.††††.	0.2	*	*	*	*	*	*	*	*	*
1982†††††.†.††††.	0.2	*	*	*	*	*	*	*	*	*
1981.†††.†.††††...	0.2	*	*	*	*	*	*	*	*	*
1980††.†.††††...	0.3	0.3	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
1979††.†.††††...	0.2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 364

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

APPENDICITIS (540-543)

ALL OTHER, BOTH SEXES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.3	*	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	0.3	*	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	*	*	*	*	*	*	*
1984.....	0.3	*	*	*	*	*	*	-Y	*	*
1983.....	0.3	*	*	*	*	*	*	*	*	*
198ED.....	0.3	*	*	-Y	-Y	*	-Y	*	*	*
1981.....	0.4	-Y	*	*	-Y	*	*	*	*	*
1980.....	0.4	- 0.5	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.2
1979.....	0.5	0.2	0.1	0.1	0.1	0.0	A.2	0.1	0.2	0.1
ALL OTHER MALE BTB BTB BBTB BB										
1996.....	0.2	*	-	*	-	*	-	*	-	*
1995.....	0.3	*	-	*	*	*	-	*	-	*
1994.....	0.2	*	-	*	*	*	-	*	*	*
1993.....	0.3	*	*	-	*	*	-	*	*	*
1992.....	0.2	*	*	*	*	-Y	*	*	*	*
1991.....	0.2	*	*	-	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.3	-Y	*	*	*	-Y	*	*	*	*
1988.....	0.3	-	*	*	*	*	*	*	*	*
1987.....	0.3	*	*	*	*	*	*	*	*	*
1986.....	A.4	-	*	*	*	*	*	*	*	*
1985.....	0.3	*	*	-	*	*	*	*	*	*
1984.....	0.3	-	*	*	*	*	*	-Y	*	*
1983.....	0.3	*	*	-	*	*	*	*	*	*
198ED.....	0.4	-	*	*	*	*	*	-Y	*	*
1981.....	0.4	-	*	*	*	*	*	*	*	*
1980.....	0.5	0.3	-	0.1	0.1	0.2	0.1	0.1	A.1	0.2
1979.....	0.6	0.3	0.1	0.1	-	-	A.3	-	0.3	- .1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 365

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
APPENDICITIS (540-543)											
ALL OTHER FEMALE								BT			
1996.....	0.1	*	*	*	*	*	*	*	*	*	
1995.....	0.1	*	*	*	*	*	*	*	*	*	
1994.....	0.1	*	*	*	*	*	*	*	*	*	
1993.....	0.1	*	*	*	*	*	*	*	*	*	
1992.....	0.2 LE	*	*	*OR	*	*	*OLE				
1991.....	0.1OR	*OL	*	*OR	*OLE	*OL	*				
1990.....	0.2 L	*	*	*OR	*OLE	*OL	*	*			
1989.....	0.2 L	*	*OL	*	*OL	*		*OR	*		
1987.....	0.3OR	*OL	*	*OLE	*	* LE	*				
1985.....	0.2OR	*OL	*	*OR	*OL	*	*	*			
1984.....	0.2 L	*	*OL	*	*OL	*		*OL	*		* L
1983.....	0.2OLE	* L	*	*OLE	* L	*		*OR			
1982.....	0.3OR	*OL	*	*	*OL	*		*OL	*	*OL	
1981.....	0.3OLE	* L	*	*	* L	*		*OL	*	*OL	
1980.....	0.4	0.6	0.1	0.1	0.1	0.2	0.1	0.1	-	0.1	1979.....
BLACK, BOTH SEXES	BT	BT	BBT	BB							
1996.....	0.2 L	*	*OR	*OL	*OL	*OL	*OL	*OL	*OL		
1995.....	0.2 L	*OL	*	* L	*	*OLE	* L	*OL	*		
1994.....	0.2OR	*OL	*OL	*OL	*OL	*OL	* LE	* L			
1993.....	0.2OR	*OL	*OL	*OL	*	* L	*	*OLE			
1992.....	0.2 L	*OL	*OR	*OL	*	* L	*OL	* L	*		
1991.....	0.2OLE	* L	*OL	*OLE	* L	*OL	*OL	*			
1990.....	0.2OLE	* L	*	* L		*	*OL	*		
1989.....	0.3OL	*	*OL	*	*OL	*	*OL0....	*OL			
1988.....	0.3OL	*	*OL0	*	*OL	*	*OL0....	*OL			
1987.....	0.3OL	*	*OL0	*	*OL	*OL	* L	*	*OL	*OL	
1986.....	0.4	*OL	* L	*	*OL0	*	*OL0	*	*OL0	*	
1985.....	0.3OR	*OL	*OR	*OL	*OLE	* L	*				
1984.....	0.3OL	*OL	* L	*	*OL0	*		*OL0	*OL	* L	*OL
1983.....	0.3OL		*	*OL	*OL	*OR	*OL	*OL		
1982.....	0.4		*	*OL0	*OL	* L		*	
1981.....	0.4	*OL	*OLE	* L	* LE	* L	* L	*			
1980.....	0.5	0.6	0.1	0.1	0.1	0.2 L	0.1	0.1	0.1	0.2	
1979.....	0.5	0.2 L	0.1	0.1	0.1	0.0	0.3	0.1	0.2	0.1	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 366

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

BLACK MALE

1996.96.+++++	0.3	*	*	*	*	*	*	*	*	*
1995+++..+++96.†	0.4	*	*	*	*	*	*	*	*	*
1994+++..9++++9	0.3	*	*	*	*	*	*	*	*	*
1993+++..9++++.†	0.3	*	*	*	*	*	*	*	*	*
1992+++..9+++++	0.3	*	*	*	*	*	*	*	*	*
1991.+++9+++++	0.3	*	*	*	*	*	*	*	*	*
1990.+++9++++96.†	0.3	*	*	*	*	*	*	*	*	*
1989+++..9++++96.†	0.3	*	*	*	*	*	*	*	*	*
1988.+++9++++99.	0.4	*	*	*	*	*	*	*	*	*
1987.+++9++++99.	0.3	*	*	*	*	*	*	*	*	*
1986+++..9++++99..	0.4	*	*	*	*	*	*	*	*	*
1985++++.9++++99.	0.4	*	*	*	*	*	*	*	*	*
1984++++.9++++99.	0.3	*	*	*	*	*	*	*	*	*
1983++++.9++++99.	0.4	*	*	*	*	*	*	*	*	*
1982++++.9++++99.	0.5	*	*	*	*	*	*	*	*	*
1981.++++.9++++99	0.5	*	*	*	*	*	*	*	*	*
1980.++++.9++++99	0.6	0.4	-	0.2	0.1	0.1	0.1	0.1	0.1	0.3
1979+++..9++++99..	0.6	0.4	-	0.1	-	-	0.4	0.1	0.4	0.2

BLACK FEMALE

1996.+++9++++99.	0.1	*	*	*	*	*	*	*	*	*
1995++++.9++++99	0.1	*	*	*	*	*	*	*	*	*
1994++++.9++++99	0.1	*	*	*	*	*	*	*	*	*
1993++++.9++++99	0.1	*	*	*	*	*	*	*	*	*
1992+++..9++++99..	0.2	*	*	*	*	*	*	*	*	*
1991+++..9++++99..	0.1	*	*	*	*	*	*	*	*	*
1990.++++.9++++9	0.2	*	*	*	*	*	*	*	*	*
1989+++..9++++99.	0.3	*	*	*	*	*	*	*	*	*
1988.++++.9++++99	0.3	*	*	*	*	*	*	*	*	*
1987.++++.9++++99	0.3	*	*	*	*	*	*	*	*	*
1986+++..9++++99..	0.3	*	*	*	*	*	*	*	*	*
1985+++++.9++++9	0.3	*	*	*	*	*	*	*	*	*
1984+++++.9++++9	0.3	*	*	*	*	*	*	*	*	*
1983+++..9++++99..	0.3	*	*	*	*	*	*	*	*	*
1982++++.9++++99	0.3	*	*	*	*	*	*	*	*	*
1981.++++.9++++9	0.4	*	*	*	*	*	*	*	*	*
1980.++++.9++++†	0.4	0.8	0.1	0.1	0.1	0.3	0.1	0.2	-	0.1
1979++++.9++++99.	0.4	-	0.1	0.1	0.3	0.1	0.1	0.2	0.1	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 367

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)										
TOTAL, BOTH SEXES										
1996.....	2.4	1.8	0.2	*	*	*	*	0.1	0.1	0.2
1995.....	2.4	1.9	0.2	*	*	*	*	0.1	0.1	0.2
1994.....	2.4	1.6	0.1	*	*	*	*	*	0.1	0.2
1993.....	2.3	1.8	0.2	*	*	*	*	*	0.1	0.2
1992.....	2.4	1.9	0.1	*	*	*	*	0.1	0.1	0.2
1991.....	2.4	2.2	0.2	*	*	*	*	0.1	0.1	0.2
1990.....	2.3	2.2	0.2	*	*	*	*	*	*	0.2
1989.....	2.2	2.3	0.2	*	*	*	*	0.1	0.1	0.3
1988.....	2.3	2.0	0.2	*	*	*	*	*	0.1	0.2
1987.....	2.3	2.5	0.2	*	*	*	*	0.1	0.2	0.2
1986.....	2.3	2.8	0.2	*	*	*	*	*	0.1	0.1
1985.....	2.3	2.2	0.2	*	*	*	*	0.1	0.1	0.2
1984.....	2.2	2.9	0.1	*	*	*	0.1	*	0.1	0.2
1983.....	2.2	2.9	0.2	*	*	*	*	*	0.1	0.2
1982.....	2.2	3.6	0.2	*	*	*	0.1	*	0.1	0.2
1981.....	2.3	3.5	0.2	*	*	*	0.1	0.1	*	0.2
1980.....	2.4	3.7	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.3
1979.....	2.4	5.0	0.2	0.1	0.0	0.1	0.2	0.1	0.2	0.3
TOTAL, MALE										
1996.....	1.8	1.9	*	*	*	*	*	*	*	*
1995.....	1.8	2.0	*	*	*	*	*	*	*	0.3
1994.....	1.8	1.9	*	*	*	*	*	*	0.2	0.2
1993.....	1.7	2.3	*	*	*	*	*	*	*	*
1992.....	1.8	2.0	*	*	*	*	*	*	*	0.3
1991.....	1.8	3.0	0.3	*	*	*	*	*	*	0.2
1990.....	1.8	2.9	*	*	*	*	*	*	*	0.2
1989.....	1.7	2.9	*	*	*	*	*	*	*	0.2
1988.....	1.7	1.9	*	*	*	*	*	*	*	0.2
1987.....	1.8	3.1	0.3	*	*	*	*	*	*	0.3
1986.....	1.8	3.4	0.3	*	*	*	*	*	*	*
1985.....	1.8	2.3	*	*	*	*	*	*	*	0.3
1984.....	1.8	3.9	*	*	*	*	*	*	*	0.2
1983.....	1.8	3.3	0.3	*	*	*	*	*	*	0.3
1982.....	1.7	4.4	0.3	*	*	*	*	*	*	0.3
1981.....	1.9	4.3	*	*	*	*	*	*	*	*
1980.....	2.0	4.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3
1979.....	2.0	5.9	0.2	0.1	0.1	0.0	0.2	0.2	0.3	0.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 368

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)										
TOTAL, FEMALE										
1996.....	3.0	1.8	*	*	*	*	*	*	*	0.2
1995.....	2.9	1.9	*	*	*	*	*	*	*	0.2
1994.....	2.9	1.3	*	*	*	*	*	*	*	*
1993.....	2.8	1.2	*	*	*	*	*	*	*	*
1992.....	2.9	1.9	*	*	*	*	*	*	*	*
1991.....	3.T* 0BT4		*	*	*	*	*	*	*	0.2
1990.....	2.9	1.5	*	*	*	*	*	*	*	0.2
1989.....	2.8	1.6	*	*	*	*	*	*	*	0.3
1988.....	2.8	2.2	*	*	*	*	*	*	*	*
1987.....	2.8	2.T* 0B	*	*	*	*	*	*	*	*
1986.....	2.7	2.2	*	*	*	*	*	*	*	*
1985.....	2.7	2.1	*	*	*	*	*	*	*	*
1984.....	2.7	1.9	*	*	*	*	*	*	*	*
1983.....	2.5	2.4	*	*	*	*	*	*	*	*
1982.....	2.6	2.7	*	*	*	*	*	*	*	*
1981.....	2.7	2.6	*	*	*	*	*	*	*	*
1980.....	2.8	3.1	0.2	0.1	0.0	0.1	0.1	0.1	0.2	0.3
1979.....	2.8	4.T* 0B	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.3
1996.....	2.5	1.5	*	*	*	*	*	*	*	0.1
1995.....	2.5	1.6	0.2	*	*	*	*	*	*	0.2
1994.....	2.5	1.5	*	*	*	*	*	*	0.1	0.1
1993.....	2.4	1.6	*	*	*	*	*	*	*	0.1
1992.....	2.5	1.5	*	*	*	*	*	*	*	0.2
1991.....	2.5	1.8	*	*	*	*	*	0.1	*	0.2
1990.....	2.4	1.9	*	*	*	*	*	*	*	0.2
1989.....	2.3	1.9	*	*	*	*	*	*	*	0.2
1988.....	2.4	1.6	*	*	*	*	*	*	0.1	0.1
1987.....	2.4	1.7	0.2	*	*	*	*	0.1	*	0.2
1986.....	2.3	2.4	0.2	*	*	*	*	*	*	*
1985.....	2.3	2.0	*	*	*	*	*	*	*	0.2
1984.....	2.3	2.7	*	*	*	*	*	*	0.1	0.2
1983.....	2.2	2.5	0.2	*	*	*	*	*	0.1	*
1982.....	2.2	3.T	0.2	*	*	*	*	*	*	0.2
1981.....	2.3	3.1	0.2	*	*	*	*	*	*	*
1980.....	2.4	3.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3
1979.....	2.4	4.4	0.2	0.1	0.T* 0B	0.1	0.1	0.1	0.1	0.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 369

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)										

WHITE MALE

1996.....	1.9	1.5	*	*	*	*	*	*	*	*
1995.....	1.8	1.4	*	*	*	*	*	*	*	0.2
1994.....	1.8	1.7	*	*	*	*	*	*	*	*
1993.....	1.8	2.2	E GE GE	*	*	*	*	*	*	*
1992.....	1.8	1.4	*	*	*	*	*	E GE	*	0.2
1991.....	1.8	2.5	*	*	E GE	*	E	*	*	*
1990.....	1.7	2.5	E GE	*	E	*	E GE	*	*	*
1989.....	1.7	2.2	E	*	E	*	E	*	*	*
1988.....	1.7	1.5	*	*	*	*	E GE	*	*	*
1987.....	1.7	1.8	*	*	E	*	E	*	E	*
1986.....	1.8	3.0	E GE	*	*	*	*	*	*	*
1985.....	1.7	2.1	*	*	*	*	*	*	*	*
1984.....	1.8	3.7	*	*	E	*	E	*	*	E
1983.....	1,	2,	E GE	*	*	*	E GE	*	E	*
1982.....	1.7	3.5	E	*	E	*	*	*	E GE	*
1981.....	1, E	3.8	*	E	*	E	*	E	*	E
1980.....	1.9	3.7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2 E
1979.....	1.9	5.3	0.2	0.0	E	0.1	0.1	0.2	0.2	0.2

WHITE FEMALE

1996.....	3.2 E	1.4	*	*	E	*	E	*	*	*
1995.....	3.1	1.8	E GE	*	E	*	E	*	E	*
1992.....	3.1	1.6	*	*	E	*	E	*	E	*
1991.....	3.2	*	*	E	*	E	*	E GE	*	E
1990.....	3.1	*	*	E	*	E	*	*	E	*
1989.....	2.9	1.5	*	*	E	*	E	*	E	*
1988.....	3.0	1.8	*	E	*	*	*	E	*	*
1987.....	3.0	1.6	E GE	*	E	*	E	*	*	*
1986.....	2.9	1.7	*	E	*	E GE	*	E	*	*
1985.....	2,9	2.0	E GE	*	E	*	*	E	*	*
1984.....	2.8	1.7	*	*	E	*	*	E	*	E
1983.....	2.6 E	2.1	*	E	*	E	*	*	E	*
1982.....	2, E	2.4	*	E	*	*	E	*	E	*
1981.....	2.8	2.5	E	*	*	E	*	E	*	E
1980.....	3.0 E	2.7	0.1	0.0	E	0.0	E	0.1	0.1	0.3
1979.....	2.9	3.3	0.2	0.1	-	0.1	0.1	0.1	0.1	0.1

ALL OTHER, BOTH SEXES

1996.....	2.0	3.3	*	*	*	*	*	*	*
1995.....	1.8	3.2	*	*	*	*	*	*	*
1994.....	1.9	*	*	*	*	*	*	*	*
1993.....	1.7	2.4	*	*	*	*	*	*	*
1992.....	1.9	3.36	5	*	5	*	*	5	*
1991.....	2.0	3.5	*	*	*	*	*	5	*
1990.....	1.9	3.4	*	*	*	*	*	*	*
1989.....	1.9	3.9	*	*	*	*	*	*	*
1988.....	1.9	3.7	5	*	*	*	*	5	*
1987.....	1.8	6.1	5	*	*	*	*	*	*
1986.....	2.0	4.7	*	*	*	*	*	*	5
1985.....	1.9	2.9	*	*	*	*	*	*	*
1984.....	1.8	3.9	*	*	*	*	*	*	*
1983.....	2.0	4.36	*	*	*	*	*	*	*
1982.....	1.9	6.3	5	*	*	*	5	*	*
1981.....	2.1	5.1	*	*	*	*	*	*	*
1980.....	2.1	6.0	0.36	0.2	0.0	0.2	0.2	0.2	0.3
1979.....	2.2	8.0	0.2	0.2	0.1	0.1	0.3	0.1	0.6

ALL OTHER MALE

[illegible]

1996.....	2.1	*	*	*	*	*	*	*	*
1995.....	1.9	*	*	*	*	*	*	*	*
1994.....	1.9	*	*	*	*	*	*	*	*
1993.....	1.8	*	*	*	*	*	*	*	*
1992.....	1.9	*	*	*	*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 372

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)										
BLACK MALE										
1996.....	2.3	*	*	*	*	*	*	*	*	*
1995.....	2.1	*	*	*	*	*	*	*	*	*
1994.....	2.3	*	*	*	*	*	*	*	*	*
1993.....	2.1	*	*	*	*	*	*	*	*	*
1992.....	2.2	*	*	*	*	*	*	*	*	*
1991.....	2.4	*	*	*	*	*	*	*	*	*
1990.....	2.2	*	*	*	*	*	*	*	*	*
1989.....	2.2	6.3	*	*	*	*	*	*	*	*
1988.....	2.2	*	*	*	*	*	*	*	*	*
1987.....	2.3	9.4	*	*	*	*	*	*	*	*
1986.....	2.2	*	*	*	*	*	*	*	*	*
1985.....	2.3	*	*	*	*	*	*	*	*	*
1984.....	2.1	*	*	*	*	*	*	*	*	*
1983.....	2.5	*	*	*	*	*	*	*	*	*
1982.....	2.5	10.3	*	*	*	*	*	*	*	*
1981.....	2.5	*	*	*	*	*	*	*	*	*
1980.....	2.5	7.8	0.8	0.2	0.1	0.2	0.4	0.2	0.2	0.8
1979.....	2.7	8.5	0.3	0.3	0.1	-	0.4	0.1	1.1	0.9
BLACK FEMALE										
1996.....	2.6	*	*	*	*	*	*	*	*	*
1995.....	2.4	*	*	*	*	*	*	*	*	*
1994.....	2.4	*	*	*	*	*	*	*	*	*
1993.....	2.2	*	*	*	*	*	*	*	*	*
1992.....	2.4	*	*	2.2*	*	*	*	*	*	*
1991.....	2.5	*	*	*	*	*	*	*	*	*
1990.....	2.4	*	*	*	2.2*	*	*	*	*	*
1989.....	2.3	*	*	*	*	*	*	*	*	*
1988.....	2.3	*	*	*	*	*	*	*	*	*
1987.....	2.0	*	*	*	*	*	*	*	2.2*	*
1986.....	2.4	*	*	*	*	*	*	*	*	*
1985.....	2.2	*	*	*	*	*	*	*	*	*
1984.....	2.2	*	*	*	*	*	*	*	*	*
1983.....	2.0	*	*	*	2.2*	*	*	*	*	*
1982.....	2.0	*	*	*	*	*	*	*	*	*
1981.....	2.2	*	*	*	*	*	*	*	*	*
1980.....	2.1	3.4	0.4	0.2	-	0.3	0.1	0.2	0.5	0.9
1979.....	2.2	7.0	0.2	0.1	-	0.3	0.4	0.2	0.5	1.4

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
CAUSE-OF-DEATH CODE, UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39
RACE, SEX, AND YEAR TOTAL YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

BTBTB

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 382

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)										

BTBTB

ALL OTHER, BOTH SEXESBTB BTB BBTB BBTB BBB

1996.....	0.8	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	TA.8	*	*	*	*	*	*	*	*	*
1993.....	TA.8	*	*	*	*	*	*	*	*	*
1992.....	TA.8	*	*	*	*	*	*	*	*	*
1991.....	TA.8	*	*	*	*	*	*	*	*	*
1990.....	0.7	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	TA.8	*	*	*	*	*	*	*	*	*
1987.....	TA.8	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.9	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	TA.9	-	-	-	-	0.2	0.1	0.3	0.5	
1979.....	TA.9	0.2	-	-	-	0.0	0.3	0.1	0.2	

ALL OTHER MALE BTB BBB BTB BBB BBTB BBB BBTB

1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.7	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	TA.6	*	*	*	*	*	*	*	*	*
1989.....	0.7	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.7	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.7	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.6	*	*	*	*	*	*	*	*	*
1980.....	TA.8	-	-	-	-	0.1	0.1	0.3	0.9	
1979.....	0.8	0.3	-	-	-	-	-	0.2	-	0.3

BTBTB

1996.....	1.0	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*
1993.....	0.9	*	*	*	*	*	*	*	*
1992.....	1.0	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*
1989.....	0.9	*	*	*	*	*	*	*	*
1988.....	0.9	*	*	*	*	*	*	*	*
1987.....	1.0	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*
1980.....	1.0	—	—	—	—	—	0.4	0.1	0.2
1979.....	1.0	—	—	—	—	—	0.1	0.3	0.2

1996.....	0.9	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 384

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)										

BTBTB

BLACK MALE BTB BTB BBTB BBTB BBB

1996...	T	T	T	.	0.8	*	*	*	*	*	*	*	*	*	*
1995	T	.	T	...	0.6	*	*	*	*	*	*	*	*	*	*
1994	T	.	.	T	...	TA.7	*	*	*	*	*	*	*	*	*
1993	T	.	.	T	...	TA.7	*	*	*	*	*	*	*	*	*
1992	T	.	.	T	...	TA.6	*	*	*	*	*	*	*	*	*
1991.	T	.	.	T	...	TA.6	*	*	*	*	*	*	*	*	*
1990.	T	0.7	*	*	*	*	*	*	*	*
1989	T	0.7	*	*	*	*	*	*	*	*
1988	TS	8	.	*	*	*	*	*	*	*	*	*
1987.	T	TA.6	.	*	*	*	*	*	*	*	*	*
1986	T	0.7	*	*	*	*	*	*	*	*
1985	T	0.9	*	*	*	*	*	*	*	*
1984	T	TA.7	.	*	*	*	*	*	*	*	*	*
1983	T	0.8	*	*	*	*	*	*	*	*
1982	T	0.7	*	*	*	*	*	*	*	*
1981.	T	TA.5	.	*	*	*	*	*	*	*	*	*
1980.	T	0.7	-	-	-	-	0.2	0.2	0.3	1.2
1979	T	0.7	0.4	-	-	-	0.3	-	-	0.3

BLACK FEMALEBTB BBB BTB BBB BBTB BBB BBTB

1996.	T	1.0	*	*	*	*	*	*	*	*	*	*
1995	T	1.0	*	*	*	*	*	*	*	*	*	*
1994	T	1.0	*	*	*	*	*	*	*	*	*	*
1993	T	1.0	*	*	*	*	*	*	*	*	*	*
1992	T	1.1	*	*	*	*	*	*	*	*	*	*
1991	T	1.0	*	*	*	*	*	*	*	*	*	*
1990	T	0.9	*	*	*	*	*	*	*	*	*	*
1989	T	1.0	*	*	*	*	*	*	*	*	*	*
1988	T	1.0	*	*	*	*	*	*	*	*	*	*
1987.	T	1.1	*	*	*	*	*	*	*	*	*	*
1986	T	0.9	*	*	*	*	*	*	*	*	*	*
1985	T	1.0	*	*	*	*	*	*	*	*	*	*
1984	T	0.9	*	*	*	*	*	*	*	*	*	*
1983	T	1.1	*	*	*	*	*	*	*	*	*	*
1982	T	1.0	*	*	*	*	*	*	*	*	*	*
1981.	T	1.0	*	*	*	*	*	*	*	*	*	*
1980.	T	1.0	-	-	-	-	-	0.4	0.2	0.3	0.1	
1979	T	1.0	-	-	-	-	-	0.1	0.4	0.2	0.3	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 385

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
TOTAL, BOTH SEXES										
1996.....	9.2	3.8	*	*	*	*	0.2	0.3	0.4	0.8
1995.....	9.0	4.0	*	*	*	*	0.2	0.4	0.5	0.9
1994.....	8.8	4.5	*	*	*	0.1	0.1	0.3	0.6	0.9
1993.....	9.0	4.7	0.1	*	*	*	0.2	0.4	0.7	0.9
1992.....	8.7	4.7	*	*	*	*	0.2	0.4	0.7	1.1
1991.....	8.5	4.7	*	*	*	0.2	0.2	0.4	0.6	1.2
1990.....	8.3	3.8	0.2	*	*	*	0.2	0.4	0.6	1.3
1989.....	8.6	5.1	*	*	*	*	0.3	0.4	0.8	1.2
1988.....	9.2	5.8	0.1	*	*	0.2	0.3	0.4	0.8	1.2
1987.....	9.1	5.9	0.1	*	*	*	0.3	0.4	0.8	1.1
1986.....	9.1	6.8	0.2	*	0.1	*	0.3	0.4	0.8	1.0
1985.....	9.0	7.5	0.2	*	*	0.1	0.2	0.5	0.7	1.2
1984.....	8.5	7.6	0.2	0.1	*	0.2	0.3	0.5	0.7	1.1
1983.....	8.1	6.4	0.1	0.1	*	0.2	0.2	0.5	0.7	1.0
1982.....	7.8	7.1	0.2	*	*	0.1	0.3	0.4	0.7	1.0
1981.....	7.5	7.2	0.2	0.1	*	0.2	0.3	0.5	0.7	1.2
1980.....	7.4	6.4	0.2	0.1	0.1	0.2	0.3	0.5	0.8	1.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 386

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
TOTAL, FEMALE										
1996.....	9.3	2.9	*	*	*	*	*	*	0.4	0.7
1995.....	9.1	3.5	*	*	*	*	*	0.4	0.4	0.7
1994.....	9.1	3.8	*	*	*	*	*	0.3	0.4	0.6
1993.....	9.2	4.2	*	*	*	*	*	0.3	0.5	0.7
1992.....	8.7	4.9	*	*	*	*	*	0.3	0.5	0.7
1991.....	8.5	3.6	*	*	*	*	*	0.4	0.4	0.7
1990.....	8.4	3.6	*	*	*	*	*	0.3	0.4	0.9
1989.....	8.5	4.2	*	*	*	*	0.3	0.3	0.6	0.6

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 388

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
ALL OTHER, BOTH SEXES										
1996.....	10.1	8.1	*	*	*	*	0.6	0.7	1.0	2.2
1995.....	10.2	7.6	*	*	*	*	*	0.7	1.3	2.5
1994.....	9.9	9.0	*	*	*	*	*	0.8	1.7	2.3
1993.....	10.5	8.4	*	*	*	*	*	1.0	2.1	2.8
1992.....	10.1	7.4	*	*	*	*	*	1.1	1.9	3.1
1991.....	10.2	6.9	*	*	*	*	0.6	1.2	1.7	3.8
1990.....	10.5	7.5	*	*	*	*	*	1.0	1.6	3.7
1989.....	11.5	8.5	*	*	*	*	0.6	0.8	2.6	3.6
1988.....	11.7	9.GE	*	*	*	*	0.7	1.2	2.2	3.7
1987.....	11.4	13.1	*	*	*	*	0.7	0.9	2.6	3.6
1986.....	11.8	12.4	*	*	*	*	0.6	1.0	2.1	3.3
1985.....	12.0	13.4	*	*	*	*	0.6	1.2	2.2	4.1
1984.....	11.2	14.3	*	*	*	*	*	1.0	1.7	3.2
1983.....	10.7	11.1	*	*	*	*	*	1.GE	1.7	3.2
1982.....	10.9	12.9	*	*	*	*	0.6	1.0	1.8	2.8
1981.....	10.5	11.4	*	*	*	*	0.6	1.4	1.6	3.4
1980.....	11.4	11.0	0.2	0.0	0.2	0.GE	1.0	1.7	2.GE	3.0
1979.....	10.4	10.1	0.2	0.2	0.GE	0.5	1.0	1.6	2.1	3.GE
ALL OTHER MALE										
1996.....	9.6	9.9	*	*	*	*	*	1.2	1.2	2.9
1995.....	9.9	8.8	*	*	*	*	*	*	1.8	3.4
1994.....	9.4	11.4	*	*	*	*	*	*	2.GE	3.2
1993.....	10.2	9.4	*	*	*	*	*	1.3	3.1	3.8
1992.....	10.1	6.1	*	*	*	*	*	1.3	2.7	4.7
1991.....	10.2	7.8	*	*	*	*	*	1.5	2.7	5.6
1990.....	10.4	7.7	*	*	*	*	*	1.2	2.4	4.4
1989.....	11.9	9.9	*	*	*	*	*	*	3.6	5.8
1988.....	11.4	8.2	*	*	*	*	*	1.4	3.0	5.6
1987.....	11.	012.4	*	*	*	*	*	1.3	3.4	5.6
1986.....	12.1	13.8	*	*	*	*	*	1.4	2.6	5.1
1985.....	12.1	13.G	*	*	*	*	*	1.5	3.4	5.9
1984.....	11.2	16.7	*	*	*	*	*	1.4	2.2	4.0
1983.....	10.8	10.GE	*	*	*	*	*	1.6	2.2	4.0
1982.....	11.0	14.5	*	*	*	*	*	*	2.2	3.4
1981.....	10.9	13.1	*	*	*	*	*	1.7	2.2	4.0
1980.....	11.9	10.9	0.2	-	0.2	0.2	0.8	2.2	3.1	4.GE
1979.....	11.1	13.2	0.GE	0.G	0.GE	0.7	1.1	1.9	2.4	4.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 389

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
ALL OTHER FEMALE										
1996.....	10.6	6.2	*	*	*	*	*	*	*	1.6
1995.....	10.5	6.3	*	*	*	*	*	*	*	1.6
1994.....	10.3	6.6	*	*	*	*	*	*	1.2	1.5
1993.....	10.8	7.3	*	*	*	*	*	*	1.2	1.9
1992.....	10.1	8.7	*	*	*	*	*	*	1.2	1.6
1991.....	10.1	6.0	*	*	*	*	*	*	*	2.1
1990.....	10.6	7.2	*	*	*	*	*	*	*	3.0
1989.....	11.1	7.1	*	*	*	*	*	*	1.7	1.7
1988.....	11.9	10.5	*	*	*	*	*	*	1.5	2.1
1987.....	11.3	13.8	*	*	*	*	*	*	2.0	1.8
1986.....	11.5	11.0	*	*	*	*	*	*	1.6	1.8
1985.....	11.9	13.5	*	*	*	*	*	*	1.2	2.5
1984.....	11.1	11.9	*	*	*	*	*	*	1.3	2.5
1983.....	10.5	12.0	*	*	*	*	*	*	1.3	2.5
1982.....	10.7	11.2	*	*	*	*	*	*	1.5	2.2
1981.....	10.1	9.6	*	*	*	*	*	*	*	2.9
1980.....	11.0	11.1	0.2	0.1	0.2	0.5	1.1	1.3	1.6	2.0
1979.....	9.7	7.0	0.1	0.1	0.2	0.2	0.9	1.3	1.8	2.3
BLACK, BOTH SEXES										
1996.....	12.4	10.8	*	*	*	B	*	0.9	1.3	2.8
1995.....	12.5	9.5	*	*	*	*	*	1.....		1.7
1994.....	12.2	11.1	*	*	*	*	*	1.0	2.3	3.0
1993.....	12.8	10.7	*	*	*	*	*	1.2	2.8	3.6
1992.....	12.3	8.8	*	*	*	*	*	1.4	2.4	4.1
1991.....	12.4	9.0	*	*	*	*	0.7	1.6	2.1	4.9
1990.....	12.6	8.5	*	*	*	*	*	1.3	2.1	4.8
1989.....	13.8	10.4	*	*	*	*	0.7	1.0	3.3	4.7
1988.....	14.0	10.9	*	*	*	*	0.8	1.4	2.8	4.9
1987.....	13.6	15.0	*	*	*	*	0.8	1.0	3.2	4.5
1986.....	13.9	14.8	*	*	*	*	*	1.3	2.4	4.3
1985.....	14.2	15.0	*	*	*	*	0.7	1.6	2.9	5.3
1984.....	13.0	17.2	*	*	*	*	*	1.2	2.1	3.8
1983.....	12.3	13.1	*	*	*	*	*	1.6	2.0	3.8
1982.....	12.4	15.5	*	*	*	*	*	1.1	2.1	3.3
1981.....	12.0	12.9	*	*	*	*	0.7	1.6	1.9	4.3
1980.....	12.8	12.5	0.2	0.0	0.2	0.3	1.0	2.0	2.6	3.5
1979.....	11.5	11.3	0.2	0.2	0.3	0.5	1.0	1.8	2.5	4.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 390

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)										
BLACK MALE										
1996.....	11.8	13.7	*	*	*	*	*	*	1.7	3.8
1995.....	12.2	11.8	*	*	*	*	*	*	2.5	4.4
1994.....	11.6	14.0	*	*	*	*	*	*	3.2	4.3
1993.....	12.3	12. TA	*	*	*	*	*	1.6	4. TA	5.0
1992.....	12.3	7. TA	*	*	*	*	*	1.7	3.6	6.3
1991.....	12.5	10. TA	*	*	*	*	*	2.0	3.5	7.6
1990.....	12.5	8.7	*	*	*	*	*	1.5	3.1	5.8
1989.....	14.4	12.4	*	*	*	*	*	*	4.7	7.7
1988.....	13.6	9.8	*	*	*	*	*	1.8	3.8	7.3
1987.....	13.7	14.3	*	*	*	*	*	1.6	4.3	6.9
1986.....	14.3	16.4	*	*	*	*	*	1.7	3.1	6.6
1985.....	14.3	14.9	*	*	*	*	*	1.9	4.4	7.8
1984.....	13.0	20.	*	*	*	*	*	1.7	2.9	5.0
1983.....	12.5	12.1	*	*	*	*	*	1.9	2.6	5.0
1982.....	12.7	17.	*	*	*	*	*	*	2.5	4.1
1981.....	12.5	15. TA	*	*	*	*	*	1.9	2.7	5.1
1980.....	13.5	12.6	0.	-	0.	0.3	0.8	2.6	3.5	5.4
1979.....	12.3	14.6	0.3	0.4	0.4	0.8	1.1	2.1	3.0	5.6
BLACK FEMALE										
1996.....	12.9	7.8	*	*	*	*	*	*	*	2.0
1995.....	12.9	7. TA	*	*	*	*	*	*	*	2. TA
1994.....	12.7	8. TA	*	*	*	*	*	*	1.6	1.9
1993.....	13. TA	9.1	*	*	*	*	*	*	1.5	2.5
1992.....	12. TA	10.5	*	*	*	*	*	*	1.3	2.0
1991.....	12.3	7.8	*	*	*	*	*	*	*	2.6
1989.....	13.3	8.4	*	*	*	*	*	*	2.1	2.0
1988.....	14.4	12.0	*	*	*	*	*	*	1.9	2.9
1987.....	13.4	15.7	*	*	*	*	*	*	2.3	2.4
1986.....	13.5	13.1	*	*	*	*	*	*	1.9	2.3
1985.....	14.0	15.1	*	*	*	*	*	*	1.6	3. TA
1984.....	13.0	14.1	*	*	*	*	*	*	*	2.8
1983.....	12.1	14. TA	*	*	*	*	*	*	*	2.7
1982.....	12.2	13.7	*	*	*	*	*	*	1.7	2.7
1981.....	11.6	10.5	*	*	*	*	*	*	*	3.5
1980.....	12.3	12.4	0.1	0.1	0.1	0.4	1. TA	1.5	1.8	1.9
1979.....	10.8	7.8	0.1	0.1	0.1	0.2	1.0	1.5	2. TA	2.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 391

CAUSE-OF-DEATH CODE, RACE, SEXB ND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)										

TOTAL, BOTH SEXES										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	* 8 8 8	*		* 8	* 8 8	*		
1994.....	0.1	* 8	* 8	* 8 8	*		* 8	* 8	* 8	*
1993.....	0.1	* 8	* 8	*	* 8	*	* 8	* 8	* 8	*
1992.....	0.1	* 8	*	* 8	*	* 8	* 8 8	* 8 8	*	* 8
1991.....	0.1 8 8	* 8	* 8	*	* 8	* 8 8	* 8	* 8	* 8	

RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE,	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39
RACE, SEXB ND YEAR	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)										

TOTAL, FEMALE										
1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	* 8 8 8	*		* 8	* 8 8	*		
1994.....	0.1	* 8	* 8	* 8 8	*		* 8	* 8	* 8	*
1993.....	0.1	* 8	* 8	*	* 8	*	* 8	*	* 8	*
1992.....	0.1	* 8	*	* 8	*	* 8	* 8 8	*	* 8	
1991.....	0.1 8 8	* 8	* 8	*	* 8	* 8 8	* 8	* 8		

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 393

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)										

BT

WHITE MALEBT BT BBT BBBT BBB

1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	* 8 8 8	*	*	* 8	* 8 8	*	*	*
1994.....	0.1	* 8	* 8	* 8 8	*	* 8	* 8	* 8	* 8	*
1993.....	0.1	* 8	* 8	*	* 8	*	* 8	* 8	* 8	*
1992.....	0.1	* 8	*	* 8	*	* 8	* 8 8	* 8 8	*	* 8
1991.....	0.1 8 8	* 8	* 8	*	* 8	* 8 8	* 8 8	* 8	* 8	*
1990.....	0.1 8 8	*	*	* 8	* 8 8	*	*	*	*	*
1989.....	0.1	* 8	*	* 8 8	*	* 8	*	*	* 8	*
1988.....	0.1 8	* 8	* 8	* 8	*	* 8	* 8	* 8	* 8	*
1987.....	0.1 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	*	* 8
1986.....	0.1 8	* 8	* 8 8	* 8 8	* 8	* 8	* 8	* 8	* 8	*
1985.....	0.1 8 8	* 8	* 8	*	* 8	*	* 8	* 8	* 8 8	*
1984.....	0.1	*	*	*	*	* 8	* 8	* 8	*	* 8
1983.....	0.1 8	*	*	* 8	*	*	* 8	* 8	*	*
1982.....	0.1 8	* 8	* 8	* 8	* 8	* 8	* 8	*	*	* 8
1981.....	0.1 8	*	*	* 8	*	* 8	*	* 8	*	*
1980.....	0.1	0.3	0.0	-	0.0	-	0.0	-	-	0.0
1979.....	0.2	0.2	0	0.ST	-	0.0	-	-	0.0	0 1

WHITE FEMALEBBT BBB BT BBB BBT BBB BB

1996.....	0.1 8	* 8	* 8	* 8	* 8	*	*	* 8	* 8	*
1995.....	0.1	* 8	*	* 8	* 8	* 8	*	* 8	* 8	* 8
1994.....	0.1	* 8	*	* 8	* 8	* 8	* 8	*	* 8	*
1993.....	0.1 8	*	*	* 8	*	* 8	* 8 8	* 8	*	*
1992.....	0.1	* 8	*	* 8	*	* 8	* 8	* 8	* 8	* 8
1991.....	0.1 8	* 8	* 8 8	* 8	*	* 8	* 8	* 8	*	*
1990.....	0	0.S	*	*	* 8	* 8	* 8	* 8	* 8	* 8
1989.....	0.1	* 8	*	*	* 8	* 8	* 8	*	*	* 8
1988.....	0.1	* 8	*	* 8	* 8	*	* 8	*	*	* 8
1987.....	0	0.S	*	* 8	* 8	* 8	* 8	* 8	*	*
1986.....	0.1	* 8	*	* 8	* 8	*	* 8	*	* 8 8	*
1985.....	0.2	* 8	* 8	* 8	* 8 8	* 8	* 8	* 8	* 8	*
1984.....	0 1	*	* 8	*	* 8	*	* 8	*	* 8	* 8
1983.....	0.2	*	*	* 8	* 8 8	* 8	* 8	* 8	* 8	*
1982.....	0.1 8 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	* 8	*
1981.....	0.1 8	* 8	* 8	*	*	*	* 8	* 8 8	* 8	*
1980.....	0.1	0.1	0.1	0.0	-	0 0	0.0	0.0	-	0.0
1979.....	0 1	0.1	0.1	-	-	0.0	-	0.0	-	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 394

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)										

BT

ALL OTHER, BOTH SEXESBT BT BBT BBBT BBB

1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	TA.1	*	*	*	*	*	*	*	*	*
1993.....	TA.1	*	*	*	*	*	*	*	*	*
1992.....	TA.1	*	*	*	*	*	*	*	*	*
1991.....	TA.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	TA.2	*	*	*	*	*	*	*	*	*
1987.....	TA.1	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	TA.2	*	*	*	*	*	*	*	*	*
198AU.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	TA.2	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	0.0	0.0	0.0	0.1	0.2	0.1
1979.....	0.2	0.5	0.1	0.0	0.1	0.1	0.0	0.0	-	0.1

A OTHER MA E BT BBB BT BBB BBT BBB BB

B

1996.....	0.1	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*	*
199AU.....	0.1	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	TA.1	*	*	*	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.1	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.1	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.1	*	*	*	*	*	*	*	*	*
198AU.....	0.2	*	*	*	*	*	*	*	*	*
1982.....	0.2	*	*	*	*	*	*	*	*	*
1981.....	TA.1	*	*	*	*	*	*	*	*	*
1980.....	0.2	-	-	-	0.1	-	-	0.1	0.2	0.1
1979.....	0.2	1.0	0.2	0.1	0.1	0.2	0.1	0.1	-	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 395

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)										

BT

ALL OTHER FEMALE BT BT BBT BBBT BBB

1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1991.....	0.2	*		*	Ö	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*		*	Ö	*	*	Ö
1988.....	0.2 Ö	*	*	*	*	*	*	*	*	*
1987.....	0.1	*	*	*	*	*	*	*	Ö	*
1986.....	0.1 Ö	*	* Ö	*	*	*	*	*	*	*
1985.....	0.2 Ö	*	*	*	*	Ö	*	*	*	*
1984.....	0.2	*	*	*	*	*	*	*	*	Ö
1983.....	0.1	*	*	*	*	*	Ö	*	*	*
1982.....	0.2 Ö	* Ö	* Ö	*	*	*	*	*	*	*
1981.....	0.2 Ö	*	* Ö	*	*	*	*	*	*	Ö
1980.....	0.2	-	-	-	-	0.1 Ö	0.1 Ö	0.1 Ö	0.2 Ö	-
1979.....	0.1 Ö	-	-	-	0.1	-	-	-	-	-

BLACK, BOTH SEXESBT BBB BT BBB BBT BBB BBBT

1996.....	0.2	*	*	*	*	Ö	*	*	R	*	Ö	*	Ö
1995.....	0.1 Ö	*	*	* Ö	*	R	* Ö	*	*	*	*	*	*
1994.....	0.2	R *	* Ö	*	*	* Ö	* Ö	*	* Ö	*	*	*	*
1993.....	0.2	*	* Ö	*	*	*	*	* Ö	*	* Ö	*	*	*
1992.....	0.1	R *	*	*	*	*	*	* Ö	* Ö	*	* Ö	*	Ö
1991.....	0.2 Ö	*	*	*	*	*	*	* Ö	* Ö	*	*	*	*
1990.....	0.1	*	*	*	*	*	*	* Ö	* Ö	*	*	*	*
1989.....	0.2 Ö	*	* Ö	R *	* Ö	* Ö	R *	* Ö	*	* Ö	*	*	*
1988.....	0.2 Ö	* Ö	*	* Ö	*	*	*	* Ö	* Ö	*	*	*	*
1987.....	0.2 Ö	*	*	*	*	*	R *	* Ö	*	* Ö	*	* Ö	*
1986.....	0.2	*	*	* Ö	*	*	*	*	*	*	*	* Ö	*
1985.....	0.2 Ö	R *	* Ö	*	*	*	* Ö	R *	* Ö	*	*	*	*
1984.....	0.2 Ö	* Ö	*	* Ö	* Ö	* Ö	* Ö	*	*	*	* Ö	* Ö	*
1983.....	0.2	*	*	* Ö	*	*	* Ö	*	*	* Ö	* Ö	* Ö	*
1982.....	0.2 Ö	*	* Ö	*	* Ö	* Ö	*	* Ö	* Ö	*	*	*	*
1981.....	0.2 Ö	R *	* Ö	*	* Ö	*	*	* Ö	*	*	*	*	*
1980.....	0.2	-	-	-	0.0	0.0	0.0	0.1	0.3	0.1			
1979.....	0.2	0.6	0.1	0.0	0.1	0.1 Ö	0.0	0.0	-	0.1 Ö			

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 396

CAUSE-OF-DEATH CODE, RACE SEX TAND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)										

BLACK MALE

1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	*	*	*	*	8 8	*	*	*	8 8	*
1994.....	0.28 8	8 8	8 8	8 8	8 8	8 8	8 8	8 8	8 8	8 8
1993.....	0.2	8	*	8	*	8	*	8	*	8
1992.....	8 8	8 8	8 8	8 8	*	8	*	8	8	8
1991.....	0.2	8	8	8	8	8	8	8	8	8
1990.....	0.28	*	8	*	*	8	8	8	8	8
1989.....	0.28 8	8 8	8	*	8 8	8	8	8	8	8
1988.....	0.28	8	8	8	8	8	8	*	8	8
1987.....	0.28 8	8	8	8	8	8	8	8	*	8
1986.....	0.28	8	8 8	8	8	8	8	8	8	8
1985.....	0.28	*	8	*	8	8	8 8	8	8	8
1984.....	0.2	8	8	8	8	8	8	8	*	8
1983.....	0.28	8	8	*	8	8	8	8	8	8
1982.....	0.28	8	8	8	8	8	8 8	8	8	8
1981.....	0.28	*	8	8	8	*	8	8	8	8
1980.....	0.2	-	-	-	0.1	-	-	0.1	0.28	0.28
1979.....	0.28	1.28	0.28	0.1	0.1	0.3	0.1	0.1	-	0.28

BLACK FEMALE

1996.....	0.28	8	8	8	8	8	8	8	8	8
1995.....	0.28 8	8	8	8	8	8	8	*	8	8
1994.....	0.1	8	8	8	8	8	8	8	*	8
1993.....	0.2	8	8 8	8	8	8	8	*	8	8
1992.....	0.28	8	8	*	8	8	8	8	8	8
1991.....	0.28	8	8	8	8	8	8	8	8	8
1990.....	8	*	8	*	8	8 8	*	8	8	8
1989.....	0.2	8	8	*	8	8	8	8	8	8
1988.....	0.28 8	8	8	8	8	8	8	8	8	8
1987.....	0.1	*	8	*	8	8	8	8	8	8
1986.....	0.2	*	8	8	8 8	8	8	8 8	8	8
1985.....	0.28 8	8	8	*	8	8	8	*	8	8
1984.....	0.28	*	8	8	8	8	8	8	8	8
1983.....	0.28	8	8	8	8	8	8	8	0.2	8
1982.....	0.2	0.2	8	8	8	8	8	8 8	8	8
1981.....	0.28	8	8	8	8	8	8 8	8	8	8
1980.....	0.2	-	-	-	-	0.1	0.1	0.1	0.3	-
1979.....	0.1	-	-	-	0.1	-	-	-	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 397

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)										

TOTAL, BOTH SEXES										
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	0.1
1994.....	0.6	*	*	*	*	*	*	*	*	0.1
1993.....	0.6	*	*	*	*	*	*	*	0.1	0.1
1992.....	0.6	*	*	*	*	*	*	*	0.1	0.1
1991.....	0.6	*	*	*	*	*	*	*	*	0.2
1990.....	0.6	*	*	*	*	*	*	*	*	0.2
1989.....	0.6	*	*	*	*	*	*	0.1	*	0.1
1988.....	0.6	*	*	*	*	*	*	0.1	0.1	0.1
1987.....	0.6	*	*	*	*	*	*	*	*	0.2
1986.....	0.6	*	*	*	*	*	*	*	0.1	0.1
1985.....	0.7	*	*	*	*	*	*	*	*	0.1
1984.....	0.8	*	*	*	*	*	*	0.1	0.1	0.2
1983.....	0.8	*	*	*	*	*	*	0.1	0.1	0.2
1982.....	0.8	*	*	*	*	*	*	*	0.2	0.2
1981.....	0.9	*	*	*	*	*	0.1	0.1	0.1	0.2
1980.....	1.0	-	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2
1979.....	1.1	0.2	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.2
TOTAL, MALE										
1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	0.2
1990.....	0.6	*	*	*	*	*	*	*	*	0.3
1989.....	0.6	*	*	*	*	*	*	*	*	0.2
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	0.3
1986.....	0.7	*	*	*	*	*	*	*	*	0.2
1985.....	0.7	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	0.2	*	0.3
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.9	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	1.0	-	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.2
1979.....	1.1	0.2	0.0	0.0	0.1	0.1	0.1	0.3	0.1	0.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 399

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)										

WHITE MALE

1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.8	*	*	*	*	*	*	*	*	*
1980.....	0.9	-	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2
1979.....	1.0	0.2	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.1

WHITE FEMALE

1996.....	0.6	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.6	*	*	*	*	*	*	*	*	*
1993.....	0.6	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.6	*	*	*	*	*	*	*	*	*
1990.....	0.6	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.6	*	*	*	*	*	*	*	*	*
1986.....	0.5	*	*	*	*	*	*	*	*	*
1985.....	0.6	*	*	*	*	*	*	*	*	*
1983.....	0.8	*	*	*	*	*	*	*	*	*
1982.....	0.7	*	*	*	*	*	*	*	*	*
1981.....	0.9	*	*	*	*	*	*	*	*	*
1980.....	0.8	-	-	0.0	-	0.1	0.0	0.1	0.0	0.2
1979.....	0.9	0.1	-	0.0	0.0	0.0	0.0	0.0	0.2	0.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 400

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)										

ALL OTHER, BOTH SEXES

B B B

1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.7	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.7	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	0.7
1986.....	0.9	*	*	*	*	*	*	*	*	*
1985.....	0.9	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.7	-	0.0	-	0.0	0.1	0.2	0.5	0.5	0.5
1979.....	1.7	0.2	-	-	0.1	0.1	0.3	0.6	0.5	0.9

ALL OTHER MALE B B B B BB B BBB B BBB

1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.7	*	*	*	*	*	*	*	*	*
1994.....	0.7	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.8	*	*	*	*	*	*	*	*	*
1991.....	0.8	*	*	*	*	*	*	*	*	*
1990.....	0.9	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987.....	0.9	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.2	*	*	*	*	*	*	*	*	*
1981.....	1.1	*	*	*	*	*	*	*	*	*
1980.....	1.7	-	0.1	-	0.1	0.1	0.2	0.5	0.6	0.5
1979.....	1.9	0.3	-	-	0.1	0.2	0.3	0.9	0.2	1.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 401

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)										

ALL OTHER FEMALE					B B B					
1996.....	0.7	*	*	*	*	*	*	*	*	*
1995.....	0.6	*	*	*	*	*	*	*	*	*
1994.....	0.8	*	*	*	*	*	*	*	*	*
1993.....	0.8	*	*	*	*	*	*	*	*	*
1992.....	0.6	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.8	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	0.8	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	1.0	*	*	*	*	*	*	*	*	*
1983.....	1.0	*	*	*	*	*	*	*	*	*
1982.....	1.1	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.6	-	-	-	-	0.1	0.2	0.5	0.3	0.5
1979.....	1.5	-	-	-	0.1	0.1	0.3	0.3	0.7	0.6
BLACK, BOTH SEXESB B B B BB B BBB B BBB										
1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.8	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993..5...	1.0	*	*	*	*	*	*	*	*	*
1992.....	0.9	*	*	*	*	*	*	*	*	*
1991.....	0.9	*	*	*	*	*	*	*	*	*
1990.....	1.0	*	*	*	*	*	*	*	*	*
1989.....	1.0	*	*	*	*	*	*	*	*	*
1988.....	0.8	*	*	*	*	*	*	*	*	*
1987..5...	0.9	*	*	*	*	*	*	*	*	*
1986.....	1.0	*	*	*	*	*	*	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	1.1	*	*	*	*	*	*	*	*	*
1983..5...	1.3	*	*	*	*	*	*	*	*	*
1982.....	1.3	*	*	*	*	*	*	*	*	*
1981.....	1.3	*	*	*	*	*	*	*	*	*
1980.....	1.9	-	0.1	-	0.0	0.1	0.1	0.6	0.5	0.5
1979.....	1.8	-	-	-	0.1	0.1	0.3	0.6	0.6	1.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 402

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)										

BLACK MALE

1996.....	0.9	*	*	*	*	*	*	*	*	*
1995.....	0.9	*	*	*	*	*	*	*	*	*
1994.....	0.9	*	*	*	*	*	*	*	*	*
1993.....	1.0	*	*	*	*	*	*	*	*	*
1992.....	1.0	*	Ⓕ	*	Ⓕ	*	*	*	*	*
1991.....	0.9	*	Ⓕ	*	*	Ⓕ	*	*	*	*
1990.....	1.1	* Ⓕ *	*	Ⓕ	*	*	Ⓕ	*	*	Ⓕ *
1989.....	1.0	*	Ⓕ	*	*	Ⓕ	*	*	Ⓕ	*
1988.....	0.9	* Ⓕ *	*	*	*	*	*	*	*	Ⓕ *
1987.....	1.0	*	Ⓕ	*	*	Ⓕ	*	*	Ⓕ	*
1986.....	1.2	* Ⓕ *	*	*	*	*	*	Ⓕ	*	Ⓕ *
1985.....	1.1	*	Ⓕ	*	*	Ⓕ	*	Ⓕ	*	Ⓕ *
1984.....	1.2	*	Ⓕ	*	*	Ⓕ	*	*	Ⓕ	Ⓕ *
1983.....	1.5	*	Ⓕ	*	*	Ⓕ	*	*	Ⓕ	*
1982.....	1.3	*	Ⓕ	*	*	Ⓕ	*	Ⓕ	*	*
1981.....	1.3	* Ⓕ *	Ⓕ	*	*	Ⓕ	Ⓕ	Ⓕ	Ⓕ	*
1980.....	1.9	-	0.1	-	0.1	0.1	0.1	0.6	0.8	0.6
1979.....	2.0	-	-	-	0.1	0.2	0.2	0.9	0.2	1.4

BLACK FEMALE

1996.....	0.8	*	Ⓕ	*	Ⓕ	Ⓕ	*	*	Ⓕ	*
1995.....	0.7	*	Ⓕ	*	*	Ⓕ	*	Ⓕ	Ⓕ	*
1994.....	1.0	*	Ⓕ	*	Ⓕ	*	*	Ⓕ	*	Ⓕ *
1993.....	0.9	* Ⓕ *	Ⓕ	*	Ⓕ	*	Ⓕ	*	Ⓕ	*
1992.....	0.8	*	Ⓕ	*	*	Ⓕ	*	*	Ⓕ	*
1991.....	0.9	*	Ⓕ	*	Ⓕ	*	*	Ⓕ	Ⓕ	*
1990.....	0.9	* Ⓕ *	Ⓕ	*	*	Ⓕ	*	Ⓕ	*	*
1989.....	1.0	* Ⓕ *	Ⓕ	*	*	Ⓕ	*	Ⓕ	*	Ⓕ *
1988.....	0.7	*	Ⓕ	*	Ⓕ	*	Ⓕ	*	*	Ⓕ *
1987.....	0.9	*	Ⓕ	*	Ⓕ	*	Ⓕ	*	Ⓕ	*
1986.....	0.9	*	Ⓕ	*	Ⓕ	*	Ⓕ	*	Ⓕ	*
1985.....	0.9	*	Ⓕ	*	Ⓕ	*	Ⓕ	*	Ⓕ	*
1984.....	1.1	*	Ⓕ	*	Ⓕ	*	Ⓕ	*	Ⓕ	Ⓕ *
1983.....	1.2	*	Ⓕ	*	*	Ⓕ	*	Ⓕ	*	Ⓕ *
1982.....	1.2	*	Ⓕ	*	*	Ⓕ	*	Ⓕ	*	*
1981.....	1.3	*	Ⓕ	*	Ⓕ	*	Ⓕ	*	Ⓕ	Ⓕ *
1980.....	1.8	-	-	-	-	0.1	0.2	0.6	0.3	0.5
1979.....	1.7	-	-	-	0.1	0.1	0.3	0.3	0.8	0.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 403

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF 1.KNOWN CAUSE (584-586,588-589)										

TOTAL, BOTH SEXES

1996.....	8.4	3.5	*	*	*	*	0.2	0.3	0.4	0.7
1995.....	8.3	3.8	*	*	*	*	0.2	0.3	0.5	0.8
1S,4.....	8.1	4.3	*	*	*	*	*	0.3	0.5	0.7
1S93.....	8.3	4.4	*	*	*	*	0.1	0.3	0.6	0.8
1992.....	8.0	4.5	*	*	*	*	0.2	0.4	0.6	1.0
1991.....	7.7	4.4	*	*	*	*	0.1	0.4	0.5	1.0
1990.....	7.6	3.5	*	*	*	*	0.2	0.3	0.5	1.0
1989.....	7.8	4.8	*	*	*	*	0.2	0.3	0.7	1.0
1988.....	8.4	5.6	*	*	*	0.1	0.2	0.3	0.7	1.0
1987.....	8.4	5.6	*	*	*	*	0.2	0.4	0.7	0.9
1S86.....	8.3	6.5	0.1	*	*	*	0.2	0.3	0.7	0.9
1985.....	8.2	7.3	*	*	*	0.1	0.2	0.4	0.6	1.0
1984.....	7.6	7.4	*	*	*	0.1	0.2	0.4	0.6	0.9
1983.....	7.2	6.0	*	*	*	0.1	0.2	0.4	0.6	0.7
1982.....	6.8	6.7	0.2	*	*	*	0.2	0.3	0.6	0.9
1981.....	6.5	6.8	*	*	*	0.1	0.2	0.4	0.5	1.0
1980.....	6.3	6.2	0.1	0.0	0.1	0.1	0.2	0.4	0.7	0.9
1979.....	5.8	6.0	0.1	0.1	0.1	0.2	0.3	0.4	0.7	0.9

TOTAL, MALE

1996.....	8.2	4.5	*	*	*	*	*	0.4	0.4	0.9
1995.....	8.2	4.2	*	*	*	*	*	0.4	0.6	1.0
1S,4.....	7.9	5.0	*	*	*	*	*	0.3	0.6	0.9
1S93.....	8.2	4.8	*	*	*	*	*	0.3	0.7	1.0
1992.....	8.0	4.3	*	*	*	*	*	0.5	0.7	1.3
1S91.....	7.7	5.5	*	*	*	*	*	0.4	0.7	1.4
1S90.....	7.5	3.8	*	*	*	*	0.2	0.3	0.7	1.3
1989.....	7.8	5.7	*	*	*	*	*	0.4	0.9	1.4
1S88.....	8.3	5.7	*	*	*	*	0.2	0.4	0.9	1.3
1987.....	8.5	5.6	*	*	*	*	0.2	0.5	0.8	1.2
1S86.....	8.5	7.5	*	*	*	*	0.3	0.4	0.7	1.1
1S85.....	8.3	8.1	*	*	*	*	0.2	0.4	0.7	1.4
1984.....	7.8	8.6	*	*	*	*	0.2	0.4	0.7	1.1
1983.....	7.3	6.1	*	*	*	*	0.2	0.5	0.6	0.9
1982.....	7.1	8.0	*	*	*	*	0.2	0.3	0.7	1.0
1S81.....	6.8	7.4	*	*	*	*	0.2	0.5	0.6	1.3
1980.....	6.7	6.8	0.1	0.0	0.1	0.1	0.2	0.5	0.9	1.2
1979.....	6.3	6.4	0.2	0.1	0.1	0.2	0.3	0.5	0.8	1.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 404

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)	T	T	T	T	T	T	T	T	T	T
TOTAL, FEMALE	T	T	T	T	T	T	T	T	T	T
1996.....	8.6	2.6	*	*	*	*	*	*	0.3	0.6
1995.....	8.5	3.4	*	*	*	*	*	0.3	0.4	0.6
1994.....	8.4	3.6	*	*	*	*	*	0.3	0.4	0.6
1993.....	8.5	4.0	*	*	*	*	*	0.3	0.4	0.6
1992.....	8.0	4.8	*	*	*	*	*	0.3	0.4	0.6
1991.....	7.8	3.3	*	*	*	*	*	0.3	0.4	0.6
1990.....	7.7	3.3	*	*	*	*	*	0.2	0.4	0.7
1989.....	7.8	3.9	*	*	*	*	0.2	0.2	0.5	0.5
1988.....	8.5	5.6	*	*	*	*	0.2	0.3	0.5	0.6
1987.....	8.3	5.6	*	*	*	*	0.2	0.2	0.7	0.7
1986.....	8.1	5.5	*	*	*	*	0.2	0.2	0.6	0.7
1985.....	8.0	6.4	*	*	*	*	*	0.3	0.4	0.7
1984.....	7.4	6.2	*	*	*	*	*	0.4	0.4	0.7

WHITE MALE

1996.....	8.1	3.2	*	*	*	*	*	0.3	0.3	0.6			
1995.....	8.0	3.1	*	*	*	*	*	0.3	0.3	0.7			
1993.....	8.0	3.7	*	*	*	*	*	*	0.3	0.5			
1992.....	7.7	3.8	*	*	*	*	*	0.3	0.5	0.8			
1991.....	7.4	5.0	*	*	*	*	*	0.3	0.4	0.7			
1990.....	7.2	2.9	*	*	*	*	*	0.2	0.5	0.9			
1988.....	7.9	5.1	*	*	*	*	*	0.3	0.5	0.8			
1986.....	8.1	6.0	*	*	*	*	*	0.2	0.3	0.5			
1980.....	6.1	5.9	0.1	0.0	1	0.1	0.1	0.3	0.7	0.8			
1979.....	5.8	5.3	0.2	0	0.1	0.1	0.1	0.2	0.5	0.3			
1996.....	0.8	8.4	1.36S	*	*	* S	*	*	*	0.4			
1995.....		8.2	0	2.6 S,	* S,	* S	*	0.3	0.4	1994.....		8.1	2.8
1993.....		8.2	0	3.1	*	*	*	*	*	0.3	0.4	1992.....	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 406

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF 1.KNOWN CAUSE (584-586,588-589)										

ALL OTHER, BOTH SEXES

1996.....	9.3	7.8	*	*	*	*	*	0.6	1.0	2.0
1995.....	9.4	7.1	*	*	*	*	*	0.6	1.2	2.1
1994.....	9.0	8.8	*	*	*	*	*	0.6	1.5	2.0
1993.....	9.6	8.3	*	*	*	*	*	0.9	1.8	2.3
1992.....	9.3	7.1	*	*	*	*	*	1.0	1.6	2.6
1991.....	9.3	6.4	*	*	*	*	*	1.1	1.5	3.4
1990.....	9.5	7.2	*	*	*	*	*	0.9	1.3	3.3
1989.....	10.5	8.4	*	*	*	*	*	0.7	2.3	3.1
1988.....	10.8	9.3	*	*	*	*	0.6	1.0	1.9	3.1
1987.....	10.5	12.2	*	*	*	*	*	0.8	2.3	2.7
1986.....	10.8	12.4	*	*	*	*	*	0.8	1.8	2.6
1985.....	11.0	12.8	*	*	*	*	*	0.9	1.9	3.6
1984.....	10.0	14.0	*	*	*	*	*	0.6	1.4	2.6
1983.....	9.4	10.4	*	*	*	*	*	0.9	1.3	2.6
1982.....	9.5	11.8	*	*	*	*	*	0.7	1.2	2.2
1981.....	9.2	11.2	*	*	*	*	*	1.1	1.2	2.7
1980.....	Tw5 11.0	0.1	0.0	0.1	0.2	0.8	1.1	1.6	2.5	
1979.....	8.5	9.5	0.1	0.2	0.1	0.2	0.7	1.0	1.6	2.4

ALL OTHER MALE

1996.....	8.8	9.4	*	*	*	*	*	*	1.2	2.7
1995.....	9.0	8.0	*	*	*	*	*	*	1.7	3.0
1994.....	8.5	10.9	*	*	*	*	*	*	2.1	2.7
1993.....	9.3	9.2	*	*	*	*	*	*	2.7	3.3
1992.....	9.2	5.9	*	*	*	*	*	*	2.2	4.2
1991.....	9.3	7.4	*	*	*	*	*	1.4	2.3	5.2
1990.....	9.3	7.5	*	*	*	*	*	*	1.8	3.8
1989.....	10.9	9.9	*	*	*	*	*	*	3.3	4.9
1988.....	10.5	8.2	*	*	*	*	*	1.3	2.6	4.6
1987.....	10.6	11.3	*	*	*	*	*	1.2	2.8	4.2
1986.....	10.9	13.8	*	*	*	*	*	*	2.1	3.9
1985.....	11.0	12.7	*	*	*	*	*	*	3.0	5.3
1984.....	10.1	16.4	*	*	*	*	*	*	1.7	3.2
1983.....	9.3	9.4	*	*	*	*	*	*	1.6	3.4
1982.....	9.6	13.1	*	*	*	*	*	*	*	2.4
1981.....	9.6	13.1	*	*	*	*	*	*	1.6	3.4
1980.....	9.9	10.9	0.1	-	0.1	0.2	0.6	1.6	2.3	3.7
1979.....	9.1	11.9	0.1	0.3	0.2	0.3	0.7	0.9	2.3	3.3

ALL OTHER FEMALE

1996.....	9.7	6.2	*	*	*	*	*	*	*	1.4
1995.....	9.8	6.1	*	*	*	*	*	*	*	1.4
1994.....	9.4	6.6	*	*	*	*	*	*	*	1.3
1993.....	9.9	7.3	*	*	*	*	*	*	1.0	1.5
1992.....	9.4	8.4	*	*	*	*	*	*	1.0	1.1
1991.....	9.2	5.4	*	*	*	*	*	*	*	1.8
1990.....	9.7	6.9	*	*	*	*	*	*	*	2.8
1989.....	10.1	6.9	*	*	*	*	*	*	1.4	1.6
1988.....	11.1	10.5	*	*	*	*	*	*	1.3	1.8
1987.....	10.4	13.2	*	*	*	*	*	*	1.9	1.4
1986.....	10.6	11.0	*	*	*	*	*	*	1.5	1.6
1985.....	10.9	12.9	*	*	*	*	*	*	*	2.2
1984.....	10.0	11.6	*	*	*	*	*	*	*	2.0
1983.....	9.4	11.4	*	*	*	*	*	*	*	1.9
1982.....	9.4	10.6	*	*	*	*	*	*	*	2.1
1981.....	8.8	9.3	*	*	*	*	*	*	*	2.0
1980.....	9.2	11.1	0.2	0.1	0.2	0.3	0.9	0.7	1.0	1.5
1979.....	8.0	7.0	0.1	0.1	0.1	0.1	0.6	1.0	1.1	1.7
BLACK, BOTH SEXES										
1996.....	11.3	10.4	*	*	*	*	*	0.8	1.2	2.6
1995.....	11.6	9.0	*	*	*	*	*	0.8	1.6	2.8
1994.....	11.1	11.0	*	*	*	*	*	0.9	2.0	2.6
1993.....	11.6	10.5	*	*	*	*	*	1.0	2.4	3.0
1992.....	11.3	8.5	*	*	*	*	*	1.2	2.0	3.4
1991.....	11.3	8.4	*	*	*	*	*	1.4	1.9	4.4
1990.....	11.5	8.3	*	*	*	*	*	1.2	1.6	4.3
1989.....	12.6	10.3	*	*	*	*	*	0.8	2.9	4.1
1988.....	13.0	10.9	*	*	*	*	0.7	1.3	2.4	4.1
1987.....	12.4	14.1	*	*	*	*	*	0.9	2.8	3.5
1986.....	12.7	14.8	*	*	*	*	*	1.0	2.1	3.4
5.....	12.9	14.5	*	*	*	*	*	1.1	7...	4.8
1983.....	10.8	12.2	*	*	*	*	*	1.1	1.4	3.1
1982.....	10.9	14.2	*	*	*	*	*	0.9	OW4	2.6
1980.....	10.8	12.5	0.1	0.0	0.1	0.2	0.8	1.3	1.8	2.9
1979.....	9.5	10.								

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 408

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF 1.KNOWN CAUSE (584-586,588-589)										

BLACK MALE

1996.....	10.7	13.0	*	*	*	*	*	*	1.6	3.5
1995.....	11.2	10.8	*	*	*	*	*	*	2.4	3.9
1994.....	10.5	13.7	*	*	*	*	*	*	2.9	3.6
1993.4.Ç	11.2	11.9	*	*	*	*	*	3.6	4.3	
1992.4.Ç.....	11.2	6.8	*	*	*	*	*	3.0	5.6	
1991.4.Ç.....	11.4	9.9	*	*	*	*	1.8	3.1	7.0	
1990.4.Ç.....	11.3	8.4	*	*	*	*	*	2.3	5.1	
19894.Ç.....	13.2	12.4	*	*	*	*	*	4.2	6.6	
19884.Ç.....	12.4	9.8	*	*	*	*	1.6	3.3	6.0	
1987.4.Ç.....	12.5	12.9	*	*	*	*	1.5	3.6	5.3	
1986.4.Ç.....	12.9	16.4	*	*	*	*	*	2.5	5.0	
1985.4.Ç.....	13.0	14.1	*	*	*	*	*	3.8	7.0	
19844.Ç.....	11.7	19.9	*	*	*	*	*	2.3	4.0	
1983.44.Ç....	10.8	11.0	*	*	*	*	*	*	4.2	
1982.44.Ç....	11.1	15.4	*	*	*	*	*	*	2.9	
1981.44.Ç....	11.1	15.2	*	*	*	*	*	2.1	4.4	
1980.44.Ç....	11.3	12.6	0.1	-	0.1	0.2	0.8	1.8	2.5	4.7
19794.Ç.....	10.0	13.5	0.1	0.3	0.2	0.3	0.8	1.0	2.8	4.0

BLACK FEMALE

1996.44.Ç....	11.9	7.8	*	*	*	*	*	*	1.8	
1995.44.Ç....	12.0	7.2	*	*	*	*	*	*	1.8	
19944.Ç..... 2	.6	8.2	*	*	*	*	*	*	1.7	
1993.444.Ç... 2	12.1	9.1	*	*	*	*	*	*	1.3	1.9
19924.Ç..... 2	11.3	10.2	*	*	*	*	*	*	*	1.5
1991.444.Ç... 2	.2	6.9	*	*	*	*	*	*	2.2	
19904.Ç..... 2	11.7	8.2	*	*	*	*	*	*	*	3.6
1989.4.Ç.....	12.1	8.1	*	*	*	*	*	*	1.8	1.9
198844.Ç.....	13.5	12.0	*	*	*	*	*	*	1.6	2.4
1987.44.Ç....	12.4	15.3	*	*	*	*	*	*	2.1	1.9
1986.444.Ç... 2	12.5	13.1	*	*	*	*	*	*	1 7.561	
1985.444.Ç... 2	12.9	14.8	*	*	*	*	*	*	*	2.9
1984.4.Ç.....	11.7	13.7	*	*	*	*	*	*	*	2.2
1983.4444.Ç..	10.8	13.4	*	*	*	*	*	*	*	2.2
1982.444.Ç... 2	10.7	13.0	*	*	*	*	*	*	*	2.4
1981.4444.Ç..	10.0	10.5	*	*	*	*	*	*	*	2.4
1980.444.Ç... 2	10.3	12.4	0.1	0	11	0	11	0.3	0.9	0.9
197944.Ç.....	9.0	7.8	0.1	0.1	-	0 1	0.7	1.2	1.3	1.9

1.2

1 4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 409

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
INFECTIONS OF KIDNEY (590)										
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.4	*	*	*	*	*	*	*	*	*
1993.....	0.4	*	*	*	*	*	*	*	*	*
1992.....	0.4	*	*	*	*	*	*	*	*	*
1991.....	0.5	*	*	*	*	*	*	*	72	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.6	*	*	*	7	*	*	*	*	*
1988.....	0.7	*	*	*	72	*	*	*	*	*
1987.....	0.7	*	*	*	*	7	*	*	72	7
1986.....	0.8	*	7	*	*	7	*	*	72	7
1985.....	0.8	*	*	7	*	*	*	7	*	7
1984.....	0.9	*	*	*	7	*	*	*	7	*
1983.....	0.9	*	*	7	72	7	*	7	*	7
1982.....	1.0	*	7	*	7	*	7	*	*	7
1981.....	1.0	*	*	7	72	7	*	7	*	7
1980.....	1.2	0.2	-	0.0	-	0.0	0.0	0.1	0.1	0.1
1979.....	1.3	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
TOTAL, MALE										
1996.....	0.2	*	*	7	*	72	7	*	7	*
1995.....	0.2	*	7	*	*	*	7	*	7	*
1994.....	0.2	*	7	*	*	7	*	*	7	*
1993.....	0.2	*	*	72	7	*	*	7	*	7
1992.....	0.3	*	*	7	*	*	7	*	*	*
1991.....	0.3	*	7	*	7	*	7	*	*	7
1990.....	0.3	*	7	*	*	7	7	*	*	7
1989.....	0.4	0....	*	*	7	*	7	*	7	*
1988.....	0.4	0	*	7	*	*	7	*	7	*
1987.....	0.5	*	7	*	72	7	*	7	*	7
1986.....	0.5	*	7	*	*	7	*	7	*	7
1985.....	0.36===	*	7	*	7	*	7	*	7	*
1984.....	0.36=	*	7	*	7	*	7	*	7	*
1983.....	0.6 ==	*	7	*	72	7	*	7	*	7
1982.....	0.7 ==	*	7	*	*	7	*	7	*	7
1981.....	0.8	*	7	*	7	0....	*	7	*	7
1980.....	0.9	0.1	-	-	-	0.0	0.0	0.1	0.1	0.1
1979.....	1.0	0.3	0.0	-	0.0	0.0	0.0	0.1	0.0	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 410

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
INFECTIONS OF KIDNEY (590)										

TOTAL, FEMALE										
1996.....	0.5	*	*	*	*	*	*	*	*	*
1995.....	0.5	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.36İ	*	*	* İ	*	*	*	*	*	*
1992.....	0.3	*	* İ	*	*	* İ	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	* İ	*
1990.....	0.7 İ	* İ	* İ	*	*	*	*	*	*	*
1989.....	0.8	*	* İ	*	*	* İ	*	*	*	* İ
1988.....	0.9 İ	* İ	*	*	*	*	* İ	*	*	*
1987.....	1.0	*	* İ	*	*	*	* İ	*	*	*
1986.....	1.1 İ	* İ	* İ	*	*	*	* İ	*	* İ	*
1985.....	1.1	*	* İ	*	*	* İ	*	*	* İ	*
1984.....	1.1 İ	* İ	*	* İ	* İ	*	*	* İ	* İ	*
1983.....	1.1 İ	*	* İ	* İ	* İ	*	* İ	*	* İ	*
1982.....	1.2 İ	* İ	* İ	*	*	* İ	*	*	*	*
1981.....	1.2 İ	*	* İ	*	*	* İ	*	* İ	*	*
1980.....	1.5	0.2 İ	-	0.0	-	0.0	0.0	0.1 İ	0.1	0.1 İ
1979.....	1.5	0.2 İ	-	0.0	-	0.1 İ	0.0	0.1 İ	0.1	0.2 İ
WHITE, BOTH SEXES										
1996.....	0.4	* İ	* İ	* İ	* İ	* İ	* İ	*	* İ	*
1995.....	0.4	* İ	F	*	* İ	* İ	* İ			
1994.....	0.4	* İ	* İ	* İ	* İ	* İ	*			
1993.....	0.4 F	* İ	* İ	* İ	* İ	* İ				
1992.....	0.4	* İ	* İ	*	*	* İ	* İ	* İ	* F	
1985.....	0.8	*	* İ	* İ	*	* İ	* İ	* İ	*	* İ
1983.....	0.9 İ	*	* İ	* İ	* İ	*	* İ	*	* İ	* İ
1980.....	1.2	0.1	-	0.0	-	0.0	0.0	0.1	0.1	0.1
1979.....	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1 İ

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 412

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
INFECTIONS OF KIDNEY (590)										
1996.....	0.3	*	*	*	*	*	*	*	*	*
1995.....	0.3	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.4	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	0 r0 r0	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....0 r	0.5	*	*	*	*	*	*	*	*	*
1987.....0	0.6	*	*	*	*	*	*	*	*	*
1986.....00 r	0.7	*	*	*	*	*	*	*	*	*
1985.....0	0.8	*	*	*	*	*	*	*	*	*
1984.....0	0.8	*	*	*	*	*	*	*	*	*
1983.....0	0.8	*	*	*	*	*	*	*	*	*
1982.....00	0.8	*	*	*	*	*	*	*	0 *	*
1981.....0	0.9	*	*	*	0 *	*	0 *	*	*	*
1980.....	1.2	0.3	-	-	-	-	0.0	0.1	0.2	0.1
1979.....0	1.2	0.5	-	-	-	0.0	0.1	0.1	0.1	0.3
ALL OTHER MALE										
1996.....0	0.2	*	*	*	*	*	*	*	*	*
1995.....00	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	0 r0 *	0 r0 *	*	*	*	0 *	*
1993.....00	0.2	*	0 *	*	*	*	*	*	0 *	*
1992.....0	0.2	0 r0 *	*	*	0 *	*	*	*	0 *	*
1991.....	0.3	*	*	*	*	0 r0 *	*	*	*	*
1990.....00	0.3	*	0 *	*	*	*	*	*	*	*
1989.....	0.4	2	0	*	*	*	*	0 r0 *	*	*
1988.....	0.4	2 *	0 *	0 *	*	02	0	*	*	*
1986.....0	0.5	*	*	0 r0 *	*	*	02	0	*	*
1985.....	0.6	*	*	02	0	*	*	0 r0 *	*	*
1984.....00	0.7	*	*	*	*	*	0 *	*	*	*
1982.....0	0.7	*	*	02 *	0 *	*	*	02 *	*	02 *
19	0.6	*	*	0 *	*	02 *	*	0 *	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 414

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
INFECTIONS OF KIDNEY (590)										

BLACK MALE

1996.....	0.2	*	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*	*
1994.....	0.3	*	*	*	*	*	*	*	*	*
1993.....	0.3	*	*	*	*	*	*	*	*	*
1992.....	0.3	*	*	*	*	*	*	*	*	*
1991.....	0.3	*	*	*	*	*	*	*	*	*
1990.....	0.4	*	*	*	*	*	*	*	*	*
1989.....	0.5	*	*	*	*	*	*	*	*	*
1988.....	0.5	*	*	*	*	*	*	*	*	*
1987.....	0.5	*	*	*	*	*	*	*	*	*
1986.....	0.6	*	*	*	*	*	*	*	*	*
1985.....	0.8	*	*	*	*	*	*	*	*	*
1984.....	0.8	*	*	*	*	*	*	*	*	*
1983.....	0.7	*	*	*	*	*	*	*	*	*
1982.....	0.8	*	*	*	*	*	*	*	*	*
1981.....	0.7	*	*	*	*	*	*	*	*	*
1980.....	1.1	0.7	-	-	-	-	-	-	-	0.2
1979.....	1.2	0.8	-	-	-	-	-	0.1	0.1	-

BLACK FEMALE

1996.....	0.4	*	*	*	*	*	*	*	*	*
1995.....	0.4	*	*	*	*	*	*	*	*	*
1994.....	0.5	*	*	*	*	*	*	*	*	*
1993.....	0.5	*	*	*	*	*	*	*	*	*
1992.....	0.5	*	*	*	*	*	*	*	*	*
1991.....	0.7	*	*	*	*	*	*	*	*	*
1990.....	0.5	*	*	*	*	*	*	*	*	*
1989.....	0.8	*	*	*	*	*	*	*	*	*
1988.....	0.6	*	*	*	*	*	*	*	*	*
1987.....	0.8	*	*	*	*	*	*	*	*	*
1986.....	1.0	0.	*	*	*	*	0.	*	*	*
1985.....	1.0	*	*	*	*	*	*	*	*	*
1984.....	0.9	*	*	*	*	*	*	*	*	*
1983.....	1.1	*	*	*	*	*	*	*	*	*
1982.....	1.0	*	*	*	*	*	*	*	*	*
1981.....	1.2	*	*	*	*	*	*	*	*	*
1980.....	1.5	-	-	-	-	-	0.1	0.2	0.5	0.1
1979.....	1.4	0.4	-	-	-	0.1	0.1	0.1	0.2	0.5

TOTAL, BOTH SEXES

[illegible]

WHITE, BOTH SEXES

1996.....	0.2	*	*	*	*	*	*	*	*
1995.....	0.2	*	*	*	*	*	*	*	*
1994.....	0.2	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*
1992.....	0.2	*	*	*	*	*	*	*	*
1991.....	0.2	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 418

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

HYPERPLASIA OF PROSTATE (600)										
BLACK, BOTH SEXES										
1996.....	0.1	*	*	*	*	*	*	†	*	*
1995.....	0.1	*	*	*	*	*	*	*	*	*
1994.....	0.1	*	*	*	*	*	*	*	*	*
1993.....	0.2	*	*	*	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*	*	*	*
1990.....	0.2	*	*	*	*	*	*	*	*	*
1989.....	0.2	*	*	*	*	*	*	*	*	*
1988.....	0.2	*	*	*	*	*	*	*	*	*
1987.....	0.2	*	*	*	*	*	*	*	*	*
1986.....	0.2	*	*	*	*	*	*	*	*	*
1985.....	0.2	*	*	*	*	*	*	*	*	*
1984.....	0.2	Y Y Y	*	*	*	*	*	Y Y	*	*
1983.....	0.2	*	*	Y Y	*	Y Y	*	Y Y	*	*
1982.....	0.3	*	*	Y Y	*	*	*	Y	Y Y	*
1981.....	0.3	*	*	Y	*	Y	*	Y	*	Y
1980.....	0.3	-	-	-	-	-	-	-	-	-
1979.....	0.4	-	-	-	-	-	-	-	-	-
BLACK MALE† ‡ §§ §§										
1996.....	0.3	*	*	Y	*	*	Y	*	Y	*
1995.....	0.2	Y	*	Y	*	*	Y	*	Y	*
1994.....	0.2	*	*	Y	*	Y	*	Y	*	*
1993.....	0.3	*	*	Y	*	Y	*	Y	*	*
1992.....	0.2	Y	*	*	*	*	Y	*	*	Y
1991.....	0.3	Y Y	*	*	*	*	*	*	Y	*
1990.....	0.3	*	*	Y	*	*	Y	*	*	Y
1988.....	0.4	*	*	*	*	Y Y	*	*	Y	*
1987.....	0.4	*	Y	*	*	Y	*	*	*	*
1986.....	0.5	*	*	Y	*	*	Y	*	*	Y
1985.....	0.4	*	Y	*	*	*	Y	*	*	Y
1984.....	0.5	*	*	Y	*	Y	*	Y	*	*
1983.....	0.5	*	*	Y	*	*	*	*	Y	*
1982.....	0.7	*	*	Y	*	*	Y	*	*	Y
1981.....	0.7	*	*	Y	*	*	Y	*	*	*
1980.....	0.7	-	-	-	-	-	-	-	-	-
1979.....	0.8	-	-	-	-	-	-	-	-	-

1989.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)											
											‡
TOTAL, BOTH SEXES‡ ‡ ‡‡ ‡‡‡ ‡‡‡											
1996.....	0.1	*	*	0.3	0.4	0.3	0.3	
1995.....	0.1	*	*	0.3	0.3	0.3	0.2 B Tj T* (1994.....	
1988.....	0.1	*	0.2	0.4	0.3	0.4	0.3	1986.....
1985.....	0.1	*	0.2	0.3	0.4	0.3	0.2 B	1984.....
1979.....	0.1	0.0	0.2	0.4	0.4	0.4	0.3	TOTAL, FEMALE ‡
1996.....	0.2	*	*	0.5	0.7	0.6	0.6	1995.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 420

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)										

†††

WHITE, BOTH SEXES†† †† ††† †††† †††										
1996.....	0.1	*	*	*	0.2	0.2	0.2
1995.....	0.1	*	*	0.2	0.2	0.2	0.1
1994.....	0.1	*	0.2	0.2	0.3	0.2	0.2
1993.....	0.1	*	*	0.2	0.2	0.2	0.2
1992..... Tc	0.1	*	*	0.2	0.2	0.3	0.1
1991.....	0.1	... 21	...	*	*	0.2	0.2	0.3	0.2	
1990.....	0.1	*	*	0.2	0.3	0.2	0.2
1989.....	0.1	*	*	0.3	0.3	0.2	0.1
1988.....	0.121	*	*	0.3	0.3	0.3	0.12	
1987.....	0.1	*	*	0.2	0.2	0.2	0.1
1986.....	0.121	...21	*	*	0.2	0.2	0.2	0.2		
1985.....	0.1	...21	...	*	*	0.2	0.3	0.2	0.2	
1984.....	0.1	*	*	*	0.3	0.3	0.2
1983.....	0.1	...22	*	*	0.2	0.3	0.2	0.2
1982.....	0.1	...21	...	*	*	0.2	0.3	0.3	*	
1981.....	0.1	...22	*	*	0.3	0.3	0.3	*
1980.....	0.1	...2	...2	...2	OR	0.12	0.2	0.3	0.3	0.2
1979.....	0.1	...2	...2	...2	0.0	0.1	0.2	0.3	0.3	0.2
WHITE FEMALE†† ††† †† ††† ††† ††††										
1996.....	0.1	...21	...	*	*	*	0.5	0.4	0.4	
1995.....	0.121	*	*	0.96..	0.5	0.3	0.3	
1994.....	0.2	...2	...2	...2	*	0.3	0.5	0.7	0.4	0.3
1993.....	0.1	...2	*	*	0.96..	0.96..	0.96..	0.3
1992.....	0.1	...2	...2	...2	*	*	0.5	0.96..	0.5	0.3
1991.....	0.2	*	*	0.96..	0.5	0.6	0.4
1990.....	0.221	*	*	0.9	0.6	0.4	0.3	
1989.....	0.221	*	*	0.5	0.6	0.5	0.3	
1988.....	0.2	...2	...2	...	*	*	0.6	0.5	0.5	0.3
1987.....	0.122	*	*	0.96..	0.96..	0.9	0.3
1986.....	0.12	*	*	0.9	0.4	0.9	0.3
1985.....	0.221	*	*	0.3	0.5	0.4	0.9	
1984.....	0.2	*	*	*	0.6	0.5	0.3
1983.....	0.2	...21	...	*	*	0.5	0.6	0.9	0.3	
1982.....	0.2	...2	*	*	0.3	0.6	0.6	*
1981.....	0.2	...2	...2	...	*	*	0.6	0.6	0.5	*
1980.....	0.221	—*	* ♀	0.6	0.6	0.9		
1979.....	0.2	...22	0.0	0.1	0.5	0.6	♀	0.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 421

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)										

‡

ALL OTHER, BOTH SEXES‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡

1996.....	0.3	*	*	0.8	1.0	0.8	0.7
1995.....	0.3	*	*	0.8	0.8	0.9	0.7
1994.....	0.3	*	*	1.1	0.6	0.5	0.7
1993.....	0.3	*	*	0.9	0.9	0.7	0.9
1992.....	0.4	*	0.6	1.0	0.7	0.9	0.8
1991.....	0.3	*	0.6	0.9	0.8	0.7	*
1990.....	0.4	*	0.6	1.0	0.7	1.3	0.8
1989.....	0.4	*	*	0.8	1.0	1.1	*
1988.....	0.4	*	0.6	0.9	0.8	0.8	1.0
1987.....	0.3	*	*	0.6	0.7	0.9	*
1986.....	0.3	*	*	0.9	0.9	0.8	*
1985.....	0.4	*	*	0.9	0.9	1.0	*
1984.....	0.4	*	*	0.9	0.8	1.1	*
1983.....	0.3	*	*	1.2	0.8	0.9	*
1982.....	0.4	*	*	0.7	1.1	0.8	*
1981.....	0.4	*	0.7	0.8	0.9	0.9	*
1980.....	0.4	-	0.6	0.9	1.2	1.3	1.1
1979.....	0.5	0.0	0.6	1.5	1.1	1.3	1.1

ALL OTHER FEMALE ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡

‡

1996.....	0.6	*	*	1.6	1.9	1.5	1.3
1995.....	0.6	*	*	1.6	1.6	1.8	1.2
1994.....	0.6	*	*	2.2	1.2	1.0	1.3
1993.....	0.7	*	*	1.8	1.8	1.4	1.7
1992.....	0.7	*	1.2	2.0	1.4	1.7	1.5
1991.....	0.6	*	1.2	1.8	1.6	1.3	*
1990.....	0.8	*	1.2	1.9	1.4	2.4	1.4
1989.....	0.7	*	*	1.6	1.8	2.1	*
1988.....	0.7	*	1.3	1.9	1.6	1.5	1.8
1987.....	0.5	*	*	1.1	1.3	1.7	*
1986.....	0.7	*	*	1.7	1.8	1.5	*
1985.....	0.7	*	*	1.8	1.7	1.9	*
1984.....	0.7	*	*	1.7	1.5	2.1	*
1983.....	0.7	*	*	2.4	1.5	1.7	*
1982.....	0.7	*	*	1.4	2.1	1.6	*
1981.....	0.7	*	1.4	1.6	1.6	1.7	*
1980.....	0.8	-	1.2	1.7	2.2	2.5	2.0
1979.....	1.0	0.1	1.2	2.8	2.0	2.3	2.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 422

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)										

†††

BLACK, BOTH SEXES†† †† ††† †††† †††

1996.....	0.4	*	*	1.0	1.3	1.0	0.8
1995.....	0.4	*	*	1.1	1.1	1.1	0.8
1994.....	0.4	*	*	1.3	*	*	0.9
1993.....	0.4	*	*	1.1	1.2	0.9	1.0
1992.....	0.4	*	0.8	1.2	0.9	1.1	0.9
1991.....	0.4	*	*	1.1	1.0	0.8	*
1990.....	0.5	*	*	1.2	0.9	1.6	0.8
1989.....	0.4	*	*	1.1	1.1	1.2	*
1988.....	0.4	*	*	1.2	0.9	1.0	1.2
1987.....	0.3	*	*	0.7	0.8	1.1	*
1986.....	0.4	*	*	1.0	1.1	1.0	*
1985.....	0.4	*	*	1.0	1.0	1.2	*
1984.....	0.4	*	*	1.1	0.9	1.2	*
1983.....	0.4	*	*	1.4	0.9	1.0	*
1982.....	0.4	*	*	0.8	1.3	*	*
1981.....	0.4	*	0.8	1.0	1.0	1.1	*
1980.....	0.5	-	0.7	1.0	1.2	1.4	1.2
1979.....	0.6	0.0	0.7	1.7	1.2	1.4	1.2

BLACK FEMALE†† ††† †† ††† ††† ††††

1996.....	0.7	*	*	2.1	2.5	1.8	1.5
1995.....	0.8	*	*	2.1	2.1	2.0	1.5
1994.....	0.7	*	*	2.7	*	*	1.7
1993.....	0.8	*	*	2.2	2.3	1.7	1.8
1992.....	0.8	*	1.5	2.4	1.8	2.1	1.6
1991.....	0.8	*	*	2.1	1.9	1.6	*
1990.....	1.0	*	*	2.4	1.7	3.0	1.6
1989.....	0.8	*	*	2.1	2.1	2.2	*
1988.....	0.8	*	*	2.3	1.6	1.8	2.2
1987.....	0.6	*	*	1.4	1.6	2.0	*
1986.....	0.8	*	*	2.0	2.1	1.8	*
1985.....	0.8	*	*	2.0	1.9	2.2	*
1984.....	0.8	*	*	2.1	1.6	2.3	*
1983.....	0.7	*	*	2.8	1.7	1.8	*
1982.....	0.7	*	*	1.6	2.4	*	*
1981.....	0.8	*	1.6	1.8	1.9	2.1	*
1980.....	0.9	-	1.3	2.0	2.3	2.6	2.3
1979..4	1.0	0.1	1.4	3.3	2.	...	2.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 423

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)										
TOTAL, BOTH SEXES										
1996.....	0.0	*	*	*	*	*	*
1995.....	0.0	*	*	* f	*	* f	*
1994.....	0.0	* f f f		* f f	*		
1993.....	0.0	*	*	*	*	*	*
1992.....	0.0 f f	* f	* f f	* f R		* f R	
1991.....	0.0	*	* f R R R	* f R R			
1990.....	0.0	* f f	*	* f R	* f R	* f R	* f R
1989.....	0.0	*	* f R	* f f	* f	* f R	* f R
1988.....	0.0	*	* f f	*	* f R	* f	
1987.....	0.0 f	* f R	* f	* f R	* f	* f	* f R
1986.....	0.0	* f	* f	* f f	* f f		
1985.....	0.0	... f R R	* f	* f	* f R	* f	* f R	
1984.....	0.0 f	...	* f R	* f R R	* f R	* f R	* f R	
1983.....	0.0	* f R	* f	*	* f	* f R	* f
1982.....	0.0	*	* f R R	* f	* f R	* f	
1981.....	0.0 R	...	* f R	*	* f R	* f R	*	* f R
1980.....	0.0	... f	-	0.0	0.1	0.1	0.1	0.1
1979.....	0.0	-	0.0	0.1	0.1	0.1	0.1
TOTAL, FEMALE										
1996.....	0.0 R	...	* f R	*	* f R	* f	* f	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 424

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)										

1996.....	0.0	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*
1990.....	0.0	*	*	*	*	*	*
1989.....	0.0	*	*	*	*	*	*
1988.....	0.0	*	*	*	*	*	*
1987.....	0.0	*	*	*	*	*	*
1986.....	0.0	*	*	*	*	*	*
1985.....	*	*	*	*	*	*	*
1984.....	0.0	*	*	*	*	*	*
1983.....	0.0	*	*	*	*	*	*
1982.....	0.0	*	*	*	*	*	*
1981.....	0.0	*	*	*	*	*	*
1980.....	0.0	-	0.0	0.0	0.1	0.0	0.0
1979.....	0.0	-	-	0.1	0.1	0.0	0.0
1996.....	0.0	*	*	*	*	*	*
1995.....	*	*	*	*	*	*	*
1994.....	0.0	*	*	*	*	*	*
1993.....	0.0	*	*	*	*	*	*
1992.....	0.0	*	*	*	*	*	*
1991.....	0.0	*	*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 425

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)										

ALL OTHER, BL O XES

1996.....	*	*	*	*	*	*	*
1995.....	0.0	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*
1992.....	0.1-Y	*	*	*	*	*	*
1990.....	0.1	*	*	*	*	*	*
1989.....	0.1-Y	...	*	*	*	*	*	*
1987.....	*-	...	*	*	*	*	*	*
1985.....	0.1	.--	*	*	*	*	*	*
1984.....	0.1-	...	*	*	*	*	*	*
1982.....	0.1-	.-	*	*	*	*	*	*
1981.....	0.1	.-	*	*	*	*	*	*
1980.....	0.1-Y	...	-	0.1	0.2	0.3	0.4	0.3

ALL OTHER FEMALE

1996.....	*-	.-Y	*	*	*	*	*	*
1995.....	0.1	.-	.-	...	*	*	*	*	*	*
1994.....	*-	.-	*	*	*	*	*	*
1993.....	0.1-	.-	*	*	*	*	*	*
1992.....	0.1	.-	.-	.-	*	*	*	*	*	*
1991.....	0.1	.-	.-	...	*	*	*	*	*	*
1990.....	0.2	.-	.-	.-	*	*	*	*	*	*
1989.....	0.1-	*	*	*	*	*	*
1988.....	0.2	.--	*	*	*	*	*	*

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)										

BLACK, BOTH SEXES

1996.....	*	*	*	*	*	*	*
1995.....	0.1	*	*	*	*	*	*
1994.....	*	*	*	*	*	*	*
1993.....	0.1	*	*	*	*	*	*
1992.....	0.1	*	*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 427

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)										

TOTAL, BOTH SEXES										
1996.....	0.1	*	*	0.2	0.3	0.3	0.3
1995.....	0.1	*	*	0.2	0.3	0.3	0.2
1994.....	0.1	*	0.2	0.4	0.3	0.2	0.2
1993.....	0.1	*	*	0.3	0.3	0.3	0.3
1992.....	0.1	*	0.2	0.3	0.2	0.3	0.2
1991.....	0.1	*	0.2	0.3	0.3	0.3	0.2
1990.....	0.1	*	0.2	0.3	0.3	0.3	0.2
1989.....	0.1	*	0.1	0.3	0.3	0.3	0.2
1988.....	0.1	*	0.1	0.3	0.3	0.3	0.2
1987.....	0.1	*	0.1	0.2	0.2	0.2	0.2
1986.....	0.1	*	0.1	0.2	0.3	0.2	0.2
1985.....	0.1	*	0.1	0.2	0.3	0.3	0.2
1984.....	0.1	*	0.1	0.2	0.3	0.3	0.2
1983.....	0.1	*	0.1	0.3	0.3	0.2	0.2
1982.....	0.1	*	0.1	0.2	0.4	0.3	0.2
1981.....	0.1	*	0.2	0.3	0.3	0.3	0.2
1980.....	0.1	-	0.2	0.3	0.3	0.3	0.3
1979.....	0.1	0.0	0.1	0.3	0.3	0.3	0.3
TOTAL, FEMALE										
1992.....	0.2	*	0.4	0.9	0.4	0.6	0.4
1990.....	0.2	*	0.4	0.	0.6	0.	0.4
1989.....	0.2	*	0.3	0.	0.96..	0.9	0.4
1988.....	0.2	*	0.3	0.6	0.	0.	0.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 428

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
0 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)											
WHITE, BOTH SEXES											T
1996.....	0.1	*	*	*	0.2	0.2	0.2	
1995.....	0.1	*	*	0.2	0.2	0.2	0.1	
1994.....	0.1	*	*	0.2	0.3	0.2	0.1	
1993.....	0.1	*	*	0.1	00U	002	0.2	
1992.....	0.1	*	*	0.2	0.2	002	*	
1991.....	0.1	*	*	0.2	00U	0.3	002	
1990.....	0.1	*	*	002	0.3	0.2	0.1	
1989.....	0.1	*	*	0.2	00U	0.2	0.1	
1988.....	001	*	*	00U	00U	002	0.1	
1987.....	0.1	*	*	0.2	0.2	002	*	
1986.....	0.1	*	*	0.1	0.2	0.2	001	
1985.....	0.1	*	*	002	002	0.1	0.2	
1984.....	0.1	*	*	*	003	0.2	0.1	
1983.....	0.1	*	*	002	0.2	002	0.2	
1982.....	0.1	*	*	0.1	0.3	0.3	*	
1981.....	0.1	*	*	0.2	0.2	0.2	*	
1980.....	0.1	-	001	0.2	002	0.3	0.2	
1979.....	0.1	0.0	0.1	002	003	0.2	0.2	
WHITE FEMALE	T	T	T	T							
1996.....	0.1	*	*	*	0.4	004	00	
1995.....	0.1	*	*	004	0.4	0.2	0.3	
1994.....	00U	*	*	0.5	0.6	004	0.2	0.3
1993.....	0.1	*	*	003	004	0.4	0.2	
1992.....	0.1	*	*	004	0.2	004	*	
1990.....	0.1	*	*	0.4	0.5	0.3	0.3	
1989.....	0.1	*	*	005	0.5	0.4	0.2	
1988.....	0.1	*	*	0.5	0.5	005	0.3	
1987.....	0.1	*	*	0.2	0.3	0.4	0.3	*
1986.....	001	*	*	002	0.3	0.2	0.3	002
1985.....	0.1	*	*	002	0.3	0.5	002	0.3
1984.....	001	*	*	*	0.5	005	003	
1983.....	0.1	*	*	0.4	005	0.3	0.3	
1982.....	001	*	*	002	0.5	0.5	*	
1981.....	0.2	*	*	005	005	005	*	
1980.....	0.2	-	0.3	004	0.5	0.5	0.3	
1979.....	0.2	0.0	0.1	0.4	0.5	004	004	

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)							
CODE, YEAR	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24
		YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)							

30-34	35-39
YEARS	YEARS

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 430

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)										
BLACK, BOTH SEXES					T T					
1996.....	0.3	*	*	0.9	1.1	0.9	0.7
1995.....	0.3	*	*	*	0.9	1.0	0.8
1994.....	0.3	*	*	1.1	*	*	0.8
1993.....	0.3	*	*	0.9	1.0	0.7	0.8
1992.....	0.4	*	*	1.1	*	0.9	*
1991.....	0.3	*	*	0.8	0.7	0.8	*
1990.....	0.4	*	*	0.9	0.8	1.2	*
1989.....	0.3	*	*	0.8	0.9	1.1	*
1988.....	0.3	*	*	0.9	*	*	*
1987.....	0.2	*	*	*	*	*	*
1986.....	0.3	*	*	0.9	0 0.PG	*	
1985.....	0.3	*	*	*	0.8	1.0	*
1984.....	0.3	*	*	0.8	*	1.1	*
1983.....	0.3	*	*	1.2	*	*	*
1982.....	0.3	*	*	PG 1.0	*	*	
1981.....	0.4	*	*	0.8	0.9	*	*
1980.....	0.4	-	0.6	0.8	0.9	0.9	0.9
1979.....	0.4	0 0	0 5	1.3	0.9	OTH 1	0 9 O
BLACK FEMALE	T	T	T	T						
1996.....	0.6	*	*	1.8	2.1	1.6	1.3
1995.....	0.6	*	*	PG 1.8	1.8	1.5	
1994.....	0.6	*	*	P 2.1	*	*	1.5
1993.....	0.6	*	*	1.7	1.9	O 1.3	1.6
1992.....	0.7	*	P	2.1	*	1.7	*
1991.....	0.6	*	PG 1.6	1.4	1.4	* P	
1990.....	0.7	*	*	1.8	1.5	2.2	*
1989.....	0.6	*	P	1.5	1.6	2.0 PG	
1988.....	0.6	*	*	P 1.8	*	*	*
1987.....	0.5	*	*	*	*	*	*
1986.....	0.6	*	*	1.7	1.7	*	* P
1985.....	0.6	*	*	P *	1.5	1.9 O	* P
1984.....	0.6	PG	* P	1.5	2.0	*	
1983.....	0.6	*	P	*	*	* P	*
1982.....	0.6	*	*	P *	1.9	O *	* P
1981.....	0.7	*	*	P 1.6	1.6	* P	*
1980.....	0.7	-	1.2	1.5	1.7	1.8	1.6
1979.....	0 8	P	0.1	1.1	2.6	1.7	2.1	1.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 431

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CONGENITAL ANOMALIES (740-759)										
TOTAL, BOTH SEXES								‡		
1996.....	4.5	169.3	4.1	1.2	1.1	1.0	1.1	1.0	0.9	1.1
1995.....	4.5	170.3	4.4	1.3	1.1	1.4	1.1	1.2	1.1	1.1
1994.....	4.6	177.1	4.5	1.3	1.0	1.2	1.3	1.1	1.1	1.1
1993.....	4.8	182.0	5.1	1.5	1.1	1.3	1.3	1.3	1.0	1.1
1992.....	4.9	186.2	5.5	1.3	1.1	1.3	1.2	1.1	1.1	1.2
1991.....	5.0	191.6	5.7	1.5	1.2	1.3	1.1	1.1	1.1	1.1
1990.....	5.3	208.8	6.0	1.6	1.1	1.3	1.4	1.1	1.1	1.2
1989.....	5.2	210.5	6.3	1.5	1.3	1.3	1.2	1.2	1.0	1.2
1988.....	5.2	216.7	6.3	1.6	1.3	1.3	1.2	1.1	1.0	1.2
1987.....	5.1	212.9	6.4	1.5	1.1	1.3	1.3	1.0	1.1	1.2
1986.....	5.3	222.8	6.2	1.5	1.2	1.4	1.2	0.9	1.0	1.1
1985.....	5.4	232.7	5.9	1.6	1.2	1.2	1.1	1.0	1.0	1.0
1984.....	5.5	239.3	6.7	1.5	1.4	1.3	1.3	1.1	1.1	1.1
1983.....	5.6	239.3	6.6	1.5	1.3	1.4	1.3	1.2	1.0	1.2
1982.....	5.9	247.6	7.6	1.8	1.5	1.4	1.3	1.2	1.1	1.2
1981.....	5.9	247.1	7.7	1.8	1.4	1.5	1.4	1.4	1.1	1.3
198ES	6.2	260.9	8.0	1.8	1.4	1.4	1.5	1.3	1.3	1.3
1979.....	6.0	260.4	8.1	1.7	1.6	1.4	1.3	1.3	1.0	1.4
TOTAL, MALE† ‡ §§ §§										
1996.....	4.8	179.0	4.1	1.5	1.3	1.2	1.2	1.1	1.0	1.2
1995.....	4.9	182.0	4.6	1.3	1.1	1.5	1.3	1.3	1.1	1.2
1994.....	4.9	181.2	4.4	1.2	1.2	1.4	1.5	1.1	1.2	1.1
1993.....	5.3	193.9	4.8	1.5	1.3	1.5	1.5	1.3	1.3	1.2
1992.....	5.3	197.4	5.8	1.3	1.2	1.7	1.4	1.3	1.1	1.4
1991.....	5.5	204.8	6.0	1.6	1.3	1.5	1.3	1.2	1.1	1.3
199ES	5.8	223.9	6.2	1.7	1.0	1.6	1.6	1.3	1.2	1.
1989.....	5.7	222.4	5.8	1.6	1.3	1.5	1.4	1.	1.1	1.3
1988.....	5.7	228.1	6.9	1.8	1.5	1.4	1.3	1.2	1.1	1.4
1987.....	5.6	223.3	6.7	1.8	1.3	1.6	1.5	1.2	1.2	1.3
1986.....	5.8	235.6	6.4	1.7	1.3	1.7	1.3	0.9	1.3	1.3
1981.....	6.4	258.3	7.8	1.7	1.5	1.8	1.6	1.6	1.3	1.4
198ES	6.8	275.0	8.5	1.9	1.4	1.5	1.7	1.5	1.6	1.4
1979.....	6.7	279.7	8.5	1.8	1.6	1.8	1.7	1.4	1.2	1.5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CONGENITAL ANOMALIES (740-759)										
TOTAL, FEMALE										
1996.....	4.1	159.1	4.1	1.0	1.0	0.8	0.9	0.9	0.8	1.1
1995.....	4.2	158.1	4.2	1.2	1.1	1.2	1.0	7.2	1.1	1.1
1994.....	4.4	172.8	4.6	1.3	0.9	1.0	7	1.2	1.2	1.0
1993.....	4.4	169.6	5.4	1.5	1.0	1.1	1.1	1.2	0.8	1.0
1992.....	4.5	174.5	5.2	1.3	1.0	0.9	1.0	1.0	1.0	1.1
1991.....	4.5	177.8	5.4	1.5	1.1	1.2	1.0	7	0.9	1.1
1990.....	4.7	192.9	5.8	1.5	1.1	0.9	7.2	1.0	0.9	0.9
1989.....	4.8	197.9	6.9	1.4	1.2	1.1	1.0	1.0	0.9	1.1
1988.....	4.8	204.7	5.7	1.4	1.1	1.1	1.1	1.1	0.9	0.9
1987.....	4.6	202.0	6.2	1.2	1.0	1.0	1.1	0.8	0.9	1.0
1986.....	4.8	209.6	6.0	1.4	1.1	1.1	1.1	0.8	0.7	0.9
1985.....	4.8	214.5	5.6	1.6	1.1	1.0	0.8	0.9	7	0.9
1984.....	5.0	227.8	6.6	1.4	1.4	1.1	1.0	0.9	7	0.9
1983.....	5.1	225.8	6.3	1.4	1.2	1.2	1.2	1.1	0.8	1.1
1982.....	5.4	237.0	7.6	1.7	1.5	1.2	1.1	1.1	0.9	1.2
1981.....	5.4	235.2	7.6	1.8	1.4	1.2	1.1	1.2	1.0	7.2
1980.....	5.5	246.2	7.5	1.7	1.4	1.2	1.2	1.0	1.1	7.2
1979.....	5.4	240.3	7.6	1.7	1.5	1.0	0.9	1.1	0.9	1.4
WHITE, BOTH SEXES										

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 433

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CONGENITAL ANOMALIES (740-759)										
WHITE MALE										
1996.....	4.7	175.1	3.9	1.4	1.2	1.3	1.2	1.1	1.1	1.1
1995.....	4.7	181.5	4.3	1.2	1.0	1.5	1.3	1.3	1.1	1.2
1994.....	4.7	179.1	3.9	1.2	1.2	1.4	1.5	1.1	1.1	1.1
1993.....	5.0	188.9	4.6	1.4	1.3	1.5	1.5	1.3	1.2	1.1
1992.....	5.0	190.8	5.4	1.2	1.2	1.6	1.4	1.3	1.0	1.4
1991.....	5.2	202.4	5.5	1.5	1.3	1.5	1.2	1.2	1.1	1.3
1990.....	5.5	221.0	5.8	1.6	1.1	1.5	1.4	1.3	1.3	1.6
1989.....	5.4	219.1	5.5	1.5	1.3	1.3	1.4	1.4	1.1	1.3
1988.....	5.4	225.1	7.0	1.6	1.6	1.3	1.3	1.2	1.1	1.3
1987.....	5.4	220.3	6.6	1.7	1.2	1.6	1.4	1.2	1.2	1.3
1986.....	5.5	231.5	6.0	1.6	1.3	1.6	1.2	0.8	1.2	1.2
1985.....	5.8	249.9	6.1	1.4	1.2	1.4	1.4	1.1	1.0	1.1
1984.....	5.8	249.8	6.8	1.5	1.5	1.4	1.5	1.2	1.1	1.1
1983.....	5.9	248.9	6.6	1.6	1.2	1.6	1.5	1.3	1.1	1.2
1982.....	6.1	255.5	7.5	1.9	1.6	1.6	1.4	1.3	1.2	1.1
1981.....	6.2	257.2	7.5	1.8	1.6	1.7	1.6	1.6	1.2	1.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 434

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CONGENITAL ABOMALIES (740-759)										
ALL OTHER, BOTH SEXES		ES	†††							
1996.....	5.0	189.6	5.6	1.5	1.5	1.0	1.1	1.2	0.7	1.3
1995.....	5.1	175.1	5.8	1.4	1.2	1.5	1.2	1.3	1.1	1.1
1994.....	5.4	186.9	6.0	1.5	1.0	1.5	1.4	1.0	1.2	1.0
1993.....	5.8	201.5	6.3	1.3	1.1	1.5	1.0	1.2	1.2	1.3
1992.....	6.2	211.8	7.6	1.5	1.4	1.2	1.1	1.0	1.3	1.4
1991.....	6.3	200.3	7.0	1.9 c	1.2	1.2	1.0	1.1	1.5	
1990.....	6.5	222.4	7.0	1.7	1.1	1.4	1.7	1.1	1.1	1.0
1989.....	6.6	226.6	7.8	1	T1.5	1.6	1.1	1.2	1.3	1.4
1988.....	6.3	226.8	1 6.6	2.0	1.2	1.4	0.9 c	1.1	1.2	1.6
1987.....	6.5	237.8	7.5	1.9	1.5	1	PG5 1 1.2	1.0	1.2	
1986.....	6.7	246.1	7.2	1.7	1.2	1.6	1	1.1	1. T1.4	
1985.....	6.5	242.1	6.6	2.2	1.2	1.4	1.0	0.8	1 1.5	1.2
1984.....	6.8	252.3	6.6	1.8	1 1.1	1.4	1. T1.7	1.	1.0	
1983.....	7.1	253.5	1 7.2	1.8	1 1. T1.	1.3	1.6	1 1.2	1.4	
1982.....	7.4	261.3	8.7	2.1 c	1.4	1.	1. T1.	1.7		
1981.....	7.3	259.6	1 9.1	1.	1.3	1.5	1.2	1.6	1 1. T1.0	
1980.....	7.8	279.9 c	9.1	1.7	1.5	1.	1.8	1.4	1.9	1.3
1979.....	7.5	272.0	8.9	2.1 c	1.	1.4	1.	1.4	1.2	1.6 1
ALL OTHER MALE†† †† ††† ††										
1996.....	5.4	195.1 c	5.0	1.8	1 1.7	1.2	1.2	1.5	*	1.4
1995.....	5.6	183.7	6.0	1.6	1.2	1.8	1.2	1.2	1.3	1.1
1994.....	5.8	189.3	6.0	1.5	1.1	1.5	1.7	1.2	1.5	*
1993.....	6.5	212.2	5.7	1.6	1.4	1.8	1 1.3	1.4	1.6	1 1.4
1992.....	6.8	222.7	7.4	1.8	1.3	1.8	1 1.2	1.2	1.6	1.5
1991.....	7.2	213.0	7.9	2.0	1	1.5	1. T1.1	1.1	1.6	1
1990.....	7.2	235.1	7.9	1.9	*	1.8	2.4	1.2	*	*
1989.....	7.3	235.1 c	7.0	1 1.7	1.4	2.4	1.3	1.6	1.5	1.7
1988.....	7.0	240.1 c	6.6	2.5	1 *	2.0	1.2	*	1.3	2.0 1
1987.....	6.9	236.8	7.2	2.3	1.7	1.6	1.7	1.3	1.3	*
1985.....	7.1	251.6	1 6.8	2.6	1 1.3	1.8	1.4	*	1.4	*
1983.....	7.9 c	267.1	8.1	1.9	1.6	1.8	1 *	1.9	*	*
1982.....	8.0	268.2	7.9	2.2	*	1.8	1 1.9	1.	2.0	*
1981.....	7.8	264.3	8.8	1 *	*	1.8	1.5	1.8	1.8	*
1980.....	8.7	292.1	9.9	1.7	1.5	1.7	2.1	1.	2. T1.4	
1979.....	8.2	289.8	1 8.3	1.9	1.3	1.9	2.0	1.2	1.	1.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 435

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CONGENITAL ANOMALIES (740-759)										
ALL OTHER FEMALE		LE ‡‡‡								
1996.....	4.7	183.9	6.3	1.2	1.2	*	*	*	*	1.2
1995.....	4.6	166.2	5.5	1.1	1.3	1.1	1.1	1.5	1.0	1.0
1994.....	5.0	184.5	6.1	1.4	*	1.4	*	*	1.R	1.R
1993.....	5.3	190.4	6.9	*	*	1.3	* 3 «	1.2		
1992.....	5.6	200.7	7.7	1.2	1.4	* 3 «	*	1.0	1.3	
1991.....	5.6	187.3	6.1	1.8	« « «	*	* 3	1.1	1.3	
1990.....	5.7	209.4	6.1	1.5	1.2	*	1.1 « «	1.2	*	
1989.....	6.R	217.8 «	8.5	1.2	1.5	*	*	* 3	1.1	*
1988.....	5.7	213.2	6.6	1.5	1.3	* 3 «	1.3	1.2	1.3	
1987.....	6.0	239.4	7.7	1.6	Y 3 «	1.3	* 3 3	ATE		
1986.....	6.R	239.R	6.3	1.6	Y 1.3	*	1.2	* 3 3Y 3ATE		
1985.....	6.R	232.4	6.3	1.9	ATE * 3 «	* 3	1.6	Y *		
1984.....	6.3	251.2	6.8	1.9	A 1.5	* 3	*	1.3	* 3 3Y	* 3
1983.....	6.3	239.6	Y 6.3	1.7	1.2	1.2	1.5	1.3	*	*
1982.....	6.8	253.5	9.5	1.9	1.6	Y *	1.2	1.4	*	*
1981.....	6.7	254.8	« 9.4	1.7	1.5	1.2	*	1.3	*	*
1980.....	7.R	267.6	Y 8.2	1.8 «	1.5	1.R	1.5	1.4	1.4	1.2
1979.....	6.8	254.R	9.6	2.3	1.5	0.9 A	1.R	1.6	1.1 «	1.7
BLACK, BOTH SEXES ‡‡ ‡‡ ‡‡‡ ‡‡										
1996.....	5.7	217.7	6.3	1.6	Y 1.7	1.1 «	1.2	1.3	0.8 «	1.6
1995.....	5.7	193.8	« 6.8 «	1.3	1.4	1.8	1.2	1.4	1.3	1.3
1994.....	6.R	204.6	7.R	1.7	1.R	1.7	1.6	1.1 «	1.4	1.2
1993.....	6.5	223.7	7.R	1.5	1.1	1.8	« 1.0	1.5	1.4	1.7
1992.....	6.8	« 232.5	8.5	1.6	1.7	1.4	1.2	1.2	1.5	1.4
1991.....	7.1	225.1	7.5	2.R	1.2	1.4	1.2	1.1	1.3	1.7
1990.....	7.1	239.8	« 7.6	1.8	1.2	1.6	Y 2.1	1.3	1.2	1.1
1989.....	7.2	240.1	8.5	1.6	1.4	1.8	« 1.2	1.4	1.6	Y 1.7
1988.....	6.8	240.2	6.8 «	2.R	1.3	1.6	1.R	1.4	1.4	1.9 A
1987.....	7.1	255.8	« 8.1	2.1	1.7	1.3	1.8 «	1.4	1.2	1.3
1986.....	7.1	259.8	7.8 «	1.7	1.4	1.8	« 1.6	Y 1.3	1.7	1.5
1985.....	7.0	259.9	6.8 «	2.4	1.3	1.6	1.1	0.9	1.9 A	1.4
1984.....	7.R	262.1	6.6	Y 1.8 «	1.2	1.5	1.4	1.8	1.7	1.1 «
1983.....	7.5	266.7	7.6	Y 2.0	1.6	1.6	1.4	1.8	1.4	1.7
1982.....	7.8	274.0	9.3	2.2	1.4	1.5	1.6	1.5	1.8 «	1.9 A
1981.....	7.6	269.2	9.6	1.6	1.3	1.6	1.2	1.8	1.6	Y 3A
1980.....	8.1	288.7	9.6	1.9 A	1.6	Y 1.5	1.8	« 1.4	2.3	1.6
1979.....	7.8	278.4	9.5	2.3	1.5	1.4	1.4	1.4	1.4	1.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 436

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CONGENITAL ANOMALIES (740-759)										
BLACK MALE										
1996.....	6.1	222.3	5.8	1.9	2.1	*	*	*	*	1.7
1995.....	6.3	204.5	6.9	1.7	*	2.2	*	*	1.7	*
1994.....	6.5	208.3	7.1	1.9	*	1.8	2.1	*	1.7	*
1993.....	7.3	233.3	6.6	1.7	1.5	2.5E	*	1.7	1.8	1.8
1992.....	7.7	247.5	8.2	1.9	1.6	2.0	*	*	2.0	1.8
1991.....	8.2	242.9	8.2	2.2	1.5	1.7	1.5	*	*	1.8
1990.....	8.1	255.2	8.5	2.0	*	2.5E	3.0	*	*	*
1989.....	8.0	250.5	7.3	2.0	*	2.5	1.5	1.9	1.9	2.2
1988.....	7.6	251.5	7.2	2.6	*	2.3	*	*	*	2.4
1987.....	7.8	261.7	7.6	2.7	2.0	1.9	2.1	1.5	*	*
1986.....	8.0	268.9	8.6	1.7	*	2.3	2.0	1.8	2.3	*
1985.....	7.7	269.9	7.0	3.0	*	2.0	1.7	*	1.8	*
1984.....	7.7	264.0	6.6	1.6	*	2.5E	2.3	2.2	2.2	*
1983.....	8.4	282.8	8.2	2.5E	1.9	2.0	*	2.2	*	*
1982.....	8.4	279.9	8.4	2.3	*	1.9	2.5E	*	2.3	*
1981.....	8.3	277.0	9.3	*	*	1.9	1.6	2.0	*	*
1980.....	9.2	303.7	10.6	1.8	1.6	2.0	2.0	1.5	3.5E	1.7
1979.....	8.6	296.2	8.7	2.8	1.5	2.0	2.0	1.0	1.7	1.9
BLACK FEMALE										
1996.....	5.3	212.9	6 M	1.3	*	*	*	*	*	1.....
1995.....	5.5E	182.9	6.6	*	1.4	*	*	1.6	*	1.4
1994.....	5.5	200.7	6.8	1.6	*	1.6	*	*	*	*
1993.....	5 M	213.7	7.3	*	*	1.....	*	*	*	1.5
1992.....	6.5E	217.1	8.7	*	1.7	*	*	*	*	*
1991.....	6.8	206.9	6 7	1.8	*	*	*	*	*	1.7
1990.....	6.2	223.9	6.8	1.5	*	*	*	*	*	*
1989.....	6.5	229.4	9.7	*	*	*	*	*	*	*
1988.....	6.8	227.8	6.4	*	*	*	*	1.6	1.4	*
1987.....	6.4	249.8	8.5	1.....	*	*	1.5	*	*	*
1986.....	6.3	250.5	6 9	1.7	*	*	*	*	*	*
1985.....	6.4	248.7	6.6	1.7	*	*	*	*	2.0	*
1984.....	6 5	260.1	6.7	2.0	1.6	*	*	*	*	*
1983.....	6.7	251.5E	7.0	1.9	*	*	1.6	1.....	*	*
1982.....	7.2	268.1	10.2	2.2	1.8	*	*	1.6	*	*
1981.....	7.0	261.3	10.0	1.8	1.7	*	*	1.6	*	*
1980.....	7.2	273.5	8.5	2.0	1.5	1.0	1.6	1.3	1.6	1.5
1979.....	7.0	259.4	10.4	2.4	1.6	0.8	0.9	1.7	1.2	1 M

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 437

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD 7760-779)										

BT											
TOTAL, BOTH SEXES	BT	BBT	BBBT	BBB							
1996..... T T .	4.9	343.7	0.4	*	*	*	*	*	*	*	
1995 T . T	5.1	346.4	0.6	0.1	*	*	*	*	*	*	
1994. T . . T .	5.6	369.9	0.7	0.1	*	*	*	*	*	*	
1993 T . . T .	5.9	381.6	0.6	*	*	*	*	*	*	*	
1992 T . . T .	6.2 S, 9.0		0.7	*	*	*	*	*	*	*	
1991 T . . T	6.7	413.6	0.9	*	*	*	*	*	*	*	
1990. T	7.1	443.0	0.9	0.1	*	*	*	*	*	*	
1989. T	7.6	481.2 S	0.9	*	*	*	*	*	*	*	
1988 T	7.5	480.1	0.9	*	*	*	*	*	*	*	
1987. T	7.5	488.0	0.8	*	*	*	*	*	*	*	
1986. T	7.7	492.6	0.9	*	*	*	*	*	*	*	
1985 T	8.1	518.3	1.0	*	*	*	*	*	*	*	
1984. T	8.0	523.0	1.0	0.1	*	*	*	*	*	*	
1983 T	8.3	525.0	0.8	*	*	*	*	*	*	*	
1982 T	9.0	567.6	0.6	*	*	*	*	*	*	*	
1981. T	9.4	596.3	0.6	*	*	*	*	*	*	*	
1980. T	10.1	643.7	0.7	0.1	0.0	0.0	0.0	0.0	0.0	-	
1979 T	10.4	680.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
TOTAL, MALE BT BBB BT BBB BBT BBB BB											
1996. T	5.6	375.0	0.6	*	*	*	*	*	*	*	
1995 T	5.9	381.5	0.6	*	*	*	*	*	*	*	
1994. T	6.4	406.8	0.8	*	*	*	*	*	*	*	
1993 T	6.7	417.7	0.8	*	*	*	*	*	*	*	
1992 T	7.1	427.1	0.8	*	*	*	*	*	*	*	
1991 T	7.8	460.5	1.1	*	*	*	*	*	*	*	
1990. T	8.3	492.3	1.2	*	*	*	*	*	*	*	
1989. T	8.7	526.5	1.2 S, ,	*	*	*	*	*	*	*	
1988. T	8.7	534.9	1.1	*	*	*	*	*	*	*	
1987. T	8.9	546.1	1.0	*	*	*	*	*	*	*	
1986 T	9.0	552.8	1.1	*	*	*	*	*	*	*	
1985 T	9.6	583.4	1.3	*	*	*	*	*	*	*	
1984. T	9.3	577.0	1.2	*	*	*	*	*	*	*	
1983 T	9.7	586.1	1.0	*	*	*	*	*	*	*	
BT											
1981. T	11.0	*6 T* 4	0.7	*	*	*	*	*	*	*	
1980. T	11.9	718.8	0.7	0.0	0.0	0.0	0.0	-	0.0	-	
1979 T	12.2 S, 757.4		0.7	0.0	0.0	0.0	0.0	0.0	-	0.0	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 438

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD 7760-779)										

BT

TOTAL, FEMALE	BT	BBT	BBBT	BBB
1996..... T T .	4.3	310.9	*	*
1995 T . T	4.4	309.4	0.5	*
1994. T . . T .	4.8	331.2	0.6	*
1993 T . . T .	5 0	343 7	0.4	*
1992 T . . T .	5 8	349.8	0.7	*
1991. T	5.6	364.5	0.8	*
1990. T	6.0	391.5	0.6	*
1989. T	6.5	433 6	0.6	*
1988 T	6.2	422 7	0.7	*
1987. T	6.3	427.1	0.7	*
1986. T	6.4	429.7	0.7	*
1985 T	6.7	450.4	0.6	*
1984. T	6.8	466.5	0.9	*
1983 T	6.9	460.9	0.6	*
1982 T	7.5	498.5	0.5	*
1981. T	7.9	526.8	0.4	*
1980. T	8.4	565 1	0.6	0.1
1979 T	8.7	600.4	0.5	0.0

WHITE, BOTH SEXESBT BBB BT BBB BBT BBB BBBT

1996. T	3 6	261.7	0.8	*	*	*	*	*	*	OFO	*	OHI5	T
1994. T	4.0	278.2	0.5	OFO	*	*	*	*	*	*	*	*	
1993 T	4.1	283 2	0.5	O	*	O	*	*	*	*	*	*	
1992 T	4.8	286.8	0.5	O	*	O	*	*	*	O	*	*	
1991. T	4.7	315 0	0.7	*	O	*	*	*	*	*	*	*	
1990. T	5 0	331.9	0.7	*	*	*	*	*	*	*	*	*	
1989. T	5 4	365 8	0.7	*	*	OFO	*	*	*	O	*	O	
1988. T	5.4	367.7	0.7	*	*	O	*	O	*	*	*	*	O
1987. T	5.6	378.7	0.7	*	*	*	O	*	*	*	*	*	
1986. T	5 8	389.8	0.8	OFO	*	*	*	*	O	*	O	*	
1985 T	6.3	418.4	0.7	*	*	*	*	*	*	*	*	*	
1984. T	6.2	423 9	0.8	O	*	O	*	*	*	*	*	*	
1983 T	6.4	427.3	0.6	*	*	O	*	O	*	O	*	*	O
1982 T	7.0	465.3	0.5	*	*	O	*	*	*	O	*	*	
1981. T	7.4	489.6	0.5	O	*	O	*	*	*	*	*	*	
1980 T	7.9	55-2.2	0.6	0.1	0.0	0.0	0.0	0.0	-	0.0	-	-	
1979 T	8.8	564.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

3 7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, SEX, AND YEAR: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

PLATE 1 OF 2 PG. 439

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
1996.....	4.1	284.7	0.4	*	*	*	*	*	*	*
1995.....	4.4	298.8	0.4	*	*	*	*	*	*	*
1994.....	4.5	305.8	0.6	*	*	*	*	*	*	*
1993.....	4.7	309.3	0.6	*	*	*	*	*	*	*
1992.....	4.9	313.5	0.6	*	*	*	*	*	*	*
1991.....	5.5	351.2	0.8	*	*	*	*	*	*	*
1990.....	5.9	372.6	0.9	*	*	*	*	*	*	*
1989.....	6.3	404.0	1.0	*	*	*	*	*	*	*
1988.....	6.4	415.2	0.8	*	*	*	*	*	*	*
1987.....	6.6	424.2	0.8	*	*	*	*	*	*	*
1986.....	6.9	438.4	1.0	*	*	*	*	*	*	*
1985.....	7.5	477.5	1.0	*	*	*	*	*	*	*
1984.....	7.3	472.9	0.9	*	*	*	*	*	*	*
1983.....	7.6	481.5	0.8	*	*	*	*	*	*	*
1982.....	8.3	521.2	0.5	*	*	*	*	*	*	*
1981.....	8.7	548.8	0.6	*	*	*	*	*	*	*
1979.....	9.8	634.7	0.7	0.0	0.0	0.0	0.0	0.0	-	0.0
WHITE FEMALE			-	-	-					
1996.....	3.1	237.4	*	*	*	*	*	*	*	*
1995.....	3.1	234.5	0.4	*	*	*	*	*	*	*
1994.....	3.4	249.1	0.4	*	*	*	*	*	*	*
1993.....	3.5	255.7	*	*	*	*	*	*	*	*
1992.....	3.7	258.8	0.5	*	*	*	*	*	*	*
1991.....	3.9	276.9	0.6	*	*	*	*	*	*	*
1990.....	4.2	289.0	0.5	*	*	*	*	*	*	*
1989.....	4.6	324.5	0.4	*	*	*	*	*	*	*
1988.....	4.5	317.6	0.7	*	*	*	*	*	*	*
1987.....	4.6	331.0	0.6	*	*	*	*	*	*	*
1986.....	4.8	338.9	0.6	*	*	*	*	*	*	*
1985.....	5.1	356.3	0.4	*	*	*	*	*	*	*
1984.....	5.2	372.6	0.7	*	*	*	*	*	*	*
1983.....	5.3	370.0	0.5	*	*	*	*	*	*	*
1982.....	5.8	406.4	0.5	*	*	*	*	*	*	*
1981.....	6.1	427.1	*	*	*	*	*	*	*	*
1980.....	6.5	458.4	0.6	0.1	-	-	0.0	-	0.0	-
1979.....	6.8	489.1	0.4	0.0	0.0	-	0.0	0.0	0.0	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 440

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD 7760-779)										

BT

ALL OTHER, BOTH SEXESBT BT BBT BBBT BBB

1996.....	11.2	671.5	0.8	*	*	*	*	*	*	*
1995.....	11.9	631.5	1.2	*	*	*	*	*	*	*
1994.....	13.5	706.3	1.36 ^U	*	*	*	* ^U	*	*	*
1993.....	14.36 ^U	745.3	1.3	*	* ^U	*	*	* ^U	*	*
1992.....	15.6	772.8	1.5 ^U	*	*	*	* ^U	*	*	*
1991.....	16.7	750.3	1.7 ^U	*	*	*	* ^U	*	*	*
1990.....	17.9	867.7	1.8	* ^U	* ^U	* ^U	* ^U	* ^U	* ^U	*
1989.....	19.0	925.2	1.7 ^U	*	* ^U	*	*	*	*	*
1988.....	18.3	931.4	1.5 ^U	*	* ^U	*	*	* ^U	*	*
1987.....	18.2	940.3	1.3	* ^U	* ^U	* ^U	* ^U	*	* ^U	*
1986.....	17.9	932.2	1.4	*	* ^U	*	*	*	*	*
1985.....	18.4	953.1	2.0	* ^U	* ^U	* ^U	* ^U	* ^U	*	*
1984.....	18.3	957.9	1.9 ^U	* ^U	* ^U	*	*	*	*	*
1983.....	18.9 ^U	957.2	1.5	*	* ^U	* ^U	* ^U	*	*	*
1982.....	20.4	1,025.0	0.8	*	*	*	*	* ^U	*	* ^U
1981.....	21.5	1,081.1	1.2 ^U	* ^U	* ^U	* ^U	* ^U	* ^U	* ^U	*
1980.....	23.3	1,161.36 ^U	1.1	0.1	0.0	-	-	0.0	-	-
1979.....	24.0	1,229.5	0.7 ^U	0.0	-	79.1	- 7	- 7	-	0.1

ALL OTHER MALE BT BBB BT BBB BBT BBB BB

1996.....	13.1	739.9 ^U	1.3	*	* ^U	* ^U	*	*	* ^U	* ^U
1995.....	13.7 ^U	684.3	1.3	*	*	*	* ^U	* ^U	* ^U	*
1994.....	15.9	780.9	1.7	*	* ^U	*	* ^U	* ^U	*	*
1993.....	17.1	822.3	1.7 ^U	* ^U	* ^U	*	* ^U	* ^U	* ^U	*
1992.....	18.3	857.9	1.6 ^U	* ^U	*	*	* ^U	* ^U	*	*
1991.....	19.8	838.0	2.1	*	*	*	* ^U	* ^U	* ^U	*
1990.....	21.0	955.3	2.4	*	* ^U	* ^U	* ^U	* ^U	* ^U	*
1989.....	21.8	1,002.0	2.0	* ^U	* ^U	*	* ^U	* ^U	*	*
1988.....	21.4	1,021.9	2.2 ^U	*	* ^U	*	* ^U	*	* ^U	* ^U
1986.....	21.4	1,048.5	1.7 ^U	*	* ^U	* ^U	* ^U	* ^U	* ^U	* ^U
1985.....	21.3	1,051.9	2.5	* ^U	* ^U	* ^U	* ^U	* ^U	* ^U	*
1984.....	21.1	1,042.4	2.2	*	* ^U	* ^U	* ^U	*	* ^U	* ^U
1983.....	22.1	1,055.9	1.9	* ^U	*	*	*	* ^U	* ^U	* ^U
1982.....	24.2	1,143.0	* ^U	* ^U	* ^U	* ^U	*	* ^U	*	* ^U
1981.....	25.1	1,189.6 ^U	*	* ^U	*	*	* ^U	*	*	* ^U
1980.....	27.2	1,278.9	1.3	-	0.1	-	-	-	-	-
1979.....	27.9	1,344.9	0.7	0.1	-	79.1	- 7	-	- 7	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 441

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD 7760-779)										

BT

ALL OTHER FEMALE	BT	BT	BBT	BBBT	BBB
1996.....	9.5	601.1	*	*	*
1995.....	10.2	577.0	*	*	*
1994.....	11.3	629.3	1.5	*	*
1993.....	12.2	665.8	*	*	*
1992.....	13.1	685.3	1.5	*	*
1991.....	13.8	660.0	*	*	*
1990.....	15.1	777.8	*	*	*
1989.....	16.4	846.4	1.4	*	*
1988.....	15.5	838.6	*	*	*
1987.....	14.9	820.6	*	*	**
1986.....	14.7	813.0	*	*	*
1985.....	15.5	852.4	1.5*	* 0	*
1984.....	15.7	871.6	1.6	*	*
1983.....	16.0	856.5	*	*	*
1982.....	17.0	901.8	*	*	*
1981.....	18.3	970.9	*	**0	*
1980.....	19.8	1,042.8	0.8	0.1	-
1979.....	20.6	1,112.1	0.7	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 442

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD 7760-779)										

BT

BLACK MALEBT BT BBT BBBB BBB

1996..... T T .	16.5	943.3	*	*	*	*	*	*	*	*
1995 T . T	17.4	859.6	*	*	*	*	*	*	*	*
1994 T . . T . . .	19.9	973.1	1.9	*	*	*	*	*	*	*
1993. T . . T . .	21.7	1,029.4	2.1	*	*	*	*	*	*	*
1992 T . . T . .	23.1	1,070.7	1.7	*	*	*	*	*	*	*
1991. T	25.2	1,070.6	2.6	*	*	*	*	*	*	*
1990. T	26.1	1,156.5	2.7	*	*	*	*	*	*	*
1989. T	26.7	1,199.4	2.5	*	*	*	*	*	*	*
1988 T	26.3	1,232.3	2.6	*	*	*	*	*	*	*
1987. T	26.0	1,248.8	2.0	*	*	*	*	*	*	*
1986. T	25.6	1,241.8	2.0	*	*	*	*	*	*	*
1985 T	25.6	1,240.2	2.7	*	*	*	*	*	*	*
1984 T	24.7	1,222.1	2.2	*	*	*	*	*	*	*
1983. T	25.8	1,235.5	2.3	*	*	*	*	*	*	*
1982 T	27.9	1,324.2	*	*	*	*	*	*	*	*
1981. T	28.8	1,359.3	*	*	*	*	*	*	*	*
1980. T	30.7	1,432.4	1.6	-	-	-	-	-	-	-
1979 T	31.1	1,484.2	0.7	0.1	-	0.1	-	-	-	-

BLACK FEMALEBBT BBB BT BBB BBT BBB BB

1996. T	11.8	767.5	*	*	*	*	*	*	*	*
1995 T	12.7	718.0	*	*	*	*	*	*	*	*
1994 T	14.1	787.1	1.8	*	*	*	*	*	*	*
1993. T	15.3	830.8	*	*	*	*	*	*	*	*
1992 T	16.3	854.6	1.8	*	*	*	*	*	*	*
1991. T	17.1	830.8	*	*	*	*	*	*	*	*
1990. T	18.6	937.3	*	*	*	*	*	*	*	*
1989. T	19.8	1,012.6	*	*	*	*	*	*	*	*
1988. T	18.6	998.6	*	*	*	*	*	*	*	*
1987. T	17.9	9-	4	*	*	*	*	*	*	*
1986. T	17.4	957.1	*	*	*	*	*	*	*	*
1985 T	18.2	1,002.6	*	*	*	*	*	*	*	*
1984 T	18.2	1,021.7	1.9	*	*	*	*	*	*	*
1983 T	18.4	999.3	*	*	*	*	*	*	*	*
1982 T	19.5	1,047.4	*	*	*	*	*	*	*	*
1981. T	20.8	1,110.2	*	*	*	*	*	*	*	*
1980. T	22.0	1,158.7	0.8	0.2	-	-	-	0.1	-	-
1979 T	22.7	1,227.7	0.7	-	-	-	-	-	-	0.1

TOTAL, BOTH SEXES

1987.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)

PLATE 1 OF 2 PG. 444

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
TOTAL, FEMALE										
1996.....	0.6	43.2	*	*	*	*	*	*	*	*
1995.....	0.7	46.4	*	*	*	*	*	*	*	*
1994.....	0.7	50.2	*	*	*	*	*	*	*	*
1993.....	0.8	56.5	*	*	*	*	*	*	*	*
1992.....	0.9	61.8	*	*	*	*	*	*	*	*
1991.....	1.1	68.1	*	*	*	*	*	*	*	*
1990.....	1.2	79.7	*	*	*	*	*	*	*	*
1989.....	1.4	96.0	*	*	*	*	*	*	*	*
1988.....	1.4	92.4	*	*	*	*	*	*	*	*
1986.....	1.5	104.1	*	*	*	*	*	*	*	*
1985.....	1.7	113.0	*	*	*	*	*	*	*	*
1984.....	1.7	118.3	*	*	*	*	*	*	*	*
1983.....	1.8	119.7	*	*	*	*	*	*	*	*
1982.....	2.1	138.8	*	*	*	*	*	*	*	*
1981.....	2.3	150.7	*	*	*	*	*	*	*	*
1980.....	2.6	177.3	0.2	0.0	-	-	-	-	-	-
1979.....	2.8	193.4	0.1	0.0	0.0	-	0.0	0.0	-	0.0
WHITE, BOTH SEXES										
1996.....	0.6	42.5	*	*	*	*	*	*	*	*
1995.....	0.6	46.0	*	*	*	*	*	*	*	*
1994.....	0.7	50.1	*	*	*	*	*	*	*	*
1992.....	0.9	59.1	*	*	*	*	*	*	*	*
1991.....	1.0	69.3	*	*	*	*	*	*	*	*
1990.....	1.2	78.5	0.2	*	*	*	*	*	*	*
1989.....	1.5	97.9	0.2	*	*	*	*	*	*	*
1988.....	1.4	93.8	0.2	*	*	*	*	*	*	*
1987.....	1.5	98.9	*	*	*	*	*	*	*	*
1986.....	1.6	109.0	0.2	*	*	*	*	*	*	*
1985.....	1.9	124.0	0.2	*	*	*	*	*	*	*
1984.....	1.8	125.7	0.2	*	*	*	*	*	*	*
1983.....	1.9	129.5	0.2	*	*	*	*	*	*	*
1982.....	2.3	149.6	*	*	*	*	*	*	*	*
1980.....	2.8	188.8	0.2	0.0	0.0	0.0	-	-	-	-
1979.....	3.0	204.3	0.2	0.0	0.0	0.0	0.0	0.0	-	-

1981.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 445

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)										

WHITE MALE

1996.....	0.7	49.7	*	*	*	*	*	*	*	*
1995.....	0.8	53.0	*	*	*	*	*	*	*	*
1994.....	0.9	58.0	*	*	*	*	*	*	*	*
1993.....	0.9	59.6	*	*	*	*	*	*	*	*
1992.....	1.1	66.9	*	*	*	*	*	*	*	*
1991.....	1.3	82.8	*	*	*	*	*	*	*	*
1990.....	1.5	91.1	*	*	*	*	*	*	*	*
1989.....	1.8	115.8	*	*	*	*	*	*	*	*
1988.....	1.7	111.7	*	*	*	*	*	*	*	*
1987.....	1.8	120.1	*	*	*	*	*	*	*	*
1986.....	2.0	125.9	*	*	*	*	*	*	*	*
1985.....	2.3	148.3	*	*	*	*	*	*	*	*
1984.....	2.3	148.1	*	*	*	*	*	*	*	*
1983.....	2.4	154.5	*	*	*	*	*	*	*	*
1982.....	2.8	174.0	*	*	*	*	*	*	*	*
1981.....	3.0	191.4	*	*	*	*	*	*	*	*
1980.....	3.5	223.3	0.2	0.0	0.0	0.0	-	-	-	-
1979.....	3.7	239.2	0.2	0.0	-	0.0	0.0	0.0	-	-

WHITE FEMALE

1996.....	0.5	34.8	*	*	*	*	*	*	*	*
1995.....	0.5	38.6	*	*	*	*	*	*	*	*
1994.....	0.6	41.9	*	*	*	*	*	*	*	*
1993.....	0.6	45.4	*	*	*	*	*	*	*	*
1992.....	0.7	51.0	*	*	*	*	*	*	*	*
1991.....	0.8	55.2	*	*	*	*	*	*	*	*
1990.....	0.9	65.2	*	*	*	*	*	*	*	*
1989.....	1.1	79.1	*	*	*	*	*	*	*	*
1988.....	1.1	75.0	*	*	*	*	*	*	*	*
1987.....	1.1	76.7	*	*	*	*	*	*	*	*
1986.....	1.3	91.2	*	*	*	*	*	*	*	*
1985.....	1.4	98.4	*	*	*	*	*	*	*	*
1984.....	1.4	102.1	*	*	*	*	*	*	*	*
1983.....	1.5	103.0	*	*	*	*	*	*	*	*
1982.....	1.8	123.9	*	*	*	*	*	*	*	*
1981.....	1.9	132.4	*	*	*	*	*	*	*	*
1980.....	2.2	152.5	0.2	0.0	-	-	-	-	-	-
1979.....	2.3	167.4	0.1	0.0	0.0	-	0.0	0.0	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 446

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)										

ALL OTHER, BOTH SEXES

1996.....	1.5	89.6	*	*	*	*	*	*	*	*
1995.....	1.7	89.2 E	*	* E E	* E	*	* E	*	*	*
1994.....	1.9	97.3	* E	*	* E	*	* E	*	* E	*
1993.....	2.2 E	114.5 E E	* E E	* E E	* E E	* E E	*	*	*	*
1992.....	2.4	120.7 E E	*	* E	* E E	* E	*	* E	*	*
1991.....	3.0	134.3 E E	*	*	*	* E	* E E	*	*	*
1990.....	3.4	166.6 E E	* E E	* E	* E	*	*	* E	*	*
1989.....	4.1	198.1	*	* E	*	*	*	* E	*	* E
1988.....	3.5 E	180.4	* E	* E	* E	* E	*	*	* E E	*
1987.....	3.7 E	190.3	* E	*	* E	*	*	* E	*	* E
1986.....	3.8	197.4	*	* E	* E	* E	* E	*	* E	* E
1985.....	4.1	213.7	* E	* E E	* E	* E	* E	* E	* E	* E
1984.....	4.2 E	218.3 E	*	* E E	* E	* E	*	* E	* E	* E
1983.....	4.3 E	218.9 E E	* E	* E	*	*	* E	* E	* E	* E
1982.....	5.0	253.7 E E	* E	*	* E	* E	* E	* E	* E	* E
1981.....	5.6	281.6	*	* E	*	* E	* E	*	* E	* E
1980.....	6.5 E	326.1	0.3 E	-	-	-	-	-	-	-
1979.....	7.2 E	367.6 E	0.1	-	-	0.0	-	-	-	0.1

ALL OTHER MALE

1996.....	1.8	102.8	* E	*	* E	* E	*	* E	* E	*
1995.....	2.1	103.7 E	*	* E	* E	* E	*	*	* E	* E
1994.....	2.3 E	113.8 E E	* E	* E	*	*	* E	* E	* E	*
1993.....	2.7 E	131.5	* E	* E E	* E	*	* E	* E	* E	*
1992.....	3.0	138.8	* E	* E E	* E	* E	* E	* E	* E	*
1991.....	3.7 E	156.2	* E	* E	*	* E E	* E	*	* E	*
1990.....	4.3	198.0 E E	* E	*	* E	* E	* E	*	* E	*
1989.....	5.1	235.4 E E	* E	* E E	* E	* E	*	* E	*	*
1988.....	4.2	198.9	* E	* E	* E	* E	*	* E	*	* E
1987.....	4.5 E	220.6	* E	* E E	* E	* E	* E	* E	*	*
1986.....	4.8	235.5 E	* E	*	* E	* E	*	* E	* E	*
1985.....	5.1	251.3 E	* E	* E E	* E	* E	* E	* E	*	*
1984.....	5.0	247.5 E	*	* E	* E	* E	* E	* E	* E	* E
1983.....	5.1	245.0 E E	* E	* E	* E	* E	*	* E	*	*
1982.....	6.4	301.5 E E	* E	* E	*	* E	* E	* E	* E	*
1981.....	7.0	329.9 E E	* E	* E	* E	* E E	* E	* E	* E	*
1980.....	7.7 E	363.4	0.4	-	-	-	-	-	-	-
1979.....	8.7 E	421.1	0.2	-	-	0.1	-	-	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 447

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)										

ALL OTHER FEMALE

1996.....	1.2	76.1	*	*	*	*	*	*	*	*
1995.....	1.3	74.2	*	*	*	*	*	*	*	*
1994.....	1.4	80.4	*	*	*	*	*	*	*	*
1993.....	1.8	97.0	*	*	*	*	*	*	*	*
19923.°	2.0	102.1	*	*	*	*	*	*	*	*
1991.3.°....	2.4	111.8	*	*	*	*	*	*	*	*
1990.3.°....	2.6	134.4	*	*	*	*	*	*	*	*
19893.°....	3.1	15939	*	*	*	*	*	*	*	*
19883.°....	3.0	161.4	*	*	*	*	*	*	*	*
1987.3.°....	2.9	15937	*	*	*	*	*	*	*	*
19863.°....	2.9	158.4	*	*	*	*	*	*	*	*
1985.3.°....	3.2	175.3	*	*	*	*	*	*	*	*
1984..3.°....	3.4	18834	*	*	*	*	*	*	*	*
1983.3.°....	3.6	19232	*	*	*	*	*	*	*	*
1982.3.°....	3.9	204.2	*	*	*	*	*	*	*	*
1981.33.°....	4.4	232.5	*	*	*	*	*	*	*	*
1980.33.°....	5.5	28832	0.1	-	-	-	-	-	-	-
19793.°....	5.8	313.1	-	-	-	-	-	-	-	0.1

BLACK, BOTH SEXES

199633.°....	1.8	112.0	*	*	*	*	*	*	*	*
19953.°....	2.1	108.3	*	*	*	*	*	*	*	*
1994..33.°..	2.3	121.7	*	*	*	*	*	*	*	*
1993.33.°....	2.8	143.5	*	*	*	*	*	*	*	*
1992.33.°....	3.0	14935	*	*	*	*	*	*	*	*
1991.333.°..	3.7	170.6	*	*	*	*	*	*	*	*
1990.333.°..	4.2	198.5	*	*	*	*	*	*	*	*
198933.°....	4.9	233.3	*	*	*	*	*	*	*	*
1988.3.°....	4.2	212.6	*	*	*	*	*	*	*	*
1987.33.°....	4.4	22632	*	*	*	*	*	*	*	*
1986333.°....	4.4	228.3	*	*	*	*	*	*	*	*
1985.33.°....	4.8	24938	*	*	*	*	*	*	*	*
1984..333.°.	4.8	251.3	*	*	*	*	*	*	*	*
1983.333.°..	4.9	251.6	*	*	*	*	*	*	*	*
1982.333.°..	5.8	290.4	*	*	*	*	*	*	*	*
1981.3333.°.	633	317.7	*	*	*	*	*	*	*	*
19803.°....	7.3	361.1	0.3	-	-	-	-	-	-	-
197933.°....	7.9	400.6	0.1	-	-	0.0	-	-	-	0.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 448

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)										

BLACK MALE

1996.....	2.2	127.6	*	*	*	*	*	*	*	*
1995.....	2.6	128.8	*	*	*	*	*	*	*	*
1994.....	2.9	142.4	*	* EDEDE	*	*	*	*	* E	*
1993.....	3.5	165.8	* EDE	*	*	*	*	*	*	* E
1992.....	3.7	172.3.5TD	*	*	* E	* EDE	* E	* E	*	*
1991.....	4.6	198.8	* E	* TD	*	*	* E	*	*	*
1990.....	5.3	236.6	* E	* TD	*	*	*	* E	*	*
1989.....	6.2	275.9 TD	*	* E	*	* E	* TD	*	*	*
1988.....	5.0	234.7	* E	* TEDE	*	* TEDE	* EDE	* T	*	*
1987.....	5.4	261.0	* E	* EDE	*	* TD	* EDE	*	*	*
1986.....	5.6	273.	EDE	*	* E	* TE	* E	* E	* E	* E
1985.....	6.0	291.7 TD	* E	* E	* TE	* E	* E	* E	* T	*
1984.....	5.8	284.6 EDE	* TD	* E	* E	* E	* E	* E	*	*
1983.....	5.9	280.6	* E	* TE	*	* E	* E	* E	* T	* E
1982.....	7.3	344.7 TD	* E	* E	* TE	* E	* E	* E	* T	*
1981.....	7.9 T	372.	E	* E	*	* TEDE	* TEDE	* TE	* E	*
1980.....	8.7 T	403.0	0.3.5T	-	-	-	-	-	-	-
1979.....	9.6	457.7 T	0.	E	-	-	0.1	-	-	-

BLACK FEMALE

1996.....	1.3	96.1 EDE	* TE	* E	*	* E	* TE	* E	*	*
1995.....	1.6	87.4	* TE	* TE	* E	* TE	* T	* TE	*	* TE
1994.....	1.8	100.4	* E	* TE	* E	*	* TE	* E	* EDE	*
1993.....	2.	E 120.4	* E	* E	* T	* E	*	* TE	* E	*
1992.....	2.4	125.9 TD	* E	* TE	*	* E	* TE	* TE	*	*
1991.....	2.9 T	141.6	* E	* TE	* E	*	* E	* TE	* T	* T
1990.....	3.	159.6	* E	* TE	*	* TE	* TE	* EDE	* TE	*
1989.....	3.7 T	190.0	* E	* TE	*	* E	* TE	* TD	* E	*
1988.....	3.5	189.3 EDE	* TE	* TE	* E	* E	*	* E	* TE	*
1987.....	3.5	190.7 T	* E	* TD	* E	* E	* TD	* E	*	*
1986.....	3.3 E	182.3.5T	* E	* TEDE	* TE	* E	* TEDE	* TE	*	*
1985.....	3.7 T	206.3 E	* E	* E	* E	* TE	* E	* TE	* E	* E
1984.....	3.9 T	217.3.5T	* E	* E	* E	* TD	* E	* T	*	*
1983.....	4.1 E	222.0	* E	* TEDE	* TE	* T	*	* E	* TE	*
1982.....	4.4	235.6 E	* E	* TE	* E	* TE	* E	* TE	* TE	* E
1981.....	4.9 T	262.4 TD	* E	*	* TE	* E	* TE	* E	* TE	*
1980.....	6.0	318.7	0.1 E	-	-	-	-	-	-	-
1979.....	6.3	341.0	-	-	-	, AN	-	-	-	0.1 E

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 450

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)										

TOTAL, FEMALE ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	3.7	267.7	*	*	*	*	*	*	*	*
1995.....	3.7	263.0	0.4	*	*	*	*	*	*	*
1994.....	4.0	281.0	0.5	*	*	*	*	*	*	*
2 S93.....	4.2	287.2	0.3	*	*	*	*	*	*	*
1992.....	4.4	287.4	0.5	*	*	*	*	*	*	*
21991.....	4.5	296.4	0.36 0.	* 0.	*	*	*	*	*	*
1990.....	4.8	311.7	0.5	*	*	*	*	0.	*	*
1989.....	5.1	337.36	0.5	*	0.	*	*	*	*	*
1988.....	4.9	330.2	0.5 0.	* 0.	*	*	*	*	*	*
1987.....	4.9	334.1	0.36	*	*	*	*	*	*	*
1986.....	4.8	325.6	0.5	*	*	*	*	*	*	*
1985.....	5.0	337.4	0.5	*	*	*	*	*	*	*
21984.....	5.1	348.1	0.6 0.	* *	*	*	*	*	*	*
21983.....	5.1	341.2	0.5	*	*	*	*	*	*	*
1982.....	5.4	359.7	0.3	*	*	*	*	*	*	*
1981.....	5.6	376.0	0.4	*	*	*	*	*	*	*
21980.....	5.8	387.8	0.4	0.0	-	-	0.0	0.0	0.0	-
1979.....	5.9	406.9	0.4	0.0	-	0.0	-	-	0.0	0.0
2 WH DE, BOTH SEXES ‡ ‡ ‡ ‡ ‡ ‡ ‡										
21996.....	3.0	219.2	0.2	*	*	*	0.	*	*	*
1995.....	3.1	221.5	0.3 0.	* *	*	*	*	*	*	*
21994.....	3.2	228.0	0.4	*	*	*	*	*	*	*
21993.....	3.3	230.5	0.4	*	*	*	*	*	*	*
2 S92.....	3.4	227.7	0.4	*	*	*	*	*	*	*
1991.....	3.7	245.6	0.36	*	*	*	*	0.	*	*
1989.....	4.0	267.4	0.5	*	*	*	*	*	*	*
21988.....	4.0	273.8	0.6	*	*	*	*	*	*	*
1987.....	4.1	279.8	0.7	*	*	0.	*	*	*	*
21986.....	4.2	280.9	0.36	*	*	*	*	*	*	*
1985.....	4.4	294.5	0.5	*	*	*	*	*	*	*
1984.....	4.4	298.2	0.3	*	*	*	*	*	*	*
1983.....	4.5	297.8	0.5	*	*	*	*	*	*	*
1982.....	4.8	315.7	0.3	*	*	*	*	*	*	*
21981.....	4.9	326.9	0.3	*	*	*	*	*	*	*
1980.....	5.1	341.3	0.4	0.0	-	0.0	0.0	-	0.0	-
1979.....	5.3	359.7	0.4	0.0	0.0	-	0.0	-	0.0	0.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 452

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)										
†										
ALL OTHER, BOTH SEXES† ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	9.7	581.8	0.7	*	*	*	*	*	*	*
1995.....	10.2	542.4	0.9	*	*	*	*	*	*	*
1994.....	11.6	609.0	1.4	*	*	*	*AG	*	*	*
1993.....	12.3	630.8	1.0AG	*A	*	*	*AG	*	*	*
1992.....	13.1	652.1	1.2	*	*	*	*	*A	*	*
1991.....	13.7	616.0A	1.4	*A	*	*	*AG	*A	*	*
1990.....	14.5	701.1	1.6AG	*A	*	*	*AG	*A	*	*
1989.....	14.9	727.1	1.3	*	*	*	*AG	*	*A	*
1988.....	14.8	751.0	1.2AG	*AG	*A	*	*AG	*	*	*
1987.....	14.5	750.0	1.0	*A	*	*	*A	*A	*	*
1986.....	14.1	734.8	1.2AG	*A	*	*A	*	*	*	*
1985.....	14.3	739.4	1.8	*	*A	*A	*A	*	*A	*A
1984.....	14.1	739.7	1.5	*	*A	*	*A	*A	*A	*
1983.....	14.6	738.3	1.0	*	*	*A	*A	*A	*	*A
1982.....	15.4	771.4AG	*A	*	*A	*	*	*A	*	*
1981.....	15.9	799.5	0.9AG	*A	*A	*	*A	*	*	*
1980.....	16.8	835.6	0.8	0.1	0.0A	-	-	0.0A	-	-
1979.....	16.9	861.9	0.6	0.0A	-	0.0A	-	16	-	-
16										
ALL OTHER MALE ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	11.3	637.1AG	*A	*	*A	*A	*AG	*A	*	*
1995.....	11.6A	580.9A	*	*A	*	*A	*	*A	*	*
1994.....	13.5	6*7.1A	1.4	*A	*A	*A	*A	*	*A	*A
1993.....	14.4	*90.8	1.4	*A	*A	*A*	*A	*	*
1992.....	15.3	719.1AG	*A	*A	*AG	*A	*A	...*	*	*
1991.....	16.1	681.8	1.8	*	*AG	*A*AG	*	*	*
1990.....	16.6	757.3	2.2	*	*	*	*A	*	*	*
1989.....	16.7	76*.6	1.5	*	*A	*	*A	*A	*A	*
1988.....	17.2	823.0	1.8	*	*A	*	*	*A	*A	*A
1987.....	17.2	839.0AG	*A	...*	*A	*A	...*AG	*A	*	*
1986.....	16.6	813.0A	1.5	*A	*A	*	*AG	*A	...*	*
1985.....	16.5	800.6	2.2A	*	*A	*	*A	*	*	*
1984.....	16.1	794.9	1.7	*	*A	*A	*A	*	*A	*
1983.....	17.0	810.9A	*	*A	*	*A	*	*	*A	*A
1982.....	17.8	841.5	*A	...*A	*	*A	*A	*A	*	*
1981.....	18.1	859.8	*A	*A	*A	*A	*A	*A	*	*A
1980.....	19.5	915.5	0.9A	-	0.1	-	0.1	0	-	-
1979.....	19.2	923.8	0.5	0.1A0.1	0.1 0	- 0.1 0	-	- 0	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)										

ALL OTHER FEMALE ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	8.2	525.0	*	*	*	*	*	*	*	*
1995.....	8.9	502.7	*	*	*	*	*	*	*	*
1994.....	9.9	548.9	1.4	*	*	*	*	*	*	*
1993.....	10.5	568.8	*	*	*	*	*	*	*	*
1992.....	11.1	583.2	1.3	*	*	*	*	*	*	*
1991.....	11.5	548.2	*	*	*	*	*	*	*	*

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 454

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)										

BLACK MALE ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	14.3	815.7	*	*	*	*	*	*	*	*
1995.....	14.7	730.8	*	*	*	*	*	*	*	*
1994.....	17.0	830.7	1.7	*	*	*	*	*	*	*
1993.....	18.2	863.6	1.8	*	*	*	*	*	*	*
1992.....	19.4	898.1	*	*	*	*	*	*	*	*
1991.....	20.5	871.7	2.3	*	*	*	*	*	*	*
1990.....	20.8	919.9	2.5	*	*	*	*	*	*	*
1989.....	20.6	923.5	1.9	*	*	*	*	*	*	*
1988.....	21.3	997.6	2.2	*	*	*	*	*	*	*
1987.....	20.6	987.8	*	*	*	*	*	*	*	*
1986.....	20.0	968.6	*	*	EL *	E				
1985.....	19.6	948.6	2.4	*	*	*	*	*	*	*
1984.....	18.9	937.5	*	*	*	*	*	*	*	*
1983.....	19.9	954.9	*	*	*	E *	E	*	*	*
1982.....	20.7	979.5	*	*	*	*	*	*	*	*
1981.....	20.9	987.0EL	*	*	*	*	E	*		
1980.....	22.1	1,029.4	1.0E	-	-	-	-	-	-	-
1979.....	21.5	1,026.5	0.5	0.1	-	-	-	-	-	-
BLACK FEMALE ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡ ‡										
1996.....	10.3	671.4	*	*	*	*EL	*	*	*	*
1995.....	11.2	630.6EL	*	*	*	*	*	*	*	*
1994.....	12.3	686.8	1.6	*	E	*	*EL	*		
1993.....	13.0	710.4	*	*	*	*	*	*	*	*
1992.....	CK 3.9	728.7	*	*E	*	*	*	*	*	*
1991.....	14.1	689.2EL	*	*	*	*	*	*	*	*
1990.....	15.4	777.6EL	*	*	*	*	*	*E		
1989.....	16.1	822.7	*	*EL	*	*	*	*E		
1988.....	15.1	809.3	*	*E	*	*	*	*E	*	E
1987.....	14.4	788.6	*	*E	*	*E	*	E	*	*E
1986.....	14.0	774.5	*	*EL	*EL	*E				
1985.....	14.4	796.3	*	*	*	E	*	*E	*	
1984.....	C	14.3	804.2	*	*	*	*E	*	*E	*
1983.....	14.3	777.2E	*	*	*	*	*E	*	E	*
1982.....	15.1	811.9	*	*E	*	*	*	*	*E	*
1981.....	15.9	847.7	*	*E	*	*	*E	*	*E	*
1980.....	16.0	840.1	21..7	0.2	-	-	0.1	-	-	-
1979.....	16.4	886.7	0.7	-	-	-	-	-	-	-

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 455

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)											
TOTAL, BOTH SEXES											
1996.....	9.9	103.0	1.8	0.4	0.5	1.4	2.4	2.7	3.5	4.5	
1995.....	10.4	113.8	2.0	0.5	0.6	1.6	2.6	3.4	4.4	5.5	
1994.....	9.7	127.7	1.7	0.4	0.4	1.3	2.2	2.7	3.6	4.7	
1993.....	10.3	144.5	1.9	0.5	0.5	1.2	2.2	2.9	4.1	5.1	
1992.....	9.2	145.9	1.7	0.3	0.4	1.2	2.2	2.9	3.8	4.4	
1991.....	9.7	156.3	2.2	0.4	0.4	1.3	2.3	3.4	4.1	5.1	
1988.....	12.7	172.6	2.1	0.5	0.5	1.6	2.9	4.3	5.5	6.5	
1987.....	12.9	165.7	2.1	0.5	0.4	1.4	3.1	4.5	6.0	6.6	
1986.....	13.1	163.2	2.2	0.3	0.5	1.5	2.8	3.6	5.1	5.2	
1985.....	13.0	161.6	2.0	0.3	0.4	1.4	2.3	3.6	4.4	4.6	
1984.....	12.6	164.4	1.8	0.3	0.3	1.3	2.2	3.0	4.1	3.9	
1983.....	12.7	162.4	2.1	0.4	0.4	1.3	2.4	3.4	3.7	4.0	
1980.....	12.7	172.3	2.2	0.4	0.4	1.4	2.7	3.4	3.5	3.8	
TOTAL, MALE											
1996.....	10.3	119.7	2.0	0.4	0.6	1.8	3.3	3.6	4.7	6.1	
1995.....	11.1	130.9	2.1	0.6	0.7	2.3	3.7	4.7	6.0	7.4	1994.....
1992.....	10.1	171.6	1.8	0.3	0.5	1.5	3.1	3.9	5.5	6.1	
1991.....	10.9	186.3	2.5	0.4	0.4	1.7	3.2	4.5	6.0	7.4	
1990.....	11.2	193.7	1.9	0.3	0.6	1.8	3.3	4.8	6.1	7.9	
41987.....	14.8	194.5	2.2	0.6	0.5	1.8	4.2	6.2	8.4	9.3	
1986.....	15.0	192.9	2.4	0.5	0.6	1.8	3.7	5.0	7.6	7.4	
41984.....	14.6	194.4	1.9	0.3	0.4	1.6	2.9	4.2	5.6	5.5	
41982.....	15.2	190.0	2.2	0.5	0.6	2.1.3	.8	5.4	6.4	6.0	
1981.....	15.4	192.5	2.5	0.6	0.5	1.8	3.5	5.2	5.3	5.8	41979.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 456

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)										
TOTAL, FEMALE										
1996.....	9.5	85.5	1.6	0.4	0.5	1.0	1.5	1.8	2.4	3.0
1995.....	9.7	96.0	1.9	0.4	0.4	1.0	1.5	2RE	2.8	3.6
1994.....	9.1	104.2 /24	0.3	0.4	0.8	1.5	1.8	2.2 /	3.0	
1993.....	9.4	114.8	1.8	0.6	0.4	1.0	1.3	1.7	2.5	3.0
1992.....	8.3	119.1	1.5	0.3	0.3	0.9	1.3	1.8	2.2	2.7
1991.....	8.5	124.8	1.9	0.3	0.4	0.9	1.3	2.3	2.3	2.8
1990.....	8.3	129.6	1.7	0.2 /	0.3	0.9	1.6	2R1	2R7	3.1
1989.....	9.3	138.0	1.8	0.4	0.5	1.1	1.6	2.6	2.8	3.3
1988.....	11.1	143.1	1.8	0.4	0.4	1.1	1.9	2.7	3.0	4.0
1987.....	11.1	135.6	2.1	0.4	0.4	1RE	1.8	2.7	3.6	3.9
1986.....	11.2 /	132.1	2.0	*	0.4	1.2 /	1.9	2.3	2.7	3.1
1985.....	11.0	128.2 /	1.6	0.3	0.4	1.2 /	1.6	2.2 /	2.8	2.4
1984.....	10.7	133.0	1.8	0.3	*	1.0	1.5	1.7	2.7	2.4
1983.....	10.8	137.2 /	1.9	0.3	0.3	1.0	1.5	2.3	2.4	2.6
1982.....	10.7	134.4	1R7	0.3	0.3	1.3	1	1 2.5	2.4	2.8
1981.....	10.5	136.3	1.7	0.3	0.4	1.2	2.0	2.4	2.6	3.0
1980.....	10.6	145.....	9	0.5	0.4	1.0	1.8	2.0	2.3	2.7
1979.....	10RE	142.4	2.1	0.3	0.3	1.2	1.7	1.7	2.6	2.9
WHITE, BOTH SEXES										
1996.....	9.6	81.8	1.6	0.3	0.5	1.2 /	2.1	2.5	3.1	4.0
1995.....	10.0	94.8	1.7	0.5	0.5 /24	2.4	3.1	3.9	5.0	
1994.....	9.2	104.2 /	1.3	0.3	0.3	1.0	1.9	2.3	3.1	4.1
1993.....	9.6	118.5	1.5	0.4	0.5	1RE	1.8	2.5	3.4	4.2
1992.....	8.4	119.6	1.4	0.2 /	0.3	1.0	1.9	2.3	3.2	3.6
1991.....	8.8	131.4	1.9	0.3	0.4	1.1	1.8	2.7	3.4	4.0
1990.....	8.7	133.1	1.4	0.2	0.3	1.2 /	2.1	2.7	3.5	4.1
1989.....	9.9	141.2 /	1.5	0.4	0.5 /	1.2	2.2 /	3.3	4.1	4.9
1988.....	11.7	144.....	8	0.3	0.4	1R4	2.5	3.7	4..	4.8
1987.....	11.8	139.7	1.7	0.4	0.4	1.3	2.5	3.7	4.6	5.0
1986.....	11.9	138.0	1.8	0.3	0.4	1.4	2.6	3.1	4.2 /	4.1
1985.....	11.8	137.6	1.6	0.3	0.3	1.3	2.1	2	1 3.5	3.6
1984.....	11.4	139.3	1.5	0.2 /	0.3	1.2 /	1.9	2.5	3.4	3.0
1983.....	11.2	133.8	1.6	0.4	0.3	1.3	2.1	3.1	3.0	3.2 /
1982.....	11.3	135..	1.6	0.3	0.4	1.6	2.5	3.4	3.5	3.4
1981.....	11.2	138.3	1.5	0.4	0.4	1R4	2.5	3.2	2.9	3.4
1980.....	10.7	140.4	2.0	0.3	0.4	1R4	2.3	2. 1.78	2.7	
1979.....	10.3	135.8	1.7	0.3	0.3 /24	2.2 /	2.5	2.7	2R9	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

PLATE 1 OF 2 PG. 457

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
WHITE MALE											
1996.....	9.7	96.4	1.8	0.3	0.5	1.6	3.0	3.4	4.1	5.5	
1995.....	10.4	110.6	1.6	0.5	0.6	1.9	3.3	4.4	5.5	6.8	
1994.....	9.4	123.9	1.6	0.5	0.4	1.3	2.4	3.2	4.3	5.7	
1993.....	10.1	142.9	1.6	0.4	0.6	1.1	2.6	3.6	4.9	6.1	
1992.....	9.0	144.4	1.5	*	0.4	1.2	2.6	3.2	4.6	5.0	
1991.....	9.8	164.9	2.1	0.3	0.4	1.4	2.5	3.5	4.9	5.9	
1990.....	9.7	163.4	1.6	*	0.4	1.6	2.8	3.9	5.0	6.0	
1989.....	11.2	171.1	1.6	0.3	0.5	1.5	3.1	4.5	6.0	7.1	
1988.....	12.8	173.7	2.0	0.3	0.5	1.9	3.5	5.1	6.1	6.8	
1987.....	13.3	167.3	1.7	0.6	0.4	1.6	3.6	5.2	6.7	7.1	
1985.....	13.5	169.9	1.8	0.3	0.3	1.5	2.7	4.2	4.8	5.4	
1984.....	12.9	1+0.3	1.5	*	0.4	1.4	2.6	3.5	4.7	4.1	
1983.....	12.9	156.6	1.7	0.5	0.3	1.6	2.8	4.1	4.0	4.2	
1982.....	13.2	161.2	2.0	0.4	0.5	2.0	3.4	4.7	5.0	4.4	
1981.....	13.3	165.9	1.7	0.4	0.5	1.8	3.1	4.5	4.0	4.4	
1980.....	12.6	166.0	2.3	0.3	0.4	1.7	3.2	3.9	3.7	3.5	
1979.....	12.3	163.0	1.8	0.3	0.4	1.7	3.1	3.6	3.4	3.5	WHITE FEMALE
1996.....	9.5	66.4	1.4	0.3	0.4	0.8	1.2	1.7	2.1	2.6	
1994.....	8.9	83.6	1.1	*	0.3	0.7	1.3	1.5	1.8	2.4	
1993.....	9.0	92.7	1.4	0.5	0.3	0.9	1.0	1.3	1.9	2.3	1992.....
1991.....	7.8	96.1	1.6	0.3	0.3	0.9	0.9	1.9	1.8	2.2	
1990.....	7.6	101.1	1.2	*	*	0.8	1.4	1.6	2.0	2.1	1989.....
1988.....	10.5	113.4	1.6	0.4	0.3	0.9	1.4	2.2	2.2	2.8	1987.....
1986.....	10.4	107.7	1.6	*	0.3	1.0	1.6	1.8	2.1	2.4	1985.....
1984.....	9.8	106.8	1.5	*	*	0.9	1.3	1.4	2.1	1.8	
1983.....	9.7	109.7	1.4	0.3	*	0.8	1.4	2.1	2.0	2.2	1982.....
1981.....	9.2	109.3	1.3	*	0.3	1.1	1.8	1.9	1.9	2.3	
1980.....	8.9	113.5	1.6	0.3	0.3	1.0	1.5	1.6	2.0	1.9	
1979.....	8.4	106.9	1.6	0.2	0.3	1.1	1.3	1.4	2.1	2.3	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 458

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)										

ALL OTHER, BOTH SEXES

1996..... T T .	11.1	187.8	2.7	0.6	0.7	2.1	3.6	3.4	5.3	6.9
1995. T . T . .	12.2	182.6	3.1	0.7	0.7	2.6	3.5	4.8	6.4	8.0
1994. T . . T .	12.3	213.7	3.0	0.6	0.7	2.4	3.8	4.3	5.9	8.1
1993. T . . T .	14.0	240.7	.4 36	0.7 .	0.8	2.0	3.6	4.7	7.5	9.7
1992 T . . T .	13.0	244.8	2.8	0.5	0.7	2.2	3.8	5.5	7.0	8.5
1991. T	14.2	241.3	3.5	0.6	0.7	1.9	4.4	6.6	7.8	10.3
1990. T	15.2	274.6	336	*	0.9	1.8	4.1	6.8	8.8	13.0
1989. T	16.3	288.7	3.9	1.1	0.8	2.1	4.1	7.4	10.3	13.4
1988. T	18.0	286.2	3.2	1.0	0.8	2.3	4.6	7.7	11.6	16.0
1987. T	18.9	273.5	4.0	0.8	0.8	2.1	5.4	8.4	12.9	15.4
1986 T	19.3	271.0	4.0	*	0.9	2.2	3.9	6.6	10.2	12.0
1985. T	19.8	264.3	3.7	*	*	2.1	3.4	7.2	9.4	10.2
1984. T	19.7	274.7	3.3	*	*	1.1	3.6	5.5	8.1	10.1
1983. T	21.1	289.2	4.4	*	0.8	1.7	3.9	5.3	7.36	9.3
1982 T	22.1	284.3	.4 35	1.0	0.8	2.4	5.0	6.9	9.8	11.0
1981. T	22.6	286.5	4.7	1.0	0.8	1.9	4.6	6.8	10.0	11.0
1980. T	24.9	317.7	3.6	1.0	0.8	1.1	4.8	7.1	7.4	11.0
1979 T	24.9	343.4	3.8	0.5	0.6	2.2	5.2	7.3	9.2	10.9

ALL OTHER MALE

1996. T	13.0	213.9	2.7	*	*	2.4	4.6	4.3	7.36	9.0
1995. T	14.6	205.2	.4 38	1.0	*	3.7	5.1	6.2	8.5	10.5
1994. T	15.1	247.2	3.4	*	*	.4 36	5.0	5.8	8.2	10.9
1993. T	17.3	284.0	3.6	*	*	2.5	4.7	6.4	10.36	13.8
1992. T	15.7	274.1	3.1	*	*	2.9	5.4	7.6	9.8	11.8
1991. T	16.9	260.3	4.1	*	*	2.8	6.0	9.2	11.7	15.6
1990. T	18.8	311.1	3.2	*	1.2	2.3	5.9	9.6	12.2	18.6
1989. T	20.5	331.7	4.0	1.5	*	2.1	5.4	9.7	15.6	21.6
1988. T	22.0	311.6	3.5	96.	*	2.6	5.36	10.7	16.9	22.8
1987. T	23.0	309.3	4.2	*	*	2.6	7.33	11.8	18.0	22.7
1986. T	23.6	304.3	4.2	*	*	2.0	4.7	9.0	15.0	18.2
1985. T	24.2	298.3	4.2	*	*	2.3	4.1	9.2	13.2	15.4
1984. T	24.1	302.4	3.7	*	*	2.2	4.4	8.0	11.0	15.2
1983. T	25.3	320.6	4.8	*	*	1.8	5.3	7.4	11.0	14.3
1982. T	26.9	320.2	3.2	*	*	2.36	6.2	9.5	15.4	17.0
1980 T	29.7	347.5	3.8	1.0	0.9	2.3	6.4	10.1	11.5	14.6
1979 T	30.1	380.5	3.3	0.3	0.6	2.7	7.1	11.4	13.0	14.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 459

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)											
ALL OTHER FEMALE											
1996... T T T .	9.4	161.0	2.7	*	*	1.7	2.6	2.5	3.4	5.0	
1995. T . T . . .	10.0	159.4	2.5	*	*	1.4	2.0	3.5	4.4	5.7	
1994. T . . T .	9.8	179.1	2.6	*	*	1.2	2.6	2.9	3.9	5.6	
1993. T . . T .	11.0	196.0	3.2	*	*	1.5	2.5	3.1	4.9	6.1	
1992. T . . T	10.5	213.9	2.5	*	*	1.5	2.3	3.5	4.5	5.6	
1991 T . . T	11.6	221.7	2.9	*	*	*	2.8	4.2	4.4	5.7	
1990. T	11.9	237.1	3.7	*	*	1.3	2.3	4.2	5.8	8.2	
1989. T	12.4	244.7	3.7	*	*	2.1	2.8	5.3	5.5	6.3	
1988 T	14.3	260.3	3.0	*	*	2.0	3.7	5.0	6.8	10.2	
1987. T	15.1	237.5	3.8	*	*	1.6	3.6	5.4	8.4	9.2	
1986. T	15.4	235.3	3.8	*	*	2.3	3.2	4.4	6.0	6.8	
1984. T	15.7	246.3	2.8	*	*	1.4	2.9	3.3	5.6	5.7	
1983. T	17.2	257.1	4.0	*	*	1.5	2.5	3.4	4.4	5.0	
1982. T	17.8	250.2	3.7	*	*	2.3	3.8	4.6	5.0	5.8	1981. T
1979. T	20.2	305.7	4.4	0.6	0.5	1.6	3.4	3.7	5.9	6. 2.9	
BLACK, BOTH SEXES											
1996. T	13.8	231.9	3.3	0.6	0.9	2.3	4.2	4.2	6.8	8.8	
1995. T	15.0	221.7	3.7	0.9	0.8	2.9	4.2	6.1	8.0	9.8	
1994. T	15.0	251.8	3.6	0.7	0.8	2.9	4.6	5.2	7.2	10.2	
1993. T	17.1	287.3	4.2	0.8	1.0	2.5	4.4	5.6	9.4	12.1	
199 1.5 T	15.7	289.1	3.1	*	0.9	2.6	4.6	6.6	9.0	10.8	
1991. T	17.0	290.0	4.1	*	0.8	2.2	5.2	7.9	10.0	13.3	1990. T
1989. T	19.4	323.2	4.4	1.2	1.0	2.2	4.8	8.9	12.7	16.8	1988. T
1987. T	22.4	310.2	4.6	0.8	*	2.3	6.1	9.7	16.2	19.4	
1986 T	22.9	308.3	4.6	*	1.0	2.5	4.5	7.8	12.8	15.1	
1985. T	23.2	294.1	4.0	*	*	2.3	4.0	8.5	11.8	12.5	
1984. T	23.1	312.6	3.5	*	*	1.9	4.2	6.1	9.9	12.5	
1983. T	24.4	323.1	4.8	*	0.8	1.7	4.3	6.5	8.9	11.3	
198 1.5 T	25.2	315.5	4.1	0.9	0.8	2.4	5.6	7.6	11.8	13.3	
1980. T	28.0	346.3	4.0	1.0	0.	2.0	5.1	8.0	8.8	13.0	1979. T

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR
 SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

PLATE 1 OF 2 PG. 460

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BLACK MALE										
1996.....	16.1	260.9	3.5	*	*	2.8	5.3	5.1	9.5	11.5
1995.....	18.1	250.6	4.7	*	*	4.4	6.2	7.6	10.5	13.1
1994.....	18.3	292.7	3.9	*	*	4.5	6.2	6.9	9.9	13.8
1993.....	21.2	339.5	4.4	*	*	3.2	5.6	7.6	12.9	17.4
1992.....	19.0	323.3	3.5	*	*	3.4	6.4	9.0	12.4	15.2
1991.....	20.5	311.1	4.8	*	*	3.4	7.2	10.8	14.8	19.9
1990.....	22.3	353.6	3.9	*	*	2.6	6.8	10.7	14.7	23.4
1989.....	24.5	368.3	4.6	1.6	*	2.5	6.5	11.6	19.2	27.6
1988.....	26.3	353.5	4.3	1.6	*	3.0	6.2	12.8	20.3	29.7
1987.....	27.5	349.8	4.9	*	*	2.9	8.2	13.5	22.7	29.1
1986.....	28.2	347.9	5.0	*	*	2.3	5.4	10.7	18.9	22.9
1985.....	28.4	330.8	4.5	*	*	2.5	4.7	10.6	16.6	19.2
1984.....	28.4	346.4	3.8	*	*	2.3	5.2	8.8	13.3	19.5
1983.....	29.5	361.9	5.2	*	*	1.9	5.8	9.0	13.2	17.7
1982.....	30.9	354.2	4.0	*	*	2.3	7.0	10.5	18.5	20.7
1981.....	31.0	344.1	6.6	*	*	1.4	5.7	10.3	15.5	18.7
1980.....	33.5	379.2	4.1	0.9	0.7	2.5	6.8	11.3	13.7	17.7
1979.....	33.4	407.3	3.4	0.4	0.7	2.7	7.9	12.3	15.0	17.7
BLACK FEMALE										
1996.....	11.6	202.2	3.1	*	*	1.9	3.1	3.3	4.4	6.5
1995.....	12.2	192.0	2.6	*	*	*	2.2	4.7	5.7	7.0
1994.....	12.0	209.6	3.2	*	*	*	3.2	3.7	4.8	7.0
1993.....	13.4	233.4	4.0	*	*	1.7	3.2	3.9	6.3	7.4
1992.....	12.7	254.0	2.7	*	*	1.8	3.0	4.4	6.0	7.0
1991.....	13.9	268.3	3.4	*	*	*	3.2	5.2	5.7	7.6
1990.....	14.3	276.8	4.0	*	*	1.6	2.6	5.4	6.7	10.4
1989.....	14.7	277.34	31	*	*	1.9	3.3	6.4	7.0	7.5
1988.....	17.0	298.3	3.1	*	*	2.0	4.4	5.9	8.2	13.0
1987.....	17.8	269.8	4.3	*	*	1.7	4.1	6.3	10.5	11.1
1986.....	18.2	268.0	4.2	*	*	2.6	3.6	5.3	7.5	8.5
1985.....	18.6	255.7	3.4	*	*	2.1	3.3	6.6	7.6	6.9
1984.....	18.3	278.3	3.1	*	*	1.6	3.3	3.7	6.9	6.7
1983.....	19.8	283.6	4.3	*	*	1.5	2.8	4.2	5.2	5.9
1982.....	20.2	276.34	31	*	*	2.5	4.4	5.0	6.1	7.2
1981.....	20.3	284.6	3.9	*	*	1.8	3.7	5.1	7.3	8.2
1980.....	23.1	313.0	3.8	1.0	0.7	1.5	3.6	5.1	4.6	9.1
1979.....	22.2	320.3	4.8	0.6	0.6	1.5	3.7	4.1	7.1	7.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 461

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER DISEASES (RESIDUAL)										
TOTAL, BOTH SEXES										
1996.....	84.3	35.5	5.2	2.4	2.5	4.0	5.5	7.2	10.1	15.4
1995.....	81.5	34.0	5.3	2.3	3.0	4.2	5.7	7.0	10.4	16.0
1994.....	78.3	35.0	5.2	2. B	2.8	4.3	5.2	7.2	10.7	15.6
1993.....	75.9	38.2	5.9	2.7	3.0	4.2	5.3	7.3	10.4	16.2
1992.....	70.9	37.9	5.8	2.6	2.9	4.2	5.3	7.4	10.4	16. B
1991.....	70.5	43.0	5.8	2.9	3.0	4.2	5.3	7.1	10.4	16.2
1990.....	69.5	41.9	5.8	2.9	3.0	4.2	5.2	7.2	10.9	15.9
1989.....	69.5	42.1	6.1	2.8	3.3	4. B	5.8	7. B	11.7	16.
1988.....	68.7	44.2	6.1	2.8	2.7	4.1	5.5	7.8	11.9	17.7
1987.....	66.3	44.3	6.0	2.8	2.6	4.2	5.6	7.6	12.0	17.3
1986.....	65.8	45.6	6.	2.6	3.2	4.	6.	11.4	19.2	23.8
1985.....	62.9	49.2	6.9	3.0	3.0	4.4	5.9	9.9	15.9	20.0
1984.....	58.3	50.3	6.7	3.1	3.2	4.6	6.0	8. B	12.6	16.
1983.....	55.6	51.6	7.3	3.3	3.0	5.0	5.8	8.3	11.7	15.0
1982.....	51.8	49.8	7.2	3.4	3.1	4.8	5.9	7.9	10.8	14.1
1981.....	51.3	54.0	8.0	3.4	3.3	5.0	6.2	8.4	11.0	15.3
1980.....	50.9	59.3	7.6	3.9	3. B	5.1	6.7	8.6	11.7	16.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 462

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
---	-------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

ALL OTHER DISEASES (RESIDUAL)

TOTAL, FEMALE												
1996.....	93.7	30.1	4.8	2.0	2.4	3.1	4.8	6.0	8.1	12.2		
1995.....	89.6	30.8	4.8	2.1	3.0	3.3	4.8	6.1	8.0	12.1		
1994.....	85.4	30.0	4.9	2.1	2.5	3.5	4.4	6.1	8.4	11.7		
1993.....	82.1	34.4	5.5	2.5	2.7	3.4	4.3	5.9	8.2	12.5		
1992.....	75.6	32.1	5.7	2.4	2.7	3.2	4.6	5.8	8.2	11.9		
1991.....	74.9	37.2	5.7	2.8	2.6	3.5	4.5	5.6	8.1	12.2		
1990.....	73.6	36.5	5.1	2.4	3.0	3.4	4.4	5.9	8.5	11.3		
1989.....	72.8	36.7	5.4	2.9	3.0	3.5	5.0	6.4	8.4	11.2		
1988.....	71.3	39.5	5.6	2.9	2.6	3.1	4.3	6.6	8.5	11.7		
1987.....	68.4	39.7	5.5	2.6	2.5	3.3	4.8	6.2	8.5	12.2		
1986.....	64.9	39.7	5.9	2.5	2.7	3.7	4.7	7.1	10.1	12.6		
1985.....	62.3	45.0	6.5	2.9	2.5	3.6	4.6	6.7	9.7	12.2		
1984.....	57.9	43.9	6.2	2.9	2.9	3.9	4.8	6.6	8.4	11.6		
1983.....	54.7	47.4	6.6	3.2	3.0	4.0	4.6	6.6	8.4	11.4		
1982.....	50.9	43.1	7.1	3.5	2.8	3.9	5.1	6.0	8.3	10.6		
1981.....	49.9	47.2	7.3	3.2	3.5	4.2	5.2	7.0	8.9	11.8		
1980.....	48.7	52.5	6.9	4.0	3.3	4.2	5.5	6.5	9.4	13.0		
1979.....	45.2	55.2	7.6	3.8	3.3	3.9	5.5	7.4	9.1	13.0		
WHITE, BOTH SEXES												
1996.....	89.3	31.2	4.7	2.4	2.5	4.0	4.9	6.4	8.7	12.8		
1995.....	85.9	30.5	4.8	2.2	2.9	4.2	5.1	6.1	8.9	13.2		
1994.....	82.2	31.1	4.6	2.4	2.6	4.1	4.8	6.2	9.0	13.2		
1993.....	79.2	32.5	5.2	2.6	3.0	4.1	4.7	6.3	8.8	13.2		
1992.....	73.6	33.0	5.4	2.4	2.8	4.0	4.7	6.4	8.7	13.6		
1991.....	5.2	5	38.0	5.1	2.8	2.9	3.9	4.7	6.0	8.2	13.1	
1990.....	71.3	36.5	5.3	2.8	2.9	4.2	4.7	5.9	8.5	12.5		
1989.....	70.8	35.4	5.7	2.8	3.2	4.2	5.3	6.5	8.9	12.5		
1988.....	69.9			.0	5.7	2.6	2.5	3.9	4.8	6.5	9.3	13.0
1987.....	67.3			.9	5.7	2.7	2.6	4.1	4.9	6.5	9.1	12.8
1986.....	66.1	38.2	5.8	2.6	3.1	4.3	5.7	9.3	14.4	18.4		
1985.....	63.2	40.9	6.2	2.9	3.0	4.3	5.1	8.0	11.7	15.6		

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 463

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER DISEASES (RESIDUAL)										
WHITE MALE										
1996.....	77.4	36.4	5.1	2.8	2.6	4.9	5.8	7.8	10.8	16.0
1995.....	75.4	34.1	5.3	2.4	3.0	5.1	6.1	7.3	11.2	17.0
1994.....	73.1	35.4	5.0	2.8	2.9	5.0	5.8	7.5	11.4	17.0
1993.....	71.1	36.2	5.7	2.9	3.3	4.9	5.7	7.8	11.0	16.7
1992.....	67.2	38.0	5.5	2.6	3.0	5.2	5.4	8.0	10.9	18.2
1991.....	67.0	42.3	5.3	2.8	3.2	4.6	5.8	7.5	10.4	16.8
1990.....	65.5	41.8	6.0	3.2	3.1	5.1	5.6	7.0	10.7	16.4
1989.....	65.9	40.8	6.1	2.9	3.5	5.3	6.3	7.9	12.0	16.6
1988.....	65.6	40.9	8	6.5	2.7	4.9	6.0	7.8	12.1	17.7
1987.....	63.8	40.7	6.2	2.8	2.6	5.1	6.0	8.0	11.9	16.8
1986.....	65.5	42.4	6.3	2.7	3.5	5.2	7.6	13.1	22.0	27.8
1985.....	62.5	44.4	6.5	3.0	3.5	5.1	8.3	11.0	16.6	21.8
1983.....	55.8	48.9	7.4	3.5	3.1	5.9	6.4	8.1	11.4	14.3
1982.....	51.8	47.6	6.8	3.3	3.3	5.8	6.3	7.8	10.1	12.9
1981.....	51.7	51.2	8.0	3.6	3.3	5.6	8.9	7.7	9.5	13.6
1980.....	51.5	56.0	7.6	3.5	3.7	8	6.7	7.0	8.6	10.4
1979.....	49.1	60.2	8.2	3.5	3.5	6.2	7.2	8.3	9.8	13.2
WHITE FEMALE										
1996.....	100.7	25.9	4.2	1.9	2.4	3.0	4.0	4.9	8.5	9.6
1995.....	96.0	26.7	4.2	2.0	2.9	3.2	4.0	4.9	6.6	9.5
1994.....	91.0	26.6	4.3	1.9	2.3	3.2	3.8	4.9	6.4	9.3
1993.....	87.1	28.6	4.8	2.3	2.6	3.2	3.6	4.6	6.5	9.7
1992.....	79.8	27.6	5.4	2.2	2	2.8	4.1	4.7	8.4	8.9
1991.....	+8.7	33.6	5.0	2.7	2.6	3.2	3.6	4.6	8.0	9.4
1990.....	+7.0	30.9	4.7	2.4	2.8	3.2	3.9	4.8	6.2	8.5
1989.....	75.6	29.7	5.2	2.7	2.8	3.1	4.2	5.1	5.8	8.4
1988.....	74.0	32.9	5.3	2.8	2.4	2.8	3.5	5.1	6.5	8.4
1987.....	70.7	34.9	5.1	2.6	2.5	3.1	3.8	5.0	6.2	8.9
1986.....	66.6	33.9	5.3	2.5	2.7	3.4	3.7	5.5	6.8	9.0
1985.....	63.9	37.3	5.9	2.9	2.9	3.4	3.8	4.9	6.8	9.4
1983.....	55.8	41.2	8.3	3.2	2.9	3.8	3.9	5.1	6.1	8.7
1982.....	51.7	36.5	7.0	3.5	2.8	3.7	4.2	4.6	8	8.2
1981.....	50.2	38.6	6.8	3.3	3.4	4.0	4.3	5.4	6.6	9.0
1980.....	48.9	43.5	6.5	4.2	3.2	4.0	4.7	4.8	7.2	9.9
1979.....	45.3	44.8	8.9	3.8	3.1	3.9	4.8	5.8	7.4	9.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 464

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER DISEASES (RESIDUAL)										
ALL OTHER, BOTH SEXES										
1996.....	60.1	52.8	7.0	2.7	2.7	4.0	7.8	10.7	16.8	27.7
1995.....	60.2	46.6	7.3	2.9	3.2	4.3	8.3	11.0	17.4	29.4
1994.....	59.0	49.1	7.2	3.0	3.6	4.8	7.0	11.6	18.7	27.7
1993.....	59.1	59.1	8.4	3.1	3.2	4.7	7.8	12.0	18.4	31.3
1991.....	58.0	59.7	8.2	3.2	3.1	5.2	7.8	12.1	20.9	32.3
1990.....	60.0	62.8	7.8	3.1	3.4	4.5	7.0	13.0	22.9	33.8
1988.....	62.2	73.0	7.6	3.3	3.5	5.0	8.8	14.2	25.2	43.1
1987.....	60.7	70.7	7.6	3.0	2.5	4.7	8.9	13.1	27.6	41.9
1985.....	61.3	85.3	9.7	3.4	3.1	5.1	10.2	19.9	38.7	46.7
1984.....	56.6	84.2	9.1	3.6	3.3	5.0	9.6	17.3	31.1	41.6

1989.....

1986.....

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)							
CODE, YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS
(RESIDUAL)							

30-34	35-39
YEARS	YEARS

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 466

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER DISEASES (RESIDUAL)										
BLACK MALE										
1996.....	71.3	70.5	7.2	3.5	3.2	5.0	9.1	14.0	23.3	39.6
1995.....	72.5	53.4	8.4	3.6	3.3	5.2	10.2	14.9	26.0	44.2
1994.....	71.6	64.7	8.1	3.8	4.3	5.6	8.3	14.2	25.7	41.9
1993.....	72.2	76.0	10.1	3.5	4.0	5.4	9.6	14.9	26.5	46.8
1992.....	71.1	71.2	9.0	4.6	3.7	5.2	9.6	16.9	26.3	46.8
1991.....	72.5	86.0	9.1	3.8	3.9	6.0	8.9	16.9	30.4	50.0
1990.....	75.6	77.5	9.5	4.0	3.2	5.0	8.8	18.8	34.7	55.9
1989.....	78.5	80.3	9.6	2.9	4.7	6.1	9.2	15.5	38.9	63.9
1988.....	80.1	89.6	9.6	3.4	3.8	6.1	11.3	18.1	42.8	77.0
1987.....	77.8	91.3	8.7	3.4	3.2	6.3	9.9	16.6	45.6	72.2
1986.....	87.7	101.1	11.2	3.2	4.2	6.3	14.3	36.3	84.0	106.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 467

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)										
TOTAL, BOTH SEXES										
1996.....	35.8	21.3	13.8	8.2	9.7	36.2	40.2	32.7	31.0	32.6
1995.....	35.5	20.5	14.5	8.4	10.2	36.7	40.4	33.5	32.3	33.7
1994.....	35.1	23.0	15.9	8.5	10.2	37.3	40.0	32.6	32.5	32.6
1993.....	35.1	22.9	16.4	8.6	10.1	37.3	40.1	33.1	33.8	33.2
1992.....	34.0	20.5	15.9	8.9	9.7	36.5	39.0	33.3	31.8	31.4
1991.....	35.4	24.0	17.5	9.5	10.9	40.3	43.5	35.4	33.6	30.9
1990.....	37.0	23.6	17.3	9.8	11.0	42.3	45.4	38.7	35.2	33.2
1989.....	38.5	25.8	18.9	11.5	12.1	43.6	SE5.9	40.2	36.5	33.6 S
1988.....	39.7	24.9	19.8	11.8	12.8	45.9	50.9	40.6 S	37.0	33.8
1987.....	39.2	25.7	20.4	11.9	13.0	45.6 S	50.4	41.4	36.0	33.5
1986.....	39.7	24.6	20.6	11.6	13.6	47.8	53.0	42.7	36.9	32.2
1985.....	39.3	24.2	20.2	12.0	13.3	43.8	51.5	40.8	35.2	31.9
1984.....	39.4	23.5	19.9	11.7	13.1	44.7	52.6	41.4	36.3	31.7
1983.....	39.6 S	26.2	21.9	12.4	13.1	44.2	51.7	41.8	35.8	32.4
1982.....	40.6	28.1	22.7	13.1	13.3	46.9	55.1	43.6	37.0	33.4
1981.....	43.9	27.2	23.7	14.0	14.3	51.3	60.2	49.4	40.2	36.3
1980.....	46.7	33.0	25.9	14.6	15.3	57.9	65.4	51.0	41.0	36.9
1979.....	46.9	31.5	26.5	16.0	16.2	59.4	65.8	50.5	40.2	38.8
TOTAL, MALE										
1996.....	47.4	23.2	16.2	9.7	12.5	49.4	61.3	49.3	46.5	48.4
1995.....	47.9	21.4	16.8	10.3	13.2	50.1	62.4	51.8	49.3	51.5
1994.....	47.6 S	25.5	18.7	10.4	13.5	52.2	61.2	50.1	50.4	49.6
1993.....	47.8	25.1	19.1	10.3	13.3	52.6	62.3	51.1	52.7	51.6 S
1992.....	46.5	22.7	19.1	11.3	13.2	50.7	59.8	51.8	49.6	48.6
1991.....	48.6	27.0	20.1	12.0	15.1	56.5	66.9	55.4	52.7	47.7
1990.....	51.1	25.2	20.8	12.2	14.8	60.6	70.9	60.3	55.5	52.1
1989.....	53.1	27.5	22.3	14.4	16.3	60.9	71.4	62.5	56.6	52.5
1988.....	55.3	27.6 S	23.4	14.8	17.2	65.8	79.9	63.6	57.9	53.3
1987.....	54.9	27.7	24.5	15.1	18.7	65.5	78.8	64.9	57.3	52.9
1986.....	56.1	26.0	23.9	14.9	19.1	69.5	83.8	68.5	58.9	50.9
1985.....	55.4	25.6	24.3	15.0	18.5	63.3	81.5	65.5	56.8	50.1
1984.....	55.9	24.6 S	24.0	15.2	18.0	65.5	83.1	66.6	57.7	49.9
1983.....	56.2	29.4	26.0	15.8	18.0	65.6	81.8	67.3	57.4	51.7
1982.....	58.4	32.3	26.7	16.4	18.3	71.0	88.7	70.5	60.0	53.1
1981.....	63.6	29.4	28.2	18.0	20.3	76.7	97.2	80.4	65.1	57.4
1980.....	67.4	36.5	30.5	18.5	21.2	87.2	106.3	83.4	66.5	58.9
1979.....	68.2	35.0	30.9	20.7	22.7	89.6 S	107.0	82.4	65.4	61.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 468

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)										
TOTAL, FEMALE										
1996.....	24.6	19.3	11.3	6.6	6.8	22.1	17.9	15.9	15.5	16.9
1995.....	23.7	19.4	12.0	6.4	7.1	22.5	17.6	15.1	15.3	16.1
1994.....	23.2	20.3	12.9	6.4	6.7	21.5	18.2	15.0	14.7	15.7
1993.....	23.0	20.6	13.6	6.8	6.7	21.1	17.2	15.0	15.1	15.1
1992.....	22.1	18.2	12.6	6.4	6.1	21.4	17.4	14.7	14.1	14.5
1991.....	22.9	20.7	14.8	6.9	6.4	23.2	19.1	15.3	14.6	14.5
1990.....	23.6	21.8	13.7	7.3	7.1	23.0	18.8	17.1	15.1	14.6
1989.....	24.6	24.1	15.4	8.5	7.6	25.3	19.6	17.7	16.6	15.1
1988.....	24.9	22.1	16.0	8.8	8.2	25.1	21.1	17.4	16.2	14.8
1987.....	24.3	23.6	16.0	8.5	7.0	24.8	21.2	17.9	15.0	14.6
1986.....	24.1	23.1	17.1	8.1	7.9	25.1	21.5	16.8	15.1	14.0
1985.....	24.0	22.8	15.9	8.8	7.8	23.5	21.0	16.1	13.9	14.2
1984.....	23.8	22.3	15.6	8.0	8.0	23.2	21.7	16.2	15.3	14.0
1983.....	23.8	22.8	17.6	8.8	7.9	22.1	21.2	16.4	14.6	13.8
1982.....	23.8	23.7	18.6	9.7	8.0	22.0	21.2	16.8	14.4	14.4
1981.....	25.3	24.9	19.0	9.8	8.1	25.0	23.1	18.5	15.9	15.9
1980.....	27.1	29.4	21.0	10.5	9.1	27.7	24.5	19.0	16.1	15.6
1979.....	26.8	27.9	21.8	11.0	9.4	28.3	24.6	19.0	15.5	16.7
WHITE, BOTH SEXES										
1996.....	36.1	18.1	12.3	73.8	9.4	38.2	41.0	32.9	30.6	32.0
1995.....	35.7	17.3	13.3	7.7	9.9	38.7	41.7	33.5	32.1	32.6
1994.....	35.1	19.2	13.9	733	9.8	39.4	40.8	32.9	31.8	31.4
1993.....	35.0	19.4	14.6	7.5	9.6	39.4	40.6	33.5	33.2	31.9
1992.....	34.0	16.9	14.6	7.9	9.3	38.4	403.8	33.6	313.8	30.0
1991.....	35.3	20.6	16.1	8.7	10.5	42.8	45.1	35.0	32.7	28.9
1990.....	36.9	19.5	15.7	8.9	10.7	45.1	47.0	38.7	34.1	3137
1989.....	38.1	20.1	17.3	10.5	11.7	47.2	46.9	40.1	35.5	31.5
1988.....	39.3	21.2	17.9	10.7	12.4	49.5	52.4	40.4	35.7	31.8
1987.....	39.0	21.8	18.8	10.9	12.7	49.3	5	41.2	35.0	31.8
1986.....	39.5	20.1	19.0	10.2	13.3	52.0	55.1	42.4	35.6	30.4
1985.....	39.1	20.9	18.6	10.7	13.1	47.4	53.7	40.8	34.1	30.2
1984.....	39.5	203.8	18.0	10.7	13	48.6	54.9	41.9	35.4	30.3
1983.....	39.4	22.4	20.3	11.3	12.9	48.3	53.7	42.0	34.9	31.0
1982.....	40.6	23.8	21.0	11.9	13.2	50.9	57.7	43.9	35.8	31.9
1981.....	44.0	23.3	21.7	12.8	14.1	56.0	63.1	49.9	39.3	34.8
1980.....	46.3	28.2	23.7	13.1	15.0	62.6	68.1	51.0	39.7	35.0
1979.....	46.6	26.3	250	14.2	16.0	64.3	68.5	50.3	38.4	36.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 469

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)										
WHITE MALE										
1996.....	47.3	19.5	14.6	8.4	11.9	51.5	62.3	49.2	215.9	47.7
1995.....	47.4	18.9	15.3	9.4	12.7	52.0	64.3	51.5	48.9	49.7
1994.....	46.9	21.7	16.5	9.1	12.8	54.3	62.2 2	50.4	49.36	8.0
1993.....	47.0	21.1	17.1	9.3	12.7	54.5	62.9	51.5	51.9	49.3
1992.....	45.9	19.8	18.0	10.1	12.4	52.36	61.4	51.9	48.8	46.2 2
1991.....	47.7	22.7	18.36	10.9	14.2 2	58.9	69.0	54.4	51.0	44.3
1990.....	50.3	20.8	18.9	11.1	14.1	64.0	73.1	60.0	53.5	49.1
1989.....	51.9	21.3	20.4	13.1	15.36	65.0	72.4	62.2 2	54.7	48.8
1988.....	54.0	23.3	21.1	13.4	16.7	70.3	81.9	62.9	56.0	49.8
1987.....	53.9	23.1	22.5	13.8	18.1	69.8	80.7	64.2	55.3	49.5
1986.....	55.2 2	21.1	22.2	13.3	18.4	75.0	86.36	67.5	56.7	47.3
1985.....	54.36	22.3	22.4	13.5	18.1	68.0	84.3	65.2	54.9	46.9
1984.....	55.4	20.8	21.9	13.7	17.36	70.7	86.3	66.9	56.0	46.9
1983.....	55.3	24.7	-2	147.5	17.8	71.4	84.8	67.4	55.4	48.9
1982.....	57.9	27.3	24.8	15.0	18	76.8	92.6	70.9	57.4	50.3
1981.....	63.1	25.1	25.8	16.3	19.9	83.1	101.2 2	81.0	63.3	54.5
198.2.....	66	30.9	28.1	16.4	20.9	93.7	109.8	83.0	63.8	55.3
1979.....	67.2 2	30.5	27.9	18.4	22.3	96.7	1107.5	81.3	62.1	57.6
WHITE FEMALE										
1996.....	25.4	16.5	9.9	6.0	6.9	23.9	18.2 2	16.2	15.0	16.0
1995.....	-2 4	15.7	11.1	5.8	6.9	24.3	18.0	15.1	14.9	15.4
1994.....	23.6	16.5	11.2	5.5	6.36	23.36	18.5	15.0	13.7	14.7
1993.....	-3.5	17.3	11.9	5.3	6.4	23.3	17.2	15.0	14.3	14.4
1992.....	22.3	13.8	11.0	5.6	6.0	23.4	18.0	Y.8	13.4	13.6
1991.....	23.4	18.3	13.5	6	6.5	25.3	19.9	15.	18.04	13.5
199.2.....	24.0	18.1	12.4	6.5	7.0	25.1	197.5	16.9	14.3	14.2
1989.....	-2 9	18.8	14.0	77.5	77.5	28.5	20.2 2	17.5	16.1	Y.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 470

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)										
ALL OTHER, BOTH SEXES										
1996.....	34.1	34.3	19.6	11.7	10.8	28.6	37.0	31.7	32.8	35.6
1995.....	34.9	31.7	19.1	11.1	11.6	28.8	35.1	33.8	33.3	38.9
1994.....	35.4	36.9	23.2	12.8	11.9	29.0	36.8	31.2	35.5	38.2
1993.....	35.6	35.9	23.5	13.2	11.8	29.1	38.3	31.6	36.5	39.8
1992.....	34.1	34.0	21.0	12.7	11.5	28.6	33.8	31.9	34.7	38.6
1991.....	36.2	35.5	23.0	13.0	12.5	30.5	36.5	37.2	38.2	41.2
1990.....	37.6	39.2	23.7	13.6	12.4	30.9	37.9	38.9	40.5	40.8
1989.....	40.5	47.9	25.7	15.8	13.5	28.3	41.6	40.4	41.6	44.9
1988.....	41.7	39.8	27.8	16.6	14.4	30.6	44.0	41.5	43.5	44.6
1987.....	40.5	41.7	27.0	15.8	14.3	29.6	42.4	42.7	41.8	43.3
1986.....	40.8	43.8	27.3	17.7	15.0	28.9	42.5	44.5	43.8	42.8
1985.....	40.2	38.4	27.0	17.4	14.0	27.3	41.0	40.9	41.5	41.7
1984.....	39.0	37.7	28.3	16.2	13.5	26.8	41.0	38.7	41.2	40.5
1983.....	40.4	42.9	29.0	17.3	13.6	25.1	41.1	40.9	41.1	41.3
1982.....	40.7	47.5	30.3	18.6	13.4	28.1	40.8	41.6	44.0	43.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 471

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)										
ALL OTHER FEMALE										
1996.....	21.1	30.4	16.6	8.8	6.4	15.4	16.8	14.8	17.9	20.8
1995.....	20.7	32.6	15.7	8.5	7.8	14.7	15.8	15.5	17.1	19.6
1994.....	21.1	34.3	19.1	9.7	7.3	13.5	16.9	14.9	18.9	20.2
1993.....	20.9	31.4	20.0	11.8	7.7	12.7	17.4	15.2	18.7	18.4
1992.....	20.0	34.4	18.8	9.5	6.4	13.6	15.0	14.2	17.7	18.4
1991.....	20.5	28.8	19.7	9.2	6.2	13.8	15.6	15.8	17.0	19.4
1990.....	21.3	35.9	18.9	10.3	7.3	14.6	15.1	18.0	17.8	16.5
1989.....	22.7	44.2	20.8	11.9	7.6	12.4	16.8	18.8	19.2	20.3
1988.....	23.0	34.6	22.5	12.7	9.8	14.4	18.1	17.8	21.0	19.6
1987.....	22.1	36.6	21.0	11.1	7.3	12.4	16.1	18.8	18.2	18.0
1986.....	22.2	40.2	23.0	13.4	7.9	12.4	5 H C 17.9	19.6	16.3	
1985.....	22.0	36.8	21.6	13.3	7.8	12.3	15.9	16.8	18.4	16.8
1984.....	21H C 33.8	22.8	10.1	7.4	11.9	16.5	15.4	17.7	15.7	
1983.....	22.5	35.1	24.5	13.7	7.8	11.9	17.8	17.8	16.5	15.9
1982.....	21.7	39.9	25.6	14.4	5 8.1	12.9	16.0	18.2	16.3	19.1
1981.....	22.5	40.6	26.5	13.8	8.7	11.3	17.0	19.1	19.2	18.5
1980.....	26.3	47.6	29.6	14.5	10.5	13.8	17.7	20.5	19.3	18.5
1979.....	25.1	55.0	32.2	16.1	8.5	5 H5	19.1	19.1	19.7	19.9
BLACK, BOTH SEXES										
1996.....	37.8	40.8	22.1	13H C	11.3	28.9	38.6	34.5	36.4	40.2
1995.....	38.5	5 38.3	20.8	12.1	12.8	29.4	34.8	36.5	36.9	44.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 472

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)										
BLACK MALE										
1996.....	54.3	44.1	25.7	15.9	16.0	41.9	60.3	54.3	55.7	59.1
1995.....	56.2	37.5	24.4	15.1	17.2	45.0	55.6	58.7	57.0	69.7
1994.....	57.0	4 Tw2	30.8	17.5	18.5	46.4	59.2	53.0	61.1	66.6
1993.....	58.3	46.5	30.4	16.0	17.4	46.4	64.3	54.1	64.4	75.4
1992.....	54.9	37.3	25.6	17.6	17.7	44.2	55.7	53.3	60.2	71.3
1991.....	59.8	49.0	30.0	18.8	21.1	50.3	63.1	65.7	69.8	77.4
1990.....	60.7	48.7	30.2	17.9	18.9	45.8	63.7	66.3	75.7	78.5
1989.....	66.7	56.8	33.0	22.2	21.0	43.6	69.3	68.4	77.2	86.4
1988.....	68.4	53.9	36.3	23.1	20.6	46.4	71.0	71.2	79.8	86.7
1987.....	66.0	53.0	36.7	22.4	22.1	4 .0	70.2	73.5	75.8	84.4
1986.....	66.0	52.1	32.9	23.1	23.0	44.5	69.1	78.0	81.1	85.3
1985.....	64.8	42.8	33.4	22.3	21.9	40.7	65.7	71.3	76.1	82.3
1984.....	63.0	46.4	35.3	24.1	21.9	38.4	66.7	68.7	77.9	79.1
1983.....	63.7	58.6	36.8	22.1	20.5	36.6	62.8	69.4	77.9	80.2
1982.....	65.0	59.3	38.0	24.7	19.7	39.5	67.4	71.5	83.9	82.2
1981.....	70.3	53.0	41.6	25.7	22.5	43.3	73.9	80.8	83.5	88.3
1980.....	77.1	6 Tw2	43.3	30.3	23.5	49.1	84.0	87.4	93.2	91.6
1979.....	7 Tw2	61.5	46.1	34.2	25.4	48.3	79.3	89.3	95.3	98.0
BLACK FEMALE										
1996.....	22.8	37.5	18.5	10.0	6.4	15.4	17.3	16.4	19.3	23.3
1995.....	22.5	39.1	17.1	9.0	8.2	13.4	14.6	16.2	19.2	22.5

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 473

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)										
TOTAL, BOTH SEXES										
1996.....	16.5	5.7	5.3	4.5	5.8	28.6	29.9	21.4	17.2	16.2
1995.....	16.5	4.7	5.2	4.7	6.1	28.6	30.4	21.9	17.9	16.1
1994.....	16.3	4.8	6.0	4.7	6.0	29.3	30.0	20.5	17.3	15.5
1993.....	16.3	4.9	5.6	4.7	5.9	28.6	29.6	21.0	18.4	15.7
1992.....	16.1	4.0	5.5	4.9	5.5	28.2	28.8	21.2	17.8	15.5
1988.....	20.1	5.7	7.0	6.6	7.6	36.7	38.8	27.0	21.3	18.1
1987.....	19.9	5.4	6.9	6.5	7.7	36.4	37.8	27.6	21.1	18.5
1986.....	19.9	4.9	7.0	6.3	7.8	37.2	39.7	27.5	21.1	17.4
1985.....	19.3	4.9	7.2	6.4	7.4	33.5	37.6	25.9	19.9	17.6
1984.....	19.6	4.5	6.9	6.2	7.1	34.3	38.3	26.5	21.1	17.6
1983.....	19.0	5.2	7.5	6.4	6.8	33.0	36.5	26.1	20.3	17.5
1982.....	19.8	5.8	8.0	6.5	7.0	34.8	38.7	26.8	21.0	18.7
1981.....	22.4	6.1	7.8	7.4	7.6	38.7	43.5	32.3	24.5	21.1
1979.....	23.8	6.5	9.8	8.5	8.2	44.6	46.7	32.7	24.4	21.8
TOTAL, MALE										
1995.....	22.7	4.9	5.6	5.6	7.2	36.8	46.1	32.6	26.0	23.0
1994.....	22.5	4.8	6.6	5.8	7.3	38.9	44.5	30.3	25.5	22.3
1993.....	22.7	4.8	6.1	5.4	7.2	38.7	44.7	31.0	27.3	23.0
1992.....	22.5	4.4	6.1	6.1	7.1	37.0	43.2	31.5	26.8	22.4
1987.....	28.7	5.1	7.6	8.0	10.4	50.2	57.9	42.0	32.3	27.5
1983.....	28.1	5.4	8.7	8.1	8.8	47.0	56.8	41.2	31.4	26.8
1982.....	29.5	6.0	8.8	7.8	9.0	50.5	61.0	42.3	33.1	28.7
1980.....	35.3	7.3	10.2	9.4	10.5	62.6	74.3	52.2	39.7	32.7

1984.....

1981.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 474

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	
0 MOTOR VEHICLE ACCIDENTS (E810-E825)											
TOTAL, FEMALE											
1996.....	10.7	5.8	4.8	4.0	4.5	19.3	14.7	11.5	10.0	9.8	
1995.....	10.36 .4	4.8	3.8	4.9	20.0	14.1	11.0	9.9	9.3		
1994.....	10.4	4.8	5.4	3.6	4.7	19.1	15.0	10.7	9.2	8.8	
1993.....	10.1	4.9	5.2	4.0	4.4	18.0	14.1	10.9	9.5	8.36	
1992.....	10.0	3.36	4.9	3.7	3.9	18.8	13.9	10.8	8.8	8.8	
1991.....	10.5	4.2	5.5	3.9	4.2	20.5	15.7	11.4	9.7	8.9	
1990.....	11.3	4.9	5.6 .3	5.1	20.0	16.0	12.7	10.2	9.36	1988.....	
1987.....	11.6	5.8	6.1	5.0	4.8	22.0	17.3	13.1	10.1	9.36	
1986.....	11.2	4.9	6.2	4.36	5.3	21.36	17.3	12.0	9.3	8.8	
1985.....	11.0	4.7	6.0	5.0	5.2	20.1	16.7	11.1	9.0	9.1	
1984.....	11.0	4.7	5.8	4.7	5.2	19.5	17.0	11.4	10.0	9.5	
1983.....	10.4	5.1	6.2 .36	4.7	18.5	16.0	11.1	9.4	8.5		
1982.....	10.6	5.5	7.3	5.1	4.9	18.5	16.2	11.4	9.2	9.0	
1981.....	11.7	5.9	7.2	5.3	5.1	21.3	18.3	13.2	10.36	9.9	
1980.....	12.3	6.7	8.1	5.8	5.36	22.8	18.9	13.6	10.36	10.0	
1979.....	12.3	6.1	9.1	6.3	5.36	23.3	18.7	13.3	10.1	10.3	
WHITE, BOTH SEXES											
1996.....	16.36	5.5	4.8	4.2	6.1	30.7	30.5	21.4	16.8	16.0	
1995.....	16.3	4.4	4.9	4.4	6.1	30.8	31.5	21.7	17.9	15.8	
1994.....	16.5 .1	5.4 .3	6.2	31.8	30.7	20.9	17.3	15.4			
1993.....	16.4	4.4	5.1	4.4	5.8	31.2	30.4	21.4	18.5	15.3	
1992.....	16.2	3.5	5.1	4.5	14.36	30.36	30.1	21.7	17.36	15.1	
1991.....	17.5	3.9	5.7	4.9	6.1	34.1	34.36	23.5	19.2	15.8	1990.....
1988.....	20.4	5.7	6.3	6.3	7.8	40.4	40.7	27.5	21.3	17.8	
1987.....	20.3	5.2	6.36	6.3	8.1	40.3	39.8	28.0	21.2	18.3	
1985.....	19.3	4.2	6.8	6.1	7.8	37.3	39.7	26.4	19.3	17.2	
1984.....	20.1	4.3	6.5	6.0	7.36	38.2	40.7	27.3	21.3	17.5	1982.....
1981.....	23.1	6.2	7.5	7.0	8.0	43.4	46.5	33.3	24.8	20.9	1980.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 475

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)										
WHITE MALE										
1996.....	22.4	5.2	5.2	4.6	7.2	39.5	45.1	30.8	23.7	22.2
1995.....	22.6	4.3	5.1	5.3	7.2	38.9	47.6	32.2	25.9	22.2
1994.....	22.5	4.3	5.9	5.3	7.5	41.7	45.4	30.7	25.6	22.1
1993.....	22.7	4.4	5.4	5.2	7.1	41.6	45.8	31.4	27.4	22.6
1992.....	22.4	4.2	6.0	5.6	7.0	39.6	44.7	31.9	26.6	21.6
1991.....	24.4	4.1	5.8	5.9	7.8	44.5	51.6	35.1	28.5	22.8
1990.....	26.7	4.8	6.1	5.9	7.7	49.3	55.5	39.9	31.1	26.2
1989.....	27.2	5.1	6.9	7.0	8.9	50.3	54.5	40.2	30.5	25.0
1988.....	28.9	6.0	7.0	7.8	9.8	55.1	61.8	41.6	31.8	26.3
1987.....	29.0	4.4	7.2	7.7	10.8	55.0	60.4	42.2	32.4	27.0
1986.....	29.3	4.2	7.1	7.2	10.4	57.6	64.8	43.2	3F00	25.1
1985.....	28.3	4.6	7.7	7.3	9.8	51.3	61.0	41.0	30.2	25.3
1984.....	29.2	4.0	7.5	7.2	9.5	53.8	62.4	42.5	32.3	25.4
1983.....	28.6	5.7	8.3	7.7	9.2	52.5	59.7	42.1	31.2	26.2
1982.....	30.1	5.8	8.3	7.3	9.5	56.2	64.8	43.5	32.7	28.2
1981.....	34.5	6.0	8.1	9.0	10.6	6F00	72.8	53.2	38.9	31.9
1980.....	35.9	7.0	9.5	8.7	10.9	69.1	78.5	53.1	39.5	31.8
1979.....	36.6	7.4	9.7	10.0	11.1	72.1	78.6	53.0	38.2	32.4
WHITE FEMALE										
1996.....	11.0	5.7	4.4	3.8	4.8	21.2	14.9	11.8	9.8	9.7
1995.....	10.8	4.5	4.6	3.5	5.0	22.1	14.7	11.1	9.9	9.2
1994.....	10.6	3.9	4.9	3.3	4.8	21.3	15.4	10.9	8.9	8.6
1993.....	10.3	4.5	4.8	3.5	4.4	20.2	14.2	11.2	9.4	8.5
1992.....	10.2	2.9	4.1	3.4	4.1	21.0	14.7	11.1	8.6	8.6
1991.....	10.8	3.6	5.5	3.7	4.4	23.0	16.8	11.6	9.7	8.8
1990.....	11.6	4.7	5.2	4.2	5.3	22.2	17.0	12.9	10.3	9.6
1989.....	12.1	4.9	6.1	4.9	5.3	25.6	17.0	13.4	10.9	9.5
1988.....	12.2	5.5	6.2	4.8	5.7	24.9	18.6	13.0	10.7	9.2
1987.....	1F00	5.9	5.9	4.8	5.1	24.9	18.5	13.4	10.0	9.7
1986.....	11.6	4.7	6.1	4.1	5.8	24.6	18.5	12.1	9.6	8.7
1985.....	11.4	3.9	5.8	4.8	5.6	22.6	17.8	11.3	8.8	9.2
1984.....	11.5	4.5	5.4	4.7	5.5	2F00	18.4	11.8	10.2	9.6
1983.....	10.9	4.8	6.0	4.3	5.1	20.8	16.9	11.6	9.7	8.6
1982.....	11.0	5.5	7.0	4.8	5.2	20.5	17.4	11.7	9.4	9.0
1981.....	12.3	6.3	6.9	4.9	5.3	24.0	19.7	13.8	10.8	10.1
1980.....	12.8	7.1	7.7	5.7	5.7	25.6	20.5	13.7	10.6	10.3
1979.....	12.8	6.2	8.9	6.0	6.1	25.7	20.0	13.8	10.2	10.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 476

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)										

ALL OTHER, BOTH SEXES

1996.....	15.8	6.6	7.2	5.7	4.8	20.4	27.5	21.1	18.7	17.1
1995.....	15.9	5.6	6.7	5.8	5.8	20.3	25.9	22.3	17.9	17.6
1994.....	15.7	7.5	8.2	6.8	5.6	19.5	27.0	18.8	17.4	16.2
1993.....	15.6	6.4	7.8	6.1	6.1	18.2	26.5	19.8	17.9	16.5
199 7.....	15.5	5.7	7.3	6.6	5.2	18.6	23.5	19.0	18.4	17.4
1991.....	16.2	5.9	6.9	6.2	5.9	19.8	24.7	22.5	19.7	18.1
1990.....	17.9	5.7	8.7	6.6	5.8	20.7	27.0	24.9	21.6	19.7
1989.....	18.0	7.9	8.8	7.6	5.4	18.4	28.6	24.5	21.8	21.0
1988.....	18.5	5.7	8.4	7.9	6.6	20.9	30.0	24.7	21.6	20.1
1987.....	17.9	6.5	8.2	7.7	6.0	19.8	28.6	25.6	20.6	19.1
1986.....	18.2	7.1	9.0	8.7	6.1	18.1	28.2	25.9	22.7	20.7
1985.....	17.8	7.6	9.0	7.6	5.8	16.6	27.0	23.5	21.5	19.9
1984.....	16.6	5.6	8.7	7.8	5.2	16.4	26.0	22.4	20.2	18.3
1983.....	16.8	4.9	8.9	8.1	5.2	14.4	25.5	21.6	19.4	18.5
198 7.....	16.6	6.4	9.5	8.2	5.1	16.1	24.6	22.0	20.7	19.7
1981.....	18.2	5.8	9.1	8.9	5.5	15.8	27.0	25.0	22.8	21.9
1980.....	19.9	6.8	11.8	9.7	6.6	18.7	29.4	28.6	24.9	22.5
1979.....	20.4	5.0	12.1	10.8	5.8	19.6	30.4	28.0	25.6	25.3

ALL OTHER MALE

1995.....	23.1	7.1	7.5	6.9	7.2	28.2	39.9	34.6	26.6	26.7
-----------	------	-----	-----	-----	-----	------	------	------	------	------

5

196.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 477

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)										
ALL OTHER FEMALE										
1996.....	9.6	5.9	6.5	4.5	3.1	12.2	14.0	10.3	11.0	10.3
1995.....	9.3	*	5.8	4.7	4.4	12.2	12.2	10.9	10.2	9.5
1994.....	9.6	8.1	7.3	4.8	4.4	10.9	13.5	10.0	10.6	9.9
1993.....	9.1	6.1	6.9	5.9	4.6	9.5	13.4	10.0	9.8	9.0
1992.....	9.0	6.3	7.9	5.1	3.2	10.3	10.7	9.3	9.9	9.3
1991.....	8.9	6.0	5.6	4.7	3.4	10.7	11.4	10.4	9.8	9.3
1990.....	9.8	5.9	7.4	4.6	4.2	11.3	11.4	11.7	9.9	9.6
1989.....	9.7	7.4	7.6	5.8	3.4	9.4	12.6	12.1	11.4	10.5
1988.....	9.8	*	7.9	6.3	5.0	11.7	12.6	10.8	11.2	9.1
1987.....	9.3	*	6.9	5.9	3.4	9.3	11.8	11.5	10.7	9.1
1986.....	9.1	5.8	6.8	6.6	3.6	8.8	11.4	11.2	9.9	9.5
1985.....	8.8	7.9	6.9	5.9	3.4	8.6	11.1	10.1	10.0	8.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 478

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 MOTOR VEHICLE ACCIDENTS (E810-E825)										
BLACK MALE										
1996.....	24.3	7.6	8.5	7.6	6.8	28.2	43.2	34.8	30.3	26.6
1995.....	24.6	8.3	8.1	7.7	7.7	29.0	40.0	37.1	29.0	29.3
1994.....	23.9	8.0	10.0	8.6	7.6	29.0	41.4	30.5	27.9	24.8
1993.....	24.6	7.2	9.6	7.2	8.3	26.7	42.0	31.6	30.2	27.9
1992.....	24.0	*	6.8	8.6	7.8	26.2	38.7	30.4	30.4	29.7
1991.....	25.6	*	8.9	8.3	8.8	29.5	40.6	37.2	32.7	31.3
1990.....	28.1	*	10.1	8.9	7.9	28.7	43.9	40.5	38.4	35.
1989.....	28.9	7.6	9.0	10.3	7.7	26.5	46.7	39.8	37.4	37.0
1988.....	29.4	7.7	9.3	10.7	8.8	29.3	46.8	40.6	37.4	36.9
1987.....	28.2	8.4	10.0	10.7	8.2	27.4	44.9	43.4	33.8	33.0
1986.....	29.0	8.2	10.9	11.1	8.6	25.8	44.7	43.4	41.1	37.4
1985.....	27.1	*	10.9	9.4	8.9	22.1	42.0	38.2	37.1	37.2
1984.....	26.7	*	9.9	10.4	7.4	21.3	42.6	37.9	36.3	32.1
1983.....	25.4	*	11.0	10.1	7.3	19.0	38.0	36.4	35.4	34.
1982.....	26.1	*	11.4	10.8	6.4	20.9	39.3	35.8	38.2	35.2
1981.....	28.9	*	9.7	11.8	6.9	20.4	42.8	42.9	41.1	40.9
1980.....	31.1	7.8	13.7	13.3	7.9	24.4	46.9	46.3	43.3	41.6
1979.....	31.6	3.8	13.1	14.6	7.9	24.5	46.1	46.3	47.3	43.7
BLACK FEMALE										
1996.....	9.5	7.8	6.8	5.0	3.0	12.4	14.3	11.2	10.7	10.3
1995.....	9.0	*	6.4	4.9	4.2	10.7	10.7	10.5	10.6	10.1
1994.....	9.5	9.5	7.5	5.3	4.8	10.4	13.1	10.7	10.2	10.0
199 42.....	8.7	*	7.3	6.3	4.8	8.2	13.0	9.2	9.7	9.3
1991.....	8.7	7.2	6.4	5.5	3.3	9.0	10.9	10.7	10.0	9.0
1990.....	9.	7.0	7.7	4.8	3.8	9.7	10.1	11.9	10.3	9.7
1989.....	9.	7.8	6.3	6.4	2.9	8.0	12.3	18.5	11.6	9.5
1988.....	9.5	*	7.5	6.7	4.7	10.0	11.5	11.1	11.6	9.2
1987.....	8.9	*	7.5	6.2	3.4	8.2	10.8	11.2	11.3	8.9
1986..AL 8.6	* 6.9	6.6	3.2	8.0	10.2	10.8	10.1	8.6		
1985.....	8.3	8.1	6.8	5.8	3.0	7.5	10.7	9.0	9.7	..
1984.....	7.8	*	7.0	5.1	3.9	7.0	9.8	9.2	8.9	9.1
198 42.....	7.6	7.6	*	8.0	6.1	2.7	7.1	10.2	7.8	6.9
1982.....	7.6	*	8.0	7.4	3.9	7.7	8.0	9.7	7.7	8.3
1981..AL 7.7	* 8.8	6.6	4.0	5.9	9.6	8.4	7.8	7.3		
1980.....	8.3	5.3	9.5	6.4	4.0	6.7	9.3	11.1	10.1	7.5
1979.....	8.7	5.9	9.5	7.8	2.8	8.7	10.1	9.8	8.8	7.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 479

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)										
TOTAL, BOTH SEXES										
1996.....	19.3	15.6	8.6	3.6	3.9	7.6	10.3	11.3	13.8	16.4
1995.....	19.0	15.8	9.2 1 7	4.1	8.1	10.0	11.7	14.3	17.6	
1994.....	18.8	18.1	9.9 1 7	4.2	8.0	10.0	12.1	15.1	17.1	
1993.....	18.9	18.1	10.8	3.9 1	4.2 1	8.7	10.5	12.1	15.4	17.5
1992.....	18.0	16.5	10.4	3.9	4.2	8.3	10.2	12.1	14.0	15.9 1
1991.....	18.2 1	19.6	11.6	4.4	4.8	9.1	10.7	12.1	14.3	14.8
1990.....	18.2 1	18.6	11.1	4.4	4.6	9.2 1	10.4	12.5	14.3	15.0
1989.....	19.2	20.2	12.1	5.3	5.3	9.1	11.1	13.6	15.6	15.8
1988.....	19.6	19.2	12.8	5.2 1	5.2	9.3	12.1	13.6	15.6	15.7
1987.....	19.3	20.2 1	13.5	5.3	5.3	9.2	12.5	13.8	14.9	15.1
1986.....	19.7	19.6	13.5	5.3	5.8	10.6	13.3	15.2 1	15.8	14.8
1985.....	20.0	19.3	13.0	5.6	5.9	10.3	13.9	14.9 1	15.4	14.3
1984.....	19.8	19.0	13.0	5.5	5.9 1	10.4	14.4	14.9	15.2 1	14.1
1983.....	20.5	21.0	14.4	6.0	6.3	11.2 1	15.2	15.7	15.5	14.9 1
1982.....	20.9 1	22.3	14.7	6.7	6.3	12.1	16.4	16.7	15.9 1	14.7
1981.....	21.4	1421.1	15.9 1	6.6	6.7	12.6	16.8	17.1	15.7	15.2
1980.....	23.2 1	26.0	16.7	7.0	7.2 1	14.9	18.8	18.2	16.0	15.7
1979.....	23.1	25.0	16.7	7.4	8.0	14.8	19.1	17.8	15.8	17.0
TOTAL, MALE										
1996.....	25.0	17.6	10.5	4.7	5.5	12.2	17.0	18.2	22.2	25.8
1995.....	25.1	16.5	11.2	4.6	5.9	13.3	16.3	19.2	23.3	28.5
1994.....	25.1	20.6	12.2 1	4.7	6.2 1	13.3	16.6	19.8	24.9	27.4
1993.....	25.1	20.3	13.1	4.9 1	6.1	13.9	17.6	20.1	25.4	28.6
1992.....	24.0	18.3	12.9 1	5.1	6.1	13.6	16.7	20.3	22.8	26.2 1
1991.....	24.2	22.6	13.8	5.8	7.2	15.1	17.7	20.2 1	23.9	24.0
1990.....	24.4	20.3	13.9 1	5.8	7.1	15.1	17.7	20.4	1423.8	25.1
1989.....	25.9	21.7	15.0	6.9 1	7.7	15.1	18.6	22.6	25.6	26.3
1988.....	26.5	21.4	16.0	6.7	7.7	15.4	1420.4	22.3	25.9	26.0
1987.....	26.2	22.5	16.9 1	7.1	8.3	15.3	20.8	22.9	25.0	25.3
1986.....	26.9	21.0	16.1	7.0	9.0	17.4	22.2 1	25.4	26.1	24.6
1985.....	27.4	20.5	16.0	7.3	9.0	16.8	23.3	24.9	25.9	23.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 480

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)										

†††

TOTAL, FEMALE	††	††	†††	††††	†††
1996.....	13.9	13.6	6.5	2.6	2.3
1995.....	13.2	15.0	7.2	2	2.3
1994.....	12.8	15.5	7.5	2.7	2.0
1993.....	12.9	15.7	8.3	2.8	2.2
1992.....	12.2	14.6	7.7	2.7	2.2
1991.....	12.4	16.5	9.3	3.0	2.2
1990.....	12.3	16.9	8.1	3.0	2.0
1989.....	12.8	18.7	9.0	3.5	0
1988.....	13.1	16.8	9.5	0	3.8
1987.....	12.8	17.8	9.9	3.5	2.3
1986.....	12.9	18.2	10.9	3.6	2.5
1985.....	13.0	18.1	9.9	3.8	2.6
1984.....	12.8	17	9.8	3.4	2.1

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 481

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)										

†††

WH. E MALE †† †† ††† †††† †††										
1996.....	24.8	14.3	9.4	3.9	4.7	12.0	17.2	18.4	22.2	25.5
1995.....	24.7	14.6	10.2	4.1	5.4	13.0	16.7	19.3	23.1	27.5
1994.....	24.4	17.4	10.6	3.8	5.3	12.6	16.7	19.7	24.1	25.9
1993.....	24.4	16.8	11.8	4.1	5.6	12.8	17.1	20.0	24.5	26.6
1992.....	23.4	15.6	12.0	4.5	5.3	12.9	16.8	20.0	2 2	24.6
1991.....	23.3	18.6	12.7	5.0	6.5	14.4	17.3	19.3	2 .5	21.5
1990.....	21 6	16.0	12.8	5.2	6.4	14.7	17.6	20.2	22.4	23.0
1989.....	24.7	16.2	13.4	6.1	6.7	14.7	17.9	22.0	24.2	23.8
1988.....	25.1	17.4	14.1	5.6	6.9	15.2	20.0	21.3	24.2	23.4
1987.....	24.9	18.7	15.3	6.2	7.2	14.9	20.3	22.0	22.9	22.6
1986.....	25.9	16.9	15.1	6.1	8.0	17.4	21.8	24.3	24.7	2 .1
1985.....	26.3	17.7	14.8	6.2	8.3	16.7	23.3	24.1	24.7	21.6
1984.....	26.1	16.8	14.3	6.5	8.1	16.9	23.8	24.4	23.7	21.5
1983.....	T*7.0	19.0	16.0	7.0	8.6	18.9	25.1	25.3	24.2	22.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 482

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)										
ALL OTHER, BOTH SEXES										
1996.....	18.3	27.7	12.4	6.0	6.0	8.2	9.5	10.6	14.1	18.5
1995.....	18.9	26.0	12.4	5.3	5.8	8.6	9.2	11.5	15.4	21.3
1994.....	19.7	29.4	15.0	6.6	6.3	9.4	9.7	12.4	18.1	22.0
1993.....	20.0	29.5	15.6	7.1	5.7	10.9	11.8	12.4	18.6	23.3
1992.....	18.6	28.3	13.7	6.2	6.3	10.0	10.3	12.9	16.3	21.2
1991.....	20.0	29.6	16.0	6.8	6.6	10.7	11.7	14.7	18.5	23.1
1990.....	19.7	33.5	14.9	7.0	6.7	10.2	10.8	14.0	18.9	21.1
1989.....	22.4	40.0	17.4	8.3	8.1	9.9	13.0	15.9	19.7	23.9
1988.....	23.2	34.0	19.4	8.7	7.9	9.8	14.0	16.8	21.9	24.6
1987.....	22.7	35.1	18.9	8.1	8.3	10.3	13.8	17.0	21.1	24.2
1986.....	22.6	36.7	18.3	9.0	8.9	10.8	14.2	18.5	21.1	22.2
1985.....	22.9	30.9	18.0	9.8	8.2	10.7	14.0	17.4	20.0	21.7
1984.....	Tj T*.4	32.1	19.6	8.9	8.3	10.4	15.0	16.4	21.0	172
1983.....	24.1	38.0	0.1	9.2	8.4	10.7	15.6	19.2	21.7	22.8
1982.....	24.1	41.1	20.8	10.4	8.3	12.0	16.3	19.7	23.3	24.1
1981.....	25.3	39.0	23.8	10.2	9.9	12.6	17.5	21.2	23.2	23.8
1980.....	29.3	48.2	23.8	11.9	10.0	15.2	21.1	Tj T*.4	24.8	26.3
1979.....	T8.3	50.9	26.9	13.4	11.0	14.6	20.1	T3.9	26.2	27.6
ALL OTHER MALE										
1996.....	25.8	30.9	14.6	7.6	8.5	13.1	16.1	17.1	22.0	7.5
1995.....	27.2	23.7	14.9	6.8	8.0	14.5	14.9	19.0	24.7	33.8
1994.....	T8.6	32.5	18.1	8.2	9.6	16.1	16.3	20.5	29.1	35.1
1993.....	29.0	33.5	18.0	8.2	8.2	18.4	19.7	20.1	29.5	38.9
1992.....	26.9	28.4	16.6	7.8	9.2	16.4	16.3	21.6	25.8	34.8
1991.....	29.2	36.2	17.9	9.0	10.4	18.0	19.4	24.7	31.0	37.9
1990.....	28.7	36.9	18.3	8.2	10.1	16.8	18.1	22.3	31.4	37.3
1989.....	32.7	43.1	21.6	10.3	11.9	16.6	21.9	25.9	33.1	40.1
1988.....	34.2	38.0	24.2	11.1	10.9	16.5	22.7	27.4	35.6	40.8
1987.....	33.5	38.7	23.5	10.9	12.6	17.4	23.6	27.6	36.5	42.0
1986.....	33.0	38.9	20.4	11.1	13.3	17.8	24.2	31.6	33.9	40.1
1985.....	33.7	32.9	21.2	12.2	11.9	17.7	23.5	29.2	203.2	37.8
1984.....	32.8	35.8	23.6	12.2	13.0	17.0	24.3	27.7	34.8	40.0
1983.....	34.9	46.8	22.9	10.8	11.9	17.3	25.2	30.1	36.8	39.7
1982.....	35.9	47.8	24.1	12.9	12.2	20.0	27.3	32.8	40.9	40.4
1981.....	37.9	41.5	29.4	13.2	15.1	21.6	30.0	34.8	39.0	40.0
1980.....	42.9	53.5	27.8	15.9	14.3	24.9	36.3	39.2	44.0	45.2
1979.....	42.4	52.5	31.6	18.2	16.5	23.6	34.0	41.3	44.6	48.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 483

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)										
+++										
ALL OTHER FEMALE ++ ++ +++ ++++ +++										
1996.....	11.5	24.5	10.1	4.2	3.3	3.1	2.9	4.5	6.9	10.5
1995.....	11.4	28.5	9.9	3.8	3.4	2.5	3.6	4.6	6.9	10.1
1994.....	11.5	26.2	11.9	4.9	2.9	2.5	3.4	4.9	8.3	10.3
1993.....	11.8	25.4	13.1	6.0	3.2	3.2	4.0	5.2	8.8	9.4
1992.....	11.0	28.2	10.8	4.4	3.3	3.3	4.3	4.8	7.8	9.1
1991.....	11.6	22.8	14.1	4.5	2.8	3.1	4.1	5.3	7.2	10.1
1990.....	11.5	2SE9	11.5	5.7	3.2	3.3	3.7	6.3	7.8	6.9
1989.....	13.0	36.8	13.2	6.1	4.2	2.9	4.2	6.7	7.8	9.8
1988.....	13.2	30.0	14.6	6.3	4.8	2.8	5.4	7.0	9.7	10.5
1987.....	12.8	31.5	14.1	5.2	3.9	3.1	4.3	7.3	7.5	8.9
1986.....	13.0	34.4	16.2	6.8	4.3	3.6	4.6	6.7	9.7	6.8
1985.....	13.2	28.8	14.7	7.4	4.5	3.6	4.8	6.7	8.4	8.0
1984.....	12.8	28.4	15.5	5.6	3.5	3.7	6.1	6.2	8.8	7.0
1983.....	14.4	29.1	17.2	7.6	4.9	3.9	6.5	9.5	8.7	8.5
1982.....	13.4	34.1	17.4	7.8	4.4	3.8	5.9	7.9	8.1	10.2
1981.....	13.9	36.5	18.1	7.2	4.5	3.5	5.8	9.1	9.6	SE9
1980.....	16.9	42.8	19.7	7.9	5.5	5.4	7.0	7.7	8.4	10.2
1979.....	15.5	49.3	22.2	8.5	5.4	5.5	7.4	8.7	10.4	10.1
BLACK, BOTH SEXES++ +++ ++ ++++ ++++ ++++ ++++										
1996.....	21.3	33.1	14.5	6.7	6.3	8.4	10.0	12.0	16.5	22.2
1995.....	22.1	31.9	13.5	5.8	6.7	9.4	9.7	13.3	17.7	25.5
1994.....	22.7	35.1	17.5	7.2	7.2	10.1	10.7	13.5	20.8	26.2
1993.....	23.3	34.6	18.0	7.7	6.2	11.5	13.3	13.9	21.7	28.6
1992.....	21.3	32.9	15.6	7.1	6.6	10.6	10.7	14.0	18.8	25.4
1991.....	23.3	34.6	18.8	7.9	7.8	12.2	13.1	16.9	22.1	28.2
1990.....	22.5	39.0	16.8	7.8	7.3	10.4	11.9	15.9	22.3	24.6
1989.....	25.9	46.0	19.6	9.5	9.0	10.1	13.3	17.7	23.7	29.5
1988.....	26.5	41.2	22.1	9.7	8.5	10.0	14.9	18.9	26.1	29.9
1987.....	25.5	41.0	21.3	8.8	9.2	11.1	14.7	18.7	24.3	29.4
1986.....	25.2	41.4	20.4	10.1	9.6	11.2	14.3	20.1	24.5	26.2
1985.....	25.5	34.4	19.5	10.5	8.9	11.0	14.0	19.5	23.3	25.5
1984.....	24.7	36.2	21.1	10.0	9.3	10.4	14.8	18.1	24.7	26.0
1983.....	26.6	44.9	22.5	10.0	9.5	10.8	15.4	21.3	25.1	26.3
1982.....	26.2	46.4	22.7	11.2	8.9	11.3	16.7	21.3	26.1	27.7
1981.....	27.6	43.3	26.0	11.0	10.3	13.2	18.0	22.9	25.4	27.9
1980.....	31.5	52.5	25.5	12.7	10.6	15.0	21.6	23.7	28.1	28.8
1979.....	2S.9	55.1	28.4	14.3	11.7	14.7	19.8	25.0	28.5	30.7

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 484

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
0 ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)										
+++										
BLACK MALE ++ ++ +++ ++++ +++										
1996.....	30.1	36.5	17.2	8.3	9.2	13.7	17.1	19.5	25.5	32.5
1995.....	31.6	2 TR3	16.2	7.4	9.5	16.0	15.6	21.6	28.0	40.4
1994.....	33.1	38.2	20.8	8.9	11.0	17.5	17.7	2EA6	33.2	41.8
1993.....	33.7	3 TR3	20.9	8.7	9.1	19.7	22.3	22.6	34.2	47.6
1992.....	30.9	32.3	18.8	9.0	9.9	18.0	17.0	2 B0	29.9	41.6
1991.....	34.2	43.7	21.1	10.6	12.3	20.8	22.5	28.5	37.1	46.1
1990.....	32.7	43.1	20.1	9.0	11.0	17.1	19.9	25.8	37.2	43.1
1989.....	37.8	49.2	24.0	11.9	13.3	17.1	2E.7	28.6	39.8	49.4
1988.....	38.9	46.1	26.9	12.4	11.7	17.2	24.2	30.6	42.4	49.8
1987.....	37.8	44.6	26.7	11.7	13.9	18.5	25.3	30.1	42.0	51.4
1986.....	37.0	43.9	22.0	12.0	14.3	18.7	2	12	34.6	40.1
1985.....	37.7	36.6	22.5	12.8	1 B0	18.7	23.7	33.1	39.0	45.2
1984.....	36.3	40.4	25.4	13.7	14.5	17.1	24.1	30.8	41.5	47.0
1983.....	38.2	54.9	25.8	12.0	13.2	17.6	24.8	3 B0	42.5	45.8
1982.....	38.9	53.8	26.6	13.9	13.3	18.6	28.1	35.6	45.6	47.0
1981.....	41.4	46.3	31.9	13.9	15.6	2E.9	31.1	37.9	42.4	47.4
1980.....	46.0	58.4	29.6	17.0	15.5	24.6	37.1	41.1	49.9	50.0
1979.....	44.7	57.7	32.9	19.6	17.5	23.7	33.3	42.9	48.0	5
BLACK FEMALE++ +++ ++ ++++ ++++ ++++ ++++										
1996.....	13.3	29.7	11.7	5.1	3.4	3.0	3.0	5.2	8.6	1 B0
1995.....	13.5	34.6	10.7	4.1	4.0	2.7	4.0	5.8	8.6	12.4
1994.....	13.4	31.8	14.2	5.4	3.4	2.6	3.9	5.2	9.8	12.4
1993.....	13.8	29.8	15.0	6.7	3.3	3.2	4.5	5.9	10.7	11.9
1992.....	12.7	33.5	12.3	5.2	3.3	2.9	4.6	5.8	9.1	11.2
1991.....	13.5	25.1	16.5	5.1	3.1	3.4	4.1	6.4	8.9	12.7
1990.....	13.4	34.8	13.4	6.6	3.6	3.5		12	6.9	9.1
1989.....	15.2	42.7	15.0	7.0	4.5	B0	4.4	7.9	9.7	12.3
1988.....	* 05.3	36.1	17.1	7.0	5.2	2.6	5.9	8.3	11.8	12.8
1987.....		14.5	37.4	15.8	5.8	12	3.6	4.7	8.4	8.8
1986.....		14.7	38.9	18.8	8.2	4.7	3.6	4.7	7.0	11.0
1985.....		14.6	32.1	16.5	8.1	4.7	3.2	4.8	7.3	9.8
1984.....		14.3	31.9	16.7	6.2	4.0	3.7	6.1	6.8	10.2
1983.....		16.2	34.7	19.2	7.9	5.7	4.0	6.7	10.9	10.2
1982.....		14.7	38.9	18.7	8.5	4.5	.0	6.2	8.6	9.3
1981.....	* 05.3	40.2	20.0	8.0	4.9	3.6	6.0	9.7	10.8	11.6
1980.....	YEARS8.6	46.7	21.5	8.4	5.6	5.3	7.5	8.4	9.4	11.1
1979.....	*	16.6	52.3	23.8	8.9	5.8	5.7	7.5	9.2	11.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 485

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
TOTAL, BOTH SEXES										
1996.....	11.6	*	1.6	9.7	14.5	14.8	14.3	15.4
1995.....	11.9	*	1.7	10.5	16.2	15.2	15.6	15.0
1994.....	12.0	*	1.7	11.1	16.4	15.8	15.0	15.5
1993.....	12.1	*	1.7	10.9	15.8	15.2	15.0	15.0
1992.....	12.0	*	1.7	10.8	14.9	14.1E	14.9	15.1
1991.....	12.2	*	1.5	11.0	14.9	14.9	15.5	15.1
1990.....	12.4	*	1.5	11.1	15.1	15.0	15.4	15.6
1989.....	12.1E	*	1.4	11.1	14.9	15.3	15.1	15.1
1988.....	12.4	*	1.4	11.12 6	15.4	15.7	15.3	
1987.....	12.7	*	1.5	10.1E	15.0	15.4	15.6	15.0
1986.....	12.9	*	1.5	10.1	15.5	15.7	16.0	15.3
1985.....	12.4	*	1.6	9.9	15.4	15.5	15.0	14.4
1984.....	12.4	*	1.3	8.9	15.5D C	15.4	15.1E	
1983.....	12.1	*	1.1	8.6	14.6	15.9	15.6	14.4
1982.....	12.2	*	1.1	8.7	15.1E	16.6	15.3	15.1
1981.....	12.0	...	12.	*	0.9	8.6	15.7	17.0	15.5D	15.9
1980.....	11.9	0.07.0.8	8.5	16.1	16.5	15.3	15.4	
1979.....	12.1	0.07	0.8	8.4	16.4	17.1	15.2	15.4
TOTAL, MALE										
1996.....	19.3	*	2.3	15.6	24.8	24.8	23.3	24.7
1995.....	19.8	*	2.6	17.4	27.7	25.7	25.5D	23.9
1994.....	19.8	...	12.	*	2.4	18.1E	28.5	26.6	24.8	24.4
1993.....	19.9	*	2.4	17.6	26.8	25.4	24.5	23.9
1992.....	19.6	*	2.4	17.8	25.6	24.0	24.0	24.1
1991.....	20.1	*	2.3	18.0	25.4	24.7	25.4	23.8
1990.....	20.4	*	2.2	18.1	25.7	24.9	24.6	24.5
1989.....	20.07	*	2.1	17.6	25.2	25.3	24.1	23.9
1988.....	20.1	*	2.1	17.6	24.8	25.5	25.2	24.3
1987.....	20.6	*	2.4	16.0	25.3	25.4	24.8	23.5
1986.....	20.7	*	2.3	16.1E	26.0	25.7	25.8	23.8
1985.....	20.0	*	2.3	15.8	25.7	25.4	23.9	22.4
1984.....	19.8	*	1.9	14.1E	25.7	25.8	24.4	23.2
1983.....	19.2	...	12.	*	1.6	13.9	24.0	25.3	24.8	21.9
1982.....	19.2	*	1.7	14.0	25.2	26.6	23.6	22.4
1981.....	18.7	*	1.1E	13.5	25.7	26.6	24.0	23.5
1980.....	18.6	12.	...	5-3	1.1E	13.8	26.8	26.7	23.1E	22.9
1979.....	18.6	5-3	1.1	13.4	26.5	27.3	22.9	21.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 486

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
TOTAL, FEMALE										
1996.....	4.4	*	0.8	3.5	3.7	4.8	5.2	6.1
1995.....	4.4	*	0.8	3.1	4.3	4.5	5.7	6.1
1994.....	4.5	*	1.0	3.5	3.9	4.9	5.3	6.7
1993.....	4.6	*	0.9	3.8	4.4	4.9	5.5	6.3
1992.....	4.6	*	0.9	3.4	3.9	4.3	5.7	6.2
1991.....	4.7	*	0.7	3.7	3.9	5.1	5.7	6.5
1990.....	4.8	*	0.8	3.7	4.1	4.9	6.3	6.8
1989.....	4.8	*	0.7	4.2	4.1	5.2	6.1	6.5
1988.....	5.0	*	0.8	4.3	4.1	5.3	5 -Y	6.6
1987.....	5.2	*	0.7	4.1	4.4	5.4	6.6	6.7
1986.....	5.4	*	0.7	3.7	4.9	5.5	6.4	7.0
1985.....	5.2	*	0.9	3.7	4.9	5.6	5 -3	5 6.6
1984.....	5.4	*	0.6	5 3.5	5.1	5.7	6.7	7.3 5
1983.....	5.4	*	0.6	3.2	5-Y	6.5	6.6	7.2
1982.....	5.6	*	0.4	3.1	5.1	6.7	7-Y	8.3 5
1981.....	5.8	*	0.5	3.5	5.6	5 7.5	7.2	8.5
1980.....	5.5	FO	0.3	5 3.0	5-5	6.5	7.7	8.1
1979.....	6.0	FO	0 7.	3.2	6.3	7.1	7.8	9.2
WH. E, BOTH SEXES										
1996.....	12.7	*	1.6	5 10.3	15.1	15.4	15.1	16.7
1995.....	12.9	*	1.9	11.0	16.9	15.9	16.6	16.2
1994.....	12.9	*	1.8	11.3	16.9	16.4	16.0	16.5
1993.....	13.1	*	1.7	11.6	5 16.1	15.7	16.0	16.1
1992.....	13.0	*	1.8	11.2	15.6	5 14.9	15.7	16.2
1991.....	13.3	5	*	1.6	11.8	15.7	15.4	16 7.	16.3 5
1990.....	13.5	*	1.6	11.9	15.9	15 7.	16-Y	16.7
1989.....	13-Y	*	1 7.	11.9	15 2	15.9	15.7	16.1
1988.....	13.5	*	1.5	12.1	15.4	16-Y	16-2	16.4
1987.....	13.8	*	1.7	11.0	15.9	16.1	16 7.	16.0
1986.....	14.0	*	1.6	11.2	16.7	16.4	16.9	16-Y
1985.....	13.4	*	1.8	10.7	16.2	16.4	15.8	15.3 5
1984.....	13.5	*	1.4	9.8	16.4	16 5	16.4	16 1
1983.....	13.1	*	1 1	9.3	5 15.4	16.9	16.6	5 15.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 487

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
WHITE MALE										
1996.96.+++++	20.9	96.†	9.9	*	2.3	16.3	25.7	25.7	24.4	26.4
1995.+++..+.	21.4	9..	96.†	*	2.8	18.4	28.7	2/F7	26.8	25.5
1994.+++..+.	21.3	96.†	96.†	*	2.5	18.7	29.3	27.3	26.2	25.5
1993+++..+.	21.4	96.†	96.†	*	2.4	18.5	27.4	26.0	25.9	25.4
1992.+++..+.	21.2	9.9	9..	*	2.6	18.4	26.6	25.1	25.1	25.5
1991+++..+.	21.7	9.9	9.9	*	2.4	19.1	26.5	25.4	26.7	25.4
1990.+++..+.	22.0	9..	96.†	*	2.3	19.3	26.8	25.5	25.7	25.9
1989.+++..+.	21.5	9.9	9.9	*	2.2	19.0	25.7	26.1	24.8	25.2
1988+++..+.	21.8	9.9	96.†	*	2.1	19.2	26.0	26.6	25.6	25.6
1987.+++..+.	22.2	9..	9..	*	2.6	17.3	26.7	26.2	25.9	24.6
1986.+++..+.	22.4	9..	96.†	*	2.4	18.0	27.8	26.6	27.0	24.6
1985.+++..+.	21.6	9..	9..	*	2.5	17.1	26.9	26.5	24.7	23†7
1984.+++..+.	21.3	9..	9..	*	2.1	15.6	27.1	26.6	25.5	2† 3
1983+++..+.	20.7	9..	9..	*	1.7	15.0	25.2	26.5	25.8	22.9
1982.+++..+.	20.7	9..	9..	*	1.7	15.4	26.4	27.4	24.5	23†3
1981.+++..+.	20.0	9..	9..	*	1.4	14.8	26.9	27.5	24.7	24.4
1980.+++..+.	19.9	9..	9..	0.0	1.4	15.0	27.8	27.5	23†5	24.0
1979+++..+.	19.6	9..	9..	-	1.2	14.3	26.8	27.5	23†0	22.3
WHITE FEMALE										
1996.+++..+.	4.8	9..	9..	*	0.9	3†8	3.8	4.9	5.7	6.8
1995.+++++.+	4.8	9..	9..	*	0.9	3.3	4.5	4.7	6.1	6.7
1994.+++++.+	4.9	9..	9..	*	1.	24.3†5	4.0	5.2	5.7	7.3
1993+++++.+	5.0	9..	9..	*	1.0	4.2	4.4	5.1	5.9	6.8
1992.+++++.+	5.1	9..	9..	*	1.1	3†7	4.0	4.5	6.1	6.8
1991.+++++.+	5.2	9..	9..	*	0.8	4.2	4.3	5.2	6.3	7.1
1990+++..+.	5.3	96.†	96.†	*	0.9	4.0	4.4	5.2	/F7	7.4
1989+++..+.	5.3	9..	9..	*	0.7	4.5	4.2	5.4	6.6	6.9
1988+++..+.	5.5	9..	9..	*	0.8	4.7	4.3	5.6	6.7	7.2
1987.+++..+.	5.8	96.†	9.9	*	0.7	4.4	4.7	5.8	7.1	7.3
1986.+++..+.	5.9	9..	9..	*	0.7	4.0	5.3	5.9	/F7	7.8
1985.+++++.+	5.6	9..	9..	*	0.9	4.1	5.2	6.1	6.8	7.1
1984.+++++.+	6.0	9..	9..	*	0.7	3†8	5.5	6.1	7.2	8.0
1983+++++.+	5.9	9..	9..	*	0.4	3†5	5.4	7.1	7.3	7.8
1982.+++++.+	6.1	9..	9..	*	0.5	3†4	5.4	7.3	7.7	8.9
1981.+++++.+	6.2	9..	96.†	*	0.6	3†8	5.9	8.0	7.4	9.1
1980.+++++.+	5.9	96.†	9..	-	0.3	3†3	5.9	/F9	8.1	8.8
1979+++++.+	6.5	96.†	9..	-	0.6	3†4	6.5	7.4	8.1	10.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 488

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER, BOTH SEXES										
1996.....	6.7	*	1.4	7.7	11.9	12.2	10.4	9.1
1995.....	6.9	*	1.2	8.2	13.4	12.1	11.2	9.2
1994.....	7.2	*	1.3	10.1	14.4	13.1	10.2	10.6
1993.....	7.1	*	1.5	8.3	14.4	13.1	10.1	9.6
1992.....	6.8	*	1.1	9.1	12.2	10.9	10.9	9.5
1991.....	6.8	*	1.0	7.8	11.3	12.4	10.3	8.7
1990.....	7.0	*	1.2	7.9	11.7	12.5	11.1	10.0

[illegible]

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 490

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
BLACK MALE										
1996.....	11.4	*	1.9	11.5	22.8	20.7	18.6	17.1
1995.....	11.9	*	1.6	13.8	22.7	22.0	19.8	16.7
1994.....	12.4	*	2.1	16.6	24.8	2 TA	17.8	19.5
1993.....	12.5	*	2.3	14.4	25.9	24.1	19.0	17.4
1992.....	12.0	*	2.0	14.8	21.2	20.4	20.9	18.0
1991.....	12.1	*	2.0	12.2	20.7	21.6	20.6	16.9
1990.....	12.0	*	1.6	11.5	19.0	2 TA	21.0	18.2
1989.....	12.4	* g .8	10.5	23.1	21.5	23.5	18.5	
1988.....	11.7	*	*	9.8	19.4	20.4	24.9	18.6
1985.....	11.0	*	* g	8.2	18.3	19.7	20.1	15.5
1984.....	10.7	*	*	5.9	16.5	21.5	20.2	17.9
1981.....	10.3	*	*	5.4	17.5	2 TA	20.5	17.4
1979.....	11.5	0.1	0.3	6.7	22.5	25.7	23.8	17.9
1995.....	2.0	*	*	2.3	2.1	3.5	3.3	3.2
1994.....	2.0	*	*	2.4	3.0	3.0	3.0	3.2
1993.....	2.1	*	*	*	3.9	3.2	3.0	3.5
1992.....	2.0	*	*	1.9	2.4	TA	3.8	3.0
1991.....	1.9	*	* g	*	1.8	4.2	2.4	3.3
1990.....	2.3	*	*	1.9	2.6	3.9	3.5	4.2
1989.....	2.4	*	* g	2.3	3.4	3.8	3.8	3.9
1987.....	2.1	*	* g	2.7	2.4	3.8	4.3	3.0
1986.....	2.3	*	* g	2.1	2.4	3.3	4.4	2.4
1985.....	2.1	* g	*	1.5	2.4	2.8	3.2	3.9
1984.....	2.2	*	*	1.7	3.0	3.5	3.6	3.4
1983.....	2.1	*	*	1.8	3.6	3.0	2.8	3.0
1980.....	2.2	-	0.1	1.6	3.1	3.5	5.0	3.9

1982.....

1980.....

BLACK FEMALE

1982.....

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 491

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)										
TOTAL, BOTH SEXES										
1996.....	7.9	8.8	2.7	0.9	1.8	15.7	20.6	15.2	11.9	9.9
1995.....	8.7	8.1	2.9	0.8	2.1	18.2	22.3	17.0	13.4	10.4
1994.....	9.6	8.1	3.0	0.8	2.2	20.3	24.8	18.8	14.8	12.3
1993.....	10.1	8.8	2.9	1.0	2.5	20.7	25.8	19.4	15.6	12.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 492

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)										
TOTAL, FEMALE										
1996.....	3.5	8.9	2.7	0.9	1.3	4.6	5.6	5.5	5.5	5.1
1995.....g	3.8	7.2	2.6	0.7	1.3	5.9	6.2	6.6	6.3	5.3
1994.....g	3.9	7.1	2.7	0.9	1.5	5.3	7.1	7.1	6.5	5.9
1993.....g	4.3	7.9	2.5	1.0	1.8	5.9	7.8	8.2	7.1	5.6
1992.....g	4.1	7.4	2.5	0.8	1.6	5.2	7.4	7.7	6.6	5.3
1991.....g	4.4	8.9	2.6	0.8	1.3	5.5	8.2	7.7	7.3	5.6
1990.....g	4.2	8.0	2.4	1.0	1.5	5.4	7.0	7.4	6.9	5.4
1989.....g	4.1	9.0	2.5	1.1	1.4	4.6	7.1	7.4	6.3	5.2
1988.....g	4.2	8.9	2.3	0.9	1.4	4.3	7.3	8.1	6.7	5.0
1987.....g	4.2	6.5	2.4	0.7	1.2	4.3	7.4	7.5	6.5	5.2
1986.....g	4.2	7.0	2.3	0.8	1.2	4.7	7.3	7.5	6.0	5.0
1985.....g	4.0	5.2	2.4	1.0	1.1	3.9	6.1	6.8	6.0	5.2
1984.....g	3.9	5.9	2.4	1.1	1.5	4.2	7.2	6.6	5.3	4.8
1983.....g	3.9	5.7	2.0	0.8	0.8	4.1	6.6	6.8	5.4	4.9
1982.....g	4.2	5.8	2.5	1.0	1.3	4.6	7.2	7.1	5.7	5.5
1981.....g	4.3	6.4	2.4	0.9	1.4	4.5	7.6	7.0	6.2	5.3
1980.....g	4.5	5.6	2.2	0.9	1.3	4.9	8.3	7.7	6.1	6.3
1979.....g	4.3	3.9	2.6	0.9	0.9	4.9	7.8	7.2	5.7	5.5
WHITE, BOTH SEXES										
1996.....g	4.7	6.7	1.8	0.7	1.2	7.8	10.0	7.8	7.3	6.4
1995.....g	5.2	6.1	1.9	0.6	1.5	9.5	11.4	9.4	7.9	6.5
1994.....g	5.5	5.6	2.1	0.6	1.3	9.6	12.0	10.0	8.7	7.6
1993.....g	5.7	6.4	1.8	0.8	1.5	9.5	12.0	10.1	9.1	7.6
1992.....g	5.9	6.0	1.8	0.5	1.5	9.6	12.1	10.4	9.0	7.8
1991.....g	6.1	6.7	1.9	0.6	1.4	9.2	12.2	10.8	9.3	8.1
1990.....g	5.8	5.8	1.6	0.6	1.3	8.2	11.5	10.6	9.0	7.9
1989.....g	5.4	5.8	1.7	0.7	1.2	6.4	9.9	9.7	8.6	7.3
1988.....g	5.4	6.0	1.9	0.8	1.0	5.5	9.6	9.6	8.4	7.1
1987.....g	5.4	5.2	1.7	0.6	1.0	5.1	9.6	9.7	8.4	7.6
1986.....g	5.7	5.3	1.7	0.5	1.2	6.0	10.5	10.2	9.1	7.7
1985.....g	5.5	4.0	1.8	0.7	1.2	5.0	9.4	9.8	8.6	7.8
1984.....g	5.5	4.6	1.8	0.6	1.2	5.3	9.7	9.8	8.4	7.9
1983.....g	5.6	3.5	1.5	0.7	0.9	5.2	9.7	10.2	8.8	8.0
1982.....g	6.3	4.9	1.8	0.8	1.0	6.3	11.0	11.0	9.4	8.9
1981.....g	6.6	4.6	1.7	0.7	1.1	6.8	11.8	11.6	10.2	9.7
1980.....g	7.0	4.3	1.7	0.7	1.1	7.5	12.7	12.3	10.9	10.2
1979.....g	6.4	3.4	1.7	0.8	0.9	7.1	11.8	11.1	9.7	8.9

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 493

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL YEAR	UNDER 1 YEARS	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HOMICIDE ABD LEGAL INTERVENTION (E960-E978)										
WHITE MALE										
1996.....	7.0	6.5	1.9	0.8	1.5	12.2	15.9	12.0	11.0	9.2
1995.....	7.8	7.1	2.1	0.7	2.0	14.7	18.2	14.3	11.7	9.4
1994.....	8.5	6.0	2.3	0.5	1.8	15.4	19.3	15.7	13.2	11.4
1993.....	8.6	7.0	2.2	0.8	1.9	15.2	18.9	15.2	13.6	11.3
1990.....	9.0	6.4	1.8	0.5	1.7	12.5	18.1	16.6	13.6	12.3
1987.9..	8.0	6.1	1.8	0.7	1.0	7.2	14.4	14.2	12.5	11.3

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 494

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HOMICIDE ABD LEGAL INTERVENTION (E960-E978)										
ALL OTHER, BOTH SEXES										
1996.....	23.4	17.4	6.0	1.6	3.9	46.4	62.8	46.2	32.5	27.1
1995.....	25.8	15.2	6.4	1.6	4.7	52.2	66.4	49.3	38.9	29.6
1994.....	29.5	17.2	6.3	1.7	5.7	62.0	77.0	57.0	43.5	35.1
1993.....	31.9	17.5	7.4	2.0	6.3	64.8	83.8	60.4	46.6	36.0
1992.....	30.9	16.3	6.4	1.8	6.1	57.6	78.7	59.9	46.3	34.9
1991.....	33.3	19.0	6.4	1.6	5.2	60.8	81.2	63.1	51.8	39.0
1990.....	31.9	18.4	6.3	1.9	5.2	53.0	72.0	62.8	50.3	41.5
1989.....	29.5	19.7	6.6	2.4	4.9	42.8	62.7	57.9	47.8	37.4
1988.....	28.6	18.0	5.7	2.1	4.4	37.3	59.6	57.8	47.3	38.1
1987.....	26.6	16.3	5.1	1.6	4.1	30.4	54.2	50.5	43.9	36.5
1986.....	27.4	16.8	6.9	2.0	2.8	27.5	52.5	55.2	46.9	38.9
1985.....	24.3	11.5	5.4	2.3	2.7	24.7	42.6	46.2	43.4	37.0
1984.....	24.7	15.7	5.0	2.5	3.2	21.6	42.8	48.8	42.1	37.2
1983.....	26.1	13.2	6.0	1.6	2.4	23.6	47.2	50.0	46.2	38.8
1982.....	29.5	14.5	7.0	2.1	2.7	25.7	51.2	58.6	55.2	45.7
1981.....	32.2	12.4	6.3	2.1	3.6	26.2	57.7	65.6	59.2	51.2
198 2.....	33.8	13.4	6.0	1.8	2.9	26.7	64.7	72.6	62.7	55.2
1979.....	33.1	12.3	6.2	2.0	2.7	26.7	58.8	70.3	62.7	56.1
ALL OTHER MALE										
1996.....	40.0	17.5	5.6	1.6	5.0	8 .8	113.0	81.3	53.5	43.4

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 495

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HOMICIDE ABD LEGAL INTERVENTION (E960-E978)										
ALL OTHER FEMALE										
1996.....	8.2	17.2	6.5	1.6	2.7	10.9	13.1	13.6	13.7	12.4
1995.....	9.1	15.1	5.5	1.4	2.5	13.3	14.0	15.6	16.3	13.8
1994.....	10.0	14.2	5.5	1.5	3.7	12.2	17.9	19.0	16.9	15.8
1993.....	11.1	15.4	6.5	1.7	4.1	14.9	20.2	22.0	18.5.8ú	13.5.8ú
1992.....	10.7	14.5	6.1	1.6	4.0	11.6	19.6	22.0	18.7	13.3
1991.....	11.8	19.6	6.3	1.6	3.0	13.0	21.9	21.5.8ú	20.5.8ú	14.5.8ú
1990.....	11.1	18.8	6.1	2.0	3.9	12.5.8ú	18.1	21.3	19.2	15.1
1989.....	11.0	21.1	6.4	2.3	3.1	9.9	18.9	21.0	17.4	13.8
1988.....	11.2	19.7	5.3	1.7	3.6	10.0	19.2	23.4	19.0	12.5
1987.....	10.7	15.8	6.0	1.4	2.3	10.4	19.9	19.4	17.2	11.5
1986.....	10.5	14.5	6.0	2.2	1.7	10.7	17.6	20.5	16.4	13.1
1985.....	9.5	9.1	5.4	2.4	1.6	9.3	15.1	17.4	15.6	13.6
1984.....	9.8	13.7	5.7	2.6	2.5.8ú	8.9	16.5.8ú	18.4	14.1	12.1
1983.....	10.0	14.1	5.5	1.4	1.2	9.7	18.0	18.2	15.7	13.6
1982.....	10.6	13.3	6.0	1.9	1.5.8ú	9.9	17.2	18.5	16.7	14.4
1981.....	11.3	13.6	5.0	1.7	2.3	9.6	21.2	19.7	19.1	15.5.8ú
1980.....	12.1	11.1	5.7	1.5	2.1	10.1	23.3	24.5	19.3	19.1
1979.....	12.2	9.4	6.9	1.5.8ú	1.5	11.2	22.7	21.5.8ú	19.5	19.0
BLACK, BOTH SEXES										
1996.....	29.5.8ú	22.1	7.2	1.9	4.6	57.6	81.5	61.5	42.5	34.9
1995.....	32.5	19.3	7.7	1.8	5.6	64.1	85.3	64.6	50.2	37.7
1994.....	37.4	20.7	7.4	1.5	6.9	76.2	100.2	74.4	56.7	(4.5.8ú) Tj T* (1993.....
1985.....	29.0	13.7	6.4	2.4	3.0	28.6	50.5	55.9	54.5	45.8
1984.....	29.2	19.1	5.9	2.5.8ú	3.7	24.5	50.4	59.0	52.2	46.0
1983.....	30.5	15.0	6.8	1.5	2.7	26.5	54.5	59.1	57.4	48.5
1980.....	38.6	15.7	6.5	2.0	3.2	29.9	73.2	84.9	76.7	66.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 496

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
HOMICIDE AND LEGAL INTERVENTION (E960-E978)										
BLACK MALE										
1996.....	51.5	23.1	6.9	2.0	6.0	100.9	148.7	109.2	70.8	56.1
1995.....	56.3	19.4	8.7	2.1	8.2	110.5	8/55.5	8 113.9	83.8	61.1
1994.....	65.1	23.9	8.4	2.1	9.1	135.8	180.7	129.1	96.0	72.9
1993.....	69.7	23.9	9.36¢.7	10.5	140.7	193.8	132.7	100.9	79.2	
1992.....	67.5	8 22.4	7.6	2.2	9.6	128.5	8 180.5	131.7	100.36¢	77.36¢
1991.....	72.0	22.4	7.9	1.8	9.1	134.36¢	183.8	138.1	111.8	85.1
1990.....	69.2	21.4	7.3	2.1	8.1	115.7	162.2	140.0	110.2	92.8
1989.....	62.3	21.9	8.0 ¢.36¢	7.7	93.9	135.5	124.5	104.7	82.9	
1988.....	59.1	19.5	7.6	2.8	6.0	78.3	125.6	120.2	100.8	86.9
1987.....	54.2	19.5	8 4.9	2.1	7.0	60.6	110.36¢	105.2	95.5	83.4
1986.....	55.8	23.2	9.5	2.0 ¢	4.7	51.9	106.0	115.2	103.2	87.4
1985.....	49.0 ¢	16.7	6.6	2.3	4.2	46.7	85.1	94.8	96.5	8 80.4
1984.....	49.2	21.0 ¢	5.1	2.5	8 4.1	39.5	83.8	100.2	93.	43.7
1983.....	51.8	14.3	7.3	2.1	4.0 ¢	42.9	91.36¢	102.4	101.7	86.6
1982.....	59.5	8 17.3	8.9	2.9	3.8	47.0	101.8	125.2	125.4	103.3
1981.....	64.8	12.2	8.9	2.9	5.2	48.0	113.1	141.1	131.4	115.5
1980.....	66.36¢	18.36¢	7.2	1.9	3.9	48.8	124.9	149.7	139.4	119.1
1979.....	63.8	16.5	6.3 ¢.3	4.0	46.8	111.1	146.0	134.0 ¢	119.1	
BLACK FEMALE										
1996.....	10.2	21.1	7.6	1.8	3.1	12.9	16.5	17.8	17.4	16.2
1995.....	11.1	19.2	6.8	1.5	3.0	16.4	17.2	19.3	20.3	17.0
1994.....	12.4	17.4	6.4	1.5	4.36¢	15.1	22.3 ¢	24.4	21.9	20.0
1993.....	13.36¢	18.1	7.7	2.1	5.2	18.4	25.36¢	27.0	23.	17.4
1992.....	13.1	17.8	7.4	1.7	5.1	14.2	24.3	28.0	23.	16.4
1991.....	14.2	24.3	7.3 ¢	1.8	3.8	15.3	27.4	27.2	25.5	17.8
1990..78	13.5	8 22.8	7.2	2.5	8 4.8	15.3	22.1	26.5	24.0 ¢	18.7
1989..78	13.1	23.36¢	7.3	2.2	3.8	11.8	22.8	25.36¢	21.4	17.0 ¢
1988..78	13.3	23.7	6.3 ¢	1.9	4.5	8 11.3	23.3	28.3	23.3	15.7
1987..78	12.7	18.9	7.3	1.6	2.5	8 12.1	23.3 ¢	23.8	21.5	14.4
1986..78	12.2	17.5	8 6.8	2.36¢	2.1	12.2	20.1	24.3	19.7	15.9
1985..78	11.1	10.7	6.3	2.4	1.7	10.4	17.8	21.1	18.8	16.4
1984.....	11.3	17.1	6.8	3.1	3.2	10.2	19.3	22.0	16.3	14.3
1983.....	11.4	8/5.7	6.3	*	*	10.5	20.7	20.4	19.4	16.5
1982.....	12.0	14.4	6.3 ¢.0	2.0	11.1	19.3	22.2	19.7	17.4	
1981.....	12.8	14.3	5.7	1.8 ¢.3	10.8	23.2	23.3	22.8	18.0 ¢	
1980..7	13.	12.8	6.4 ¢.0	2.4	11.0	26.0	28.1	23.0	21.8	
1979.....	13.	10.5	8 7.7	2.1	2.0	12.1	24.8	24.36¢	22.5	22.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 497

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER EXTERNAL CAUSES (E980-E999)										
TOTAL, BOTH SEXES		ES	†††							
1996.....	1.3	1.5	0.3	0.1	0.1	0.9	1.1	1.4	2.3	2.7
1995.....	1.3	1.5	0.3	*	0.2 2 9	1.2 2	1.5	2.3	2.8	
1994.....	1.3	1.2 2	0.3	0.1	0.3	1.0	1.4	1.7	2.2 2	2.6
1993.....	1.3	1.36Å	*	0.2	0.9	1.4	1.36Å	2.5	2.5	
1992.....	1.1	1.0	0.2 2	*	0.2	0.8	1.1	1.6	1.9	2.4
1991.....	1.0	1.2 2	0.3	*	0.2 2	0.9	0.9	1.3	1.7	1.9
1990.....	1.0	1.3	0.2	*	0.2	0.7	1.0	1.3	1.7	1.36Å
1989.....	1.1	1.3	0.4	*	0.3	0.7	1.1	1.3	1.9	2.0
1988.....	1.2 2	1.1	0.4	0.1	0.3	0.8	1.5	1.9	2.3	2.0
1987.....	1.2	1.5	0.5	0.1	0.3	0.8	1.3	1.9	2.2 2	2.1
1986.....	1.3	1.4	0.4	*	0.2	0.8	1.5	1.9	2.2	2.0
1985.....	1.2	1.5	0.5	* Å	0.7	1.2 2	1.8	2.0	1.9	
1984.....	1.3	1.7	0.4	0.2 2	0.3	0.8	1.36Å	1.9	1.9	1.8
1983.....	1.3	1.5	0.5	0.2	0.3	0.8	1.36Å	2.0	2.0	1.7
1982.....	1.4	2.0	0.5	0.1	0.2	0.9	1.7	2.1	2.1	2.0
1981.....	1.36Å	2.2 2	0.36Å		1.5	0.3	1.2	1.9	2.2	2.1
1980.....	1.36Å	1.9	0.8	0.2	0.3	1.2	2.1	2.6	2.2 2	2.0
1979.....	1.7	2.5	0.8	0.2 2	0.4	1.3	2.3	2.36Å	2.2	2.1
TOTAL, MALE †† †† ††† ††										
1996.....	2.0	1.5	0.3	*	0.2	1.5	1.8	2.1	3.36Å	4.0
1995.....	1.9	1.4	0.3	1.1 0.3		1.4	1.9	2.2	3.4	4.5
1994.....	2.0	1.2 2	0.3	1.1 0.4		1.7	2.2	2.5	3.2 2	4.0
1993.....	2.0	1.9	0.3	*	0.4	1.4	2.3	2.4	3.9	3.9
1992.....	1.7	1.2 2	*	*	0.3	1.3	1.7	2.5	2.9	3.6
1991.....	1.4	1.4	1	* Å	0.3	1.3	1.3	1.9	2.5	3.0
1990.....	1.4	1.5	0.3	* Å	0.3	1.1	1.5	2.1	2.36Å	2.5
1989.....	1.3	1.5	0.4	* Å	0.4	1.2 2	1.8	2.3	3.0	3.2
1988.....	1.9	1.5	0.4	*	0.5	1.3	2.2	2.8	3.3	3.3
1987.....	1.9	1.7	0.36Å	*	0.4	1.2	1.8	2.8	3.36Å	3.3
1986.....	1.9	1.3	0.5	1.1 0.4		1.3	2.3	2.9	3.3	3.1
1985.....	1.8	1.3	0.36Å	1	0.3	1.0	1.8	2.7	3.3	2.8
1984.....	1.9	2.0	0.4	* Å	0.4	1.3	2.3	3.0	3.0	2.6
1983.....	1.9	1.4	0.36Å	1.1 0.5		1.3	2.3	3.0	3.1	2.4
1982.....	2.1	2.3	0.3	* Å	0.4	1.4	2.36Å	3.3	3.3	3.1
1981.....	2.3	2.0	0.7	*	0.4	1.8	2.9	3.4	3.3	3.1
1980.....	2.4	2.4	0.9	0.2	0.4	1.8	3.3	4.1	3.4	2.8
1979.....	2.5	2.1 2 9	0.2	0.5	1.9	3.7	3.9	3.3	2.9	

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 498

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER EXTERNAL CAUSES (E980-E999)										
TOTAL, FEMALE								‡		
1996.....	0.7	1.6	0.4	*	*	0.3	0.4	0.7	1.1	1.5
1995.....	0.6	1.5	*	*	*	0.2	0.4	0.8	1.2	1.1
1994.....	0.7	1.2	0.3	*	*	0.2	0.5	0.9	1.2	1.3
1993.....	0.7	1.2	*	*	*	0.3	0.6	0.8	1.2	1.2
1992.....	0.6	*	*	*	*	0.3	0.4	0.7	1.0	1.2
1991.....	0.6	*	0.3	*	*	0.4	0.ED	0.7	0.8	0.9
1990.....	0.ED	1.2	*	*	*	0.3	0.4	0.6	0.8	0.8
1989.....	0.6	1.1	0.3	*	*	*	0.4	0.9	0.8	0.9
1988.....	0.7	*	0.4	*	*	0.4	0.8	1.0	1.0	0.8
1987.....	0.7	1.4	0.ED	*	*	0.4	0.8	0.9	0.9	0.9
1986.....	0.7	1.2	0.3	*	*	0.3	0.8	0.8	1.2	1.0
1985.....	0.7	1.3	0.4	*	*	0.4	0.7	0.8	0.8	0.9
1984.....	0.7	1.4	0.4	*	*	0.3	0.8	0.9	0.7	1.0
1983.....	0.8	1.6	0.4	*	*	0.4	0.9	1.0	0.9	1.0
1982.....	0.8	1.7	0.4	*	*	0.ED	0.9	0.8	1.0	1.0
1981.....	0.9	2.6	0.6	*	*	0.ED	1.0	1.0	1.0	1.2
1980.....	0.9	1.4	0.6	0.2	0.1	0.6	0.9	1.6	0 1.0	1.2
1979.....	1.0	2.9	0.6	0.6	0 0.3	0.7	1.0	1.3	1.2	1.4
WHITE, BOTH SEXES‡ † †† ††										
1996.....	1.2	1.3	0.3	*	0.6	0 0.7	1.0	1.4	2.2	2.6
1995.....	1.1	1.6	0 0.2	*	0.2	0.7	1.0	1.4	2.2	2.6
1994.....	1.2	0.9	0.2	*	0.2	0.9	1.3	1.6	2.6	0 2.ED
1993.....	1.2	1.0	0.2	*	0.2	0.8	1.4	1.4	2.3	2.2
1992.....	1.6	0.7	*	*	0.2	0.7	1.0	1.6	1.8	2.2
1991.....	0.9	0.9	0.2	*	0.2	0.8	0.8	1.2	1.6	1.8
1990.....	0.9	0.7	*	*	0.2	0.6	0.9	1.2	1.ED	1.ED
1989.....	1.0	0.8	0.3	*	0.3	0.7	1.6	1.3	1.7	1.6
1988.....	1.1	0.7	0.2	*	0.3	0.7	1.3	1.ED	2.0	1.8
1987.....	1.6	1.3	0.3	*	0.3	0.7	1.6	1.6	1.9	1.6
1986.....	1.6	0.9	*	*	0.2	0.7	1.4	1.7	1.9	1.7
1985.....	1.6	0 0.9	0.4	*	0.2	0.7	1.2	1.6	1.7	1.6
1984.....	1.6	1.2	0.3	*	0.3	0.8	1.5	1.6	1.6	1.ED
1983.....	1.2	0.7	0.3	*	0.2	0.8	1.4	1.8	1.8	1.5
1982.....	1.2	1.3	0.3	*	0.2	0.9	1.ED	1.8	1.8	1.7
1981.....	1.4	1.6	0.4	*	0.3	1.1	1.7	2.0	1.7	1.8
1980.....	1.4	1.4	0.ED	0.6	0 0.2	1.6	2.0	2.3	1.9	1.7
1979.....	1.5	1.ED	0.ED	0.6	0.4	1.2	2.6	2.2	1.9	1.8

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 499

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER EXTERNAL CAUSES (E980-E999)										
1996.....	1.8	1.3	*	*	0.3	1.2	1.6	2.0	3.2	3.7
1995.....	1.7	*	*	*	0.3	1.2	1.7	2.0	3.3	4.1
1994.....	1.8	*	*	*	0.4	1.5	2.0	2.3	3.0	3.7
1993.....	1.8	1.3	*	*	0.4	1.2	2.2	2.2	3.5	3.4
1992.....	1.5	*	*	*	0.3	1.1	1.6	2.4	2.7	3.2
1991.....	1.3	*	*	*	*	1.2	1.2	1.7	2.3	2.8
1990.....	1.3	*	*	*	0.3	1.0	1.4	1.9	2.4	2.3
1989.....	1.4	*	0.4	*	0.4	1.1	1.7	1.9	2.6	2.5
1988.....	1.6	*	*	*	0.5	1.1	2.0	2.3	3.1	2.7
1987.....	1.6	1.6	0.4	*	0.4	1.1	1.6	2.2	3.0	2.5
1986.....	1.7	*	*	*	0.3	1.1	2.2	2.6	2.8	2.6
1985.....	1.6	*	0.4	*	0.3	1.0	1.7	2.5	2.8	2.4
1984.....	1.7	1.4	*	*	0.4	1.3	2.2	2.5	2.5	2.1
1983.....	1.7	*	0.4	*	0.4	1.2	2.0	2.6	2.7	2.1
1982.....	1.8	1.4	0.4	*	0.3	1.4	2.2	2.8	2.7	2.6
1981.....	2.0	1.5	0.5	*	0.3	1.8	2.5	3.0	2.7	2.4
1980.....	2.1	1.8	0.6	0.2	0.4	1.7	3.2	3.7	2.9	2.2
1979.....	2.1	1.4	0.6	0.2	0.4	1.7	3.4	3.3	2.8	2.3
WHITE FEMALE		A			A			A		
1996.....	0.7	*	*	*	*	*	0.4	0.8	1.1	1.4
1995.....	0.6	*	*	*	*	*	0.3	0.7	1.1	1.0

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 500

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER EXTERNAL CAUSES (E980-E999)										

ALL OTHER, BOTH SEXES

ES †††

1996.....	1.7	*	0.6	*	*	1.5	1.6	1.5	3.1	3.5
1995.....	1.8	2.8	*	*	*	1.4	1.7	1.8	2.8	3.9
1994.....	1.8	2.4	*	*	*	1.3	1.6	2.0	3.0	3.4
1993.....	2.0	3.7	*	*	*	1.3	1.6	2.4	3.5	4.1
1992.....	1.6	*	*	*	*	1.3	1.4f 9	2.7	3.5	
1991.....	1.4	2.3	*	*	*	1.2	1.3	1.6	2.3	2.7
1990.....	1.4	3.8	*	*	*	0.9	1.3	2.0	2.3	2.3
1989.....	1.9	3.3	*	*	*	0.8	1.5	2.9	3.2	4.5
1988.....	2.0	2.7	0.9	*	*	1.3	2.4	3.7	3.7	3.5
1987.....	2.2	*	1.4	*	*	1.0	2.2	3.4	4.0	4.7
1986.....	2.2	3.4	1.3	*	*	1.0	2.0	2.7	4.0	3.8
1985.....	1.9	4.1	1.1	*	*	0.7	1.6	2.5	3.8	3.5
1984.....	2.1	3.9	1.0	*	*	0.9f 9	3.4	3.7	3.6	
1983.....	2.3	5.3	1.3	*	*	1.0	2.7	3.4	3.4	3.2
1982.....	2.4	5.2	1.2	*	*	0.9	2.8	3.9	4.2	4.0
1981.....	2.7	5.2	1.6	*	*	1.4	3.0	3.0	4.8	4.3
1980.....	2.8	4.4	2.0	0.6	0.4	1.6	2.7	4.3	4.4	4.0
1979.....	3.1	7.3	1.9	0.4	0.5	2.1	3.9	5.1	4.	2.6

ALL OTHER MALE †† †† ††† ††

1996.....	2.8	*	*	*	*	2.5	2.8	2.5	5.3	5.5
1995.....	2.9	*	*	*	*	2.3	2.9	2.7	4.1	6.1
1994.....	3.0	*	*	*	*	2.4	2.6	3.4	4.3	5.6
1993.....	3.1	*	*	*	*	2.0	2.6	3.8	5.5	6.6
1992.....	2.5	*	*	*	*	2.2	2.3	2.9	4.3	5.8
1991.....	2.0	*	*	*	*	1.9f 9	2.4	3.9	4.2	
1990.....	2.2	*	*	*	*	1.4	2.3	2.8	3.6	3.7
1989.....	2.9	*	*	*	*	1.5	2.5	4.0	5.4	7.3
1988.....	3.2	*	*	*	*	2.3	3.2	5.5	6.2	6.5
1987.....	3.5	*	*	*	*	1.6	2.9	5.8	6.8	7.7
1986.....	3.4	*	*	*	*	1.8	2.8	4.6	6.3	6.3
1985.....	2.9	*	*	*	*	*	2.4	3.9	6.2	5.7
1984.....	3.3	*	*	*	*	1.5	2.8	5.4	6.5	5.6
1983.....	3.4	*	1.8	*	*	1.4f	3.9	5.2	5.7	4.4
1982.....	3.8	6.5	*	*	*	1.1	4.4	6.4	7.0	6.3
1981.....	4.1	*	1.6	*	*f 9	5.1	5.3	7.7	7.4	
1980.....	4.4	5.3	2.2	0.6	0.4	2.1	4.4	6.7	7.2	7.1
1979.....	4.6	5.3	2.2	0.5	0.8	2.9	5.5	8.1	6.9	7.6

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 501

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER EXTERNAL CAUSES (E980-E999)										
ALL OTHER FEMALE										
1996.....	0.8	*	*	*	*	*	*	*	1.2	1.7
1995.....	0.8	*	*	*	*	*	*	*	1.7	1.8
1994.....	0.8	*	*	*	*	*	*	*	1.8	1.4
1993.....	0.9	*	*	*	*	*	*	1.2	1.6	1.9
1992.....	0.7	*	*	*	*	*	*	*	1.3	1.6
1991.....	0.8	*	*	*	*	*	*	*	*	1.5
1990.....	0.7	*	*	*	*	*	*	1.2	1.2	*
1989.....	0.9	*	*	*	*	*	*	1.9	1.3	2.0
1988.....	1.0	*	*	*	*	*	1.5	2.0	1.4	*
1987.....	1.0	*	1.5	*	*	*	1.5	1.3	1.5	2.0
1986.....	1.1	*	*	*	*	*	1.2	*	2.0	1.6
1985.....	1.0	*	*	*	*	*	*	2	1.8	1.7
1984.....	1.1	*	*	*	*	*	1.1	1.6	1.3	1.9
1983.....	1.3	*	*	*	*	*	1.6	1.7	1.4	2.2
1982.....	1.2	*	*	*	*	*	1.3	1.6	1.8	2.0
1981.....	1.4	6.2	*	*	*	*	*	*	2.3	*
1980.....	1.3	3.5	1.9	0.5	0.3	1.0	1.1	2.1	2.0	1.4
1979.....	1.8	9.4	1.6	0.3	0.3	1.3	2.4	2.5	2.2	2.1
BLACK, BOTH SEXES										
1996.....	2.1	*	*	*	*	1.9	2.0	2.0	3.9	4.4
1995.....	2.2	*	*	*	*	1.4	1.9	2.2	3.6	4.8
1994..	2.0	2.2	*	*	*	1.7	1.6	2.4	3.7	4.1
1993..	2.0	2.3	4.6	*	*	1.3	1.9	2.9	4.0	5.3
1992..	2.0	1.9	*	*	*	1.5	1.5	2.2	3.3	4.6
1991.....	1.6	*	*	*	*	1.5	1.5	1.8	2.9	3.5
1990.....	1.6	4.5	*	*	*	0.7	1.5	2.2	2.9	2.8
1989.....	2.2	3.8	*	*	*	0.8	1.6	3.6	4.1	5.6
1988.....	2.4	*	1.1	*	*	1.4	2.7	4.4	4.4	4.4
1987..	2.0	2.6	1.8	*	*	1.2	2.4	4.0	5.0	5.7
1986.....	2.4	4.3	1.6	*	*	1.0	1.8	2.8	4.6	4.5
1985.....	2.1	4.8	1.2	*	*	*	1.5	2.6	4.6	4.2
1984..	2.3	4.5	1.1	*	*	0.9	1.9	3.8	4.6	4.4
1983..	2.5	6.3	1.4	*	*	1.1	2.7	3.7	3.9	3.8
1982..	2.6	5.9	1.3	*	*	0.9	2.7	4.1	5.0	4.7
1981.....	2.9	5.8	1.8	*	*	1.3	3.1	3.6	5.5	5.1
1980.....	3.0	4.9	2.4	0.6	0.4	1.5	2.9	4.6	5.1	4.4
1979.....	3.3	8.0	2.2	0.5	0.5	2.1	4.2	5.3	5.0	5.2

198/04/21

TREND B TABLE 291. DEATH RATES FOR 72 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-96 - (RATES PER 100,000 POPULATION)

PLATE 1 OF 2 PG. 502

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
ALL OTHER EXTERNAL CAUSES (E980-E999)										
BLACK MALE								‡		
1996.....	3.5	*	*	*	*	3.3	3.5	3.2	6.7	7.3
1995.....	3.6	*	*	*	*	2.2	3.2	3.1	5.4	8.1
1994.....	3.6	*	*	*	*	3.2	2.9	4.0	5.3	7.0
1993.....	3.7	*	*	*	*	2.1	2.9	4.5	6.5	8.4
1992.....	3.1	*	*	*	*	2.6	2.6	3.5	5.2	7.4
1991.....	2.4	*	*	*	*	2.2	2.1	2.9	5.0	5.2
1990.....	2.5	*	*	*	*	*	2.6	2.9	4.5	4.7
1989.....	3.5	*	*	*	*	1.7	2.6	4.8	6.9	9.2
1988.....	3.9	*	*	*	*	2.5	3.7	6.9	7.8	8.0
1987.....	4.1	*	*	*	*	1.7	3.3	6.7	8.4	9.6
1986.....	3.7	*	*	*	*	1.8	2.6	4.6	7.3	7.7
1985.....	3.2	*	*	*	*	*	2.2	4.0	SES.6	6.8
1984.....	3.6	*	*	*	*	1.6	2.5	6.0	8.4	7.1
1983.....	3.7	*	2.0	*	*	1.4	3.8	5.8	6.4	5.2
1982.....	4.1	7.7	*	*	*	*	4.4	6.8	8.4	7.6
1981.....	4.5	*	*	*	*	1.8	5.5	6.4	8.7	8.9
1980.....	4.7	6.3	2.6	0.7	0.4	2.1	4.8	7.3	8.4	7.8
1979.....	4.9	5.4	2.5	0.6	0.7	2.9	5.8	8.7	7.9	8.5
BLACK FEMALE ‡ ‡ ‡ ‡										
1996.....	0.9	*	*	*	*	*	*	*	1.4	1.9
1995.....	1.0	*	*	*	*	*	*	*	2.1	2.0
1994.....	0.9	*	*	*	*	*	*	*	2.3	1.6
1993.....	1.1	*	*	*	*	*	*	1.5	1.9	2.5
1992.....	0.8	*	*	*	*	*	*	*	1.7	2.0
1991.....	05	6.	*	*	*	*	*	*	*	15
1990.....	0.8	*	*	*	*	*	*	1.4	1.5	*
19.	1.1	*	*	*	*	*	*	M	1.6	M
1988.....	1.1	*	*	*	*	*	1.9	2.3	1.4	*
19.7.....	1.2	*	2.0	*	*	*	1.6	1.4	15	6.
1986.....	1.1	*	*	*	*	*	*	*	2.2	*
19.5.....	1.1	*	*	*	*	*	*	1.4	2.0	2.0
1984.....	1.2	*	*	*	*	*	*	1.8	*	2.2
1983.....	1.4	*	*	*	*	*	1.8	1.8	1.7	M
1982.....	1.2	*	*	*	*	*	*	1.7	2.2	*
1981.....	1.5	*	*	*	*	*	*	*	2.8	*
19.0.....	1.4	3.4	2.2	0.6	0.3	0.9	1.1	2.3	2.2	1.6
1979.....	1.9	104	2.79..8	0.4	0.3	1.3	2.6	2.2	2.6	2.4